

## Index

Page numbers for entries within a footnote are followed by an *n* and the footnote number; **bold** numbers indicate a term's definition. GR = General Relativity, SR = Special Relativity.

- Abelian, 5
- aberration of light, 32
- Abraham, Max, 82
  - Abraham–Lorentz–Dirac eq., 84
- absorber, Feynman–Wheeler, 76, 83
- acausal
  - preacceleration, 88
  - propagation, 71
- acceleration
  - as boost, 17*n*17
  - Cavendish experiment, 10
  - electron, 87
  - energy conservation, 89
  - field, 79, *see also* radiation field
  - hyperbolic motion, 26, 90
  - particle
    - recovery of Newton's law, 151–153
    - tensorial, 134
  - proper, 25, 34, 43, 45, 192*n*17
    - tidal stress, 198
  - twin paradox, 25
  - uniform, 21, 25, *see also* proper acceleration
    - equivalence principle, 92, 98–99
- accelerometer, 192
- action
  - conservation laws, 52–55
  - emphasized by Coleman, ix*n*1
  - Euler–Lagrange equations, 52
  - Feynman–Wheeler electrodynamics, 83
  - general relativity, 227
    - alternative, Lorentz-invariant, 231
    - alternative, scalar field, 232
  - gravitational field, 144
  - group elements, 38
  - matter as gravity source, 147
  - nonuniqueness, 49
- particle mechanics, 48
  - stress tensor, 61–62
- point charge in field, 68–70
- relativistic field, 51
- relativistic form, 123
- relativistic mechanics, 49
- weak, 141
- action principle
  - Einstein's equations, 144–147
  - special relativistic fields, 133
- action at a distance, 83
- active transformation, 11–12
- Adler, Ronald, x
- affine
  - group, 8
  - space, 100, 115
    - parallel transport in, 224
- affine connection, 115, *see also* Christoffel symbol
- antisymmetric violates equivalence principle, 117
- coordinate transformation, 117, 125, 224
- determination for exterior Schwarzschild solution, 167–168
- elevator coordinates, 224
- Euclidean, polar coordinates, 117
- parallel transport, 116
- symmetric, 117, 121
- weak field, 141
- alias, 11, 101, *see also* passive transformation
  - preferred by Einstein, 12
- alibi, 11, 101, *see also* active transformation
- Alice and Bob, 21, 25
- angular
  - deflection
    - bending of light, 178
  - displacement
    - Mercury perihelion, 174
  - frequency, 42

- angular momentum, 154
  - conservation, 48
  - conserved, 60
  - density, **58**
  - intrinsic (spin), **58**
  - Mercury perihelion, 172
  - relativistic, 47, 61
    - conserved, 48
- antisymmetric tensor
  - angular momentum, 47
  - any t. splits into symmetric t. and, 37
  - canonical stress tensor, 58–62
  - conserved, 47
  - exterior derivative, 107–109
  - $F^{\mu\nu}$ , **63**
  - $\Gamma_{\mu\nu}^\lambda - \Gamma_{\nu\mu}^\lambda$ , 117
  - group representations, 37–38
  - infinitesimal Lorentz transformation, 56
  - integration on manifold, 113–115
  - Levi-Civita symbol, **109**
  - Lorentz trans. do not mix symmetric and antisymmetric parts, 37, 39
  - $R^\mu_{\nu\lambda\sigma}$ , 121, 124
  - scalars and vectors, 107
  - Stokes's theorem in terms of, 107–109
  - surface integral in terms of, 106
  - tensor densities, 109–113
- antitwist, 232
- aphelion, **173**
- appearance, relativistic cube, 29–31
- arc length, 20, *see also* length
- asymptotic conservation laws, 40–48
- asymptotic field
  - electromagnetic, 80
  - gravitational, 201, *see also* Minkowski, space, asymptotic
- axis, precession of gyroscope's, 136
- bare mass, 68, 82, 89, 90
- Barish, Barry C., 221
- Bazin, Maurice, x
- Bekenstein, Jacob David, 222
- Belinfante, Frederik J., 58n26
- Bianchi identities, 127, 162, 226
- Birkhoff, Garrett, 10
- black hole, 195n20, 220
- Boas, Mary L., 31n20
- Bondi–Gold cosmological model, 210
- boost, 17–20
- boundary conditions
  - Green's function, electromagnetic wave equation, 70, 74, 76, 87
  - Schwarzschild solution, 169
  - twists and antitwists, 232
- bounded orbits in Kepler problem, 230
- bulldozer method, 91
- Burnell, Dame Jocelyn Bell, 220
- cake, baking by match, 44
- candle, standard, 209
- canonical stress tensor, 57, 60, *see also* stress tensor, canonical, free Maxwell field, 66
- Klein–Gordon field, 148
- not symmetric, 58
- symmetric for KG and Maxwell fields, 149
- carrier space, 38
- Carroll, Sean M., 222
- Cartan, Élie, 206
  - classic problem of, 206–207
- Cartesian coordinates, 103, 106, 117, 121, 134
  - Euclidean 4-space, 186
  - nothing fishy in, 187
  - overlapping grids, 100
- Cauchy's integral formula, 72
- causality near a singularity, 195
- Cavendish experiment, 10
- centrifugal force
  - effective, Eötvös experiment, 96
- charge
  - action, 68–70
  - analogous to mass, 132
  - classical electron theory, 68n10
  - classical radius, 90
  - conservation, 39, 54
    - continuity equation, 66
    - current on or off, 75n14
    - must be local, 55
  - Coulomb potential, 78
  - electromagnetic field, 78–79
  - energy conservation in particle motion, 89
  - hyperbolic motion, 90–92
    - radiation with no reaction force, 92
  - Liénard–Wiechert potential, 78
  - Lorentz force, 70
  - Minkowski force, 70n11
  - nonrelativistic motion with radiation damping, 84–88
  - radiation from, 76–80
  - relativistic Kepler problem, 230
  - relativistic motion, massive, 82
    - Larmor formula, 89
    - self-force, 82
  - chemical potential, 185
  - Christoffel symbol  $\Gamma_{\mu\nu}^\lambda$ , 123, **224**, *see also* affine connection
    - as gravitational “force”, 134
    - coordinate transformation, 117, 125, 224
      - in terms of metric tensor, 124
    - Robertson–Walker metric, 212
    - table, Schwarzschild metric, 167
      - vanishes in elevator frame, 137
  - Christoffel symbol  $\Gamma_{\lambda,\mu\nu}$ , 123
    - table, Schwarzschild metric, 167
  - circumference, Schwarzschild spacetime, 169n6

- classic test of GR  
 deflection of light near sun, 170, 176–179  
 gravitational redshift, 170, 179–180  
 Mercury's perihelion shift, 170–176  
 recovery of Newton's law, 153, 170  
 tests Schwarzschild metric, 180–184
- classical electron theory  
 runaway as embarrassment, 85
- classical physics, 3  
 combined dilations and Lorentz transformations, 20  
 geometric symmetries, 6–11
- clock  
 Doppler shift, 27  
 gravitational time dilation, 97  
 Lorentz contraction, 22  
 near Schwarzschild radius, 192  
 proper time, 21  
 relativistic Doppler shift, 43  
 synchronization, 21  
 time dilation, 21  
 paradox, 23  
 twin paradox, 25
- COBE, 221
- Coleman, Sidney R., ix, 68n10  
 no kinematic conservation laws in mechanics  
 from discrete symmetries, 48
- Coleman/standard terminology  
 acceleration/boost, 17  
 dilatations/dilations, 5  
 elevator frame/locally inertial frame, 99  
 induction field/generalized Coulomb field, 79  
 Lorentz/Lorenz, 65n6  
 parallel displacement/parallel transport, 115
- comoving coordinates  
 applied to galaxy, 205  
 inertial frame, 25  
 Robertson–Walker metric, 208
- conformal transformation  
 generators, 131  
 Maxwell Lagrangian invariant, 198
- connection, 115, *see also* affine connection  
 conservation  
 global  
 energy, in planetary orbits, 172  
 energy–momentum, in GR, 201–203  
 in general relativity, 200  
 in special relativity, 200  
 law, kinematic, 39, 48  
 local energy–momentum  
 Friedman universe, 211  
 GR, 227  
 requires  $\nabla_\mu T^{\mu\nu} = 0$ , 162
- continuity equation,  $\partial_\mu J^\mu = 0$   
 in electrodynamics, 202  
 in general relativity, 200  
 locally conserved charge, 55, 66
- contraction  
 lengths, 22, *see also* Lorentz–Fitzgerald contraction  
 tensor indices, 36  
 invariant operation, 104
- contravariant vector, 103
- convolution integral, 81
- coordinate transformation, 5  
 action, 61  
 Christoffel symbol (2nd kind), 117, 125  
 conformal group, 131  
 contravariant vector, 102  
 covariant derivative, 119  
 covariant vector, 103  
 gauge choice, 151  
 gauge transformation, 156  
 infinitesimal, 140  
 Kruskal–Szekeres coordinates, 193  
 light speed, 9  
 matrix, 102  
 pseudotensor  $t^{\mu\nu}$  not a tensor, 201  
 scalar field, 5  
 tensor, 104  
 tensor density, 110, 223  
 vector field, 34
- coordinates  
 active vs. passive transformation of, 11  
 Cartesian, 100, *see also* Cartesian coordinates  
 comoving, 25, *see also* comoving coordinates  
 elevator, 121, *see also* elevator coordinates  
 embedding, 195  
 generalized, 48  
 geometric transformation as change of, 5  
 isotropic, 208  
 Kruskal–Szekeres, 193, *see also* Kruskal–Szekeres coordinates  
 locally geodesic, 121, 125, 202, 203, 224  
 Minkowski, 202, *see also* Minkowski coordinates  
 not vectors under coordinate transformations, 102n2  
 patches on manifolds, 100  
 rotations and boosts, 17  
 singularities, 208, 215, 216  
 cosmic background radiation, 221  
 cosmic redshift, 209, *see also* Hubble's law  
 cosmological  
 constant  $\Lambda$ , 143, 214  
 models  
 Robertson–Walker metric, 210  
 principle, 204, 206  
 Coulomb potential, 78  
 “covariant” meanings, various, 132n1
- covariant  
 integration, 225  
 by parts, 225  
 path derivative, 225
- covariant derivative  
 contravariant vector, 119

- covariant vector, **120**
  - does not commute with another, 120
  - elevator frame,  $\nabla \rightarrow \partial$ , 137
  - metric tensor,  $\nabla_\lambda g_{\mu\nu} = 0$ , 225
  - obeys product rule, 120
  - tensor, 120
  - tensor density, **120**, 161, **224**
- covariant vector, **103**
- cube, appearance of, 29, *see also* appearance of relativistic cube
- curl, 64
  - 4-dimensional analog, 130
  - exterior derivative, 108, 115*n*9
- current, **54**
  - conserved scalar, 200
  - density, 66
  - divergence of, 55
  - electromagnetic, 65, 66, 69, 77
  - internal symmetry, 55
- curvature
  - light beam in freely falling elevator, 99
  - measured by Riemann tensor, 121
  - parallel transport around a loop, 127–129
  - produced by matter and energy, 132
  - scalar  $R$ , 126, 144, 191, 212, **226**,
    - see also* Ricci scalar
    - zero if and only if  $R^\mu_{\nu\lambda\sigma} = 0$ , 131
- cycloid, 218
- cylinder
  - intrinsically flat, 129
  - its isometries, 163
  - not simply connected, 108
- d'Alembertian, **65**
- dark energy, 221
- dark matter, 221
- de Broglie formula, 42, 156
- de Sitter
  - space
    - locally Poincaré invariant, 142
  - universe
    - collapse of, 214, 216
- deflection of light near sun, 170, 176–179
- delta function, 33, 72, 73, 77, 80, 87
- density
  - energy, 184, 187, 191, 216, 217
  - galaxies, 33, 204
  - mass, 187
- Derbes, David, x
- derivative
  - conserved quantity, 200, 201
  - covariant, 119, *see also* covariant derivative
  - exterior, 107, *see also* exterior derivative
  - via affine connection, 116
- determinant
  - identity, 145
  - Jacobian, 107, *see also* Jacobian
  - Levi-Civita symbol,  $\epsilon^{\mu\nu\lambda\rho}$ , 114
  - Lorentz group structure, 13
- metric tensor,  $g$ , 122
  - of general coordinate trans., 160
  - proof of Stokes's theorem, 109
- DeWitt, Bryce S., 222
- Dicke, Robert H., 97
- dilation, 10
  - combined with Lorentz transformations, 19
  - universe invariance, 10
- dipole radiation
  - electromagnetic, 159
  - gravitational not allowed, 159
- Dirac, Paul A. M., 82*n*23, 86*n*26
- discrete symmetry
  - no kinematic conservation law, 48*n*15
- distance
  - determined by metric tensor, 104
  - extremized by geodesics, 134
  - horizon, in Friedman universes, 217
  - metric spaces, 100
  - on a manifold, 121
- distance–velocity relation, 209, *see also* Hubble's law
- distribution
  - as generalized function, 73
  - Lorentz invariant, 33
  - mass, 175
  - matter, 204
  - particles, Lorentz invariant, 33
  - velocities, 32
- divergence
  - added to stress tensor, 58
  - conserved quantity, 200
  - covariant of a tensor density, 146
  - current, 55
  - electron mass renormalization, 80
  - Lorenz gauge, 65
  - stress tensor, 62, 67
  - tensor density, 113
  - theorems of Gauss, Stokes, 114
- Doeleman, Sheperd S., 221
- Doppler shift, 27, 43
  - blurs gravitational redshift, 180
  - relativistic, 44
- downness, 9
- dual space, 103
- dual tensors, 112, 113
  - integration on manifolds, 113
  - tensor densities, 115, 118
- dynamics, general relativistic
  - Lagrangian, 227
  - non-Lagrangian, 228
- $\epsilon_{ijk}$ , Levi-Civita symbol, 64*n*2
- Eddington's eclipse measurement, 179, 182
- effective mass, 69
- eigenstate, 5
- eigenvalue, 122*n*21, 156, 158
- Einstein tensor  $G^{\mu\nu}$ , **143**
  - divergence  $\nabla_\mu G^{\mu\nu} = 0$ , 226

- Einstein tensor  $G^{\mu\nu}$  (cont.)  
 electromagnetic field, 143  
 pseudotensor  $t^{\mu\nu}$ , 202  
 Robertson–Walker metric, 211
- Einstein's equation, 227  
 action principle for, 144–147  
 Bianchi identities, 162n2  
 cosmological constant,  $\Lambda$ , 214  
 Einstein–Lemaître solution, 215  
 empty space, 142  
 gravitational analog to Maxwell's equations, 132, 138  
 in presence of matter, 144  
 isometries, 162  
 Lagrangian, 153  
 linearized, 150  
     similar to Maxwell's equations, 151  
 Newton's law from, 151–153  
 pseudotensor,  $t^{\mu\nu}$ , 201–203  
 Robertson–Walker metric, 210  
 Schwarzschild solution  
     exterior, 162–170  
     interior, 185–190  
 stationary solution, 164  
 stress tensor,  $T^{\mu\nu}$ , 147  
 universe collapses if  $\epsilon = -1$ , 217
- Einstein, Albert, ix  
 bases of general relativity, 99  
 equivalence principle, 98  
     not coincidental, 95  
 Lorentz invariance, 11n14  
 preferred alias to alibi, 12  
 summation convention, 8  
 tests proposed by, 170
- elastic collision, 42, 44  
 elastic modulus, 38  
 elasticity, 38  
 electric charge, 69, 132  
 electric field, 64  
 electrodynamics, 63, 67n9, 76, 77,  
     *see also* Maxwell's equations  
 Feynman–Wheeler, 76  
 Lagrangian, source-free, 148  
 logically similar to GR, 132  
 Lorenz gauge, 151  
 Poisson's equation, 152  
 quantum, 80  
 reduced to a wave equation, 75  
 runaway  
     classical limit, 86  
     mode in QED, 88  
 source fields, 75  
 time asymmetry, 76
- electromagnetic field tensor  $F^{\mu\nu}$ , 63  
 continuity equation, 202  
 field equations, 154  
     no source, 63  
     sourced, 66
- gauge invariance, 65, 154  
 Lagrangian, 148  
     gravity, 227  
 Maxwell's equations, no source, 133
- electromagnetism  
 stress tensor, 70  
 unlike gravity, 98
- electron, 10  
 classical radius, 90  
 classical theory of, 68  
 equation of motion, 82  
 mass renormalization, 80  
 radiates into future, 76  
 scattering, 88
- elevator  
 coordinates, 99n7, 121, 128, 137, 138, 179, 201, 224  
     locally geodesic, 121  
     equivalence principle, 98
- elliptical orbit, 4  
 bounded in Kepler problem, 230  
 precession, 175
- Ellis, George F. R., 222
- embedding space, 100, 121, 196, 206
- embedding theorem, 195
- energy  
 analysis of perihelion shift, 172  
 burning match, 44  
 center of, 48  
 conservation, 44  
     charged particle, 89  
 cosmological constant,  $\Lambda$ , 214–215  
 couples to Einstein's gravity, 97  
 density, 58, 62, 66, 187, 191  
     fluid, 228  
     internal Schwarzschild, 185  
     universe collapse, 217
- electrostatic, 90  
 field, 67, 68, 80
- Friedman universe, 211, 213–214
- gravitational  
 field, 159  
 global, 203  
 Newtonian, 180  
 potential, Newtonian, 182  
 relativistic, global, 201–203
- kinetic  
 angular, 172, 182  
 asymptotic, 46n14  
 charges, runaway, 89  
 nonrelativistic, 41  
 radial, 172, 182
- Lagrangian, 49
- levels, 5
- luminosity, 210
- mass due to electrostatic, 90
- negative, high deg. derivatives, 52
- photon, 42, 181

- planet, relativistic, 183
- potential, 45, *see also* potential energy
- produces curvature, 132
- radiation, 92
- relativistic, 41, 47
- runaway mode, 85
- twist and antitwist, 232
- energy-momentum tensor, 227, 228, 231,  
*see also* stress tensor
- Eötvös, Loránd von, 96
  - experiment, 96, 97, 181
- $\epsilon_{\lambda\mu\nu\rho}$ , 224, *see also* Levi-Civita symbol
- equations of motion, 4, 5, 49, 55, 63, 65, 88, 91, 138, 224, 228
  - weak gravitational field, 229
- equator, Schwarzschild surface, 195
- equilibrium, hydrostatic, 188
- equivalence of mass  $m_G$  and  $m_I$ , 95
  - Eötvös experiment, 96
  - Newton experiment, 96n2
- equivalence principle, 92, 95, 224
  - as basis for GR, 99
  - coordinates, 121
  - elevator, 98
    - extended by Einstein, 98
    - free fall, 117
    - gravitational redshift, 181
    - gyroscope, 228
    - light beam, 99
    - non-Lagrangian dynamics, 228
    - pseudotensor  $t^{\mu\nu}$ , 201
    - scalar field gravity, 233
    - Schwarzschild metric, 184
    - source of gravity, 143
    - strong form, 99
    - symmetry of  $\Gamma_{\mu\nu}^\lambda$ , 117
    - very weak form, 99
    - weak form, 99
  - Euclidean manifold, 115, 163
    - embedding theorem, 195
  - Euclidean space, 117, 121
    - 2 dimensions,  $\Gamma_{jk}^i$  in polar coordinates, 117
    - 3 dimensions, 127, 131, 166
      - hypersurface embedded in, 195
      - integration, 134
    - 4 dimensions, 186
      - $\epsilon = 0$  Friedman universe, 207
      - metric on embedded hypersphere, 187
    - $n$  dimensions, 131
  - contravariant, covariant the same, 35n2
  - $\Gamma$ 's zero with Cartesian coordinates, 121
  - geodesics typically minimal in, 135n4
    - locally, Robertson-Walker metric in, 211
  - Euler angles, 13
  - Euler-Lagrange equation, 49, 52, 53, 55
  - event horizon, 195n20
  - event in spacetime, 3
  - expansion of the universe
  - Einstein-Lemaître model, 215
  - Friedman model, 213, 216
  - experimental test, 170, *see also* classic test of GR
  - exponential growth, runaway, 85, 86
  - exterior calculus, 104–115
  - exterior derivative, 107
    - antisymmetric tensor, dual, 113
    - $F^{\mu\nu}$ , 148
    - vector, 225
  - exterior solution, Schwarzschild, 166,  
*see also* Schwarzschild metric
    - maximal extension, 193
  - extremum, Hamilton's principle, 48
  - $F^{\mu\nu}$ , 133, *see also* electromagnetic field tensor
  - Faddeev, Ludvig Dmitrievich, 222
  - faster than light, 32, *see also* tachyon
  - Fermat's principle
    - geodesic equation its apotheosis, 135
    - gravity and refraction, 199
  - Feynman-Wheeler electrodynamics, 76, 83
  - Feynman, Richard P., 76n16, 222
  - field
    - electric
      - in terms of  $F^{i0}$ , 63
      - transverse, 160
    - electromagnetic, 68, *see also* Maxwell field
      - bare mass, 69
      - covariant field equation, 133
      - covariant Lagrangian, 148
      - point charge, 79, 80
      - radiation, 79
    - gravitational
      - action, 141
      - Einstein equation, 141
      - equivalence principle, 92, 98, 99, 117
      - Hamiltonian, 97
      - Lagrangian, 144
      - light beam, 98
      - matter and metric, 138
      - Newtonian from GR, 151
      - static point mass, 166, *see also* Schwarzschild metric
        - stress tensor, 202
        - sun, symmetry of, 4
        - tidal force, 137
        - weak, 138, 229
      - "in" and "out", 75, 83
        - satisfy wave equation, 76
      - induction, 79, 89, 92
      - Klein-Gordon
        - covariant, 133
        - Lagrangian, 148
      - magnetic
        - in terms of  $F^{ij}$ , 64
      - Maxwell,  $A^\mu$ , 63, *see also* Maxwell field
      - radiation, 92

- field (cont.)
  - scalar
    - action, 51
    - canonical stress tensor, 57
    - conserved current, 55
    - coordinate transformation, 104
    - Klein–Gordon equation, 51
    - symmetric stress tensor, 60
    - transformation law, 5, 34
  - vector, 5, 103
    - covariant derivative, 119
    - inner product, 105
    - local, 123
    - parallel transport, 130
    - transformation law, 34
- finite neighborhood, 129
- Fitzgerald contraction, 22,
  - see also* Lorentz–Fitzgerald c.
- fixed point theorem, 88
- flashlight drive, 42, 45
- flat space
  - Euclidean, 117, 121
  - Minkowski, 129, 132, 133, 142, 179, 231
- flatness, 129
  - measured by Riemann tensor, 131
- fluid
  - stress tensor, 184, 185, 191, 228
  - sun as incompressible, 185
  - universe as, 204, 210
- Fock, Vladimir A., x
- force
  - delta function, 86
  - gravitational, 10, 95, 151
    - Eötvös experiment, 96
    - hydrostatic equilibrium, 188
    - Hooke's law, binding, 84
  - Lorentz, **70**, 132
  - Minkowski, 51
  - tidal, 137, 228
    - near singularity, 197
- Ford, W. Kent, 221
- Fourier transform, 71
- free fall
  - frame, 117, 138, *see also* elevator coordinates
    - locally Minkowskian, 117
    - same as elevator coordinates, 121
- Friedman, 213
- Galileo observation, 95
- geodesic world lines, 137
- photon, 181
- Schwarzschild radius
  - finite proper time, infinite coordinate time, 192
- Schwarzschild singularity, 191, 192
- tidal force, 137, 197
- frequency
  - Doppler shift, 43
  - gravitational redshift, 179, 180
- Friedman universe, 210–214
- Friedman, Alexander A., 210
  - spelling confusion, 210*n*8
- Friedmann, Alexander A., 210,
  - see also* Friedman, Alexander A.
- Fulton, Thomas, 92*n*30
- future, **13**
- galaxies
  - as atoms, 204
  - beyond the horizon, 217
  - Cartan's problem, 206
  - cosmological principle, 204
  - Hubble's law, 209
- Galileo
  - all objects fall at the same rate, 95
  - relativity, 46
- $\Gamma_{\mu\nu}^{\lambda}$ ,  $\Gamma_{\lambda,\mu\nu}$ , 123, *see also* Christoffel symbol
- $\gamma$ , Lorentz factor, **18**
- Gamow, George, 31
- gauge invariance
  - electromagnetism, 65
    - $F^{\mu\nu}$ , 70
  - gravitation, 140
    - Bianchi identities, 162*n*2
    - $R_{\mu\nu\lambda\sigma}$ , 159
- gauge transformation
  - electromagnetism, 65, 154
  - gravitation, 140, 156
    - linearized theory, 229
- Gauss's theorem, 59
  - four dimensions, **53**
  - rank 2 tensor, 115
- general relativity
  - alternative theories, 142
  - analogs trivial if  $\dim < 4$ , 127
  - basic insights, 99
  - classic tests, 170, *see also* classic test of GR
  - classic tests of what?, 180
  - Coleman's admonition, 220
  - cosmological models, 210
  - 4-dimensional manifold, 112
  - $\Gamma_{\nu\lambda}^{\mu}$  symmetric, 117
  - global conservation of energy–momentum, 200–203
  - isotropy, 205
  - logically akin to Maxwell's equations, 132
  - no dipole radiation, 159
  - strong equivalence, 121
  - symmetric stress tensor, 58
  - two parts of, 132
  - Weyl's principle, 204
- generator
  - conformal group, 131
  - translation need not commute, 142
- Genzel, Reinhard, 221
- geodesic, **134**
- equation, 134

- Kruskal coordinates, 193
- light moves along a null, 179, 195
- local coordinates, 159
  - $T$ 's zero, 121, *see also* elevator coordinates
- orbits, 181
- particle, 228
- straight line, absent gravity, 134
- straightest lines in curved space, 134
- tidal forces, 137, 197
- world line in free fall, 137
- world lines of free particles, 135, 152
- geometry
  - affine spaces, 115–121
  - classical physics and group theory, 6–12
  - differential, 100–115
    - Cartan problem, 206
    - equal to gravity, 132
  - interior Schwarzschild solution, 187
  - Minkowski space and Lorentz group, 13–23
  - Riemannian, 121–131
  - Schwarzschild equator, 195
  - Schwarzschild solution, 193
- Ghez, Andrea, 221
- global conservation, 55
  - energy, in orbits, 172
  - energy-momentum in GR, 201
  - in general relativity, 200
  - in special relativity, 200
  - momentum, in GR, 201
- global invariance
  - Poincaré not certain, 142
- God, near-sighted, 204
- gradient
  - archetype of covariant vector, 35
  - curl-free vector as, 130
  - exterior derivative of scalar field, 108
  - of scalar field, transformation, 104
  - pressure, 188
  - vector in three dimensions, 34
- gravitation
  - equal to geometry, 132
  - Newton's law of, 11*n*13, 95, *see also* Newton's law of g.
- gravitational
  - collapse, 190
  - constant,  $G$ , 95, 227
  - field, 4, *see also* field, gravitational
  - mass,  $m_G$ , 95
  - potential energy, 172
  - redshift, 170, 179–180, *see also* Pound–Rebka experiment
    - in scalar gravity, 231
    - quantum mechanics, 97
  - wave, x, *see also* wave, gravitational
- graviton, 158
- gravity
  - alters spatial geometry, 98
  - Einstein, couples to energy and mass, 97
- equivalence principle, 98
- GR as a theory of, ix
- Newton, couples to mass, 97
- sourced by stress tensor, 143
- stretches time, 97
- tidal forces, 138
- universal effects, 98
- weak field Lagrangian, 139
- Greeks, ancient
  - symmetries, 4*n*4
- Green's function
  - advanced,  $D_A$ , 71*n*13, 75
  - boundary conditions, 74
  - $D$ , not unique, 71
  - retarded,  $D_R$ , 71, 72
    - four potential  $A^\mu$ , 75
    - near  $t = 0^+$ , 72
    - solves either wave equation, 73
- Griffiths, David J., ix, x, 152*n*19
- gun, jumping the, 88
- gyroscope
  - equation of motion, 228
  - precession of axis, 136
- Hall, Brian C., 145*n*12
- Hamilton's principle, 50, 61, 227
- Hamiltonian, 97
- harmonic
  - coordinates, 151*n*18, 154, 156, *see also* Lorenz gauge
  - force, 84
  - potential, 214
- Harvard University, ix
- Hawking, Stephen W., 220–222
- Heaviside–Lorentz units, 66*n*8, 78
- helicity
  - graviton, 158
  - photon, 156
- Hewish, Anthony, 220
- Hooke's law, 38
- horizon, Friedman universe, 217
- Hoyle–Bondi steady-state model, 204
- Hubble, Edwin P. 209*n*7
  - Hubble's constant, 209
  - Hubble's law, 209
    - in Milne's model, 33
- Hulse, Russell, 221
- Huygens' principle, 74
- hydrostatic equilibrium, 188
- hyperbola, 26
  - constant cosmic time, 216
  - Kruskal coordinates, 194
- hyperbolic
  - functions, 18
  - motion, 26, 91
    - charge, 90–92
    - lack of radiation reaction force, 92
    - zero radiation reaction, 90

- hyperboloid
  - Friedman universe, 217
  - Lorentz group, 14, 15
- hypersphere, 186, 187
- induction field, 79, 89, 92
- inertial frame, 25, *see also* reference frame, inertial
- inertial mass,  $m_I$ , 95
  - $\propto m_G$ , gravitational mass, 95
- inhomogeneous Lorentz group, 11, *see also*
  - Poincaré group
- integration
  - covariant, 225
  - on a manifold, 113–115
- internal symmetry, 54
- intrinsic geometry, 100, 129
- invariance
  - conformal, 198
  - dilation, 10, *see also* dilation
  - gauge, 70, *see also* gauge invariance
  - geometric, 5
  - group properties, 4
  - inconsequential, 5
  - internal symmetry, 54
  - isometry, 163
  - Lagrangian, 49
  - laws of motion, 4
  - Lorentz, 11, *see also* Lorentz group, Lorentz invariance
  - Newton's first law, 8
  - Poincaré, 6, *see also* Poincaré invariance
  - rotational, 165
  - time reversal, 165
  - time translation, 163
  - translation, 46
  - irreducible representation, 38
  - conservation laws, 40
  - rotation group, 38
  - isometry, 163
    - rotational invariance, 165
    - time reversal, 164
    - Weyl's postulate, 204
  - isotropic coordinates, 208
  - isotropy
    - all galaxies follow geodesics, 205
    - Cartan's problem, 206
    - cosmological principle, 204
  - Jackson, J. David, 65*n*6
  - Jacobian, 106, 107, 110, 111, 115, 160, 223
  - Kaiser, David, ix*n*1, 222
  - Kepler problem, 173
    - relativistic with Coulomb potential, 230
  - Kerr, Roy P., 221
  - kinematic quantities, 40, 46
    - asymptotically conserved, 61
  - kinematic theory, Milne, 204
  - kinetic energy, 41, *see also* energy, kinetic
    - Lagrangian, 49
  - Klein–Gordon field, 227
  - Kronecker delta, 36, 38, 223, 230
  - Krotkov, Robert, 97*n*4
  - Kruskal, Martin David, 193*n*19
  - Kruskal–Szekeres coordinates, 193, 215
  - Lagrangian, 48
    - Einstein's equation, empty space, 144
    - electromagnetism, 63
    - not uniquely defined, 49
    - particle mechanics, 48–51
      - relativistic particle, 49–51
    - relativistic fields, 51–58
      - charged, 51
      - geometric invariance, 55–58
      - internal symmetry, 54–55
      - Klein–Gordon, 51
  - Landau, Lev Davidovich, 201*n*1, 203*n*4
  - Laplace's equation, two dimensions
    - conformal transformations, 131
  - Laplacian
    - d'Alembertian as 4-dimensional extension of, 65
  - Larmor formula, 89
  - length
    - along a geodesic, 137
    - contravariant vector  $A^\mu$ , 122
    - in embedded space, 121, 196
    - in general relativity, 223
    - Lorentz invariance, 20
    - on manifold, 100
    - perpendicular to motion, 23
    - preserved by isometry, 163
    - preserved by parallel transport, 123
    - proper time, 21
    - proper velocity,  $dx^\mu/d\tau$ , 25
    - spacetime interval, 122
  - lepton number, 39*n*9, 55
  - Levi-Civita symbol, 110
    - in  $n$  dimensions, 224
    - in four dimensions,  $\epsilon_{\mu\nu\lambda\sigma}$ , 36*n*3
    - in three dimensions,  $\epsilon_{ijk}$ , 64*n*2
  - Levin, David, ix
  - Levin, Janna J., 222
  - Liénard–Wiechert potential, point charge, 78
  - Lifshitz, Evgeny Mikhailovich, 201*n*1, 203*n*4
  - light cone, 23, 77, 91, 216
  - LIGO, 160*n*23, 180*n*13, 221
  - line integral, 107
  - line of simultaneity, 24
  - linearized Einstein equation, 150–153
  - local conservation, 55, *see also* conservation, local
  - Lorentz covariant, 132
  - Lorentz gauge, 65, *see also* Lorenz gauge

- Lorentz group, **11**
  - hyperboloid
    - 1 sheet, 15
    - 2 sheets, 14
  - proper *v.s.* improper, 16, 115
  - representations, 37
    - conservation laws, 41
  - structure, 13–19
  - subgroup of Poincaré group, 11
  - subgroups of, 17
- Lorentz invariance, 11*n*14
  - representations, 40
  - tachyons consistent with, 32
- Lorentz transformation, **11**, 20
  - boost, 17
  - infinitesimal, 56
  - invariant quadratic form, 12
  - Levi-Civita pseudotensor invariant, 36
  - metric tensor invariant, 35
  - Minkowski space isometry, 163
  - parameters, 14
  - proper,  $\det = 1$ , 110
  - symmetric, antisymmetric tensor pieces, 37
  - tachyons, 32
  - time and space transform, 34
  - traceless, metric parts, 37
    - with dilations, 19
- Lorentz, Hendrik A., 65*n*6, 82, 86*n*25
  - mass due to field energy, 90
- Lorentz–Fitzgerald contraction, **22**, 28, 29
- Lorenz gauge, **65**, 67, 70, 81, 151, 154
- Lorenz, Ludvig V., 65*n*6
  - luminosity
    - apparent, 209
    - distance, **210**
    - intrinsic, 209
- MacLane, Saunders, 10
- magnetic field, 64, *see also* field, magnetic
  - manifold, **101**
    - affinely connected, 115
    - coordinates differentiable, 101
    - differentiable, **102**
    - embedding theorem, 195
    - integration on, 113–115
  - Kruskal–Szekeres coordinates, 193
  - Minkowski
    - isometry, 163
  - parallel transport, 115
  - Riemannian, **122**
    - isometry, 163
    - metric, 132
  - Stokes's theorem, 107
  - structure, 101
  - time-independent metric, 164
  - Weyl's postulate, 204
- mass
  - bare, 68, 82
  - negative, runaway mode, 89
  - center of, rel. generalization, 48
  - conserved  $\not\equiv$  in rel. collisions, 42
  - couples to Newton's gravity, 97
  - diminished by binding energy, 183
  - effective, 69, 181
  - electrostatic origin (Lorentz), 90
  - equivalence principle, 98
  - gravitational,  $m_G$ , 95
  - incompatible with dilations, 10
  - inertial,  $m_I$ , 95
    - $m_I \propto m_G$ , 95
      - equivalence, 95
    - photon rocket, 42
    - photons, 42
    - physical, 82
    - renormalization, 80
    - role in metric, 132
    - Schwarzschild metric, 162
    - unit of meters, 156*n*21
      - with energy, couples to Einstein's gravity, 97
  - Mather, John, 221
  - matter
    - curves spacetime, 132
    - source of gravity, 147
  - Maxwell field
    - field equations
      - free, 64
      - sourced, 66
    - field tensor,  $F^{\mu\nu}$ , **63**
    - gauge invariance, 65
    - inhomogeneous wave equation, 75
    - Lagrangian, 63
    - Maxwell's equations, 67
    - stress tensor, 66
  - Maxwell's equations, 43
    - analogous to Einstein's equation, 138
    - charge in, similar to role of mass in metric, 132
    - curved space, 133
    - incompatible with materialized charge, 75
    - like linear Einstein equation, 151
    - Lorenz gauge, 81
    - source-free, **65**
    - sourced, **67**
    - time-reversal invariant, 76
  - mechanics
    - classical, 38
      - discrete symmetries, 48
    - nonrelativistic
      - Lagrangian, 49
    - quantum, 42
      - gravitational redshift, 97
      - runaway solution, 86
    - relativistic particle, 34
      - Lagrangian, 49–51
    - statistical, 76

- Mercury's perihelion shift, 170–176
  - as classic test, 182–184
  - in scalar gravity, 231, 233
- metric
  - altered by gravity, 98
  - Cartan's problem, 206
  - comoving coordinates, 205
  - conformal transformations, 198
  - embedding, 186
  - Euclidean
    - isometry, 163
    - gauge invariance, 162*n*2
    - hyperboloid and Friedman universe, 207
    - hypersphere embedded, 187
    - isometry, 164
    - Kruskal–Szekeres coordinates, 193
    - Minkowski  $\eta_{\mu\nu}$ , 9, 138, **224**
      - elevator frame, 99
      - Lorentz tensor, 35
    - point mass, 162, *see also* Schwarzschild m.
  - Robertson–Walker, **208**
    - Christoffel symbols ( $\Gamma$ 's), 212
    - cosmology, 210–215
    - Einstein equation, 211
    - singularities, 215
  - Schwarzschild, x
    - signature, 204
    - spherically symmetric, 162, 183, *see also* Schwarzschild metric
    - stationary, **164**
    - time-independent, 164
  - metric space, 100
  - metric tensor  $g_{\mu\nu}$ , **9, 223**
    - $\approx$  Minkowski if gravity weak, 138
    - conformal trans., 131
    - constant  $\Rightarrow$  flat space, 129
    - determines distance, 104
    - $\Gamma$ 's expressed in terms of, 124
    - geometry encoded in, 132
    - $g^{\mu\nu} \neq g_{\mu\nu}$  in general, 122
    - gravitational potential, 134
    - invariant under Lorentz trans., 36
    - obtained from  $G^{\mu\nu}$ , 162
    - raise/lower indices, 36, 111, 122
    - Schwarzschild, 162–170
    - spherically symmetric, 166, *see also* Schwarzschild metric
    - symmetric on Riemann manifold, 122
    - variation of its determinant, 146
  - Milne model, 32, 204, 210, 216
  - Minkowski
    - coordinates, 179, 180, 184
    - asymptotic, 202
    - force
      - as relativistic form of Newton's second law, 51
    - metric  $\eta_{\mu\nu}$ , **224**
    - space, 202
  - $\epsilon = 0$  Friedman model, 216
    - asymptotic, 201–203, 230
    - hyperboloid in, 207
    - indistinguishable from empty space, 117, 121
  - Misner, Charles W., 222
  - model
    - Bondi–Gold, universe
    - Robertson–Walker metric, 210
    - Einstein–Lemaître, universe, 215
    - Friedman, universe, 213
      - $\epsilon = -1$ , sphere  $\not\equiv$  empty, 216
      - $\epsilon = 0$ , flat, 216
      - $\epsilon = 1$ , expands, 216
    - Hoyle–Bondi steady state, 204
    - Lorentz, electron, 86*n*25
    - Milne, universe, 32, 216
      - kinematics, 204
      - Robertson–Walker metric, 210
      - sun as incompressible fluid, 190
  - Møller, Christian, x
  - momentum
    - conservation, global
      - divergence, 201
    - conservation, local
      - covariant divergence, 162
      - Friedman universe, 211
    - conserved, globally
      - pseudotensor  $t^{\mu\nu}$ , 202–203
    - electromagnetic density, 66
    - field, 67, 80
      - radiated, 89
    - nonrelativistic
      - conservation, 41
    - photon, 42
      - de Broglie wavelength, 156
    - relativistic, **41**
      - canonical stress tensor  $T_{\mu\nu}^{\text{CAN}}$ , 57
      - conservation, 42, 46, 47
      - non-Lagrangian dynamics, 228
      - particle, 61
      - stress tensor, 227
      - symmetric stress tensor  $T_{\mu\nu}^{\text{SYM}}$ , 60
    - stress tensor
      - source of Einstein tensor  $G_{\mu\nu}$ , 143
      - twist and antitwist, 232
    - momentum space, 62
  - Moniz, Ernest J., 86*n*25
  - monopole, 159
  - Mr. Tompkins in Wonderland*, 31*n*20
  - neutron star, 220
  - Newman, Ezra T., 221
  - Newton's law of gravitation, **95**
    - Kepler problem (Mercury), 171, 172
    - kinetic energy
      - angular, 182
      - radial, 182

- potential energy, 180, 182
- recovery from Einstein's theory, 151–153, 170
- weak-field limit of scalar field theory, 233
- Newton's laws
  - first, 6, 8, 11
  - affine group, 8
  - geodesic equation as generalization of, 135
  - Poincaré group, 10
- second
  - equivalence of  $m_I$  and  $m_G$ , 95
  - from Euler–Lagrange equation, 49
  - relativistic form, 51
- Newton, Isaac, 4n4
  - pendulum test of  $m_I$  and  $m_G$  equivalence, 96n2
- Newtonian limit
  - determination of constant in Einstein's equation, 144
  - Schwarzschild metric, 169, 184
- Newtonian line element, 154
- Noether, Amalie Emmy, 55n24
  - Noether's theorem, 55n24
- nonorthochronous, 15, 16
- Novikov, Igor Dmitriyevich, 220, 222
- observation, 23
- observer, 8, 21–23, 32, 92, 192, 198, 204, 208
- Okun, Lev B., 65n6
- open set, 102, 226
- orbit
  - Einstein's equation, 164
  - isometry, 163–166
  - Mercury, 172–176
  - range of transformation, 163
- orthochronous, 15
- oscillatory motion
  - cosmological constant,  $\Lambda$ , 214
  - radiation, 159
  - reaction, 84
- Pais, Abraham, 175n9
- paradox
  - bandits and train, 27–28
  - prisoner's escape, 28–29
  - twin, 25–26, 90
- parallel displacement, 103
- parallel transport, 115
  - about a loop, 127
  - contravariant vector, 224
  - density, 118
  - distant, 130
  - metric tensor, 123
  - tensor, 118
- parity, 16
  - in classical mechanics, 48n15
- passive transformation, 11–12
  - $\not\Rightarrow$  conservation laws, 101
- past, 13
- patch, coordinate, 100, 101, 129
- Pauli, Wolfgang, x, 91
- Peebles, James, 221, 222
- pendulum
  - Eötvös experiment, 96
  - Newton's experiment, 96n2
- Penrose, Roger, 31n20, 221
- Penzias, Arno A., 220
- perihelion, 173
  - precession of Mercury's, 171–176
  - as classic test, 182–184
  - in scalar gravity, 231
- Perlmutter, Saul, 221
- photon
  - energy and effective mass, 181
  - gravitational redshift, 181
  - helicity, 156
  - Hubble's law, 209
  - mass, 80
  - momentum, 156
  - null geodesic, 195
  - rocket, 42
  - spin, 159
  - zero mass, 156
- Pisa, Leaning Tower of, 96
- Planck's formula, 42
- plane wave
  - electromagnetic
    - polarization, 155
    - potential  $A^\mu$ , 43
    - solution, 155
    - gravitational solution, 157, 160
- Poincaré invariance, 6–11, 46, 142
  - conservation laws
    - fields, 55–58
    - particles, 61–62
  - group, 11
  - local, 142n9
    - translations  $\not\Rightarrow$  commute, 142
  - transformation, 11
- point charge
  - electromagnetic interaction, 68
  - field of moving, 79
  - Kepler problem, 230
  - Liénard–Wiechert potential, 78
- point mass
  - metric produced by, 162, *see also* Schwarzschild metric
  - Newton's law of gravitation, 10
- Poisson's equation, 152
- polarization
  - electromagnetic waves, 155–156
  - gravitational waves, 157–159
- pole singularity
  - interior Schwarzschild solution, 190
- Politzer, H. David, ix
- Popov, Victor Nikolaievich, 222
- positron, 88

- potential
  - Coulomb, 78
  - electromagnetic  $A^\mu$ , 43, 63
    - gauge invariance, 70
    - # runaways  $\Leftarrow$  bounded, 88
    - wave equation with source, 75
  - gravitational  $g_{\mu\nu}$ , 134
  - gravitational  $gh$ , 97
- potential energy, 45
  - de Sitter universe, 214
  - Friedman universe, 213, 215
  - gravitational, 172, 182, 187
  - Lagrangian, 49
  - mass units, 156n21
  - Newtonian, 180
  - photon, 181
- Pound, Robert V., 180
  - Pound–Rebka experiment, 180, 181
- Poynting vector, **66**
- preacceleration, 88, 90
- precession
  - gyroscope, 136
  - Mercury perihelion, 171, *see also* perihelion, precession
- principle of equivalence, *see* equivalence principle
- prisoner's escape, 28, *see also* paradox, prisoner's escape
- propagation, gravitational wave, 154
- proper time  $\tau$ , 20, **228**
  - acceleration, 34
  - extremized on geodesics, 135
  - parameter, 50
  - velocity, 32, 34
- pseudotensor, gravitational  $t^{\mu\nu}$ , 201–203
- pulsar, 220
- quadrupole oscillation, 159
- radiation
  - electromagnetic, 76
  - damping, 84–88
  - point charge, 76–80
  - field, 79
  - gravitational, 159
    - linearized theory, 231
- reaction
  - finite, 82
  - hyperbolic motion, 90–92
  - oscillatory motion, 84
- radius
  - Schwarzschild, 169, *see also* Schwarzschild radius
  - of universe, 208
- rank, tensor, 35
- rapidity, **18**
- Rebka, Glen A., 180
- redshift
  - cosmic
  - formula, 209
- Hubble's law, 209
- gravitational, 97, 170, 179–180,
  - see also* gravitational redshift
  - see also* Pound–Rebka expt.
- reference frame, 44
  - appearance of moving object, 29
  - asymptotic Minkowski, 202
  - comoving, 25
  - elevator coordinates, 99, 121
  - inertial, 25, 36
  - local Minkowski, 180, 185
  - prisoner paradox, 28
  - radiation measurement, 92
  - SR vs. GR, ix
- regularization, 80–82
- relativity
  - general, viii, *see also* general relativity
  - special, viii, *see also* special relativity
- renormalization, mass, **80**
- reparametrization, **45**
- representation
  - group, **37**
    - irreducible, **38**
    - Lorentz group, 37, 40
  - rest frame, 42, 86, 228
    - radiative absorption, 44
  - Ricci scalar  $R$ , **226**
    - coordinate independent, 191
    - gravitational Lagrangian, 144
    - trace of Ricci tensor, **126**
  - Ricci tensor  $R_{\mu\nu}$ , **126**, 144, **226**
    - symmetric, 127
  - Riemann tensor  $R^\mu_{\nu\lambda\sigma}$ , **121**, **226**
    - Bianchi identities, 226
    - if zero, space is flat, 226
    - in three spatial dimensions, 127, 226
    - in two spatial dimensions, 127, 226
    - symmetry, 226
- Riess, Adam G., 221
- Robertson–Walker metric, **208**
  - Einstein tensor in, 211
  - in cosmological models, 210
  - in locally Euclidean coordinates, 211
  - singularities in, 215
- rocket
  - photon, 42
  - twin paradox, 25
- Rohrlich, Fritz, 92n30
- Roll, Peter G., 97n4
- rotation
  - group representations, 38
  - with time translation, 165
- Rubin, Vera, 221
- runaway mode, 85–89
- Ryder, Lewis H., 222
- Ryle, Sir Martin, 220
- scalar
  - conserved quantity, 55, 200

- curvature, 126, *see also* curvature, s.
- field, 51, *see also* field, scalar
- product, relativistic, 103
- Ricci, 126, *see also* Ricci scalar
- scattering, relativistic, 39–41, 88
- Schiffer, Menahem, x
- Schmidt, Brian P., 221
- Schrödinger, Erwin, x, 117n14, 120n17
- Schutz, Bernard F., 222
- Schwarzschild metric, x
  - Christoffel symbol table, 167
  - classic tests of, 180–184
  - derivation, 162–170
  - equatorial geometry, 195
  - gravitational analog to Coulomb's law, 162
  - in Kruskal–Szekeres coordinates, 193–195
  - interior solution, 184–190
  - singularity, 191–192
    - compared with Robertson–Walker metric, 215
    - real *vs.* phony, 191
    - tidal stress near genuine, 197–198
    - time and space trade places, 192
- Schwarzschild radius, 169, 192
  - fall time, 192
- Schwinger, Julian, 58n26
- Sciama, Dennis, 220
- Shapiro, Irwin I., 221
- Sharp, David H., 86n25
- shear modulus, 38
- signature, 9, 196, 197, 204
- simultaneity, lines of, 23
- singularity
  - Schwarzschild metric, 169, 191, *see also* Schwarzschild metric, s.
  - geometrical artifact, 187
  - pole, 190
- Smoot, George, 221
- Sohn, Richard, x
- source
  - electromagnetic, 66, *see also* current
  - gravitational, 143, *see also* stress tensor
- space-like
  - separation, 77
  - surface, 52
- special relativity, x
  - $c$  constant, 8
  - conservation law, 200
  - holds absent gravity, 117
  - Lorentz covariance, 132
  - $mc^2$  as energy, 97
  - Minkowski metric, 224
  - Minkowski space, 13
  - $T^{\mu\nu}$  defined in, 148
  - transformations are linear, 109
- spectral lines, 180, 209
- sphere
  - intrinsically curved, 129
- spherical symmetry
  - Friedman universe,  $\epsilon = -1$ , 207
  - generic metric, 183
  - no gravitational radiation, 231
  - Schwarzschild metric, 184
  - static coordinates, 185
  - static metric, 166, 181
  - stress tensor, 217
  - universe, 204
- spin, 58
  - graviton, 158, 159
  - photon, 156, 159
- standard candle, 209
- star
  - aberration of starlight, 32
  - Doppler shift, 43
- state, equation of, 184, 190, 228
- stochastic electrodynamics, 75n15
- Stokes's theorem, 108
  - dual to Gauss's theorem, 114
  - rank-1 tensor, 115
- strain tensor  $S_{ij}$ , 38
- stress tensor  $T_{ij}$ 
  - elastic, 38
- stress tensor  $T^{\mu\nu}$ 
  - canonical, 57
  - divergence-free, 153
  - electromagnetic, 70
  - fluid, 191, 228
  - gravitational, 143
    - recovering Einstein's equation, 147
    - recovering Newton's law, 151
    - with pseudotensor  $t^{\mu\nu}$ , 201
  - interior of sun, 185
  - Klein–Gordon field, 148
  - Minkowski space, 202
  - particle, 228
  - perfect fluid
    - moving, 185
    - rest, 184
  - spherically symmetric, 217
  - symmetric, 60
- SU(3), 38n7
- summation convention, Einstein, 8, 64
- Sylvester's law of inertia, 10
- symmetric tensor
  - sum of traceless, and multiple of metric, tensors, 37
- symmetry, 4
  - coordinate-free definition, 163
  - cyclic, 124
  - discrete, 48n15
  - group, 38
  - internal, 54
    - conservation law, 55
    - relativistic field, 55
- O(3, 2), 143
- O(4, 1), 143
- spherical, 166, *see also* spherical symmetry

- synchronization
- clocks, 21
- Synge, John L., x
- system
  - coordinate, 16, 106, 110, 117, 121, 129, 164, 170, 191, 201, 202, 208, 223
  - inertial, 36
  - physical, 3
  - reference frame, 28
- Szekeres, George, 193n19
- tachyon, 32
- tangent space, 101, 102, 103, 116, 123, 201
- tangent vector, 101
  - isometry orbit, 163
- Taylor, Edwin F., 23n19
- Taylor, Joseph, 221
- tensor
  - antisymmetric, 37
    - Stokes's theorem, 107
  - contraction, 36
  - contravariant, 35
  - coordinate transformation, 104
  - covariant derivative, 119
  - curvature, 138, *see also* Riemann tensor  $R^\mu_{\nu\lambda\sigma}$   
 $\delta\Gamma^\lambda_{\mu\nu}$ , 145
  - density, 110, 201, 223
  - $g^{\mu\nu}$ , 146
    - coordinate transformation, 110, 223
    - covariant derivative, 146, 224
    - Levi-Civita pseudotensor, 111
      - parallel transport, 118
    - duality, 113
    - Einstein, 143, *see also* Einstein tensor  $G^{\mu\nu}$
    - electromagnetic field, 133, *see also* electromagnetic field tensor  $F^{\mu\nu}$
    - energy-momentum, 57, *see also* stress tensor
    - gravitational plane wave, 157
    - metric, 9, 35
    - mixed, 36, 104
    - parallel transport, 118
    - raise/lower index, 122
    - rank, 35
    - rank 0, 36
    - Ricci, 126, *see also* Ricci tensor  $R_{\mu\nu}$
    - Riemann, 120, *see also* Riemann tensor  $R^\mu_{\nu\lambda\sigma}$
    - stress, 57, *see also* stress tensor
    - symmetric, 37
    - tensor density, 120
    - trace, 37
  - Teplitz, Doris R., 68n10
  - Terrell, James, 31n20
  - test
    - classic, 153, *see also* classic test of GR
    - function, 73
    - zeroth, 171, 182, *see also* classic test of GR, recovery of Newton's law
  - thermodynamics, second law, 76
  - theta function, 72, 77, 78
  - Thorne, Kip S., 220–222
  - tidal force, 137, 159, 228
    - near singularity, 197, 198
    - Riemann tensor, 138
  - time
    - asymmetry, 76
    - dilation
      - gravitational, 97
      - in SR, 21
      - paradox, 23
    - translation
      - commutes with rotations, 165
      - invariance, 163
  - Tompkins, Mr., 31n20
  - torsion pendulum, 96
  - torus, 108
  - trace of tensor, 37
  - trajectory, 3, *see also* world line
  - transformation
    - coordinate, 102, *see also* coordinate transformation
    - Lorentz, 11, *see also* Lorentz transformation
    - Poincaré, 11, *see also* Poincaré invariance
  - translation
    - generator, 142
    - Poincaré group, 11, 46
      - local, 57
    - twist, 232
  - Tyson, Neil deGrasse, 222
  - uniform acceleration, 21, *see also* acceleration, uniform
    - equivalence principle, 92, 98
    - hyperbolic motion, 26, 90
    - Lorentz invariant, 25
    - twin paradox, 25
  - uniform gravitational field
    - equivalence principle, 98
    - gravitational redshift, 97
  - units
    - acceleration, 26
    - Heaviside–Lorentz, 66n8, 78
    - mass, 156n21
  - universe
    - as a fluid, 204, 210
    - cosmological constant,  $\Lambda$ , 214
    - cosmological principle, 204
    - expanding or contracting, 208
    - Friedman models, 213
    - homogeneous, 208
    - horizon, 217
    - Hubble's law, 209
    - model, 32, *see also* model structure as a whole, 203
    - Weyl's postulate, 204
  - upness, 9

*Index*

249

- vacuum-cleaner drive, 45
- vector
  - contravariant, **35**
  - coordinate transformation, 102
  - covariant, **35**
  - coordinate transformation, 103
- field, 5, *see also* field, vector
- light-like, **12**
- space-like, **12**
- time-like, **12**
- velocity, proper, **25**, 32, 34, 44, 70, 134, 228
  - fluid, 185
  - $\perp$  to proper acceleration, 25
- Wald, Robert M., 222
- watch time as proper time, 20
- wave, electromagnetic, 154–156
  - two polarizations only, 155
  - wave equation
    - Green's function, 70–74
    - homogeneous, 65
    - inhomogeneous, 70
  - wave number, 42
  - wave vector, 179
    - Doppler shift, 44
  - wave, gravitational, 154, 156–159
    - LIGO, 160*n*23
    - linearized Einstein equation, 151
    - plane-wave solutions, 156, 229
      - two independent, 229
  - wavelength, de Broglie, 156
  - Weber, Joseph, 221
  - weight
    - gravitational force, 98
    - of tensor density, 110
  - Weinberg, Erick, 219*n*15
  - Weinberg, Steven, 222
  - Weiss, Rainer, 221
  - Weisskopf, Victor F., 31*n*20
  - Weyl, Hermann, x
  - Weyl's postulate, **204**, 206
  - Wheeler, John A., 23*n*19, 76*n*16, 220, 222
  - white hole, 195*n*20
  - Wichmann, Eyvind H., x
  - Will, Clifford M., 180*n*13, 222
  - Wilson, Robert W., 220
  - work
    - external force, 89
    - fields on charges, 68
  - world line, **3**, 20
    - as parameter, 49, 51
    - curved, 21
    - everywhere time-like, 20
    - free particle
      - geodesic, 135, 137
    - galaxy, 204
      - geodesic, 205
      - $\perp$  to  $t = \text{const.}$  surfaces, 206
    - hyperbolic motion, 90
    - proper time  $\tau$ , 21, 68, 137
    - tachyon, 32
    - trajectory, 3
  - Young's modulus, 38
  - Zee, Anthony, 222
  - Zeldovich, Yakov Borisovich, 220, 222
  - Zwicky, Fritz, 221