

Index

- abelian anyons, 173–174
- adiabatic deformation, 65
- adiabatic principle, 37
- adiabatic theorem, 36–37
- Aharonov–Bohm caging and topology, 85
- Aharonov–Bohm phase, 191
- Anderson localization, 9
- Andreev reflection, 82
- angle-resolved photoemission spectroscopy (ARPES), 114–115
- angular momentum, 43–44, 46, 81, 150, 175, 178–184, 196–197, 210
- anomalous Hall effect (AHE), 162
- anti-unitary operator, 46
- anyon, 173–174, 199–204, 210
- armchair graphene nanoribbon (AGNR), 115–116, 139–140
- armchair ribbon, 126
- average energy, 6
- average number of particles, 6

- Berry connection, 39–41, 134, 139, 144, 147, 167, 170
- Berry curvature, 37, 40–41, 134, 139, 144, 146–147, 170, 207
- Berry–Pancharatnam phase, 37–39
- Berry phase, 37–39, 60, 130, 133–135, 139, 144, 168, 199
- bias voltage, 1
- bilayer graphene, 130–132
- Bloch band, 117, 168
- Bloch functions, 40, 167–169
- Bloch state, 47, 103, 106, 115, 117
- Bloch’s theorem, 36–37, 101–103
- Bloch wave functions, 160, 168
- Bogoliubov-de Gennes Hamiltonian, 48, 68

- Bohr magneton, 17, 158
- Bohr radius, 174
- boundary condition, 85–86, 89, 102, 169
- box quantization, 4
- braid group, 201–204
- Brillouin zone (BZ), 36–37, 53, 100, 134, 167, 207
- bulk–boundary correspondence (BBC), 61, 95, 152–155, 209

- canonical momentum, 12–13, 175–176
- Cartesian coordinate system, 43
- Cauchy–Riemann condition, 180
- charge conductivity, 164
- charge-conjugation operator, 93–95, 137
- charge-conjugation symmetry, 3, 95, 136, 137
- charge Hall conductivity, 155–156
- Chern insulators, 137, 141–146, 150, 161
- Chern number, 37, 39–41, 134–135, 139, 142, 145, 147, 207. *See also* Fukui’s method
- chiral edge modes, 21, 137, 161
- chirality, 49, 150, 183
- chiral symmetry, 49, 63–65, 71–72, 94, 208
- classification of the topological materials, 209
- commutation relation, 176
- complex conjugation operator, 46, 68–72, 93, 136, 151
- composite fermions (CFs), 174, 189–195
- compressibility, 22, 205
- conductance, 7, 128, 146, 156, 173
- conductivity tensor, 7–10, 12, 27
- Corbino ring, 18–19
- correlation, superconducting, 51, 65, 84, 96, 208
- Creutz ladder
 - Aharonov–Bohm caging and topology, 85
 - energy spectrum of, 88
 - the Hamiltonian, 86–87

- lattice sites, 85
- pictorial representation, 86
- quantum interference yields, 85
- quasi-1D system, 85
- topological phases and winding number, 88–92
- Cruetz ladder, 208
- crystal lattice, 169, 173
- crystalline state, 188
- crystal momentum, 36–37, 54, 103, 115
- crystal potential, 36–37, 116–117
- crystal structure, 135, 157
- cyclotron energy, 17, 174
- cyclotron frequency, 11, 14, 127
- cyclotron gap, 174
- cyclotron mass, 113
- cyclotron orbits, 190
- daughter state, 195
- degeneracy of the Landau levels, 15–17, 123
- density of states (DOS), 6
- density operator, 164
- dielectric, 205
- Dirac cones, 133, 136, 159
- Dirac delta function, 188
- Dirac electrons, 49
- Dirac equation, 47, 65, 72, 112, 139
- Dirac fermions, 82, 112, 115, 128–129, 135
- Dirac Haldane model, 118–119
- Dirac Hamiltonian, 68, 134–136
- Dirac point, 49, 114–115, 119, 123–124, 128, 130–132, 135–138, 143, 147–150, 152, 154, 159, 209
- Dirac spectrum, 114–115
- direct lattice vectors, 107–108
- discrete symmetries
 - chiral symmetry, 49
 - inversion, 42–43
 - particle–hole, 47–49
 - time reversal symmetry, 44–47
- distribution function, Fermi, 6, 84, 147
- doped semiconductor, 161–162
- edge modes, 20–22, 55–56, 65, 77, 85–87, 90–91, 137, 141, 145–149, 152–155, 161, 167, 206, 208–209
- edge states
 - chiral, 21, 137, 146, 149, 161, 209
 - conducting, 140, 146, 152–153, 155
 - gapless, 139, 147, 167
 - helical, 149, 155
- effective mass, 5–6, 15, 103–105, 113
- effective mass tensor, 5–6
- electron creation (annihilation) operator, 52
- equation of motion (EOM), 11
- Euler–Poincare characteristics, 34–36
- excitation spectrum in FQHE, 66
- Fermi distribution, 6, 84, 147
- Fermi distribution function, 6, 84, 147
- Fermi energy, 6, 21, 32–33, 48–49, 84, 113–114, 126, 147–148, 156, 158, 206
- Fermi level, 84
- Fermi surface, 114–115, 130
- Fermi temperature, 6
- Fermi velocity, 113–114
- Fermi wave vector, 114
- field-effect transistors (FETs), 1
- filling fraction, 16, 24, 174, 181, 183–185, 187, 190–191, 193, 196–197, 204–206, 210
- flux quantization, 86–87, 117–118, 120, 125, 182–183, 185–186, 189
- Fourier transform, 53, 67, 87, 108, 168
- 4π periodic Josephson junctions, 82–84
- fractional charge, 196–197, 199, 204
 - and Hall conductivity, 185–187
- fractional Hall fluid and plasma, 187–189
- fractional quantum Hall effect (FQHE), 3–4
 - Coulomb interaction between electrons, 174
 - cyclotron gap, 174
 - GaAs and AlGaAs samples, 173
 - in graphene, 204–206
 - hierarchy approach, 195–197
 - hierarchy of energy scales, 174
 - symmetric gauge, 175–181
- fractional statistics, 197–199
- Fu and Kane method, 167–171
- Fukui’s method, 166–167
- Gauss–Bonnet theorem, 34–37, 39, 207
- Gaussian curvature, 34–37, 207
- genus, 33, 36, 39, 207
- geodesic curvature, surface boundary, 34–35
- geometric phase, 37–38, 60
- geometry, 31–32
- graphene. *See also* bilayer graphene; graphene nanoribbon
 - allotropes of carbon, 100
 - Berry phase, 133–135
 - Bloch’s theorem, 101–103
 - Bragg scattering, electron waves, 100
 - C atoms, 99

- eigenfunction, 102
- electronic properties, 100, 106–114
- energy dispersion, 104
- FQHE, 204–206
- generic Hamiltonian, 105
- Landau levels, 119–126
- matrix elements, 106
- periodic potential, 101
- properties of, 99
- Rashba spin–orbit coupling, 157–159
- Schrödinger equation, 100–101
- sp^2 hybridization, 99
- symmetries of, 135–137
- tight-binding approximation, 105
- graphene nanoribbon
 - defined, 115
 - Hall conductivity, 126–127
 - Hofstadter butterfly, 116–120
 - types of, 115
- ground state, 26, 29, 36–37, 74–76, 84, 110, 173–174, 178, 182, 191, 193–195, 210
- Haldane, F. D. M., 31
- Haldane flux, 141
- Haldane insulator, 137
- Haldane (Chern) insulator, 141–146
- Haldane mass, 151
- Haldane model, 118–119, 137, 142–143, 145, 148, 150–151, 209
- Hall coefficient, 1–2
- Hall conductivity, 24–28
 - and Chern number, 39–41
 - fractional charge, 185–187
 - graphene nanoribbon, 126–127
- Hall current, 9, 21, 24, 173–174, 197
- Hall effect
 - integer quantum (*see* integer quantum Hall effect [IQHE])
 - quantum anomalous, 141, 146–147
- Hall plateau, 21, 25, 131, 173, 190, 192, 195–197, 209–210
- Hall, quantum spin. *See* quantum spin Hall (QSH) insulator
- Hall resistance, 2, 23–24, 116
- Hall resistivity, 1, 23–24
- Hall state, 22–23, 149, 181, 193, 204–205, 207
- Hall voltage, 1, 3
- Halperin wavefunction, 195–196
- hexagonal boron nitride (h-BN), 49, 137
- Hilbert space, 177
- Hofstadter butterfly, 116–120
- incompressibility, 22–23
- infra-red (IR) spectroscopy, 127
- insulator, Chern (Haldane), 137, 141–146, 150, 161
- integer quantum Hall effect (IQHE), 3–4, 173, 194
- inverse participation ratio (IPR), 55–56
- inversion symmetry, 42–43, 208
- Jastrow wave function, 188, 191, 194–196, 210
- Kane, C. L., 31
- Kane–Mele model, 149–152, 155, 159, 161, 209–210
- Kerr rotation angles, 162–163
- Kitaev chain, 48–49, 51, 65–68, 73–75, 77, 79–82, 84, 96, 208
- Kitaev model
 - BCS (s-wave) superconductors, 65
 - energy spectrum, N-site, 79–80
 - experimental realization, 81–82
 - Majorana fermions, 72–79
 - Majorana modes, 80–81
 - Majorana zero modes, 65
 - particle–hole symmetry, 68–71
 - SSH model, 65
 - two-site Kitaev chain, 66–68
 - winding number, 71–72
- Klitzing constant, 2
- Kosterlitz, J. M., 31
- Kramer’s degeneracy, 46
- Kronecker delta, 108
- Kubo formula, 23–29, 126
- Landau gauge, 13, 20, 85, 118, 121, 175, 183, 208
- Landau level index, 125–127
- Landau levels
 - conductivity of, 16–17
 - cyclotron frequency, 14
 - degeneracy of, 15–16
 - edge modes, 20–22
 - gauge, 13
 - graphene, 119–129
 - schematic plot, 14
 - Schrödinger equation, 12–13
 - SHO, 14–15
- Landau quantization, 4–5, 119
- Laughlin wave function, 175, 181–185, 189, 193, 195, 196, 210
- linear response, 7, 25, 27
- localization, 9, 55, 85–88, 91

- localized states, 174
- Lorentz force, 1, 10
- lowest Landau level (LLL), 181–183
- magnetic length, 14–15, 124–125
- Majorana fermions (MFs), 65, 72–79
- Majorana modes, 80–81
- Majorana zero modes, 65
- many body effects, 84, 175, 182
- many particle wavefunction, 25, 191, 201, 203
- mean field theory, 81
- mechanical momentum, 25
- Mele, E., 31
- metal oxide semiconductor field effect transistor (MOSFET), 1
- metal-oxide-semiconductor (MOS) structures, 5
- mobility, 1, 106, 130, 204
- momentum
 - canonical, 12–13, 175, 176
 - mechanical, 25
- next nearest neighbour (NNN) sites, 141–142
- non-abelian anyons, 199–201
- N-site Kitaev model, 79–80
- order parameter, 66
- parity, 42–43, 48, 73–76, 81, 83–84, 167, 199, 208–209
- particle–hole symmetric system, 42, 47–49, 65, 68–71, 81, 87, 91–97, 147, 208
- Pauli matrices, 43, 53, 64, 68, 133, 135
- Pauli principle, 191
- Perelman, G., 31
- perturbation theory, 174
- Pfaffian, 160
- phase transition, 9, 32–33, 51, 61, 65, 78, 84, 86, 145, 153, 209
- plasma, 187–189
- plateaus, 2–4, 9, 11, 16, 21–22, 24–25, 116, 126–128, 131, 174, 185, 187, 192, 195, 197, 204–205, 207, 209–210
- Poincaré conjecture, 31
- polarizability, 168
- polarization, 165, 167–171
- polyacetylene, 51–52
- pseudospin, 135, 205
- pump, 18–19, 169, 208
- p-wave superconductor, 65–66, 81–82
- quantization, 2–5, 17, 25, 32, 40, 94, 117, 119, 126, 147, 173, 195, 197, 207–208
 - box, 4
 - flux, 86–87, 117–118, 120, 125, 182–183, 185–186, 189
 - Landau, 4–5, 119
- quantum anomalous Hall effect, 146–148
- quantum Hall effect (QHE). *See also* Corbino ring; 2D systems
 - Anderson localization, 9
 - classical and quantum, 11
 - conductivity and resistivity tensors, 7–9
 - 2DEG, 4
 - Drude conductivity, 12
 - FQHE, 3–4
 - incompressibility, 22–23
 - IQHE, 3–4
 - K.v. Klitzing on discovery of, 1–2
 - Landau levels, 12–15
 - Lorentz invariance, 10–11
 - MOSFET structure, 5
 - spin and electric field, 17–18
- quantum point contact, 187
- quantum spin Hall (QSH) insulator, 148–149
- quantum wells, 5, 149, 157
- quasi-1D ladder system, 208
- quasi-hole, 196, 199
- quasi-particle, 73–74, 117, 130, 196–199, 204
- qubit, 82
- Rashba spin–orbit coupling, 157–159, 209–210
- rational fractions, 3
- reciprocal lattice vectors, 107–109
- resistance, 2, 7, 23–24, 32, 116, 130
- resistivity, 1–4, 7–12, 16, 19, 22–24, 32–33, 130, 187, 191, 204–207
- resistivity tensor, 1, 7–9
- scanning tunnelling microscopy (STM), 127
- scattering, 11, 12, 20–21, 84, 100, 149, 157
- second quantization, 94
- Semenoff insulator, 137–141, 143–145
- Semenoff mass, 138, 152
- semiconductor, 1, 5, 72, 100, 117, 157, 161–162, 165
- semi-Dirac Haldane model, 118–119
- semi-infinite zigzag nanoribbon, 141
- simple harmonic oscillator (SHO), 14–15
- single-particle, 48, 117, 126, 149, 181, 183, 185–186, 201
- spin and electric field, 17–18

- Spinful system, 136
- spin Hall conductivity, 155–156
- spin Hall effect (SHE), 161–165
- spinless system, 94
- spin–orbit coupling (SOC), 81, 135–136, 149–150, 157–161
- spintronics, 210
- SSH Hamiltonian, 52–54
- staggered, 52–53, 65, 137, 142
- statistics, 182, 189, 197–201
- θ -statistics, 203
- stretching and bending, 32
- sublattice symmetry, 137
- superconductors, 96
 - gap, 84
 - order parameter, 66
 - state, 81
 - topological, 72, 84, 206
- Su–Schrieffer–Heeger (SSH) model, 51–65, 84, 96, 208
 - band structure and d -vectors, 57–58
 - chiral symmetry, 63–65
 - Hamiltonian, 52–54
 - polyacetylene chain with formula $(C_2H_2)_n$, 51–52
 - probability amplitude ψ^2 , 55
 - staggered hopping amplitudes, 52
 - topological and trivial phases, 62
 - winding number, 56
 - zero modes, 54–55
- symmetry
 - chiral, 49, 63–65, 71–72, 87–88, 91–95, 208
 - inversion, 42–43, 87, 91–92, 136–137, 148–152, 157, 160, 171, 208–209
 - particle–hole, 42, 47–49, 65, 68–71, 87, 91–94, 147, 208
 - rotational, 175, 181
 - time reversal, 32, 42, 44–47, 71, 85, 93–94, 96–97, 136–137, 142–143, 148–149, 151, 155, 159, 161, 165, 170–171, 208
 - translation, 175, 181
- 2D electron gas (2DEG), 4
- 2D massless Dirac Hamiltonian, 68
- 2D systems, 7
- tearing/puncturing, 32
- tenfold classification, 72, 85, 92–96, 159, 209
- tensor, 1, 6–10, 12, 27, 104
- thermodynamic limit, 56
- Thouless, D. J., 31–32, 40
- tight-binding approximation, 65, 105, 117
- tight-binding energy, 109–110
- time evolution operator, 26, 94
- time reversal operator, 44–46, 85, 93–94, 136, 151, 160, 171
- time reversal symmetry, 44–47, 137, 143, 208
- topological charge, 135
- topological insulators, 63, 83, 92, 95–96, 133–171, 207, 209
- topological invariant, 31–33, 47, 54, 72, 85, 88–90, 95–97, 144, 149, 152–153, 155, 159–160, 207, 209–210
- topological phase, 32–33, 51, 59–62, 64–65, 70, 77, 79–80, 82, 84, 86, 88, 91, 93, 137, 144–145, 152, 154, 161, 208–209
- topological protection, 31–32, 79–80
- topological quantum computation, 201
- topological superconductor, 72, 84, 206
- topology. *See also* Gauss–Bonnet theorem; Hall conductivity
 - Chern number, 33
 - quantum Hall system, 33
 - topologically trivial and non-trivial, 33
- translation operator, 43, 101–102
- transport, 1–2, 7, 9, 19, 148–149, 163, 165, 186–187, 210
- two-dimensional electron gas (2DEG), 4–5, 7, 9, 11, 13, 100, 123, 130, 158, 173, 205, 209
- two-site Kitaev chain, 66–68
- unitary operator, 46
- unit cell, 52, 63, 65, 67, 88, 102, 118, 126–127, 140, 168, 208
- valence band, 123, 127, 147, 159–160, 168
- variational method, 153, 187, 191, 201
- vector potential, 13, 25, 117–118, 131, 175–176, 178
- voltage, 1, 3–5, 21, 24, 84, 127–130, 157, 159
- von Klitzing constant, 2
- vortex, 135, 189, 195
- Wakabayashi, K., 116
- Wannier charge centres (WCCs), 168
- wavefunction, 20–21, 36–37, 61, 69, 79, 82, 88, 101, 103, 105, 120–121, 123, 153, 157, 160
- wave packet, 18
- Wigner crystal, 173, 188
- winding number, 54, 56–57, 59–61, 65, 71–72, 88–92, 134–135, 208

Zak phase, 60–61
Zeeman energy
 scale, 17
 splitting, 123
zero modes
 Creutz ladder, 85
 Kitaev model, 65
 Majorana, 73, 76–77, 80

SSH model, 64, 208
 topological properties, 54–62
zero-point energy, 173
zigzag graphene nanoribbon (ZGNR), 115–116,
 139–140
zigzag ribbon, 126
The $\mathbb{Z}_2$ invariant, 159–161. *See also* Fu and Kane
 method; Fukui’s method