

Index

- Abelian group, 565
- accidental degeneracy, 211–219
- action, 3, 24, 48, 53–54, 57, 60, 63–65, 67–68, 106, 155, 270, 272, 274–275, 508–509, 518, 541
- addition of angular momenta, 167–179, 566
- addition theorem for spherical harmonics, 166
- α -decay, 113, 310
- adiabatic, 70–73, 75, 86–87, 94, 270, 305–306
- adiabatic approximation, 70, 270, 305–306
- adjoint, 12, 22, 26–28, 37, 46, 126–128, 155, 187, 433, 482, 583
- Aharonov–Bohm, xxvi, 52, 69–88, 96, 305–306
- Aharonov–Bohm–Ehrenberg–Siday, 82
- Aharonov–Casher effect, 96
- Airy functions, 282–284
- Alice and Bob, 513–518, 529, 537–538, 541, 543
- Anderson, Carl, 345
- AND gate, 522
- angular momentum, xxvi, 8, 13–14, 18–19, 28, 30, 147–194, 198, 200, 202, 208, 211–217, 221, 225, 234, 242, 245–246, 259, 300–301, 330–331, 338, 340, 342, 344, 346, 367, 381, 383, 386–387, 391, 397–400, 403, 405, 407, 412–414, 416, 439, 449, 458, 460–462, 464, 471, 501–502, 504, 508–509, 516, 566–569, 571, 572, 578–579, 587, 593, 596, 602
- annihilation operator, 594–605, 609–611
- anomalous Zeeman effect, 387, 392–393, 395
- ansatz, 1–3, 7–8, 53–54, 57, 60–61, 68, 75, 82, 275, 288, 296, 306–307, 352, 608
- anti-commutator, 18, 33, 611
- anti-Hermitian, 33–34, 46, 50, 325
- antilinear, 11, 564, 576–577
- antimuon, 264–265
- antineutrino, 570–573
- antiparticle, 338, 345, 570, 573
- antipodal points, 522, 524
- antisymmetric wavefunction, 432
- antisymmetrizer operator, 418–419, 422, 424
- antisymmetry, 76, 191, 384, 413, 415–422, 424–425, 427–428, 430, 432, 434–435, 439, 442, 445, 515–516, 589, 595, 597–599
- anti-unitary, 11, 29, 467, 564, 576–577, 579
- approximation, xxv, xxvi, 40, 66, 70, 91, 112, 234, 270–318, 332, 337, 343, 365–369, 386, 419–420, 431–436, 439–442, 444, 446, 449, 461, 487, 494, 496, 497–501, 504–505, 536, 584, 594–595, 597
- APV. *See* atomic parity violation (APV)
- artificial atom, 115
- aspect, xxvii, 7, 17, 26, 200, 343, 509–510, 519, 534, 566, 569
- associated Legendre differential equation, 589, 591
- associative property, 11, 27–28
- asymptotic solutions, 282–283, 454, 460–461, 480
- atomic clock, 355, 397, 400, 402
- atomic parity violation (APV), 385
- atomic polarizability, 361–362, 365, 375–376

- attractive potential, 115, 117, 138
- attractive square well, 115–130
- aufbau*, 158, 208, 415
- average value, 32, 194, 301, 304
- axis of quantization, 154, 160, 165, 187, 200, 211, 513–515, 592
- Babbage, Charles, 520
- balanced function, 525
- band structure, 144
- barrier, 101, 105–115, 122, 134, 137–139, 144–145, 200, 202, 286, 309–311, 368–369, 501, 558–559, 561
- Baryon, 265, 402, 571
- β -decay, 307, 569–572
- Bell inequality, 32, 510
- Bell, John, xxiv, 411, 507–508, 510, 573
- Bell's inequality, xxiv, 511, 515, 518
- Bell state, 528–529, 531, 537–538, 541–545, 554–555, 561
- Berry phase, 52, 69–88, 94–96, 306, 404
- Bertrand's theorem, 220
- beyond IPA, 595
- Beyond the Standard Model (BSM), 574, 579
- binary logic, 519
- bispinor, 442
- bit, xxvi, 161, 334, 439, 520–521, 538, 542–543, 547–548
- black body, 7
- Bloch sphere, 522–524, 526, 529–530, 550, 551, 610, 613
- block diagonal, 48, 163–164, 174–175, 331
- B-mesons, 574
- Bohr–Einstein debate, 507, 509–510
- Bohr magneton, 330, 386, 399
- Bohr, Niels, 8, 52, 57, 105, 147, 196, 205, 217, 264, 285, 319, 386, 399, 411, 451, 474, 507
- Bohr–Peierls–Placzek relation, 474
- Bohr–Wilson–Sommerfeld (BWS), 285
- Boolean logic, 519
- Boolean truth table, 530
- Born approximation, xxvi, 234, 304–305, 485, 494, 496–500, 504–505, 552
- Born interpretation, 32, 35–36, 106, 520, 525, 552
- Born, Max, xxvi, 7, 32, 35–36, 42, 72, 88, 98, 100, 106, 234, 304–305, 485–500, 504–505, 520–521, 525, 552
- Born series, 494, 496
- Bose–Einstein (BE) statistics, 412
- Bose, Satyendranath, 4, 412, 448
- bosons, 411–417, 443, 447–449, 570, 597–599, 604–605
- boundary conditions, 80, 109, 111, 136, 138, 142, 227, 455, 464, 466–467, 479, 489–492, 588–589
- bound states, 35–36, 46, 80, 94, 112, 118–120, 123, 131, 135–140, 196, 200, 202, 208, 214–215, 219, 223, 225–226, 265, 302, 310, 318, 339–340, 342–344, 365–368, 383, 464–465, 594–596
- box normalization, 302–303
- box operator, 323
- bra, 8–10, 12, 27, 165, 167
- bra-ket/bracket, 8, 9, 74, 76, 167, 170, 258, 363, 427, 436
- branch cuts, 233
- branch points, xv, 131, 233, 250–251
- Bravyi–Kitaev, 608
- Brus equation, 123
- BSM. *See* Beyond the Standard Model (BSM)
- BWS. *See* Bohr–Wilson–Sommerfeld (BWS)
- canonically conjugate generalized momentum, 75
- canonically conjugate momentum, 25–26
- canonical momentum, 35, 327
- canonical transformation, 24, 272–274
- Casimir, Hendrik, 164, 212, 215–216, 567
- Casimir operator, 164, 212, 215–216, 567
- Catch-22, 420–421
- Cauchy's theorem, 489
- cavity electrodynamics (cQED), 371
- centrifugal barrier, 200, 202, 368–369, 501
- centrifugal potential, 200, 285–286, 367
- CGC. *See* Clebsch–Gordan coefficients (CGC)
- CGC matrix, 173–175
- charge density, 173–175
- chemistry inspired ansatz, 608
- chronological operator, 586

- Church–Turing, 520
- classical limit, 122, 271–286
- classically allowed (CA), 280–281, 283–284
- classically exclusive alternatives, 520
- classically forbidden (CF), 123, 127, 134, 267, 280–281, 283–285
- classical path, 65–66, 93, 106, 270
- classical physics, xxiv, 1–7, 14, 25, 31, 36, 42, 57–58, 60, 65, 68, 70, 99–110, 122, 147, 153, 179, 270, 274, 280, 282, 286, 307, 361, 411, 508, 518–519, 536, 552
- classical turning points, 127, 280, 282, 284–285
- Clauser, John, 510, 519
- Clausius–Mosotti, 376
- Clebsch–Gordan coefficients (CGC), 169–178, 181–182, 184–187
- Clebsch–Gordan series, 175
- Clifford algebra, 326, 357
- cloud chamber, 345, 359
- CNOT gate, 527, 529, 554–555, 559, 609
- collapse, 14–15, 28, 31, 58, 100, 102, 105, 521, 525, 537, 538, 541
- collision, 11, 137, 186, 206, 234, 300, 372, 453, 455, 464, 468, 469, 474, 480, 492, 499
- color charge, 569
- commutation, 127–128, 152, 180–181, 191, 214, 219, 242–247, 366–367, 370, 566, 568, 577–578, 597–598, 602, 605
- commutator, 18, 23–25, 33–35, 44–45, 154, 189, 199, 211, 213–214, 242, 245, 333, 611
- commute, 11, 18–19, 23, 25, 34, 37, 42, 77, 91, 112, 151, 154, 163, 164, 166, 176, 188–189, 198, 212, 215–216, 220–221, 242, 332–333, 346, 348, 366–367, 372–373, 383, 423, 440, 504, 568, 577, 587
- commuting, 9, 17–18, 20, 28, 47–48, 154, 168, 184, 189, 348, 412
- commuting operators, 9, 16–17, 20, 28, 48, 154, 168, 184, 189, 348, 412
- comparison theorem, 122
- compatible measurements, 16, 18, 48
- complete set of commuting operators, 9, 17, 20, 48, 348
- complete set of commuting operators (CSCO), 9, 17, 48, 597–598
- complete set of compatible observables, xxvi, 9, 17, 20, 48
- complex amplitude, 60, 66, 369, 474
- complex plane, xix, 92, 129–131, 140, 233, 250, 489–491
- computational basis, 522
- Condon and Shortley convention, 169, 171, 173
- conduction band, 123
- configuration, 53–54, 382, 418–420, 425, 430, 432, 434, 436, 439–443, 514, 595–598, 608
- configuration interaction, 382, 419–420, 441, 597, 608
- confluent hypergeometric functions, 204, 234–238, 316
- conformal mapping, 129, 134
- conjugate variables, 2, 35, 40, 509
- connection formula, 283, 284
- conservation law, xxvi, 24, 211–212, 358, 564, 573
- constant function, 527
- continuous symmetry, 567
- continuum Coulomb functions, 250–252
- continuum eigenfunctions, xxvii, 35, 196, 227–234, 471
- continuum states, xxvi, 11, 113, 302, 365–368, 370, 594–595
- contour integration, 92, 129, 232–233, 250–252, 489–492
- Control NOT gate, 530, 544
- control qubit, 538, 550, 553
- Cooper minimum, 207–208, 366–368, 372
- coordinate representation, 21, 30–31, 45, 49, 55, 136, 149, 161, 165, 252–253, 310, 414, 582, 594, 597
- copying machine, 535–536, 541
- correlation, 37–39, 368, 420, 439, 440, 510–512, 514, 538
- Cosmic Microwave Background Anisotropy (CMBA), 573–574
- Coulomb barrier, 112–113
- Coulomb correlations, 305, 419–420, 431–434, 441–442, 595, 608

- Coulomb integral, 427–428, 444–445
 Coulomb phase, 231
 coulomb potential, 113, 120, 200–202, 217, 222, 224, 227–234, 311, 322, 345–346, 352, 373–376, 382, 417, 460–461, 471, 480, 499
 Coulomb–Rutherford formula, 234
 counterfactual definiteness, 509–511, 515
 coupled differential equation, 352–353, 600
 coupled integro-differential equation, 433
 coupling constant, 177, 569
 coupling of angular momenta, 174–175, 179
 Cowell's method, 315
 CP symmetry, 573–574
 CPT symmetry, 573–574
 CPT theorem, 573–574
 c-QED. *See* cavity electrodynamics (cQED)
 creation operator, 128, 595, 597–598, 601, 603–604
 CSCO. *See* complete set of commuting operators (CSCO)
 CX gate, 529–530, 538–539, 554, 558
- D'Alembert operator, 323
 damped driven oscillator, 361, 370
 damping, 361, 370
 dark matter, 399, 408
 Darwin, Charles Galton, 338, 343, 345, 398
 Davisson, 59
 De Broglie, 4, 5, 7, 30, 66, 68–69, 88, 136, 279, 322, 404, 414
 De Broglie wavelength, 279, 404
 decay, 110, 113–115, 123, 306–307, 310, 359, 382–383, 404–405, 455, 464, 569–572, 574, 594–595
 degeneracy, xxvii, 48, 61, 80–81, 120, 136, 196, 200, 208, 210–219, 221, 225, 234, 266–267, 287, 294, 348, 373, 376, 378, 381–382, 388, 409, 580
 degenerate, xxvi, 47–48, 51, 80, 120, 135–136, 200, 217–218, 223, 287–294, 302, 342, 344–345, 348, 373, 376–377, 380, 382, 383, 388–389, 398–402, 409, 419, 578, 580, 594–596
 degenerate perturbation theory, xxvi
 delayed choice, 102–104
 delayed maximum, 367–369
 dense coding, xxvi–xxvii, 542–546
 density, 36–38, 98–106, 110–112, 127, 135–136, 193, 208, 210, 254–255, 282, 295–296, 309, 353, 356, 358, 376, 381–383, 398, 404–405, 421, 431, 438–441, 446, 449, 469–472, 479, 561, 575, 592
 destruction operator, 128, 310, 611
 detection loophole, 519
 determinantal wavefunction, 422, 433–434
 Deutsch–Jozsa algorithm, 519–534, 556
 DeWitt, Bryce, 525
 diagonal, 47–48, 92, 163–164, 168, 174–175, 194, 326, 331, 373, 379, 400, 433–434, 444–445, 447, 464, 587
 diagrammatic perturbation theory, 441
 dielectric, 111–112, 123
 difference equation, 156
 differential cross section, 300–304, 471, 479–480, 494, 497–499, 505
 dipole approximation, 365–367
 dipole moment, 13–14, 16, 96, 194, 268, 310, 318, 330–331, 361–362, 365–366, 375–376, 381, 404, 572–580
 dipole polarizability, 363
 Dirac–Coulomb Hamiltonian, 347–349
 Dirac- δ , 21, 36, 49, 94, 137–138, 144, 299, 303, 307, 332, 343, 364–365, 408, 457, 486–487
 Dirac equation, 158, 184, 319–334, 337, 339, 343, 345, 358, 413, 417, 442
 Dirac Hamiltonian, xxvi, 328, 332, 333, 345–349
 Dirac–Hartree–Fock (DHF) method, 442
 Dirac matrices, 325–327
 Dirac parity, 348
 Dirac particle, 402, 571
 Dirac picture, xxvii, 295, 582–586
 Dirac probability current, 358
 Dirac spin, 346
 Dirac wavefunction, 350
 direct product, 9, 27, 167, 168, 175, 516, 527–529, 545

- discrete, xxvi–xxvii, 21, 35, 62, 80, 101,
115–128, 136, 196, 200–201, 205, 217,
225, 227, 285, 306, 310, 339, 344, 365,
367–368, 370–373, 382, 429, 483, 564–580
- discrete bound states, xxvi, 115–128, 225,
310, 339, 344, 365, 367–368, 370, 382
- discrete symmetry, xxvii, 373, 564–574
- discretization, 316
- dispersion, 31–35, 39–40, 49
- displacement of poles, 86–87, 126, 366, 490
- distribution function, 299, 412–413, 417, 448,
486
- DiVincenzo criteria, 521
- double slit, 52, 58, 60, 66–67, 70–71, 85,
100–101, 103, 520, 537
- double square well, 134, 138
- dual conjugate, 8–10, 12, 22, 26–27, 44, 46,
167, 392
- dyadic, 44–45, 152
- dynamical phase, 37, 42, 52, 72–73, 75, 94,
109, 112, 124, 197–198, 231, 277, 296,
453–454, 481–482, 491, 583
- dynamical symmetry, xxvi, 212, 221, 224,
229, 373, 566, 580
- dynamical variable, 8, 26, 35, 77, 152,
212–213, 294, 320–321, 565, 594, 605
- Dyson, F., 344, 586
- Eckert, John, 421
- EDM. *See* electric dipole moment (EDM)
- eEDM. *See* electron's electric dipole moment
(eEDM)
- effective mass, 123, 142–143
- Ehrenberg–Siday, 82
- eigen-energy, 81, 120, 265–266
- eigen-function, xxvii, 35, 49, 51, 72, 75, 80–81,
94, 101–102, 109, 120–121, 126, 136,
144, 163, 191, 194, 196–211, 218, 224,
227–234, 267, 287, 376, 379, 393, 420, 471
- eigenvalue, 12–13, 19–20, 42, 46–48, 51, 55,
72, 80, 120, 135, 137, 154, 159–160,
183–184, 191–192, 194, 199–200, 211,
214–216, 225, 265, 287–289, 291, 294,
317, 338–339, 348–349, 376–377, 383,
391, 393, 412, 414, 420, 438–439, 485,
577, 587, 588, 608
- eigenvector, 18–19, 28, 31–32, 47–50, 55,
154–155, 161–162, 168, 179–181, 185,
214–215, 225, 287–289, 348, 520, 587
- Einstein, Albert, 4–5, 8, 57, 59, 76, 105, 153,
213, 272, 319, 325, 411–413, 507–510,
513, 515, 564
- Einstein convention, 213, 325–326
- Einstein–Podolsky–Rosen paradox, 510
- Eisenbud, L., xxvi, 469, 479
- Eisenbud–Wigner–Smith (EWS) time delay,
xxvi, 469, 479
- electric dipole moment (EDM), 268, 318, 385,
578–579
- electric dipole transitions, 358, 384, 388–390,
392
- electromagnetic field, 4–5, 70, 78, 91, 99–100,
295, 300–301, 327, 361, 372, 382, 386,
573
- electron correlations, 305, 419, 439, 500, 546,
586, 595, 597, 608
- Electronic Numerical Integrator and
Computer (ENIAC), 421
- electron's electric dipole moment (eEDM),
578–579
- electron spectroscopy for chemical analysis
(ESCA), 436–437
- electron spin resonance (ESR), 405–406, 409
- electron structure studies, 607–613
- electroweak interaction, 385, 569, 570
- electro-weak theory (EWT), 383–384,
569–570, 579
- Emmy, Noether, 24, 211–212, 564, 567
- energy–time uncertainty, xxvi, 35, 37, 39–41,
382
- entangled states, 528–529, 554, 557
- entanglement, xxiii–xxv, 57, 66, 85, 270,
507, 509–510, 513, 515, 518–521, 534,
536–538, 541–543, 545–546, 573
- entrance channel, 468
- EPR paradox, 508–519
- equation of continuity, 99–100, 108–110, 116,
135–136, 139, 193, 356, 472
- equation of motion, xxv, 1–4, 31, 53, 75, 78,
96, 217, 221, 227, 234, 270–272, 337,
361, 574–575, 584, 586
- equivalence principle, 564

- ESCA. *See* electron spectroscopy for chemical analysis (ESCA)
- ESR. *See* electron spin resonance (ESR)
- Euclidean, 10, 19, 101, 149, 160, 200, 228, 234, 319, 448, 564
- Euler method, 313, 316
- Euler's theorem, 564
- evanescent, 110, 123, 134
- Everett, Hugh, 525
- Ewen and Purcell, 344
- EWT. *See* electro-weak theory (EWT)
- exchange charge density, 441
- exchange correlations, 419–420, 427, 432–433, 439–440
- exchange density, 438–439
- exchange integral, 427, 429, 440, 444–445
- exchange operator, 438–439
- exciton, 123
- exclusion principle, 158, 208–211, 415–416, 439
- Exclusive OR (XOR, EXOR) gate, 530–532
- exit channel, 468–469
- EXNOR gate, 522
- EXOR gate, 522
- expectation value, 31–32, 34–35, 37–39, 99, 145, 180–181, 192–194, 198, 254–257, 267–268, 291, 307–308, 313, 331, 338–340, 343, 375, 381, 384, 422, 425, 430, 432, 434–435, 573, 585, 608
- factorizability, 510
- factor states, 168, 175, 399, 516
- Faxen–Holtsmark equation, 451, 464
- Fermi–Dirac correlations, 305, 427, 432–433, 439, 608
- Fermi–Dirac statistics, 208–209, 305, 419, 439, 595, 602
- Fermions, xxvi, 413, 443–448, 572, 598, 601–602, 608–609, 613
- Fermi's golden rule, 299–300, 365, 404
- Feynman particle (FP), 57–60, 62, 67–69, 79, 81–82
- Feynman propagator, 63–65, 275–276
- Feynman, Richard P., xxvi, 8, 30, 42, 52–54, 57–58, 60–63, 65–66, 68–70, 82, 85–86, 88, 93, 96, 102, 108, 275–276, 282, 307, 341, 344, 413, 441, 519, 570
- field emission, 106
- field operators, 604
- field point, xix, 487, 492
- field quantization, 604–606
- fine structure constant, 341, 392, 569
- finite square well, 122–123, 129, 131, 133–134
- first order perturbation correction, 311, 339, 341–342, 380, 393–395
- flavor, 546, 570
- flux, xix, 79, 80, 82, 85–87, 99, 108, 110, 300, 452, 465, 469–474, 478, 482–483, 499, 521
- Fock, V. A., 72, 219
- Foldy–Wouthuysen (FW) transformation, xxvi, 329, 331–338
- forbidden transition, 188
- forward light cone, 355
- forward scattering amplitude, 473
- Foucault pendulum, 86–87
- four-component, xxvi, 353
- Fourier transform, 41, 101–102, 303, 487–488, 497, 499, 607–608
- Fourier transform of scattering potential, 497
- four-momentum, 327
- four vector, 321, 356
- four-velocity, 321
- Fowler–Nordheim tunneling, 106
- FP. *See* Feynman particle (FP)
- Fradkin tensor, 221
- frozen orbital approximation, 431–436, 444, 595
- function box, 525–527, 530–531, 533–534, 556–557
- fundamental interactions, 569, 570
- future light cone, 355
- Gamov, George, 112–115
- gauge, 69, 70, 77–79, 82, 89, 91, 301, 341, 439–441, 570
- Gaunt integral, 177, 379
- Gaussian integral, 56–57, 61, 88, 91–93
- gedanken*, 57, 59, 60, 509
- gedanken* experiment, 60, 509
- Geiger–Nuttall law, 112, 114
- geminal wavefunction, 413–416

- generalized function, 299, 486–487
 Generalized Gradient Approximation (GGA), 440
 generalized momentum, 3, 25, 75
 generalized oscillator strength, 372
 generalized rotation, 582–583
 generating function, 24, 254, 271–274
 generator of rotation, 56, 147–148, 151, 160, 188–189, 211
 generator of translation, 24, 147, 565
 geometrical phase, xxvi, 69, 70, 72, 85, 96, 306
 geometrical symmetry, 373, 580
 geometric-analytical method, 119
 Gerlach, Walther, 13
 Germer, 59
 GHZ. *See* Greenberger–Horne–Zeilinger (GHZ) State
 Giant Meterwave Radio Telescope (GMRT), 360
 Glashow, Sheldon, 383, 570
 gluons, 569
g-metric, 320
 GMRT. *See* Giant Meterwave Radio Telescope (GMRT)
 golden rule, 299–300, 365, 404
 good label, 20
 good quantum number, 20–21, 48, 154, 183, 188, 198, 224–226, 346, 348, 381–382, 393, 401, 418, 422, 568–569, 597
 good quantum number/label, 48
 Goudsmit, Samuel, 153, 158, 337, 387
 gradient operator, 25, 74, 162, 163, 197, 219, 420–421
 Gram–Schmidt orthogonalization, 43
 Gram–Schmidt orthonormalization, 43
 gravitational Aharonov–Bohm effect, 82
 gravitational field, 86, 403, 404
 gravitational geometric phase, 404
 Greenberger–Horne–Zeilinger (GHZ) State, 557–558
 Green function, xxvi, 485–500
 group of Schrödinger equation, 373
 group velocity, 41, 145, 474–476
 gyromagnetic ratio, 330, 403, 406
 gyroscope, 13, 153
 Hadamard gate, 525–527, 530, 539, 545, 548, 551, 553–554, 556–560
 half life, 112, 114
 half-polar angle, 522
 half-scattering, 465, 467, 469, 479, 485
 Hamilton, 1, 3–4, 6, 31, 63, 65, 77, 106, 220–221, 271, 273–274, 276–277, 307, 309, 575
 Hamilton–Jacobi equation, 106, 220–221, 277, 309
 Hamilton’s equations, 3–4, 31, 220–221, 271, 273, 307, 575
 Hamilton’s principal function, 77, 273–274, 276–277
 Hannay, John, 86–87
 hardware efficiency, 608
 hardware inspired ansatz, 608
 harmonic oscillator potential, 93, 124, 220–221, 265, 443
 Hartree–Fock, xxvi, 308, 417–434, 439, 441–442, 446–447, 449, 594, 597, 608, 613
 Hartree–Fock potential operator, 439
 Hawking, Stephen, 270, 305
 Heisenberg, xxvi–xxvii, 1, 2, 4–7, 19, 25–42, 52, 62, 88, 96, 219, 295, 370, 482, 509, 582–586
 Heisenberg microscope, xxvi, 4–6, 19, 25, 31
 Heisenberg picture, 295, 582–584
 Heisenberg principle, xxvi, 2, 25–42
 helicity, 571, 573
 Helmholtz operator, 486
 Hermite polynomial, 126–127
 Hermitian adjoint, 12, 22, 26–27, 46, 482, 583
 hermiticity, 28, 33, 43, 198, 383, 432
 Hertz, 4
 hidden variables, 508–510, 513–514, 518–519, 534–535
 higher order perturbation, 476
 Hilbert space, 7–22, 26–28, 31, 42, 44, 46–47, 70, 105, 159, 167–168, 179, 215, 218, 287, 296, 414, 417, 520, 522, 535, 564–565, 576, 582, 594
 “H I” line, 344
 Holevo, 521, 542–543, 545–546

- Holevo limit, 542–543, 545–546
- homogeneous space, 23–26, 45–46, 147, 565, 567, 574
- Hubble constant, 407, 409
- hyperfine doublet, 344
- hyperfine structure, 344–345, 397–402
- hyperfine transition in ^{133}Cs , 385, 400–401
- identical particles, 411–413, 418, 422, 448, 574–575, 598–599
- impenetrable barrier, 101
- inclusive superposition, 520
- incoming wave, 502
- independent particle approximation (IPA), 419–421, 432, 440, 594–595
- indistinguishability, 414–415, 418, 428
- induced dipole moment, 310, 361
- infinitesimal displacement, 23, 43, 45, 565
- infinite square well, 122
- influence function, 487
- ingoing wave, 455, 464–469, 480, 482, 491, 574
- inner product, 9–10, 27, 37–38, 43–44, 46
- integral equation, 485–500, 586
- integral of motion, 219–220
- integral representation of scattering amplitude, 493
- interaction picture, 295, 297, 582, 584–585
- interbasis expansion, 227
- interchange (of identical particles), 411–413, 418, 422, 448, 574
- interchange of particles, 598
- intermediate field Zeeman effect, 387, 391
- intrinsic property, 60, 153, 159, 391
- inverse quantum Fourier transform (IQFT) method, 608
- inversion, 150, 160, 484–485, 524, 565, 567
- ionization potential (IP), 304, 436, 444
- IPA. *See* Independent particle approximation (IPA)
- IQFT. *See* Inverse quantum Fourier transform (IQFT) method
- irreducible representation, 163
- irreducible tensor operator (ITO), 179–185, 188
- Ising–Lenz model, 609
- isolated singularity, 489
- isolating eigenspace, 225
- isolating integral, 220–221
- isotropic harmonic oscillator, 221, 265, 358–359
- Jaynes–Cummings model, 371
- jj*-coupling, 179
- Jordan, 7, 42, 88, 489, 490, 594, 608
- Jordan’s lemma, 489–490
- Jordan–Wigner, 608
- JW transformation, 609, 611, 613
- Karnaugh, Maurice, 520
- Kepler orbit, 147, 153, 221
- kernel, 53–57, 60, 67–68, 94–95, 487, 495
- ket, 8–10, 12, 18, 26–27, 165, 167, 218, 403
- kinetic energy operator, 42, 108, 135, 162, 202, 420, 599
- kinetic momentum, 75, 99, 327, 330
- Klein–Gordon equation, 319–331, 358
- Koopmans’ theorem, 434–439, 444
- Kramer’s degeneracy, 580
- Kramer’s recursion, 358
- Kramer’s theorem, 580
- Kummer–Laplace equation, 224
- ladder operator, 155, 157, 171, 194, 225–226, 392, 399
- Lagrange, xxv, 1, 3–4, 6, 31, 63, 65, 76, 271, 307, 430, 432–434, 436, 444
- Lagrange’s variational multiplier, 433
- Lagrangian, 2–3, 53, 56, 60, 64, 75, 77, 93, 124, 271–272, 383, 566, 573
- Laguerre polynomials, 204, 206, 234–238, 254
- Lambert lines, 140
- Lambert W, xxvi, 129–134, 138, 140
- Lamb–Retherford, 344–345, 398
- Lamb shift, 344–345, 348, 382, 398, 574
- Lamlines, 140
- Lande’s *g* factor, 395, 399
- Laplace–Runge–Lenz–Pauli operator, 566
- Laplace transform, 231–232
- Laplacian, 42, 162, 219, 228, 229, 260, 262–264

- Laporte, 188, 383–385
- Laurent expansion, 489
- Legendre, 161, 462, 468, 587–593
- Legendre differential equation, 589, 591
- Legendre polynomial, 161, 462, 468, 590–592
- Leibnitz, 591
- Lenard, H. Park, 4
- length contraction, 320–321, 564
- length gauge, 439–441
- Levi-Civita, 76, 151
- Lie group, 160, 164, 215, 566
- lifetime, 359, 382–383, 569
- light cone, 355
- linearly independent, 9–11, 27–28, 42–43, 48, 51, 80, 109, 118, 120–122, 126, 135–136, 143, 154, 169, 172, 211, 220, 230, 236, 282, 294, 326–327, 376, 462, 580, 592
- linear operator, 11, 26, 46, 220, 485, 576
- Lippmann–Schwinger, 485–500
- local causation, 519
- local density approximation (LDA), 439–442, 446
- local density operator, 440
- locality loophole, 519
- Lorentz, 70, 77, 88, 234, 319, 337, 355, 364, 383, 388–90, 408, 412, 442, 503, 567, 571
- Lorentz boost, 571
- Lorentz force, 70, 77, 88, 503
- Lorentzian representation of Dirac- δ , 364
- Lorentz triplet, xvii, 388–390
- lowering operator, 610–611
- LRLP operator, 242–246
- LS-coupling, 179
- Lüders, 573
- macroscopic, xxvi, 2, 62, 365
- magnetic dipole, 13–14, 16, 18, 96, 194, 330–331, 338, 572
- magnetic flux, 86–87
- magnetic quantum number, 154–159, 161, 163, 165, 168, 172–173, 178, 184, 187, 200, 218, 222, 224–225, 392, 455–456
- Mandelstam–Tamm uncertainty relation, 39
- Many-Body Perturbation Theory (MBPT), 441
- many-world interpretation, 525
- marker, 102–105, 511
- mathematical group, 160, 373, 565
- mathematics, xxv, xxvii, 26, 270, 319, 566
- matrix element, 46, 48, 55, 155, 157, 163, 175–176, 186, 188, 303, 365–369, 373, 379–380, 384, 392–394, 397, 404–405, 427–428, 439–441, 445, 464, 493–494, 566
- matrix mechanics, 7, 42, 53, 60–62, 88, 219
- matrix representation, 47, 48, 151, 158, 163, 188–190, 373, 399, 444–445, 523, 525–526, 530, 543
- matter–antimatter, 573–574
- matter-waves, 105–106
- maximally superintegrable, 220–221
- Maxwell–Boltzmann (MB) statistics, 412
- Maxwell, James Clerk, 59, 319
- Maxwell’s equation, 88, 91, 365, 503, 575
- Maxwell’s theory, 153, 503
- MBPT. *See* Many-Body Perturbation Theory (MBPT)
- MCHF. *See* Multi-Configuration Hartree-Fock (MCHF) method
- mega-barn (Mb), 302, 452
- metastable, 382–383, 594–595
- microscope, xxvi, 4–6, 19, 25, 31, 100, 107
- minimal coupling, 357–358
- minimally superintegrable, 220
- mixed state, 14–15, 37, 38, 145, 194, 385, 534, 541, 545, 548, 561
- momentum, xxv–xxvi, 1–9, 13–14, 18–31, 33, 35–36, 40–42, 44–46, 48–50, 54–55, 57, 61–63, 66, 68–69, 75, 99, 101–102, 112, 122, 127, 136, 145, 147–195, 198–200, 202, 211–217, 219, 221, 225, 242, 245, 252–253, 259, 271, 275, 277, 279, 282, 285, 295, 300–301, 320–322, 324–327, 330–331
- momentum gauge, 440
- momentum operator, 19–26, 42, 45–46, 49, 55, 99, 127, 136, 149, 153, 159, 163–164, 166, 168, 180, 186, 198–199, 213–215, 217, 219, 225, 242, 245–249, 259, 326, 365–366, 370, 414, 504, 566–568, 578, 587
- momentum space wavefunction, 101
- momentum uncertainty, 6, 40, 44

monopole, 87, 88
 motion reversal, 467, 575, 577, 579
 muium, 264–265
 multi-Configuration Hartree-Fock method
 (MCHF), 441–442, 597
 muon, 265, 359, 409
 muonium, 264–265

NAND gate, 522
 nanoscience, xxvi, 108
 nanotechnology, 108
 National Centre for Radio Astrophysics, 360
 NCRA, 360
 negative energy states, 331, 338, 345
 nested Gaussian integrals, 56–57, 61, 88,
 91–93
 Neumann, John von, 8
 Neutrino, 404, 571–573
 neutron's electric dipole moment (nEDM), 578
 Newton, xxv, 1–4, 6, 25, 31, 59, 62–63, 271,
 331, 575
 Newtonian, 2, 53, 70, 107, 422
 n^2 -fold degeneracy, 211–212, 217, 225, 234,
 348, 376
 no cloning, 534–546
 nodal behaviour, 206
 nodal structure, 122, 206
 nodeless function, 206–207, 368
 no deleting theorem, 536
 nodes, 121, 122, 206–208, 238, 367–368
 no go theorem, 534–536
 non-degenerate, 47, 287–294
 non-Euclidean, 10, 234, 319, 564
 non-local hidden variables, 509–510, 518, 535
 non-local potential, 343
 non-orthogonal, 42–43
 non-perturbative methods, 270, 305–308
 nonseparable system, 221
 norm, 10, 22, 29, 37, 43–44, 75, 307–308,
 563, 568, 576, 582, 585
 normalized spherical harmonics, 591
 normal Zeeman effect (NZE), 387–388,
 390–391
 nuclear magnetic resonance (NMR), 406–407
 numerical integration, 313, 446
 Numerov's method, 315–316, 446, 449

occupation number, 417–418, 434, 594–605,
 609, 613
 operator(s), 9, 19–42, 215, 323, 331, 551, 583
 operator algebra, 8, 55
 operator for time, 575–576, 579
 operator for time-delay, 479, 573, 578
 optical theorem, xxvi, 469–485, 499–500, 505
 orbital angular momentum, 149, 152–153,
 158–163, 165–167, 172, 179, 181,
 191–193, 198, 200, 202, 211, 213,
 215, 221, 242, 330–331, 340, 342, 344,
 346, 367, 381, 383, 391–392, 407, 458,
 460–462, 471, 501–502, 516, 568–569,
 587, 593
 order parameter, 287–288, 296–297, 374, 377
 OR gate, 522, 530
 orthogonal matrices, 160
 orthogonal transformations, 565
 oscillator strength, 360–372
 outgoing wave, 138, 455, 464–469, 479–482,
 484, 489–492, 502, 574
 over the barrier, 105–115, 134, 286

 Pancharatnam–Berry phase, 52, 69–88, 306,
 404
 parabolic coordinates, 212, 219–229, 260,
 262, 267, 375, 566–567
 parity, 109, 118, 150, 160, 184, 188, 216–217,
 268, 310, 348–349, 372, 379, 381,
 383–385, 404, 418, 423, 464, 484, 565,
 567–573, 578–579, 608, 611
 Parity Non-Conserving (PNC) transitions, 385
 parity-reversed states, 384
 parity violating transitions, 570
 parity violation, 383, 385, 569, 572–573, 578
 partial wave amplitude, 464
 Paschen–Back effect, 372, 387, 391
 past light cone, 355
 path integral(s), xxiii, xxvi, 30, 42, 52–96,
 270, 275, 282, 490
 Pauli, 52, 96, 158, 183, 190, 194, 208, 212,
 325–326, 329, 331–332, 337–338, 346,
 415, 439, 523–525
 Pauli correlations, 439
 Pauli equation, 329, 331–332, 337
 Pauli gates, 524–543

- Pauli–Lenz, 212–215, 217, 219, 221, 259, 373, 566–567
 Pauli matrices, 96, 183, 190, 194, 325, 523, 555, 609
 Pauli representation, 326
 PEB (Planck–Einstein–Bose) constant, 4, 6, 24, 30, 61, 63, 65, 69, 106, 270
 permutation operator, 418, 423
 permutations, 418, 423–424, 426, 439–440, 566
 perturbation theory, xxvi, 81, 286–296, 305–306, 317, 337–339, 343, 372–374, 376, 382, 385, 386, 391, 393, 441, 584
 perturbative methods, 286, 294, 305
 phase, Berry, 70, 86, 94–96
 phase, dynamical, 37, 42, 52, 72–73, 75, 94, 109, 112, 124, 197–198, 231, 277, 296, 453–454, 481–482, 491, 583
 phase factor, 37, 61, 63, 65, 71, 78–79, 361, 477, 479, 603, 611
 phase, geometric, xxvi, 52, 69, 70, 72–73, 75, 78–79, 82, 85–87, 94, 96, 305, 306, 404
 phase integral, 286
 phase, Pancharatnam–Berry, 52, 69–88, 306, 404
 phase shift, 231, 284, 460, 462, 466, 471, 479, 501, 505, 525–526, 552–553
 phase shifter, 402
 phase shift gate, 525–526, 553
 phase space, 1, 5, 7, 219, 220
 phase velocity, 1, 41, 474–475
 photodetachment, xxvi, 455, 464–465, 467, 469, 479–480, 485, 573–574
 photoelectric effect, 4, 59, 156
 photoelectron, 207–208, 300–302, 304, 368, 465, 468–469
 photoionization, xxiv, xxvi, 202, 206, 208, 294–305, 315, 361–362, 364–369, 372, 409, 455–456, 464–465, 467–469, 479–480, 485, 573–574, 595
 photoionization by polarized light, 87
 photoionization by unpolarized light, 304
 photon momentum, 5–6
 physical qubits, 521, 529
 Planck, 4, 5, 7
 Planck–Einstein–Bose (PEB) constant, 4, 6, 24, 30, 61, 63, 65, 69, 106, 270
 plane wave, 231, 356, 405, 453–454, 456–468
 Poisson equation, 449
 position–momentum uncertainty, 40, 44
 position operator, 19–20, 23–25, 48–49, 55, 100, 149, 162, 254, 310, 322, 366–367, 440, 504, 568, 577–578
 position uncertainty, 6, 40, 44, 101
 positive energy states, 227, 331, 338, 345, 577
 potential barrier, 105–107, 111, 113, 122, 139, 144–145, 202, 309, 311
 potential energy operator, 42, 50, 108, 135, 197, 366
 power gate, 525–526
 Poynting vector, 5, 295, 301, 504
 Preskill, John, 607
 principle of uncertainty, xxvi, 2, 25–42, 101, 370, 507
 principle of variation, 2, 53, 271, 307, 422, 434
 probabilistic, 28, 31, 100, 105–106, 115, 134, 507–509, 519
 probability, 15–16, 20, 28, 31–32, 36–37, 50–51, 53, 58, 60–61, 67–68, 98–145, 186, 192–194, 202, 207–208, 210, 254–255, 267, 271, 275–276, 280, 282, 285, 296, 298–302, 306–307, 309–311, 323, 353–356, 358, 362, 365–366, 368, 382–383, 397, 409, 416, 421, 438–439, 441, 448, 452, 469–471
 probability amplitude, 20, 32, 37, 53, 61, 127, 186, 270, 275–276, 366, 397, 416, 531, 537, 542, 592
 probability conundrum, 507
 probability current, 98–105, 111–112, 136, 280, 356, 358, 469–471
 probability density, 36–37, 98–100, 110, 127, 208, 210, 254–255, 282, 296, 309, 353, 356, 382–383, 421, 438–439, 470, 472, 479, 592
 product logarithm, 130
 product space, 167–168
 product states, 168, 175, 444, 516, 529
 projection operator, 21, 546
 propagator, 52–61, 63–65, 92–95, 270, 275–276, 403–404, 487
 proper momentum, 321

- proper velocity, 321
- proton, 112, 196–197, 200, 211–212, 265, 330, 344, 353, 397–399, 406–407, 443, 566, 570–571
- pseudo-angular momentum, 217, 225, 259
- pseudo-forces, 87, 200
- pseudo-Hadamard gate, 525
- pseudo-potential, 200, 202
- P-symmetry, 578–579
- pure state, 15–16, 18, 20, 37–38, 297–298, 526, 530–531, 534, 545, 548, 555, 561–562
- P-violation, 579
- Python, 547–562
- p_z orbital, 592
- 3qb, 538–541, 545–546
- Qiskit, 547, 557–560
- quantum advantage, 607
- quantum annealing, 607
- quantum chemistry, 534, 546, 607
- quantum chromodynamics (QCD), 569
- quantum circuit, 547–548, 552–553, 558–560, 608
- quantum coin flip (QCF) gate, 526
- quantum computer, xxiv, 87, 115, 442, 519–521, 546–548, 594, 607–609, 613
- quantum computing, xxiv–xxvii, 507–562, 607
- quantum defect theory (QDT), 118, 372
- quantum dot, 115–116, 123, 141–142, 521
- quantum electrodynamics (QED), 60, 69, 265, 344, 383, 422, 521
- quantum eraser, xii, xiii, 103–105
- quantum field theory (QFT), 60
- quantum Fourier transform, 608
- quantum gate, 519–534, 541, 545, 548, 607–609
- quantum information, xxiv, 507–562
- quantum mechanics, xxiii–xxvii, 3, 8, 13–14, 30–31, 42, 52–96, 98, 100, 102, 106–108, 115–116, 120, 122, 128, 136, 147–148, 153, 158, 169, 172, 186, 212, 219, 270, 275–277, 294–295, 300, 305, 319, 338, 358, 360–409, 412–413
- quantum of action, 24
- quantum of knowledge, 52–60
- quantum phase estimation (QPE), 607–608
- quantum physics, xxvii, 2, 4, 7, 31–32, 69, 78, 104–105, 285, 298, 360, 434, 507, 510, 519
- quantum processing unit (QPU), 608
- quantum supremacy, 534, 607
- quantum theory, xxv–xxvi, 1, 2, 4, 5, 7, 8, 11–16, 18–20, 23–26, 28–31, 57, 65, 82, 88, 101, 105–107, 110, 112, 134, 177, 196, 200, 205, 219, 280, 285, 300, 331, 411, 434, 507–511, 513, 515, 518–519, 522, 535–536, 565, 578
- quantum theory is incomplete, 509–510
- quantum well, 141–142
- quantum wire, 143
- quantum wonder, 52, 70
- quarks, 318, 402, 569–571
- quasi-classical, 285–286
- qubit annihilation, 611
- qubit creation, 609, 611
- qubit operators, 546, 554
- 2-qubit states, 527–531, 533–534, 540, 544
- Racah, 164, 178–179, 215
- radial equation (RE), 140–141, 200, 280
- radial momentum operator, 198–199, 213
- radial probability density, 254–255
- raising operator, 610, 611
- Ramsauer–Townsend effect, 471, 502
- random phase approximation (RPA), 368–369, 441, 442, 597
- Rayleigh, 286, 464
- reality, xxiv, xxvi, 1, 28, 32, 52, 507, 509–511, 518–519, 537–538, 541
- Reality 2.0, 510, 518, 537
- reciprocity theorem, xxvi, 467, 469–485
- rectangular barrier, 108, 110–111, 144, 309–310
- rectangular square well, 116, 119–120
- rectangular well, 115
- reduced matrix element, 188, 397
- reflection, 106, 108–112, 138, 145, 150, 160, 358, 373, 552, 565, 567, 572, 579
- reflection above the barrier, 112
- refraction, 110

- refractive index, 111–112
- register, 58, 548, 551, 556–560
- relativistic coupling, 179
- relativistic kinetic energy (RKE), 337–339, 341–345, 398
- relativistic quantum mechanics, xxvi, 13, 153, 158, 172, 319, 323, 325, 327, 331, 337, 387, 413, 510
- relativistic random phase approximation (RRPA), 368–369, 442
- relativity, 10, 286, 319–320, 407, 422, 541, 564, 567
- repulsive potential, 115, 138, 498, 502
- resonance, 144, 298, 362–363, 365, 368, 382, 402, 405–406, 522, 595
- response, 2, 20–21, 129, 175, 179, 181–186, 306, 351, 507, 520
- Rivest, Shamir, and Adleman. *See* RSA
- Roberts, Kenneth, xxvi, xxviii, 119, 129
- Rodrigue's formula, 205
- Rodrigues, Olinde, 590
- Rose–Gorter method, 571
- rotation, 13, 86–87, 91, 94, 130, 147–151, 153, 159–161, 163–167, 175, 179–181, 184–185, 188–189, 191–192, 194, 211–212, 266, 318, 330, 373, 399, 402–403, 408, 516, 522–524, 526, 550, 551, 565–567, 574, 578, 580, 582–583
- rotation gates, 524, 526
- RSA, 513
- Runge–Lenz, 267
- Russel–Saunders coupling, 179
- Salam, Abdus, 383, 570
- scalar operator, 179, 180, 214, 216, 238
- scalar potential, 75, 333
- scanning tunneling microscope. *See* STM
- scattering amplitude, 454, 464, 466–467, 473, 478–480, 485, 493, 496–499
- scattering cross section, 234, 452–453, 469, 471, 474, 497–499, 501, 505
- scattering operator, 464, 480–485
- scattering states, 10, 138, 456
- Schmidt coefficient, 562
- Schmidt decomposition, 562
- Schmidt orthogonalization, 43
- Schrödinger equation, xxvi, 2, 8, 21, 26–42, 50, 57, 71, 73, 77–79, 81, 89–90, 99, 106, 108, 111, 114, 116, 120–122, 124, 126, 128–129, 134–137, 142–143, 145, 158, 196–205, 211–212, 217–219, 221–222, 227–230, 234, 238, 265–266, 271–286, 294–297, 308, 310, 314–315, 319, 323, 338–345, 358, 367, 372–373, 375–376, 386, 416, 420–422, 440, 442, 446–447, 453–455, 459, 462, 485–487, 499, 566–567, 574, 577, 582–585, 594, 598–599, 603, 607
- Schrödinger equation for the state vector, 30
- Schrödinger equation for the wavefunction, 30
- Schrödinger picture, 294, 582–584
- Schwarz inequality, 33–34, 44
- Schwinger, J., 344, 573
- second order perturbation correction, 292
- second quantization, xxvii, 128, 546, 594–598, 605–606, 608
- second quantized Hamiltonian, 609
- selection rules, 184–188, 301, 366–367, 383–385, 404, 406
- self-adjoint, 12, 28, 37, 126, 128, 433
- self-consistent-field (SCF), 308, 420–422, 431–434, 436–437, 439–442, 447, 594–596, 608
- separability, 221, 230, 415
- separable system, 221
- separation of variables, 143, 212, 219, 221–222, 224, 265, 375, 388
- separation theorem, 122
- Shannon, Claude E., 520
- shape function, 477
- sign convention, 157–158, 172
- silver atoms, 13–14
- simultaneity, 320, 322
- simultaneous measurement, 1, 33, 148
- Slater determinant, 416, 418–420, 422, 425, 432–434, 439, 441–442, 448, 595
- S -matrix, 137, 464, 503
- Smith, xxvi, 469, 479
- $SO(3)$, 160–161, 164, 166, 191, 211–212, 522, 524, 565–567
- $SO(4)$, 212, 215, 217–219, 221, 342, 348, 376, 566–567

- s*-*o* coupling, 172
- $SO(n)$ group, 565–566
- solenoid, 67, 70–71, 77–79, 81–82, 85–86, 91, 108, 110–112
- Solvay conference, 507–509
- source point, 487, 492
- space–time, 10, 319, 355, 567
- space–time continuum, 10, 60, 234, 319–320, 355, 564, 567
- special theory of relativity (STR), 10, 319, 321–322, 541, 564
- spectral lineshape, 383
- spherical harmonics, xxvii, 161, 163, 165–166, 177, 181–182, 184, 188, 199–200, 221, 267, 350–352, 379, 454–455, 462, 566, 568, 587–593
- spherical waves, 231, 454–455, 465, 469, 481
- spin angular momentum, xxvi, 13–14, 149, 152–153, 158–161, 166–167, 172, 179, 181, 198, 208, 331, 338, 340, 346, 387, 391, 403, 412–414, 416, 439, 508–509, 571, 578–579, 602
- spin correlations, 419–420, 439–440, 595
- spin-half, 96, 158, 160–161, 166–167, 190, 403, 513, 515–516, 522, 571, 580
- spin-orbit, 167, 338–342, 344–345, 358–359, 372, 387–388, 391–393, 395, 398–400, 409, 414, 448
- spin-orbital, 159, 161, 413–416, 418, 422, 425, 427–428, 434–436, 438–441, 449, 595–597, 599
- spin-orbit interaction, 339–342, 345, 372, 387–388, 392–393, 398–399, 409, 448
- spontaneous transition, 383
- spooky action, 57, 508–509, 518, 541
- square integrable, 36, 48–49, 138, 161, 477
- square root of NOT gate, 526
- standard model, 567, 569, 570, 573–574, 579
- standard representation, 328, 522
- Stapp, Henry, 519
- Stark effect, 294, 372–374, 376, 381–382
- Stark–Lo Surdo effect, 372–397
- Stark mixing, 382–383
- Stark perturbation, 382
- stationary, 3, 37, 41, 63, 72, 98, 108, 110–111, 116, 124, 197–198, 205, 267, 270, 272, 276–277, 279, 287, 296, 349, 373, 382, 467–469, 472, 478, 583
- stationary eigenstates, 41, 72, 287, 296, 373, 382
- stationary states, 37, 41, 72, 108, 110–111, 116, 124, 197–198, 267, 276–277, 279, 287, 296, 349, 373, 382, 468–469, 472, 583
- stationary wave, 478
- statistical correlations, 305, 427, 608
- step down, 154–157
- step potential, 106–112
- step up, 154–157, 225, 494
- Stern–Gerlach (SG), 13, 331, 508, 513, 534
- Stern, Otto, 13
- stimulus, 2, 53
- STM, 107, 108, 144
- strength parameter, 118–119
- strong field Zeeman effect, 387, 399
- strong interaction, 569
- structural equation (SE), 140–141, 454
- $SU(2)$, 161, 166, 403–404, 516, 522, 524, 566, 570, 580
- sudden approximation, 270, 305–307
- sum rule for oscillator strength, 370–371
- superdense coding, 543
- superintegrability, 212, 219–227
- superintegrable, 212, 220–221
- superposition, 9, 11, 14–20, 27–28, 31, 37–38, 57, 66–88, 100–102, 104–105, 108–109, 123, 126, 143, 168, 169, 172, 180, 190, 193, 227, 230–231, 270, 282, 284, 296–298, 306–307, 338, 377, 381, 399, 401, 415, 419–420, 440, 441, 454, 474, 480–481, 487, 507, 515–516, 520–522, 525, 527, 529, 531, 534–543, 545, 548, 552, 555, 571, 592–593, 595–596, 598, 613
- superseparable system, 221
- supersymmetric quantum mechanics (SUSYQM), 219
- susceptibility, 179, 365, 376

- symbols, 2, 8, 11, 18, 21, 22, 25–26, 36, 58, 76, 80, 116, 129, 130, 151–153, 167, 177–179, 193, 274, 369, 423, 425, 483–484, 514, 520, 524, 526, 530–531, 535, 590, 596
- symmetric wavefunction, 443
- symmetry principle, 564, 567
- target qubit, 538, 550, 553, 555
- teleportation, xxvii, 529, 534–542
- temporal evolution, xxv, 1–2, 8, 25, 29, 31, 37, 70, 72, 77, 86, 197, 198, 294–295, 297, 453–454, 567, 582
- tensor product, 9, 27, 167–168, 172, 175, 522, 527–531, 535, 540–541, 545
- tensor product space, 167–168
- Thomas–Reiche–Kuhn (TRK) sum rule, 370–371
- three-man paper, 42
- time advancement, 479
- time-delay, xxvi, 25, 469–485, 573, 578
- time-dependent interaction, 295–297
- time-dependent perturbation theory, 286–295, 306
- time-dependent Schrödinger equation, 73, 134–135, 197, 296
- time dilation, 319–321, 355, 564
- time evolution, 25, 29, 61, 576, 582, 586
- time evolution operator, 26–42, 54, 72, 384, 403, 576, 582
- time-forward evolution, 469
- time-independent perturbation theory, 286–294
- time-independent Schrödinger equation, 42, 134, 198, 222, 277, 376
- time operator, 26–42, 54, 72, 332, 576–577, 579, 582, 585–586
- time reversal, xxiv, xxvi, 3–4, 29, 372, 455–456, 464–469, 479, 485, 503–504, 567, 573–580
- time-reversed states, 469, 576, 580
- topological phase transition, 87
- topological quantum effect, 96
- transcendental functions, 118–119, 129
- transition, xxiv, 31, 87, 102, 186, 188, 207, 287, 296, 298–300, 302–303, 307, 315–316, 328, 344, 358, 360–409, 439, 441, 464, 469, 493–494, 525, 566, 570, 573, 595
- transition matrix element, 303, 365–367, 384, 404, 439, 441, 493–494, 566
- transition probability, 186, 207, 296, 298–300, 307, 365, 368
- transition probability amplitude, 186
- translational displacement, 19–23, 27, 29, 147, 567
- translation displacement, 19–27, 29, 147, 567
- transmission, 105–106, 109, 111–112, 137–138, 144–145, 358
- traveling wave, 108–109, 111, 116–118, 453–455, 468–469
- triangle inequality, 44, 170
- T symmetry, 573–574, 579
- tunneling, 100, 105–115, 134, 137–138, 144–145, 285–286, 309–311
- tunneling in momentum space, 110, 112
- tunneling probability, 112–114, 137, 144, 309–311
- Turing, 421, 520
- turning point, 127, 221, 280, 282, 284, 285
- T-violation, 574, 579
- UCCSD. *See* Unitary coupled-cluster singles and doubles (UCCSD) method
- Uhlenbeck, George Eugene, 153, 158, 337, 387
- unbound states, 35, 205, 594–595
- uncertainty, xxvi, 2, 6, 25–42, 44, 50, 101–102, 122, 127, 144–145, 194, 213, 366, 370, 382, 507–509, 575, 595
- uncertainty principle, 2, 33, 40–41, 194, 213, 370, 509, 595
- uncertainty relation, 34–35, 37, 39–40, 366, 382, 575–576
- uncertainty relation (Heisenberg), xxvi, 2, 25–42, 509
- uncertainty relation (Mandelstam–Tamm), 39
- under the barrier, 105–115, 286
- unitarity, 22, 43, 161, 482–483, 499, 586
- unitary coupled cluster, 607–608, 613
- unitary coupled-cluster singles and doubles (UCCSD) method, 613

- unitary operator, 22, 179, 194, 445, 467, 554, 579
- universal quantum gate, 519–534, 608–609
- unperturbed Hamiltonian, 286–288, 293–294, 296, 337, 382, 393
- vacuum polarization, 348, 578
- Valluri, S. R., xxvi–xxvii, 119, 129
- variance, 33, 42
- variation, xii, xxvii, 2, 53, 63–65, 72, 74, 100, 263, 270–272, 305–308, 313, 400–401, 403–404, 422, 428, 430–434, 436, 446–448, 546, 567, 607, 608
- variational method, 305, 307
- Variational Quantum Eigensolver (VQE), xxvii, 546, 607–608, 613
- vector operator, 43–45, 149, 152, 158–159, 161, 163, 167, 179–181, 188, 191–192, 198, 212, 214–217, 219, 225, 238–242, 246–249, 331, 393, 412, 414, 566–567, 579
- vector potential, 70, 75, 77, 79–87, 91, 295, 301, 329, 338, 386–387
- vector spherical harmonics, 181–182, 184, 350–352
- velocity gauge, 439, 440–441
- V gate, 525
- virial, 267
- von Neumann, John, 8
- VQE. *See* Variational Quantum Eigensolver (VQE)
- wavefront of light, 277
- wavefunction, xxvi, 21, 22, 25, 30–31, 35–37, 40–41, 49, 52, 54, 71–72, 74, 77–81, 90, 99–101, 105–106, 108–111, 115–118, 121–123, 126–127, 134, 136–139, 142–144, 158–160, 183–184, 192, 200, 206–208, 224, 226–227, 254, 259–260, 267, 270, 274–277, 280, 282, 294–297, 299, 303, 305–310, 314–316, 323–327, 329, 331, 337–338, 342–343, 345, 349–350, 352–353, 358, 367–368, 373, 376–377, 380–383, 388, 404, 411–422, 424, 427–428, 430, 432, 434–435, 437, 439–443, 445–447, 453–457, 462, 464–467, 469–470, 472, 475, 481, 483, 487, 494, 568, 582–585, 594–596, 598, 601, 604, 608, 613
- wave mechanics, 7, 42, 52–53, 60, 62, 69, 88, 205, 217, 219, 277
- wave-particle duality, 5, 7, 59, 66
- $W_{\pm}$ bosons, 570
- weak coupling, 73, 296–297
- weak field Zeeman effect, 392–397
- weak interaction, 383, 385, 404, 569–571, 573–574
- Weinberg, Steven, 383, 570
- Weisskopf, 382
- Wentzel–Kramers–Brillouin–Jeffrey, 112, 270, 277, 286, 300. *See also* WKB, WKBJ approximation
- which way experiment, 58, 102–103, 537
- Wick’s rotation, 94
- Wigner–Eckart theorem, 184–188, 366–367, 380, 383, 393, 397, 566
- Wigner, Eugene Paul, 7, 163–165, 175, 186, 331, 382, 467, 469, 479, 564, 576–577, 594
- Wigner functions, 163–164, 175
- Wigner 3j, 177–178, 193, 566
- Wigner time delay, xxvi, 469–485
- WKB, WKBJ approximation, 271–286, 309, 317
- Wolfgang Dür, 158, 545
- world line, 355
- W state, 545
- WW experiment, 58, 102–104
- XOR gate. *See* Exclusive OR (XOR) gate
- Young’s, 52, 57–60, 66, 68–71, 85, 100, 102, 520, 537
- Yukawa potential, 498–499, 505
- Z^0 boson, 385
- Zeeman effects, 343, 372, 386–387, 391–397, 399
- Zeeman, Pieter, xxvi, 372
- Zeilinger, Anton, 510, 519
- zero point energy, 122, 126
- Zitterbewegung, 338, 343