

Index

- absolute pressure 7
- acoustic Doppler current profiler (ADCP) 59–61
- activity of clay 279–280
- advection–dispersion 207
- advection–diffusion equation 207
- adverse slope profiles 184–186
- Allievi’s formula 117–118
- alternate depths 161–163
- analytical floodwave solution 208–210
- angular momentum 97
- angular velocity 87
- aquicludes, aquitards 299
- aquifer transmissivity 299, 307–311
- arch dams 18
- area moment of inertia 11–12
- atmospheric pressure 6
- Atterberg limits 279–280
- average depth 141–143
- axial flow pump 68, 70

- backwater equation 180–182
- baffle blocks 225, 236–241
- baffle chutes 239–241
- baffle piers 236–238
- ball valves 28
- bankfull flow 148–149
- Banki–Michell turbines 91–92
- barrel control 218–219
- bellmouth intakes 79
- Bernoulli sum 24
- Big Thompson flood 271–272
- binomial distribution 267
- blade velocity 67, 71, 96
- boiling sands 285–288
- bore 172–173
- Bourdon gauges 58–59
- brake horsepower 72
- bridge hydraulics 194–195
- broad-crested weirs 243
- bulb turbine 90–91, 102–103, 108
- butterfly valves 28
- buttress dams 18

- Cambambe Dam 88–89
- capillary fringe 284–285, 300
- capital recovery 317–318
- cast-iron pipes 27
- cation exchange capacity 279–280
- cavitation 32–33, 55
- cavitation of a pump 75, 77–78
- cavitation of turbines 104–105
- celerity – small wave 171
- celerity in a rigid pipe 110
- celerity in an elastic pipe 111–113
- celerity reduction with air 113–114
- center of pressure 13
- centrifugal pumps 68, 71, 81
- centripetal acceleration 175–177
- centroids 163–165
- centroids – circular 165
- centroids – trapezoidal 164–165, 169
- channel contraction 162–163
- channel curvature 175–177
- Chézy coefficient 143–144
- choking 162–163
- chute blocks 236–238
- Cipolletti weirs 244
- circular conduits 161, 152
- circular cross sections 142
- circular pipe properties 23
- clay mineralogy 277–279
- compound channels 143, 147
- cold fronts 252–253
- common good 320–321
- communication skills 319–320
- compressed air chambers 123–124
- compressibility 109
- compression index 288–291
- computational fluid dynamics (CFD) 176–177, 239
- computer models 196–198
- confined aquifers 299
- conjugate depths 167–170
- conservation of mass 33
- consolidation 288–291
- continuity for unsteady flow 203–204
- contraction losses 30
- control points 183–186
- Cooper–Jacob method 308
- Coriolis flow meters 59–60

- corrugated metal pipes (CMP) 216–225
- critical depth 157–161
- critical slope profiles 184–186
- cross-sectional area 141–143
- culvert curve 262
- culvert erosion control 224–226
- culvert inlets 219–221
- culvert outlets 224–226
- culvert performance curve 217
- culvert stilling basin 225–226
- culvert without backwater 219
- curved channel flow 175–177
- dam break flood 212–213
- dam stability 13–17
- damped period and frequency 131–133
- damped spring-mass systems 130–132
- Darcy’s law 295–296
- Darcy–Weisbach equation 25–26
- Darcy–Weisbach f 144
- datum 6
- Deriaz turbines 90–91, 108
- detention storage 251–252
- diffusive waves 205–206
- digital elevation models 253–255
- direct-step method 188–193
- downstream control 172, 183–186
- draft tubes 87, 95
- draining a tank 120–121
- dry mass density 282–284
- Dupuit parabola 300
- Dupuit–Forchheimer assumption 299
- dynamic modeling 260–262
- dynamic variables 2
- dynamic viscosity 2–4
- dynamic waves 205–206
- Edmonston pumping plant 80–81, 122–123
- effective stress 285–288
- emptying large tanks 120–121
- energy conversion of a pump 72
- energy grade line (EGL) 23–25, 32, 156
- engineering obligations 322–325
- equivalent pipe length 29–31
- evaporation 251–252
- exceedance probability 264, 267
- expansion losses 30
- extreme floods 267
- extreme precipitation 268
- filter blankets 19
- fixed blade turbines 90–91
- flanged joints 29–30
- flip-bucket spillway 176, 235–236
- flood conveyance coefficient 203–204
- flood flow resistance 204–205
- flood frequency analysis 264–266
- flood routing 206–213
- flood warning 270
- flood wave momentum 205–206
- floodwave dispersion 212–213
- floodwave celerity 147, 212–213, 258
- floodwave equations 203–207
- floodwave propagation 208–212
- flow calculations – rectangular channel 189–192
- flow calculations – trapezoidal channel 192–193
- flow conveyance 150
- flow depth 141–143
- flow duration curve 264
- flow meters 54–61
- flow nets 300–305
- flow nozzles 56–57
- flow oscillations without friction 128–130
- flow pulses 209–212
- fluid density 5
- force on a curved plate 48
- force on a moving plate 49–50
- force on a pipe bend 51–52
- force on a plate 12
- force on curved surfaces 15–17
- forces on dams 14–18
- Fort Collins 230, 274
- Francis turbines 90, 95–99, 104–105, 108
- free vortex 100–101
- free-body diagram (FBD) 47, 51–52
- friction factor f 25
- friction slopes 150–152
- Froude number 157–158
- fundamental dimensions 1–2
- future value 317–318
- gasket joints 29
- gate valves 28
- gates 242–243
- Gauckler, Philippe 143–144
- gear pumps 69–70
- generators 86–87, 95
- generator shaft 92
- geographic information system (GIS) 253–255
- global warming 321–322
- globe valves 28
- Goodwin Creek 152, 159
- gradual valve closure 116–118
- gradually varied – rectangular 181–182

338 Index

- gradually varied flow calculations 187–193
- gradually varied flow equations 180–182
- gradually varied flow profiles 182–186
- Grand Coulee – Francis turbine 99, 105
- granulometry 277
- gravity dams 17
- grooved joints 29
- groundwater 296–316
- groundwater potential 311
- Gumbel distribution 264–266

- Hardy–Cross method 37–40
- Hazen formula 297–298
- Hazen–Williams formula 39–40
- head loss 25
- head of water vapor 10–11
- headwalls 219–221
- HEC–HMS model 260–262
- HEC–RAS model 196–198
- high-density polyethylene (HDPE) 216–217
- high-pressure valves 40–41
- hollow-jet valves 40
- Hoover Dam 41–42
- horizontal slope profiles 184–186
- Howell–Bunger valves 40
- hurricanes 252–254
- hydraulic controls 170–172
- hydraulic grade line (HGL) 8, 24, 32, 54, 156
- hydraulic jump 167, 169
- hydraulic jump head loss 168
- hydraulic jump length 169
- hydraulic jump location 190–193
- hydraulic radius 141–143
- hydraulic transients 114–121
- hydrodynamic force 47–54
- hydrographs 258
- hydrologic cycle 251–252
- hydrologic modeling 260–262
- hydrologic risk 267
- hydropower production 86
- hydrostatic force 11–13
- hydrostatic pressure 6–11
- hypsonetric curve 255

- illite 278–280
- impellers 96
- impulse turbines 90–91
- impulse–momentum relationship 48
- infiltration 256
- inlet control 219–223

- interest rates 317–318
- intrinsic permeability 296–298
- irrigation gate closure 172–173

- jet pumps 69–70
- jet-flow valves 40–41

- kaolinite 278–280
- Kaplan blade angle 100–102
- Kaplan turbine 90–91, 100–102, 104, 108
- kinematic variables 2
- kinematic viscosity 3–4
- kinematic waves 205–206
- kinetic energy 24
- Kozeny–Carman formula 297

- labyrinth weirs 244
- Lagrange celerity equation 171
- Lake Mead 41–42
- Laplace equation 301
- large turbines 92
- large watersheds 260–262
- laser Doppler anemometers (LDAs) 59–60
- laser Doppler velocimeters (LDVs) 59–60
- liquid limits 279–280
- log Pearson method 265–266
- Lusaka – groundwater applications 311

- M-1 profile calculations 189
- M-2 profile calculations 189–190
- M-3 profile calculations 190–191
- magnetic flow meters 59–60
- Manning n values 145–149
- Manning’s equation 144
- manometer 9, 54
- mass density of water 1–5
- maximum permissible velocity 225
- maximum precipitation 268
- mean annual precipitation 253–254
- mean, variance, skewness 264
- micro turbines 92
- mild slopes 183–186
- mini turbines 92
- minor head losses 29–32
- minor losses in pipes 27–32
- mitered inlets 218–221
- mixed flow pumps 68
- modulus of elasticity 109–111
- Mohr–Coulomb diagram 286–287
- momentum flux 47–48
- momentum or energy 177
- montmorillonite 278–280
- morning glory spillways 231–232

- Muda River 265–266
- multistage pumps 79–81
- natural frequency 128–129
- natural period of oscillations 127–130
- needle valves 28, 40–41
- negative pressure 32
- net positive suction head (NPSH) 74, 78
- network frequency 86–87
- nonhydrostatic pressure 175–177
- nonuniform flow 156
- normal depth – circular , 152–153, 161
- normal depth – trapezoidal , 152
- normal depth – wide rectangular 151
- normalized probability 265
- number of poles 86–87
- numerical diffusion 210
- numerical floodwave solution 210–212
- oblique waves 173–175
- oedometer test 288–290
- ogee spillways 231–234
- open channel geometry 141–143
- operating point 74–76
- orifice flow meters 56–57
- orographic precipitation 252–253
- oscillations between reservoirs 137–139
- oscillations in capillary tubes 132–134
- oscillations in large pipes 134–137
- outlet control 221–223
- P waves 291–292
- Parshall flumes 245–247
- partial flow in culverts 216
- Pelton wheels 90–95, 98, 108
- penstocks 87–89, 95
- periods of return 264–267
- permeability 295–298
- piano key weirs 244
- piezometers 8
- piezometric head, 8
- pinch valves 28
- pipe bedding 227–228
- pipe bends 30
- pipe branches 33–36
- pipe bursting 118
- pipe couplings 29
- pipe friction losses 25
- pipe junctions 52–54
- pipe networks 37–39
- pipe roughness 23
- pipe trenches 225–228
- pipes in series 34
- pitot tube 58
- pivot gauges 58–59
- plane of failure 287
- plastic limit 279–280
- plasticity index 279–280
- plug valves 28
- plunge pools 235–236
- pore pressure 284–287
- porosity 280–284
- positive-displacement pump 69–70
- potential lines 300–305
- power on a moving plate 49–50
- powerhouses 87, 95
- present value 317–318
- pressure gauges 58–59
- pressure reduction 123–124
- pressure sensors 58–59
- pressure under a dam 302–303
- Price current meters 59–61
- probable maximum flood (PMF) 269
- probable maximum precipitation (PMP) 269
- professional responsibility 322–325
- projecting inlets 219–221
- propeller meters 59–60
- propeller pumps 68
- public interest 322–325
- pump casing 71
- pump dimensionless parameters 67
- pump efficiency 68, 72
- pump head 65–66
- pump impellers 71
- pump performance curves 72–74
- pump power 65–66
- pump system optimization 76–77
- pump types 65–71
- pumped storage 103
- pumped yield 311
- pumping wells 307–309
- pumps in parallel and series 79–81
- quasi-steady dynamic waves 205–206
- quick condition 285–288
- radial flow pumps 68
- rapidly varied flow 156–177
- rational method 258–259
- rectangular channels 142–143
- reinforced concrete pipes (RCPs) 216–224, 227
- relative pressure 7
- relative roughness 23, 25
- relief valves 28, 123–124
- repeated uniform costs 317–318
- reservoir capacity 262

340 Index

- reservoir routing 262
- resistance to flow 143–149
- Reynolds number 25
- rising sector gates 242–243
- risk analysis 267
- risk of failure 267
- river length 255
- rock fill toes 19
- rock riprap 225
- rotational speed 87–89, 98
- roughness coefficients 148–149
- roughness height 23
- rounded edge inlets 219–221
- runoff coefficients 259

- S waves 291–292
- S-1 profile calculations 192–193
- Saint-Venant equation 205–206
- scrollcase 87
- seepage 300–305
- seismic loading on dams 17–18
- seismic surveys 291–292
- sequent depths 166
- settlement 288–291
- shallow embankments 300
- sharp inlets 219–221
- sharp-crested weirs 243–245
- shear stress 151–152
- sheet piles 303–305
- short- and long-term considerations 321–322
- short-crested weirs 243
- shrinkage limit 278–280
- side-tapered inlets 224
- sill raising 162–163
- sketching water surface profiles 185–186
- slope-tapered inlets 224
- slotted bucket spillway 235–236
- sluice gates 160, 242–243
- small turbines 92
- small watersheds 258–259
- small-wave propagation 170–172
- socket inlets 219–221
- socket joints 29
- soil properties 277–284
- soil saturation 280–284
- specific energy 156–163
- specific energy diagrams 157, 160–162
- specific energy diagrams – trapezoidal 170
- specific momentum 165–166
- specific momentum diagrams 167, 170
- specific speed of a pump 67–68
- specific speed of a turbine 89–91
- specific weight of water 2–5
- spillway rating curves 232–233
- spillway with gates 234
- spillways 231–241
- spill-through abutment 194–195
- spiral casing 95–96
- spring-mass systems 127–128
- square inlets 219–221
- standard-step method 187, 189
- standing waves 173–175
- static liquefaction 286–287
- stationary jumps 172–173
- steady uniform flow 141–153
- steel pipes 27
- steep slopes 183–186
- stepped spillways 238–239
- stilling basins 236–238
- stormwater manuals 259
- stratified floodplain 306–307
- streamlines and stream tubes 300–305
- Strickler, Albert 143–144
- subcritical flow 157–158, 172
- submerged outlets 223–224
- subsidence 288–291
- suction on spillway 176
- sudden valve closure 115–116
- supercritical flow 157–158, 172
- supercritical waves 173–175
- superelevation in bends 175–177
- surface of equal pressure (SEP) 6
- surface storage 251–252
- surface tension 284–285
- surface width 141–143
- surge from gate closure 173
- surge propagation 172–173
- surge tanks 81, 87, 121–124
- sustainability 320–322
- swing valves 28
- system curves 74–76
- systeme international (SI) 1–4

- tailraces 87, 95
- Tainter gates 242–243
- Tehachapi mountains 80–81, 152
- Theis integral 307–308
- threaded joints 29–30
- three reservoirs 35–36
- three-edged bearing capacity 227–228
- three-hour rainstorms 253–254
- tidal bores 172–173
- tidal fluctuations 309–310
- tidal hydropower 103
- time to equilibrium 256–258

- torque 97
- trapezoidal channels 142–143, 152
- trapezoidal weirs 245
- TREX model 260–262
- triangular classification 256
- triangular weirs 243–244
- trunnion bearing 242
- tube valves 40
- turbine buckets 92
- turbine classification 89–91
- turbine efficiency 86–87
- turbine runners 92, 96
- turbulence models 239
- turbulent pipe flow oscillations 134–137
- Turgo turbines 91–92
- ultrasonic flow meters 58–60
- unconfined aquifers 299
- unsteady flow 203–213
- upstream control 172, 183–186
- urban runoff 259
- US customary units 1–4
- useful life n 267
- valve closure 114–118
- valve opening 118–120
- valves 28
- vapor pressure 9–11
- velocity profile 146
- vena contracta 120–121
- Venturi meters 54–56, 58–60
- Veronese equation 235–236
- V-notch weir 159, 243–244
- void ratio 281–283
- volumetric flux 24
- warm fronts 252–253
- water hammer 109–118
- water properties 1–5
- water-surface profiles 182–186
- welded joints 29
- wetted perimeter 141–143
- wicket gates 95–98
- Wilson–Hilferty formula 265
- wingwalls 219–221
- wingwall abutment 194–195
- world maximum precipitation 268