

## Index

- <sup>14</sup>C method, 175  
<sup>40</sup>Ar/<sup>39</sup>Ar geochronology, 169  
<sup>40</sup>Ar/<sup>39</sup>Ar radiometric technique, 175  
<sup>235</sup>U, <sup>238</sup>U, <sup>232</sup>Th, <sup>40</sup>K isotopes, 348
- abandoned canyon, 268  
 abiotic methane, 272  
 absolute geologic time, 148  
 accumulated isostatic footwall rebound, 248  
 accumulation of organic carbon, 462  
 activation energy, 446  
 active mantle upwelling, 413  
 active rebound, 256  
 active seep, 298  
 advancing area, 67  
 advancing side located near the fault  
   propagation tip, 230  
 advancing side, 252  
 advection, 328  
 advection-dominated thermal regime, 379  
 advection-related lithospheric heat loss, 431  
 advective heat transfer, 329  
 age of oceanic crust, 96  
 alluvial fan, 533  
 Alpine transform, 187  
 alteration, 433, 443, 554  
 alteration zone, 443  
 Altyn Tagh transform, 187  
 amalgamated erosional events, 478  
 amalgamated erosional unconformities, 508  
 Anatolian wedge, 27  
 Andersonian geometry, 6  
 Andrew Bain transform, 12  
 angle between direction of migration and  
   horizontal direction, 590, 593  
 annealing temperature, 163  
 anoxic conditions, 466  
 anticline, 647  
 anticline undergoing translation, 632  
 apatite chemistry, 165  
 apatite fission track thermochronometry, 163  
 apatite (U–Th)/He thermochronometry, 168  
 aperture of the fracture, 515  
 aquathermal pressuring, 270  
 Archie formula, 285  
 areal distribution of gravity gliding, 617  
 areally extensive magmatic reservoir, 323  
 Arrhenius constant, 446  
 ascending fluid, 294  
 Ascension fault, 298  
 aseismically creeping fault segment, 17, 283  
 associated horse-tail structure, 48, 238, 240,  
   459, 481, 517, 533, 599  
 asthenospheric upwelling, 402
- Aswa continental transform fault zone, 203  
 asymmetric footwall exhumation, 398  
 Atacama fault, 22, 635  
 Atlantis ridge transform, 10  
 attrition breccia, 557  
 average organic richness, 454  
 average radius of the interconnected pore  
   space, 592  
 axial basin strata, 246  
 Azores–Gibraltar transform, 310
- banana-shaped ridges and valleys of the  
   associated horse-tail structure, 491, 533  
 basal unconformity, 233  
 base seal, 562  
 basement buffering, 374  
 basement high/drape, 645  
 Basin and Range Province, 247  
 basin-axial strata, 246  
 basin floor fan, 543  
 basin floor topography, 546  
 basin hydrodynamics, 592  
 basin margin facies, 246  
 basin-wide oxygen deficiency, 466  
 bathymetry, 94  
 β–decay, 348  
 between-basin high, 43  
 biogenic methane, 450  
 bioherm, 623  
 biostratigraphic composite standard  
   approach, 147  
 biostratigraphic zonal approach, 147  
 biostrome, 623  
 bitumen, 445  
 Blanco ridge transform, 91, 273, 418  
 blanketing strata, 268  
 Bonarelli event, 464  
 bookshelf architecture, 279  
 Bouguer gravity anomaly, 112  
 Boujdour–Tarfaya transform margin, 103  
 boundary fault, 71  
 breakup-related thermal event, 413, 414  
 breakup trajectory, 604  
 breakup unconformity, 150, 508  
 breccia zone, 61  
 brittle detachment, 230  
 brittle–ductile transition zone, 294  
 brittle shear softening, 61  
 broad zone of shear, 193  
 buffered basin fill, 374  
 bulk density of the fluid-saturated rock, 336  
 bulk modulus, 514  
 bulk specific heat capacity of the fluid-  
   saturated rock, 336
- bulk thermal expansion coefficient, 270  
 buoyancy-dominated spreading, 300  
 buoyancy-driven fluid flow, 271, 417, 418  
 buoyancy force, 590, 591  
 buoyant continental crust, 252, 468  
 buried hill, 623
- C–C bonds, 448  
 C–S bonds, 448  
 Campos margin, 256  
 canyon, 543  
 canyon-and-channel systems, 263  
 cap rock at geothermal fields, 442  
 cap rock growth into the reservoir, 443  
 Cape Range transform, 84  
 Cape Range transform margin, 129  
 capillary entry threshold pressure, 562  
 capillary pressure, 563, 590, 592  
 carrier bed, 590  
 Carlsbad margin, 268  
 cataclastic fault zone, 555  
 catagenesis, 446, 450  
 catagenic methane generation, 450  
 cement, 336  
 cement fault seal, 556  
 cementation, 554  
 cementation factor, 514  
 Central Sumatra Basin, 455, 635  
 Central Sumatran pull-apart province, 598  
 central volcano, 306  
 channel, 623, 630  
 channel complex, 543  
 characteristic grain size, 513  
 characteristic pore throat size, 514  
 chemical cracking, 590  
 chronostratigraphic hiatus, 147  
 Clarion transform, 57  
 clay catalysis, 447  
 clay smear fault seal, 555  
 climate definition, 394  
 climatic forcing, 264  
 Clipperton transform, 305, 310  
 CO<sub>2</sub> generation, 451  
 Cobequid–Chedabucto–Gibraltar transform  
   fault system, 84  
 Cobequid–Chedabucto transform margin,  
   149  
 collapse fault seal, 555  
 combination trap, 584, 623, 651, 652  
 commercial geothermal field, 441  
 common diagenetic reaction, 347  
 compaction constant, 358, 359  
 compaction-driven fluid flow, 272  
 compaction-driven fluid seepage, 374

- compartmentalized trap, 651  
 competition between heat conduction and convection, 444  
 complex stratigraphic trap, 657  
 complex up-thrown tilted fault block trap, 619  
 composite standard approach in biostratigraphy, 147  
 composite thermal conductivity, 358  
 compressibility, 567  
 compressibility of solid grains, 270  
 compressional quadrant, 67  
 compressional ridge, 311  
 compressive bridge, 67  
 compressive bridge outcropping at St. Donats, 599  
 concentration of radioactive isotopes, 348  
 concentration of reacting molecules, 446  
 condensate, 446  
 conduction, 328  
 conduction-controlled regional-scale thermal anomaly, 432  
 conductive rebound, 375  
 conjugated Riedel shear, 33  
 continental breakup, 150, 402, 536  
 continental breakup along transforms, 141  
 continental craton, 333  
 continental crust, 121  
 continental shelf, 260  
 continental slope, 260  
 continental transform, 6  
 continental/oceanic crustal boundary, 94  
 contractional bridge, 36  
 controlling dynamics of strike-slip faulting, 59  
 controlling strike-slip fault zone, 517, 623  
 convection, 328  
 conventional reservoir permeability categories, 514  
 converging migration, 597  
 conversion of a portion of nuclide mass into energy, 348  
 cooling, 356  
 cooling history, 377  
 cooling process, 375  
 cooling rate, 163  
 core complex, 607  
 C<sub>org</sub>, 453  
 corner of the basin, 517  
 corner structure, 623  
 Coromandal transform, 48, 85, 191, 197, 213, 223, 295, 458, 478, 611  
 Coromandal transform margin, 49, 53, 82, 96, 129, 198, 533  
 corrosion, 554  
 cosmogenic isotope, 176  
 cracking of longer chain n-alkanes, 451  
 cratonic lithosphere, 179  
 creeping fault segment, 18  
 critical sealing point, 584  
 crush breccia, 557  
 crustal boundary determination, 94  
 crustal breakup, 643  
 crustal strain localization within transfer fault zones, 326  
 crustal stretching, 643  
 crustal thinning, 643  
 Dakhla–Boujdour transform margin, 103  
 damage zone, 283, 292, 435, 555  
 Danube basin, 569  
 Darcy flow, 452  
 Darcy velocity of the oil front, 590  
 Darcy velocity or specific discharge, 271  
 Dasht-e-bayaz strike-slip fault, 37, 59  
 Davie transform, 85  
 De Geer transform, 79  
 De Geer transform margin, 314  
 Dead sea transform, 41, 45, 187, 318, 455  
 Death Valley, 42  
 debris apron, 234  
 decaying nuclide, 348  
 Deep Ivorian Basin, 611, 615  
 Deep Ivorian pull-apart margin segment, 458  
 deep-sea fan, 264  
 deep-water slope channel complex, 584  
 deformation band, 555, 562  
 degree of organic matter maturity, 454  
 dehydration, 270  
 delta, 533  
 delta environments, 527  
 delta-related rapid facies changes, 623  
 deltaic sand pinch-out, 646  
 Demerara plateau, 112, 118  
 density difference between oil and brine, 563, 564  
 Density of oil, 590  
 density of solid grains, 270  
 Density of water, 590  
 denudation, 256, 375  
 denudational asymmetry, 257  
 depocenter, 45  
 depocenter shift, 45  
 deposition-controlled thermal transient, 362  
 deposition-driven thermal transient, 377  
 deposition length scale, 377  
 deposition rate, 148, 364, 463  
 depositional environment, 452  
 depositional event, 147, 362  
 depth of the seismogenic zone, 89  
 depth of the thermal perturbation decay, 394  
 depth reach of the fluid cell, 303  
 desorption from organic matter, 451  
 detachment fault, 83, 607  
 detachment fold, 632  
 development history of strike-slip faulting, 59  
 development of petroleum system, 615  
 diagenesis, 450  
 different types of failed pull-apart basins in different portions of continental margin, 604  
 diffusion, 590  
 diffusion-dominated thermal regime, 379  
 diffusion through micropores, 451  
 diffusion time, 567  
 dike injection, 307  
 Dike not forming perpendicular to the least principal stress, 307  
 dike propagation, 276  
 dilatant Riedel shear, 629  
 dip azimuth display of the isostatic residual gravity anomaly, 118  
 discharge, 377  
 discharge area, 272, 273, 428  
 displacement pressure, 563  
 displacement dissipation structure, 67  
 displacement pressure for the reservoir, 564  
 displacement pressure for the seal, 564  
 displacement pressure of a specific seal, 563  
 dissolution, 554  
 dissolution of gas in oil and water, 590  
 distal margin, 87  
 distribution maximum of activation energy, 447  
 diverging migration, 597  
 dome, 623  
 dominant fault zone, 193  
 downstream gradient, 377  
 downward transform propagation, 198  
 drag fold, 623  
 drainage and imbibition capillary pressure, 590  
 drainage system, 377  
 Drakensberg margin, 257  
 drape over fault, 645  
 draping-related anticline, 619  
 Drava pull-apart basin, 458, 569  
 driving forces of the secondary migration, 591  
 dry gas phase, 446  
 ductile detachment, 229  
 ductile flow of the lower crust, 326  
 ductile shear softening, 61  
 ductile updoming in the exhuming footwall of a pull-apart basin, 324  
 duplex, 38  
 dynamic fluid viscosity, 567  
 dynamic permeability history, 555  
 dynamic seal, 564  
 dynamic uplift, 255  
 early oil phase, 445  
 earthquake cycle, 556  
 East African rift system, 542  
 East Anatolian fault, 24, 26  
 East Indian margins, 252, 253  
 East Slovakian basin, 229, 532  
 Ecuador fracture zone, 419  
 effect of rift zone-scale anisotropy, 219  
 effective mean stress, 270  
 effective permeability, 590  
 effective permeability of the porous medium to oil, 590  
 effective stress, 513  
 effective viscosity, 407  
 elastic release of the stress, 60  
 elastic straining, 59  
 elastic unloading, 60  
 electromagnetic radiation, 348  
 elevation gradient, 271, 376

- elevation term of the hydraulic gradient, 271, 591  
 elongate ridges and valleys of the associated horse-tail structure, 481  
 Emerald transform zone, 310  
 emitted particles, 348  
 en echelon, 66, 647  
 en echelon folds, 628, 632  
 en echelon fracture patterns, 61  
 episode of the fault rupture, 60  
 episodic fluid migration, 555  
 Equatorial Atlantic, 74  
 erosion-driven thermal transient, 377, 379  
 erosion length scale, 377  
 erosion rate, 463  
 erosional cut, 150  
 erosional history of marginal ridge, 508  
 erosional unconformity and hiatus, 507, 515  
 erosional unloading, 255  
 Espirito Santo margin, 256  
 evolved pull-apart basin, 86  
 evolving strike-slip interaction with host setting, 630  
 evolving transform fault, 404  
 excess magmatism on spreading ridges, 305  
 exhumation, 256, 375  
 exhumation history, 377  
 exhumation rate, 394  
 exhumed continental lithospheric mantle, 108  
 Exinite, 446  
 exotic duplex, 38  
 expelled hydrocarbons, 589  
 exponential decay of the radioactive heat production rate, 350  
 exponentially decaying erosional rate, 382  
 expulsion, 451  
 expulsion behavior, 591  
 expulsion efficiency, 452  
 expulsion mechanisms, 591  
 extension-related rotated fault blocks, 651  
 extensional allochthon, 82  
 extensional bridge, 36, 71  
 extensional collapse, 26  
 extensional quadrant, 67  
 extra-large extension pull-apart basins, 607  
 extreme global events, 466
- fabric alignment inside shear zones, 554  
 facies distribution, 228  
 failed pull-apart basin, 542  
 failed pull-apart terrain, 609  
 failure of the hydraulic seal, 565  
 fan delta, 536  
 far-traveled block, 46, 295  
 fast erosion rate, 381  
 fast slipping, 12  
 fast-slipping transforms, 305, 420  
 fast spreading ridges, 302, 418  
 fault, 64  
 fault and pinch-out trap, 623  
 fault aperture, 66  
 fault architecture, 629  
 fault block, 646  
 fault block wash or deep fan trap, 646  
 fault-controlled deposition, 226  
 fault-controlled permeability, 595  
 fault core, 61, 283, 292, 554, 555  
 fault-dependent closure, 646  
 fault-dependent three-way trapping, 644  
 fault-dependent trap, 626  
 fault growth, 62  
 fault linkage, 226  
 fault maturity, 630  
 fault motion, 60  
 fault nucleation, 62  
 fault overlap, 317  
 fault permeability, 559  
 fault permeability network, 292  
 fault propagation tip, 67  
 fault rupturing, 277  
 fault scarp, 226  
 fault seal, 554  
 fault seal-dependent hanging wall anticline, 646  
 fault splay at end of Riedel shear, 33  
 fault trap combined with pinch-out, 623  
 fault width, 66  
 fault zone, 561  
 fault zone architecture, 559, 560  
 fault zone conductor, 284  
 fault zone conductor porosity, 287  
 fault zone permeability, 560  
 fault/fracture-controlled permeability undergoing cyclic changes, 305  
 faulted footwall anticline, 649  
 faulted hanging wall anticline, 649  
 faults involved in gravity glides, 615  
 feeder canyon, 546  
 fill-and-spill sediment transport, 263, 519  
 filtration velocity of oil, 563  
 filtration velocity of the fluid, 593  
 first generation peak, S1, 178  
 first vertical derivative of the isostatic residual gravity anomaly, 116  
 fission track length, 163  
 fission track length distribution, 164, 377  
 fissure eruption, 306  
 flexural stress, 250  
 flexural uplift, 256, 258  
 flexure-related normal fault, 142  
 flip-flop linkage of architectural elements in a pull-apart terrain, 44  
 “floor” of the transform, 193  
 flow-driving buoyancy, 563  
 flow line in Free-air gravity map, 75, 107  
 flow of lower crustal material, 259, 412  
 flow-resisting capillary forces, 563  
 flow velocity of the fluid escaping from pores, 358  
 flow within fracture permeability of the source rock strata, 451  
 flow within matrix of the source rock strata, 451  
 flower structure, 37, 279  
 fluid, 442  
 fluid-assisted deformational events, 557  
 fluid-assisted weakening, 196  
 fluid compressibility, 270  
 fluid crustal layer, 412  
 fluid density, 270, 336  
 fluid dynamic viscosity, 271  
 fluid flow, 270, 272, 359, 418, 422  
 fluid flow barrier, 283  
 fluid flow cell, 271, 430  
 fluid flow control by porosity change, 271  
 fluid flow control by thermal expansion, 270  
 fluid flow-controlled thermal regime of continental transform settings, 421  
 fluid flow-controlled thermal regime of pull-apart terrains, 432  
 fluid flow-controlled thermal regime of ridge transform settings, 417  
 fluid flow-controlled thermal regime of settings with transform that evolved into oceanic–continental crust boundary, 423  
 fluid flow in porous rock, 270  
 fluid flow mechanisms, 270  
 fluid flow-related thermal regime perturbations, 417  
 fluid flow systems of continent–ocean transform faults, 294  
 fluid flow systems of continental transform faults, 281  
 fluid flow systems of ridge transform faults, 272  
 fluid flow velocity, 272  
 fluid inclusion method, 154  
 fluid migration, 298, 615  
 fluid migration pathway, 629  
 fluid overpressure, 344  
 fluid pressure compartment, 566  
 fluid recharge, 271  
 fluid seep, 298  
 fluid sink, 270  
 fluid source, 270, 294, 442  
 fluid source due to the porosity reduction, 270  
 fluid sources for geothermal fields, 442  
 fluid viscosity, 270, 593  
 fluid with wetting character, 592  
 fluvial and deltaic settings, 533  
 fluvial fan deposits, 533  
 fold, 633  
 fold axis-parallel stretching, 649  
 folding, 632  
 footwall edge, 646  
 footwall trap, 626  
 footwall uplift, 247  
 fossil extinction event, 147  
 fossil occurrence, 147  
 fossil seep, 298  
 four-way anticlinal trapping, 644  
 four-way closure, 579, 626, 628, 632  
 Fourier’s first equation of heat conduction, 336  
 Fourier’s second equation of heat conduction, 334, 346, 348  
 fractional flow of oil, 563  
 fracture aperture, 271  
 fracture connectivity, 421

- fracture-controlled reservoir, 513  
 fracture development, 62  
 fracture permeability, 514  
 fracture permeability of transform, 303  
 fracture porosity, 286, 287  
 fracture surface roughness factor, 515  
 fractured basement, 645  
 fracturing, 554  
 fracturing affecting the trap, 633  
 Free-air gravity anomaly, 105  
 frictional resistivity force, 563, 592  
 frictional resistivity force of the pore system, 590  
 frictional weakening, 88  
 frictional wear, 557  
 funneling effect to sediment routing systems, 540
- Gabon rifted continental margin, 253  
 Galloway's genetic sequence boundaries, 147  
 $\gamma$ -activity, 349  
 gas expulsion efficiency, 452  
 gas generation by primary cracking of alkyl side-chains, 451  
 gas-prone humic kerogens, 450  
 generated hydrocarbons, 445  
 geochemical parameters describing the level of thermal maturation, 455  
 geometric softening, 195  
 geometry of the asthenospheric upwelling zone, 413  
 geometry of the pore space, 343  
 geometry of the positive topographic perturbation, 398  
 geometry of the secondary migration, 594  
 geometry of the transform fault, 414  
 geotherm, 329, 330  
 geothermal fluid discharge, 273  
 geothermal fluid flow along faults, 442  
 geothermal fluid flow systems of spreading centers, 272  
 geothermal gradient, 331  
 geothermal gradient underneath ridge, 394  
 geothermal gradient underneath valley, 394  
 Gettysburg–Tarfaya transform fault system, 77, 84, 423  
 Gettysburg–Tarfaya transform margin, 149, 249  
 Ghana ridge, 78, 295, 496, 615  
 Gilbert-type delta, 240, 244  
 Gljúfurá fault, 307  
 global black-shale deposition event, 464  
 global present-day surface heat flow map, 330  
 global stagnation of deep water, 466  
 good conductor, 342  
 good seal, 564  
 good trap, 565  
 grain boundary sliding, 554  
 grain-size reduction, 196, 555  
 grain-size reduction fault seal, 557  
 gravity collapse, 26  
 gravity data, 105  
 gravity gliding, 615, 648  
 gravity gliding-related normal faulting, 617  
 Grimsey fault, 278, 420  
 groundwater discharge, 271  
 Gulf of California, 319  
 Gulf of Elat, 41  
 Gulf of Paria, 41  
 Guyana margins, 111, 377  
 Guyana transform, 77  
 Guyana transform margin, 95, 115, 269, 379, 481, 533, 546, 598, 615, 617, 629, 660
- hanging wall trap, 626  
 heat advection, 328  
 heat conduction, 328, 334  
 heat distribution, 350  
 heat energy, 328  
 heat flow, 418  
 heat flow at the earth's surface, 329  
 heat flow density, 336  
 heat flow extraction efficiency, 431  
 heat flow mapping, 104  
 heat flow of the discharging fluid, 418  
 heat migration mechanisms, 443  
 heat production, 104, 349  
 heat production rate of specific rocks, 351  
 heat sources for geothermal fields, 441  
 heat transfer, 397  
 heat transfer by radiation, 328  
 heat transport fundamentals, 328  
 heating by the migrating spreading center, 416  
 hemolytic bond breaking, 446  
 Henga Valley–North Chamaliro transcontinental dislocation zone, 222  
 heterogeneous grain–fluid mixture, 342  
 hiatus duration, 147, 148  
 high plateau, 50, 468  
 high-relief accommodation zone, 222, 319, 582  
 high-relief area, 225  
 high-temperature geothermal system, 442  
 higher-maturity thermogenic gas, 451  
 highs of the associated horse-tail structure, 614  
 highs of the joining horse-tail structure, 614  
 hillslope processes, 376  
 hinge, 377  
 horizontal escarpment retreat, 257  
 horse-tail-related highs, 612  
 horse-tail structure, 36, 38, 48, 197, 252, 295, 610, 623  
 hotspot, 273, 305  
 humic coals, 452  
 humic kerogen, 450  
 hydraulic conductivity, 271, 554, 567  
 hydraulic diffusivity, 271, 566  
 hydraulic fracturing, 452, 565  
 hydraulic gradient, 563, 590, 591  
 hydraulic head, 271, 272, 566  
 hydraulic seal, 551, 565  
 hydraulic seal failure, 567  
 hydrocarbon, 589  
 hydrocarbon aggregation, 451  
 hydrocarbon column length, 564  
 hydrocarbon degradation, 521  
 hydrocarbon dispersion, 589  
 hydrocarbon migration, 589  
 hydrocarbon seepage, 589  
 hydrofracturing, 276, 591  
 hydrogen content, 445  
 Hydrogen index, 455  
 hydrothermal circulation, 423  
 hydrothermal convection, 404  
 hydrothermal cooling, 88, 91
- Iceland, 273, 306  
 illite–smectite transformation, 176  
 imbrication of source rocks with plays, 589  
 immature pull-apart development stage, 515, 619  
 immature pull-apart topography, 517  
 Imperial strike-slip fault, 229  
 implosion, 558  
 increased pore fluid pressure, 363  
 indent- and lateral extrusion-linked strike-slip faults, 5, 24  
 inertinite, 446  
 initial equilibrium value, 359  
 initial permeability structure, 443  
 initial perturbation, 192  
 initial petroleum potential, 452  
 initial physical stress-related compaction history, 513  
 initial pull-apart basin, 85, 241  
 initial sediment porosity, 359  
 initial structural trap, 632  
 injected fault, 308  
 injection rate, 594  
 inside corners of the oceanic fracture zone–mid-oceanic ridge intersections, 84  
 interaction between tectonics, deposition and erosion, 248  
 interaction of tectonics and deposition, 225, 247  
 interfacial tension, 563  
 interfacial tension between oil and water, 592  
 interference accommodation zone, 222  
 intermediate erosion rate, 381  
 intermediately strong, relatively young, stable lithosphere, 180, 251  
 internal high, 530  
 internal straining, 61  
 interplate strike-slip fault, 7  
 Intra-basin high, 42, 44  
 intra-crustal radioactive decay, 104  
 intra-formational and top seal in the pull-apart margin segment, 583  
 intra-formational seal, 583  
 intra-oceanic anoxic events, 466  
 intra-slope depression, 264  
 intra-transform spreading center, 311  
 intraplate strike-slip fault, 24  
 isolated basin, 470, 569  
 isolated topographic perturbation, 385  
 isolation accommodation zone, 222  
 isostatic rebound, 247, 252

- isostatic rebound of the footwall, 607  
 isostatic rebound-related mountain range, 260, 264  
 isostatic residual gravity anomaly, 114  
 isotherm relaxation, 382  
 isothermal annealing, 164  
 Ivory Coast pull-apart margin, 258, 459, 598
- jigsaw puzzle breccia, 557  
 joining horse-tail structure, 49, 238, 240, 459, 494, 533, 599  
 juxtaposition fault seal, 558
- K–Ar radiometric method, 175  
 Kane oceanic fracture zone, 84  
 Karaha–Telaga Bodas geothermal system, 443  
 Karakorum transform, 187  
 Kerala–Konkan transform margin, 96  
 kerogen kinetic parameters, 448  
 kerogen-to-petroleum conversion, 446  
 kerogen types, 446  
 kinematic adjustment, 129  
 kinetic energy, 348  
 Kunlun transform, 187
- La Jolla margin, 268  
 lack of gravity gliding, 269  
 lacustrine type Kerogen I, 447  
 land-to-deep-sea sediment budget, 262  
 landscape development, 225  
 landscape response time, 377  
 large cumulative erosional gap, 478  
 large-extension pull-apart basin, 604  
 large-scale strike-slip faulting, 61  
 late burial, 547  
 lateral clearance of the two daughter continents, 536  
 lateral denudation, 385  
 lateral fault seal, 568  
 lateral flow of the lower crust, 404  
 lateral heat flow, 356  
 lateral heat transfer, 255, 397  
 lateral migration, 591, 597  
 lateral seal, 562, 579  
 lateral seals in pull-apart margin segment, 584  
 lateral sub-seismic seal, 584  
 laterally propagating transform, 193  
 laterally segregated reservoir, 651  
 Lau basin, 304  
 Lau ridge, 417  
 leaky transform, 305, 308  
 leaky trap, 648  
 lean source rock, 446, 452  
 length of the retained hydrocarbon column, 563  
 linkage of various types of shears, 35  
 liquid phase, 445  
 lithological seal, 551, 552  
 lithological top seal, 568  
 lithospheric composition, 179  
 lithospheric mantle exhumation, 643  
 lithospheric multilayer, 193  
 lithospheric strength, 331  
 lithospheric yield strength profile, 180  
 local faults compartmentalizing the main anticline, 649  
 local pull-apart margin segment, 470  
 local sediment flux, 377  
 local-scale thermal anomaly, 433  
 localized inversion, 627  
 location of discharge area, 418  
 location of recharge area, 418  
 locked perched water contact, 657  
 locked fault segment, 17, 283  
 long-headed drainage, 547  
 long-lasting structural high, 492, 508  
 long sediment routing system, 528  
 long-term change in topography, 375  
 longevity of sediment routing system, 528  
 Loreto pull-apart basin, 240, 455, 532  
 Los Angeles basin, 567, 646  
 low-conductivity sediment, 364  
 low flexural strength of transform margins, 542  
 low-relief accommodation zone, 222, 582  
 low-relief area, 225  
 lower crustal ductility patterns, 410, 412  
 lower crustal flow, 412  
 Lu–Hf dating method, 175
- magma, 326  
 magma ascent, 320  
 magma emplacement, 326  
 magma interaction with obliquely rifted segment, 322  
 magma migration, 326  
 magma-poor spreading system, 200  
 magma-rich spreading system, 199  
 magma transfer, 322  
 magma upwelling, 323  
 magmatic budget of transform margins, 317  
 magmatic incursion, 319  
 magmatic reservoir, 323  
 magmatism, 270  
 magmatism at oceanic transforms, 308  
 magmatism at ridge-transform interactions, 305  
 magmatism at transfer zones in rift settings, 319  
 magmatism at transform margins, 311  
 magmatism in continental strike-slip settings, 318  
 magmatism in rift settings, 442  
 magmatism in strike-slip systems, 305  
 magmatization of the normal oceanic crust, 108  
 magnetic data, 96  
 magnetic quiet zones, 98  
 magnetic stripe anomaly, 96  
 magnetic susceptibility, 100  
 magneto-stratigraphic data, 142  
 main oil generation, 446  
 main sediment entry point, 517, 530  
 main strike-slip escarpment, 478  
 major heat-generating isotopes, 350  
 Malawi rift zone, 222  
 mantle convection, 255  
 mantle upwelling, 311, 332  
 margin geometry, 403  
 margin-parallel movement of the spreading ridge, 403  
 marginal plateau, 16  
 marginal ridge, 262, 268, 298, 496, 507, 539  
 marine type Kerogen 2, 447  
 mass redistribution, 256  
 mass transport deposit, 533, 536  
 mass-wasting, 226  
 matrix-controlled reservoir, 513  
 matrix permeability, 514, 595  
 matrix porosity, 286  
 matrix reservoir permeability, 513  
 maturation history, 426  
 maturation of the kerogen, 445  
 mature axial sediment routing system, 533  
 mature basin, 241  
 mature pull-apart development stage, 522, 619  
 mature rifted margin, 263  
 maturity data profile, 176  
 maturity–depth relationship, 176  
 maturity of source rock, 453  
 maximum hanging wall subsidence, 247  
 mean stress, 270, 591  
 mean stress gradient, 599  
 mean stress perturbation, 592  
 mechanical stratigraphy, 193  
 mechanical theory for simple shear, 35  
 mechanics of strike-slip faulting, 59  
 mechanisms affecting the hanging wall regime, 397  
 medium-temperature geothermal system, 442  
 membrane seal, 562  
 membrane seal failure, 564  
 meteoric water recharge, 271  
 microbial breakdown of organic matter, 450  
 microbial degradation of organic matter, 450  
 microcrack, 61  
 migrating clusters of small-magnitude earthquakes, 276  
 migrating heat source, 407  
 migrating low-viscosity zone, 412  
 migration distance, 597  
 migration of hot liquid, 443  
 migration of hot vapor, 443  
 migration pathway deflection, 591  
 migration pattern, 597, 599, 601, 605  
 migration pattern controlled by gravity glide, 616  
 migration patterns of the failed pull-apart basin terrains, 607  
 migration rate, 594  
 migration windows, 595  
 minimal sediment processing, 268  
 modern seep, 299  
 molecular transformations, 446  
 more evolved pull-apart basin, 85



- most effective time for development of petroleum system, 615
- most-shortened mature trap, 632
- multiphase fluid flow, 589
- multiple complex pools of hydrocarbons, 652
- multiple phases of petroleum expulsion, 450
- multiple phases of petroleum generation, 450
- multiple sealing elements, 586
- narrow elongated magmatic reservoir, 323
- narrow fault blocks between main footwall and hanging wall, 623
- narrow rift basin, 226
- narrow shelf, 468, 543
- narrow slope, 543
- Naturaliste plateau, 313
- network of petroleum rivulets, 595
- Newport margin, 268
- Nigerian pull-apart margin, 459
- non-hydrocarbon gases, 451
- non-steady-state isotherms, 390
- non-transform discontinuities, 9
- non-wetting fluid, 593
- non-Wilsonian opening, 79
- normal fault, 247
- normal oceanic crust, 107
- normalized oil saturation, 563
- North Anatolian transform, 24, 26, 187, 319
- North Atlantic oceanic fracture zone, 11
- North Gabon margins, 252
- Nusselt number, 404
- oceanic anoxic event, 464
- oceanic basin, 468
- oceanic–continental transform development stage, 402, 650
- oceanic crust, 126
- oceanic crust with negative buoyancy, 468
- oceanic fracture zone, 10, 127, 357
- oceanic plateau, 313
- oceanic transform, 6, 308
- Oceanographer ridge transform, 10
- Oceanside margin, 268
- offshore Guyana, 267
- oil column length, 590, 593
- oil cracking, 446
- oil degradation, 521
- oil–gas cracking, 591
- oil-prone kerogen, 450
- oil-prone source rock, 446
- oil slug, 563
- oil viscosity, 590
- oil–water contact, 584
- oil-wet seal, 565
- oil window, 427
- organic matter, 445
- organic matter richness, 455
- organic matter type, 454
- organized spreading, 108
- organofacies, 447
- overlap, 317
- overpressure, 452
- overpressure-generating mechanisms, 567
- overpressured fluid, 276
- overpressured non-displaceable water leg, 657
- Oxygen index, 455
- oxygenation of deep water, 463
- P shear, 33, 63, 562, 629
- P shear-dependent three-way trap, 629
- paleotemperature indicator, 176
- paleobathymetry, 148
- paleoenvironment, 148
- paleontological data, 142
- paleontological record, 147
- paleotemperature data with depth, 367
- paleotemperature profile, 368
- parallel migration, 597
- passive rebound, 256
- passive upwelling of asthenosphere, 413
- Peclet number, 328, 378
- perched water stratigraphic trap, 657
- permanent uplift, 255
- permanent uplift models, 162
- permeability, 270, 564
- permeability behavior, 514
- permeability changes in seal lithologies, 553
- permeability changes in seal lithologies under compaction, 552
- permeability contrast between the reservoir horizon and its seal, 563
- permeability decrease, 556, 558
- permeability decrease of the collapse seal, 555
- permeability–effective stress relationship, 513
- permeability evolution of the fault zone, 555
- permeability of the carrier system, 593
- permeability ranges by lithotype, 514
- permeability tensor, 271
- permeability variation, 514
- permeability variation with porosity, 513
- perturbation of thermal regime, 333
- petroleum generation, 445
- petroleum leakage through the top seal, 597
- petroleum system, 589
- petroleum system yield, 589
- piggy-back basin, 233
- pinch-out on slope, 623
- plastic hardening, 60
- plastic softening, 60
- plate reconstruction, 132
- poor conductor, 342
- pore compressibility, 514
- pore fluid pressure, 270
- pore fluid pressure gradient, 271
- pore-pressure buildup inside the source rock, 452
- pore pressure component of the hydraulic gradient, 591
- pore shape factor, 514
- porosity, 514
- porosity and permeability of the reservoir, 546
- porosity compaction, 358
- porosity compressibility, 270, 591
- porosity change, 358
- porosity of the coarse fraction, 342
- porosity of the fine fraction, 342
- porosity of the reservoir, 546
- porosity reduction, 552
- porosity-reduction history, 344
- post-breakup kinematic adjustment, 16, 103
- post-breakup migration, 602
- post-breakup normal fault, 254
- post-breakup rebound, 249
- post-breakup uplift, 95
- post-pull-apart basin, 529
- post-pull-apart deposition, 532
- post-pull-apart development stage, 626
- post-rift subsidence, 227
- post-tectonic strata, 141
- potential reservoir- developing depositional environments, 522
- Potwar plateau, 576, 628
- pre-breakup migration, 598
- pre-existing anisotropy, 192
- pre-existing thermal regime, 333
- pre-pull-apart trap, 619
- pre-rupturing microearthquakes, 277
- pre-tectonic, syn-tectonic, and post-tectonic strata, 141
- precipitation, 270
- present-day temperature profile, 368
- preservation of organic carbon, 462
- preservation of organic matter, 466
- pressure profile along well, 565
- primary migration, 589
- primary migration mechanisms, 451
- primary sediment entry point, 517
- primary stage of hydrocarbon migration, 451
- principal displacement zone, 64
- prodelta-related rapid facies changes, 623
- Production index, 176, 178, 454
- prograding deltaic sandstone, 533
- prograding sedimentary wedge, 150
- programmed pyrolysis, 453
- progressive development of transpressional fault, 628
- progressive development of transtensional fault, 628
- progressive thrust sheet rotation, 632
- progressively evolving strike-slip fault, 628
- propagating strike-slip fault, 238
- proto-oceanic crust, 125
- proto-transform, 9, 13
- provenance with climatic variability, 264
- proximal margin, 87
- pull-apart, 252
- pull-apart basin, 40, 42, 228, 240, 599
- pull-apart basin development, 45, 528
- pull-apart basin with brittle detachment, 42
- pull-apart basin with ductile detachment, 42
- pull-apart core complex, 86
- pull-apart detachment horizon, 252
- pull-apart development, 515
- pull-apart margin segment, 265
- pull-apart-related core complex development, 324
- pulverized source rock sample, 453
- pure stratigraphic trap, 584, 652, 657

- pure strike-slip fault, 36, 38  
 pyrolysis, 453
- radial sediment transport, 533  
 radiation, 328  
 radioactive elements, 348  
 radiogenic heat-producing layer, 329  
 radiogenic heat production rate, 348  
 rapid facies changes, 626  
 rapid sediment transfer, 268  
 rate of deposition, 360  
 rate of erosion, 380  
 rate of kerogen transformation to petroleum, 446  
 ratio of accumulated to expelled hydrocarbons, 589  
 ratio of the transient to initial heat flow value, 359  
 reactivation of a pre-existing transform weakness, 79  
 receding side of the transform fault, 252  
 recharge area, 428  
 reduced heat flow, 331  
 reduction of transform margin flexural strength, 259  
 reference density, 271  
 reflection seismic, 120  
 refraction seismic, 120  
 regional isostasy, 256  
 regional seal, 598  
 relative ductility, 552  
 relative fracture roughness, 271  
 relative mobility of oil, 563  
 relative mobility of water, 563  
 releasing bend, 36  
 releasing offset, 36  
 remigrated hydrocarbons, 602  
 remnant depression, 260, 530  
 remnant pull-apart basin, 542, 530  
 reservoir, 442, 541  
 reservoir at geothermal field, 442, 443  
 reservoir lens embedded in seal rock, 623  
 reservoir permeability, 513  
 reservoir pinch-out, 651  
 reservoir quality, 543  
 reservoir quality distribution, 513  
 reservoir rocks in strike-slip settings, 515  
 reservoir rocks in transform margin settings, 533  
 reservoir–seal contact, 563  
 reservoir stacking, 540, 543, 546  
 reservoir's degree of compaction, 513  
 residual permeability, 514  
 response lag, 377  
 response time, 225  
 restraining bend, 36  
 restraining offset, 36  
 retreating area, 67  
 retreating side located near the fault propagation tip, 230  
 Rhine Graben, 426  
 rich source rock, 452  
 richness, 455
- Ridge basin, 42, 142  
 ridge jump, 306  
 ridge passage, 410  
 Ridge pull-apart basin, 86  
 ridge transform, 10, 199  
 ridges of the oceanic fracture zone, 544  
 Riedel shear, 33, 62, 562, 629  
 Riedel shear-dependent three-way trap, 629  
 Riedel structure, 59  
 rift branch-scale anisotropy, 203  
 rift–drift transition, 74  
 rift flank, 255  
 rift zone-related high, 612  
 rifted continental margin, 258  
 rifted margins deformed by gravity-gliding systems, 263  
 rifting episode, 275  
 rock uplift, 256  
 Rockeval pyrolysis, 178  
 role of deformation on thermal regime, 402  
 role of deposition on thermal regime, 356  
 role of erosion on thermal regime, 375  
 role of fluid flow on thermal regime, 417  
 role of lithospheric rheology, 187  
 role of pre-existing anisotropy, 203  
 role of pre-tectonic heat flow in thermal regime, 328  
 role of transforms in breakup of lithospheric multilayers, 79  
 rollover anticline, 626, 645  
 Romanche oceanic fracture zone, 76, 267  
 Romanche transform, 12, 67, 145, 423, 428, 467  
 Romanche transform margin, 50, 54, 96, 123, 129, 159, 258, 259, 266, 269, 314, 458, 481, 533, 579, 650  
 Rooster comb pattern, 311  
 Rukwa–Ufipa–Luama transcontinental dislocation zone, 222  
 rapture of the main strike-slip fault, 599  
 rupture-related earthquake, 277
- S1 parameter, first generation peak, 178, 454  
 S2 parameter, second generation peak, 178, 454  
 Sagaing transform, 23  
 Salinian block, 46  
 Salton sea–Bay of California region, 300  
 Salton Sea pull-apart basin, 455  
 Salton Trough, 41, 229, 432  
 San Andreas continental transform fault, 17, 46, 141, 187, 229, 281, 319, 421, 436, 567, 646  
 San Gregorio fault, 298  
 San Joaquin basin, 568, 647  
 sand injectite, 299  
 sand intrusion, 299  
 sandstone lense embedded in pelitic strata, 627  
 sandstone wedge pinch-out, 627  
 Santos margin, 256, 257, 258  
 sapropelic coal, 452  
 sapropelic kerogen, 450
- Sava pull-apart basin, 143, 458, 569  
 sea-floor spreading center, 402  
 sea-floor spreading-related magnetic stripe anomalies, 158  
 Sea of Galilee, 439  
 Sea of Marmara, 319  
 seal, 566  
 seal development, 555, 588  
 seal enhancement, 553  
 seal geometry, 562  
 sealed P shear-dependent traps, 629  
 sealing characteristics, 551  
 sealing processes, 562  
 seals in strike-slip fault settings, 567  
 seals in the continental transform setting, 567  
 seals in the transform segment *sensu stricto*, 586  
 seals in transfer fault settings, 576  
 seals in transform margin settings, 579  
 seaward-dipping reflectors, 96  
 secondary migration, 591, 589  
 secondary stage of hydrocarbon migration, 451  
 sediment, 336, 545  
 sediment accumulation, 589  
 sediment-carrying capacity, 376  
 sediment compaction, 358, 552  
 sediment entry point, 234  
 sediment funneling, 262  
 sediment load bypass, 543  
 sediment particle rate, 359  
 sediment particle velocity, 358  
 sediment ponding, 545  
 sediment routing system, 259, 528, 543, 548  
 sediment routing systems of rifted margins, 260  
 sediment routing systems of transform margins, 264  
 sediment specific storage, 271  
 sediment supply, 225  
 sediment transport, 376, 515  
 sediment with interconnected pore network, 344  
 sediment with isolated pores, 343  
 sedimentary provenance, 225, 363  
 sedimentary texture, 596  
 sedimentary wedge with a diachronous base, 148  
 seepage flux, 374  
 seismic profile marriage technique, 132  
 seismic velocity, 287  
 Selli event, 464  
 separate phase flow, 590  
 separation between faults, 317  
 sequence boundary, 147  
 Sergipe–Alagoas transform fault system, 205  
 serpentinization, 13, 302, 311  
 serpentinization of exhuming ultramafic rocks, 303  
 serpentinization of the ultramafic rocks, 272  
 shale injection, 565  
 shale smear fault zone, 556  
 shallow magma chamber, 302

- shallow marine environments, 527  
 shear drag, 66  
 shear heating, 88, 404  
 shear softening record, 61  
 shelf, 264  
 shelf break, 95  
 shelf-edge proxy, 96  
 shock wave of the hydrocarbons reflected  
   back from the seal/reservoir boundary,  
   564  
 short sediment routing system, 548  
 short-term sediment provenance, 230  
 silling, 467  
 simple anticlinal trap, 649  
 simple anticline, 632  
 simple footwall anticline, 646  
 simple hanging wall anticline, 646  
 simple inversion anticline, 652  
 simple upthrown tilted fault blocks, 619  
 single classic pinch-out, 657  
 single grain age, 164  
 single phase of petroleum generation, 450  
 Siqueiros transform, 10, 13, 306, 310  
 Skjalfandi pull-apart basin, 279, 420  
 slip rate, 89, 303  
 slope, 264  
 slow erosion rate, 380  
 slow-slipping transform, 10, 305, 420  
 slow spreading rates, 300  
 slow spreading ridges, 418  
 small-extension pull-apart basin, 604  
 small-scale conjugate strike-slip fault systems  
   in individual thrust sheets, 5  
 soft-sediment activity, 649  
 solidus temperature, 331  
 solution of gas in oil and water, 590  
 some stratigraphic component, 623  
 source of magmatic fluids, 305  
 source rock, 445  
 source rock development model, 463  
 source rock distribution, 445, 454  
 source rock expulsion, 445  
 source rock maturation, 445  
 source rock mineralogy, 448  
 source rock preservation, 491  
 source rock ranking criteria, 455  
 source rock richness, 452  
 source rock thickness, 454  
 source rocks in strike-slip settings, 454  
 source rocks in transform margin settings,  
   458  
 South Iceland Seismic Zone, 276, 306  
 South Japan Sea fault zone, 21, 22  
 Southern Moroccan margin, 258  
 spacing between the offset fault strands, 317  
 spatial derivatives of gravity data, 118  
 spatial distribution of the isostatic uplift, 541  
 spatially changing structural architecture, 536  
 spatially stable canyons, 269  
 spatially stable sediment entry point, 269  
 specific heat capacity, 24  
 specific heat capacity of the fluid, 336  
 specific heat capacity of the rock matrix, 336  
 specific linear river power, 376  
 specific saturation, 564  
 specific storage, 566  
 specific stress path, 272  
 spill-out, 597  
 splay of banana-shaped ridges and valleys,  
   536  
 spontaneous oceanic transform development,  
   14  
 spoon-shaped geometry, 247  
 spreading, 300  
 spreading center-transform intersection, 417  
 spreading rate, 403  
 spreading rate of the passing ridge, 302  
 spreading ridge, 273, 305  
 spreading ridge passage-related thermal  
   transients., 410  
 spreading system, 83  
 Spreading vector changes, 317  
 St. Donats compressive bridge, 44, 67  
 St. Paul oceanic fracture zone, 76, 127  
 St. Paul ridge transform, 55, 110  
 St. Paul transform, 145, 467, 543  
 St. Paul transform fans, 539  
 St. Paul transform margin, 96, 159, 258, 269,  
   314, 377, 481, 533, 579, 650  
 stable sliding, 88  
 stacked pay, 584  
 stacking of reservoirs, 540, 543, 546  
 static theory of trapping, 563  
 statistically averaged kinetic data, 446  
 steady-state regime, 374  
 steady-state transform, 9  
 Stillwater fault zone, 557  
 strain localization, 193  
 strain rate, 406  
 strain-softening, 193  
 strata of the basin axis, 246  
 stratigraphic trap, 586, 623, 652, 657  
 stratigraphic trapping, 623  
 stratigraphic trapping enhancement, 626  
 stratigraphic traps associated with facies  
   changes within the fluvio-deltaic  
   sediments, 645  
 stratigraphic traps associated with shoal on  
   high, 646  
 stratigraphic traps associated with the hinge/  
   shelfal sand deposit, 645  
 strength of the lithospheric multilayer, 250  
 strength of the seal rock, 565  
 stress, 270  
 stress buildup, 60, 277, 599  
 stress cycling, 194  
 stress path, 272  
 stress perturbation, 67, 73, 599  
 stress transfer, 59  
 stretching, 197  
 stretching-dominated spreading, 83, 300  
 strike-slip-dissipating structure, 252  
 strike-slip duplex, 36  
 strike-slip fan, 36  
 strike-slip fault, 3  
 strike-slip fault bridge, 599  
 strike-slip fault classification, 4  
 strike-slip fault-controlling stress field, 66  
 strong old stable lithosphere, 179, 250  
 structural architecture of pull-apart basin, 40  
 structural architecture of strike-slip fault, 32  
 structural architecture of transform margin,  
   46  
 structural trap, 619, 623, 644  
 structural trap with some level of  
   stratigraphic trapping enhancement, 619  
 sub-seismic seal, 584  
 sub-thrust closure, 645  
 subsidence, 373  
 subsidence curve, 143, 229, 245  
 subsidence history, 227  
 subsidence pattern, 226, 230  
 subtle drape on high, 646  
 Sulaiman Range, 576, 628  
 sulfur content, 448  
 Sumatra strike-slip fault system, 635  
 Sumatran fault, 21  
 Sunda fold, 645  
 supply of marine organic matter, 462  
 supply of terrestrial organic matter, 462  
 surface heat flow, 329, 354  
 surface heat flow alteration, 362  
 surface heat flow equilibration, 362  
 surface uplift, 256  
 syn-tectonic deposition, 225  
 syn-tectonic erosion, 225  
 syn-tectonic strata, 141  
 system of pull-apart basins, 254  
 systematic fluid inclusion analysis, 154  
 T fracture, 33  
 Tanganyika–Rukwa–Malawi continental  
   transform fault zone, 203  
 tear fault, 5, 31  
 tectonic escape, 24  
 tectonic event dating in areas lacking syn-  
   tectonic strata, 154  
 tectonic event dating in areas with syn-  
   tectonic strata, 141  
 tectonic forcing, 377, 378  
 tectonic quiescence, 227  
 tectonic subsidence rate, 240  
 temperature anomaly, 332  
 temperature change, 334  
 temperature history, 377  
 temperature profile with depth, 330, 353  
 temporary seal, 555  
 terrigenous type Kerogen 3, 447  
 tertiary migration, 589  
 thermal blanketing effect, 364  
 thermal boundary conditions for the oil and  
   gas generation, 446  
 thermal buffer, 414  
 thermal conductivity, 336  
 thermal conductivity anisotropy, 337  
 thermal conductivity change, 343  
 thermal conductivity tensor, 336, 337  
 thermal degradation of organic molecules,  
   450



- thermal diffusivity, 348  
 thermal disaggregation of organic molecule, 450  
 thermal effect of topographic perturbation, 394  
 thermal effects in fluid discharge area, 426  
 thermal effects in fluid recharge area, 426  
 thermal effects of the migrating ridge, 410  
 thermal energy balance, 377  
 thermal energy stored in the rock volume, 334  
 thermal equilibration process, 332, 375  
 thermal expansion coefficient of the fluid, 270  
 thermal expansion coefficient of the solid, 270  
 thermal expansion-driven uplift, 259  
 thermal gradient, 427  
 thermal gradient elevation, 381  
 thermal history, 362  
 thermal history modeling, 166  
 thermal history of transform margin, 402  
 thermal–mechanical behavior of ridge transform fault, 87  
 thermal perturbation during the transform margin evolution, 410  
 thermal regime, 331, 332, 356  
 thermal regime of continental lithosphere, 331  
 thermal regime of the footwall, 396  
 thermal time constant, 332  
 thermal transient, 356, 359, 374, 432  
 thermal transient calculation, 358  
 thermal transient caused by the depositional event, 360  
 thermal weakening, 195  
 thermally controlled subsidence, 229  
 thermally controlled transient uplift, 255  
 thermally equilibrated lithosphere of normal thickness, 180  
 thermogenic gas, 451  
 thermogenic methane, 451  
 thick-skinned pull-apart basin, 41  
 thin-skinned pull-apart basin, 41  
 thinning, 197  
 third generation peak,  $S_3$ , 178  
 three-way closure, 579, 633  
 three-way structural trap, 619, 629  
 threshold deposition rate, 365  
 threshold thickness for gravitational instability, 617  
 through-going fault zone, 630  
 through-going oblique-slip fault, 243  
 through-going strike-slip fault, 243  
 thrust-related fold, 645  
 time span of the event, 360  
 time span of the uplift, 255, 258  
 time–temperature index calculation, 428  
 timing determination of breakup, 149  
 timing of reservoir development, 588  
 timing of seal development, 588  
 timing of strike-slip event, 141  
 timing of the depositional event, 356  
 Tjörnes fracture zone, 12, 276, 306  
 Tjörnes ridge fault zone, 420  
 $T_{max}$ , 176, 178, 454  
 TOC, 453  
 top seal, 551, 562  
 top seal breaching, 597  
 top seal failure, 587  
 top seal in the pull-apart margin segment, 583  
 topographic perturbation, 394  
 topographic relief, 383  
 topographic ridge, 262, 660  
 topography-driven fluid flow system, 271, 426  
 topography of a transform margin *sensu stricto*, 50  
 topography of rifted margin, 250  
 topography of the associated horse-tail structure, 51  
 topography of the joining horse-tail structure, 52  
 total heat production, 349  
 total horizontal derivative of the Bouguer gravity anomaly, 117  
 total horizontal derivative of the isostatic residual gravity anomaly, 117  
 total porosity of the fluid-saturated mixture, 342  
 transcurrent fault, 3, 5  
 transfer fault zone location, 219  
 transfer fault, 5, 28, 582, 628  
 transfer zone, 579  
 transform, 3, 4, 10, 12, 16, 48, 129, 193, 306, 313  
 transform associated with magmatism, 313  
 transform evolved from the continental transform stage, through the oceanic–continent transform stage, into the transform margin stage, 4, 14  
 transform fault propagation, 13  
 transform fault zone, 421  
 transform fault zone location, 219, 203  
 transform fault zone *sensu stricto*, 46  
 transform faults linking ridge with ridge, 4, 7  
 transform linking convergent plate boundaries, 5, 20  
 transform linking ridge with convergent plate boundary, 4, 17  
 transform localization, 192  
 transform margin, 111, 258, 377, 650  
 transform margin deposition model, 543  
 transform margin segment, 265  
 transform margin *sensu stricto*, 459, 468, 543  
 transform nucleation, 192  
 transform plate displacement, 191  
 transform seismicity, 6  
 transform *sensu stricto*, 536  
 transgressive sandstone, 533  
 transpression-related fold, 645  
 transient character of the hydrocarbon trap, 597  
 transient conductive/convective TTI profiles, 435  
 transient fluid flow, 422  
 transient mechanism, 255  
 transient stress maximum, 196  
 transient surface heat flow, 399  
 transient temperature distribution, 331  
 transient thermal regime, 397  
 transient thermal uplift, 255  
 transient trap, 565  
 transient uplift models, 161  
 transit of the spreading ridge, 314  
 transition metal catalysis, 447  
 transitional segment of the transform, 17, 19  
 transitional spreading, 98  
 translated detachment fold, 632  
 transpressional strike-slip fault, 40, 41  
 transpressionally driven uplift, 268  
 transtensional strike-slip fault, 38, 40  
 trap, 618, 624, 648, 652  
 trap closure style, 633  
 trap complexity, 634  
 trap effectiveness, 629  
 trap formation starting coevally with expulsion onset, 647  
 trap formation starting prior to expulsion onset, 647  
 trap size, 633  
 trap types, 623, 659  
 traps associated with indent- and lateral extrusion-linked strike-slip faults, 619  
 traps associated with ridge transforms, 659  
 traps associated with transfer faults, 628  
 traps associated with transforms evolved from the continental transforms, 650  
 traps associated with transforms linking ridge with convergent plate boundary, 646  
 traps associated with trench-linked strike-slip faults, 635  
 traps in transcurrent fault setting, 618  
 traps in transform fault setting, 634  
 trench-linked strike-slip faults, 5, 21, 201  
 troughs of the oceanic fracture zone, 478  
 Type I kerogens, 450  
 Type I, II, and II-S kerogens of algal/sapropelic source rocks, 450  
 Type II kerogens, 450  
 Type II-S kerogens, 448  
 Type II source rocks, 452  
 Type III kerogens, 450  
 Type III source rocks, 452  
 types of accommodation zones in extensional settings, 581  
 types of horse-tail structures, 613  
 types of lithosphere, 179  
 U–Pb dating of calcite, 173  
 U–Pb dating of zircon, 170  
 ultra-slow spreading rates, 300  
 unbreached top seal, 597  
 unbuffered basin fill, 374  
 unconformity, 623  
 unconformity age, 148  
 undercompaction, 363  
 underplated magmatic body, 256  
 unloading due to mass removal, 256  
 unstable margin, 263  
 up-dip edge, 586  
 up-dip fault seal, 652  
 up-dip pinch-out, 584

up-dip seal, 586	Vienna pull-apart basin, 42, 45, 145, 230, 515, 532, 569, 599, 602, 619	West Chamaliro–East Chamaliro transcontinental dislocation zone, 221
uplift, 255, 375	Vishnu oceanic fracture zone, 128	West Indian margins, 95
uplift asymmetry, 257	vitronite, 446	wet gas, 446
uplift distribution, 252	vitronite reflectance, 176, 454	wet gas generation, 446
uplift pattern, 230	vitronite reflectance curve, 373	wettability, 563, 565, 592
uplift rate, 394	vitronite reflectance method, 176	wide rift basin, 227
upper mantle upwelling, 311	volume occupied by the coarse fraction, 342	width of fault, 66
upward-convex detachment fault, 301	volume occupied by the fine fraction, 342	Wilson cycle concept, 79
upwelling of the asthenosphere, 305		wrench-related drag fold, 645
Vail’s depositional sequence boundaries, 147	Wallaby plateau, 173, 313	
Van Krevelen plot, 453	Wallaby–Zenith oceanic–continental transform fault system, 173	X shear, 33
variable kinetic behavior of different kerogen types, 448	Wallaby–Zenith transform, 85, 313	Y shear, 35
Vema ridge transform, 10, 54	Wasatch fault, 396	
vertical denudation, 385	water-wet reservoir, 565	Zenith plateau, 313
vertical drainage, 595	water-wet seal, 565	Zenith–Wallaby–Perth transform fault system, 51, 294
vertical height of petroleum rivulet, 591	wavelength of topographic perturbation, 394	Zircon fission track thermochronometry, 167
vertical migration, 591, 597	weak, young, thickened lithosphere, 182, 251	zonal approach in biostratigraphy, 147
vertical wearing down, 257	well-sorted sediment, 529	zone with multiple sealed elements, 657