

Index

- Acacia cyclops*, 112
 access paths, 186
 adaptive management, 19, 63–64, 106, 193, 206, 212,
 See also monitoring and maintenance
 aeolian transport, 34, 66–70, 97–99, 101, 123–124,
 140–141, 150
 aesthetics, 12, 46, 49–51, 152, 188–190, 211–212
 afforestation, 114
 Africa, 112
 algae, 62, 93
Amaranthus pumilus, 55, 150
Ambrosia artemisiifolia, 190
Ammodytes hexapterus, 55
Ammophila spp., 70–71, 81–84, 112, 149
 arcadian approach, 15–16
 Assateague Island, 99, 131, 138
 Australia, 26, 30, 51, 81, 85, 110, 112
- backpassing, 32, 204
 Baltic coast, 62, 126
 bay-bottom habitat, 41
 beach
 access, 101, 179–180, 186
 erosion, 1, 13, 90–91, 119, 123–124
 scarp, 31, 46, 59–60
 stability, 16–17, 123–124, 153, 160, 162
 beach nourishment
 aesthetic and recreational issues, 49–51, 61
 burial of species, 40–41
 changes in practice, 54–61, 203–205
 design criteria (standard), 30–32
 enhancing values, 54–59
 long-term effects, 51–52
 mega nourishment, 32–35
 minimizing losses, 52–54
 negative impacts, 37–49, 51
 sediment compatibility, 42–49, 61–63
 sediment sources, 30–31, 35–36
 significance, 26–27, 29, 54–57, 66–67
 size of projects, 30–33, 36–37
 timing, 48–49, 54
- benthic species, 38–41
 birds
 feeding, 40
 management plans, 102–103, 180
 migratory, 57–58
 nesting, 57–58, 92, 94, 100
 blowouts, 92, 96–97, 99
 bluffs
 environments, 133–134
 erosion, 134–135
 sediment contribution, 124
 boardwalks, 187
 borrow areas, 31, 36, 38–40, 54, 69
 boulder substrate, 58, 62
 Brazil, 81, 131–132, 160
 breakwaters, 44, 127–128, 135, 144
 bulkheads, 124–125, 132–133, 139–140, 155, 187
 bulldozing. *See* grading
 burning, 97, 108
 bypassing, 31–32
- Cakile edentula*, 149
 campsites, 125
Canavalia rosea, 72
Carex arenaria, 81
Carex kobomugi, 112
Carex ligerica, 85
 Caribbean Sea, 72
Casuarina equisetifolia, 112
Centaurium littorale, 85
Charadrius melodus, 55, 91, 99
 China, 26
Chrysanthemoides monilifera, 112
Cicindela dorsalis dorsalis, 150
 cleaning. *See* wrack management
 cliffs. *See* grading
 climate change, 18–19, 136–139, 198
Coccoloba barbadensis, 72
 color, 46, 50, 189
 communication issues, 160, 190–191
 compromise solutions, 12, 159

conflict resolution, 23, 160–161
 connectivity, 4–5, 101, 124–125, 146
 conservation, 9–10, 104–105
 costs, 11–12, 206
Crambe maritima, 63

Dactylorhiza incarnata, 85
 dams, 120–122
 decks, 188, 197
 deflation of backshore, 67–68
 Delaware, 156
 Delaware Bay, 58, 67–68
 demonstration sites, 179–180, 191–192
 Department of Agriculture (US), 180
 development pressure, 3, 51, 166
 dike breaching, 125–127
 dredging, 30–31, 37–40, 54, 203
 drift sand, 99, 103, 109–110
 drinking water, 6, 122
 driving on beach, 94–96, 185–186
 dunes
 construction by beach scraping, 71–74
 construction by deposit of fill, 68–71
 construction by sand fencing, 74–79
 construction on nourished beaches, 66–68
 construction using vegetation, 79–86
 cycles of change, 65, 87, 91, 121
 dikes, 1, 34–35, 125–127, 207
 excavation sites, 98, 110–112
 growth rates, 68, 76, 81, 83–84
 incipient, 68, 93–95
 location, 66, 68, 77, 147–148
 microhabitats, 148–151, 210–211
 remobilizing, 96–97
 sacrificial, 73, 100, 151–152
 shape, 66, 68–69, 73, 75, 111, 149, 169, 185
 shore protection values, 71–73, 157, 177
 dynamism
 controlling, 77, 79–81, 109–110
 importance, 90–93, 121–124
 maintaining, 100–102, 133–135
 restoring, 90, 96–97, 103–105, 125–127, 208–209

education programs, 165, 190–192
 Elba Island, 44
Elymus athericus, 81
Elymus farctus, 76
 endangered/rare species, 94, 99–100
 environmental gradient
 compressed, 151–153
 expanded, 153–155
 fragmented/decoupled, 155–157
 natural, 148–151
 truncated, 151
 environmental losses, 1–6
Eremophila alpestris, 150
Eryngium maritimum, 63, 85

Eucalyptus spp., 112
 external effects, 121

Federal Emergency Management Agency (FEMA), 175–176
 feeder beach, 33–35, 60–61
 fences
 advantages, 74–75, 77–78
 configurations, 69, 75–77
 dune building, 74–79
 duration in landscape, 77–78
 interference with fauna, 78–79
 locations, 77
 materials, 75
 preventing sand transport to lee, 68–70, 176
 removing/altering, 100–102
 symbolic, 76, 101–102, 181, 187

Festuca rubra, 81
Ficinia spiralis, 113
 flood protection, 31, 59–60, 68–69, 73, 175–176
 Florida, 41, 142
 flowers, 189–190
 France, 36–37, 155
 functional approach, 16

Gateway National Recreation Area, 126–127, 133, 138
 Germany, 32, 62, 74, 135
Glaucium flavum, 63
 goods and services. *See* uses/values
 grading, 56, 59–60, 71–74, 77, 99–100, 177, 184–185
 gravel
 beach dynamics, 47–48, 62
 beach fill, 36–37, 43–47, 50–51, 58–59
 ecological aspects, 58–59, 62–63
 grazing, 6, 103, 106–108
 Great Lakes, 41
 groins, 44, 127, 130, 135
 Gulf of Mexico, 81

habitat
 boundaries and zones, 65–66, 123–124, 134, 148–151
 directives, 10–12
 loss, 1–4, 38–40
 patchiness, 54, 69–70, 87, 91–92, 133, 155
 hard-bottom habitat, 41, 62
 hatching success, 46, 205–206
 hazard mitigation, 177
 herbicides, 108–109, 113
Honckenya peploides, 150
 horticulture, 16, 154, 188–190
 hotel landscaping, 72, 188–189
 Hout Bay, 83
 hydrological conditions, 114, 116–117, 133
Hypomesus pretiosus, 55

Ilex opaca, 156
 India, 26, 81, 112
 inlets, 30–32, 91, 123–124

- integrated coastal management, 25, 120–121, 127–128, 174–175
 interdisciplinary research, 12–13, 170, 205
 invertebrates, 40, 94–95, 104–105, 133–134, 150
Ipomoea pes-caprae, 81
 Israel, 112
 Italy, 17, 36, 43–44, 70, 95, 121, 127
- Japan, 26, 43
Juniperus oxycedrus, 114
- lag surface, 35–36, 49–50, 67–68
 landscape image, 1–4, 13, 16, 69–70, 152–154, 189–190, 211–212
 landscapers, 167–168, 189–190
 lawns, 167, 188–189
Leuresthes tenuis, 55
Limulus polyphemus, 49, 55
Liparis loeselii, 85, 104
 litter. *See* wrack
 littoral cells, 61, 128–129
 living shorelines, 12, 143–145
 local involvement/stewardship, 153–154, 166–167, 188–191
 longshore transport, 31–35, 59, 204
- Mallotus villosus*, 55
 managed realignment, 135–139
 Mediterranean Sea, 35–36, 44, 112, 205
 Mexico, 26, 72, 81, 112
 microhabitats. *See* environmental gradient
 mine sites, 44, 110–112
 mineralogy, 46, 50
 mitigation, 11–12, 23, 52, 63, 177, 206–207
 monitoring and maintenance, 19, 192–195, 212–213
 on nourished beaches, 63–64, 206–207
 mosquitoes, 116–118
 mowing, 108
 municipal actions, 29, 71–72, 86, 95, 164–166, 172, 177–178, 180–181, 185, 192, 197–198
 museums, 191–192
 mycorrhizal fungi, 85–86
Myrica pennsylvanica, 153, 189
- nature
 defined, 4–6, 15–16
 nature-based approaches, 143–144, 210
 Netherlands, The, 31–32, 34, 74, 81, 92, 97, 99, 120, 122, 169, 171
 New Jersey
 Coastal Area Facilities Review Act, 172
 Division of Fish Game and Wildlife, 180
 New Zealand, 81, 108, 112, 191
 no action (do nothing) alternative, 13, 119, 139–140, 151
 North Carolina, 73
 nourishment. *See* beach nourishment
 nurseries, 81, 189, 207–208
- Oenothera biennis*, 114
Oenothera humifusa, 150
 offsite problems, 120–121, 199
 overwash, 65–66, 91, 99–100, 118, 126
- Pacific Islands, 81
Panicum spp., 70
Parnassia palustris, 85
Pectenogammarus planicrurus, 62
 pedestrian control, 86, 101, 180
 perceptions, 25, 123, 159–162
 perennials, 82, 189
Petaphyllum ralfsii, 104
 pine plantations, 114, 138–139
 pipelines, 30–31, 49, 66, 109–110
 planting
 considerations, 19–21, 74, 79–86, 111, 143, 165, 189–190
 guidelines, 12–13, 79–80, 207–208
 success, 76, 83–84, 86–87, 113
- polders, 126
 policy guidelines, 10–12
 pollution, 121
Polygonum glaucum, 150
Posidonia oceanica, 39, 44
 predators, 59, 78–79, 210–211
 preservation, 3–4, 132, 214
 private lots, 115, 128–129, 147–148, 153–157, 165–168, 188, 197
 promenades, 36–37, 141, 155
 property demarcation, 154, 188
 protection structures
 burial, 140–141
 effects, 123–125
 removal/alteration, 125, 127–133, 136, 139–140, 142
- Prunus maritima*, 189
 public information/education programs, 160, 191–192
 public purchase/relocation, 125–126, 134, 177
 public support, 16, 159–161, 175–176, 212
 Puget Sound, 56, 58, 128–129, 138, 205
- raking. *See* wrack management
 recreation, 1, 49–51, 61–62
 reference conditions. *See* target state
 regulations, 10, 23, 102–103, 166, 171–173, 177, 186–187, 197–198
 remobilization. *See* dynamism
 research challenges, 199–213
 resilience, 16–17, 121–122
 restoration
 criteria, guidelines and protocols, 16, 18–19
 definitions, 12–14
 goals and approaches, 9–10, 12–16, 22–23
 rationale, 1–4
 types of project, 19–21, 23–25
 unanticipated effects, 22, 55–57, 206
 retreat from the coast. *See* managed realignment

- Rio Grande do Sul, 132
 risk, 3, 17–19
 river basins, 21, 120–121
Rosa rugosa, 114
Rumex crispus ssp., 63
Rynchops niger, 150
- safety, 132–133, 139, 162
Salix repens ssp., 104
 salt spray, 42, 65, 74, 77–78, 81, 148–152, 181
 sampling, 38, 52, 193–197
 scraping. *See* bulldozing
 sea level rise, 1–3, 18–19, 121, 139, 145, 198
 seawall alternatives, 29, 124–125, 127–128, 140–141
 sediment
 budget, 13, 59, 61, 120–121, 124, 146–149
 characteristics, 35–36
 compatibility, 42–46, 58–59, 61–63
 mineralogy, 46
 size differences, 46–49
 seed sources and dispersal, 85–87, 93–94, 112–113, 165, 208
 services. *See* values
Sesuvium maritimum, 150
 setbacks, 27–29, 132, 157
 shells, 46, 67–68, 70–71, 150
 sheltering, 77–78, 85, 150–151
 signs, 76, 191–192
 silks, 127, 134–135, 144–145
 slacks, 34, 82, 92, 104–105, 116–118, 213
 soil
 changes, 105–108, 110–112, 114, 121–122, 194
 organisms, 69, 81–82
Solidago sempervirens, 42, 177
 South Africa, 83, 85, 110, 112
 South Carolina, 29
 South Korea, 26
 South Wales, 104
 Spain, 10, 51, 76, 114
 spatial restrictions, 21, 57–60, 117–120, 137, 151–152, 158
 spawning sites, 58–59
Spinifex spp., 70, 81, 149
 spoil disposal, 42–44
 Sri Lanka, 26
 stakeholders
 acceptance/support, 25, 136–139, 159–161, 177–178
 actions, 163–173, 191
 perceptions/values, 161–164, 190–191
 state. *See* target state
 Stewart Island, 113
 storm
 effects, 1, 3, 65, 91, 123–124, 150
 opportunities, 139, 176–177, 198
 protection, 29, 65, 77
 structures. *See* shore protection structures
 sustainability, 13–14
- target species enhancement, 102–105, 171–172, 209
 target state
 alternative states, 17–18, 149
 criteria, 25, 168, 178
 time dependencies, 118
 taxes, 164–166
 topographic diversity, 22, 24–25, 65–66, 69–70, 77–78, 204
 topographic surveys, 178–179, 194
 tourist beaches, 29, 36–37, 44, 72
 tourists, 159–162, 166–167, 179–180, 191–192
Tournefortia gnaphalodes, 72
 trampling, 107, 186–187
 trash removal, 165, 185
 trees, 72, 114, 148–149, 154–155, 189
 turbidity, 48–49, 54
 turtles, 46, 54, 59–60, 101
- uncertainty, 18–19, 136–138
 unexpected benefits, 21–22, 55–56
Uniola paniculata, 81, 180
 United Kingdom, 10, 32, 104, 134
 uses/values
 heritage, 9, 61–62, 107–108, 213
 incompatible, 8, 75, 81, 197
 natural, 6–8
 property, 153–154, 162–163, 167
- vegetation
 colonization/succession, 76, 82, 113, 171–172, 208
 constructing dunes, 79–86
 disease/pests, 84
 diversity, 4, 91–92, 100, 107–108, 116–118, 152
 exotics, 84–85, 103–104, 112–116, 181
 gravel, 62–63
 landscape element, 188–190
 mosaics/patches, 69–70, 87, 91–92, 133–134
 planting success, 80–86
 rare and declining species, 55–57, 85
 rejuvenation, 99–100, 105–106
 removal, 97, 103–104, 112–116
 stabilizing surfaces, 79–80, 109–110
 stages, 84–85, 91–92
 survivability, 81–82, 85–86
 vehicle control, 95–96, 185–186
Vicia lathyroides, 85
 views of the sea, 65, 162–163, 175–176, 188
- water quality, 39–40
 waterfront restoration, 128–133
 wilderness approach, 15
 woody debris, 128–130
 wrack (beach cast)
 management, 94–95, 181–184, 208–209
 value, 93–94
- Zuid-Kennemerland, 98