

Index

- abandonment, 3, 9
 abuse. *See specific topics*
 academic readiness, 118–120
 academic remediation
 academic readiness and, 118–120
 in BGCenter Approach, 76, 113–114
 bi-directionality and, 120–123
 classroom accommodations for, 132–134
 with Individual Education Program, 134
 correlation factors for, 116–118
 age of adoption, 116
 country of origin, 116
 gender, 116
 Individual Education Program and,
 134–135
 for mathematics, 126–128
 multisensory methodologies for, 127–128
 in middle school, 115–116
 misconceptions with, 125–126
 overview of, 114
 for reading skills, 128–131
 multisensory methodologies for, 129–130
 Orton-Gillingham methodology, 128–129
 for reading comprehension, 130–131
 Wilson Reading System, 128–129
 retention in, 123–125
 Light's Retention Scale-5th Edition,
 123–124
 special education compared to, 124–125
 special education options, 134–135
 retention compared to, 124–125
 for writing skills, 131–132
 Self-Regulated Strategy Development
 intervention, 131–132
 ACE. *See* adverse childhood experience
 ACFS. *See* Application of Cognitive Function
 Scale
 acquired-institutional autism, 51
 ADHD. *See* attention-deficit/hyperactivity
 disorder
 ADHD-like behaviour, 50–51
 adoption. *See also* adoptive families; international
 adoption; internationally adopted
 children; post-institutionalized
 children
 pre-adoptive childhood trauma, 16–17
 adoptive families. *See also* therapeutic parenting
 external services and support for, 156–160
 in-person parents' groups and support
 networks, 160
 Internet-based, 160
 medical management, 156–157
 psychiatric hospitals, 159–160
 residential treatment centers, 159–160
 psychotherapy for, 157–159
 parental counseling in, 158–159
 selection of psychotherapist, 157–158
 theoretical approach to, 155–156
 adverse childhood experience (ACE), 44
 aggressiveness. *See* proactive aggressiveness
 Application of Cognitive Function Scale (ACFS),
 32–33
 ARC model. *See* Attachment, Regulation and
 Competence model
 assessment mechanisms, for internationally-
 adopted children. *See also* Dynamic
 Assessment methodology
 developmental, neuropsychological and
 educational, 27–28
 adaptive behaviour domain, 29
 developmental history domain, 28–29
 emotional/social functioning domain, 29
 neuropsychological domain, 29
 skills domain, 29
 general intellectual functioning domains, 30
 academic/cognitive aspects, 30
 for language, 30
 initial screening in
 clinical procedures, 25–26
 goals of, 24–27
 referral questions in, 25–27
 tests in, 25–27

- for language acquisition, 101–103
 - age of adoption as factor in, 103
 - for “at risk” groups, 102
 - for English as Second Language learners, 102–103
 - language development in, 102–103
- language of, 21–23
 - for native language of adopted children, 21
 - under Standards for Educational and Psychological Testing, 22
 - time frames of language attrition, 21–22
- for non-English speaking children, legal requirements for, 20–21
- by pediatricians, 20
- professional qualifications for assessors, 23–24
 - bilingual screening for, 23
- theoretical approach to, 19–21
- for trauma, 40–46
 - adverse childhood experience and, 44
 - clinical case studies, 42–46
 - neuropsychological tests for, 40
 - for post-traumatic stress disorder, 41–42
 - verification of trauma, 41
 - types of evaluations available, 24–27
- Attachment, Regulation and Competence (ARC) model, 70–72
- attachment disorder
 - causes of, 54–55
 - developmental trauma disorder compared to, 54–56
 - diagnosis of, 55–56
 - reactive, 54
 - symptoms of, range for, 55
 - Trust-Based Relational Intervention for, 70, 72–73
- attachment theory, distorted attachment, 13–18
- attention-deficit/hyperactivity disorder (ADHD)
 - ADHD-like behaviour, 50–51
 - developmental trauma disorder compared to, 49–51
 - Generalized Anxiety Disorder and, 51
 - misdiagnosis of, 50
 - trauma and, 50
- attention-seeking. *See* extreme attention-seeking
- autism. *See* acquired-institutional autism; classical autism; institutionally induced autism; post-institutional autistic syndrome; quasi-autism
- autistic spectrum disorder. *See also specific disorders*
 - autistic-like behaviour, 52–53
 - developmental trauma disorder compared to, 51–54
 - Post-Orphanage Behaviour Syndrome and, 51
 - prevalence of, in orphanages, 51
 - pseudo-autism, 53–54
- behaviour contracts, 163–164
- behaviour patterns. *See* survival behaviour patterns
- behavioural functioning
 - emotional, 180–181
 - social, 180–181
- BGCenter Approach, to developmental trauma disorder, 73–79
 - academic remediation in, 76, 113–114
 - by age
 - from 5–12 years old, in level one, 75–76
 - from 5–18 years old, in level three, 76–77
 - from 6–18 years old, in level two, 76
 - from 14–21 years old, in level four, 77–78
 - in clinical case studies, 78–79
 - physiological regulatory restoration in, 75–76
 - school-based therapies
 - counseling programs, 79
 - occupational therapy, 78–79
 - in transition to adulthood, 77–78
 - Individual Educational Program, 77
 - Individual Transition Plan, 77
 - Trauma-Informed Safety Plan, 79–81
- bi-directionality, 120–123
- bilingualism
 - forced, 142–144
 - as professional qualification for assessors, 23
- Bright Start program, 90–92
- Bureau of Consular Affairs, 1
- CALLA. *See* Cognitive/Academic Language Learning Approach
- CANS. *See* Child and Adolescent Needs and Strengths
- catch-up deficiencies, from DTD, 15–18
- CCD. *See* Cumulative Cognitive Deficit
- central nervous system (CNS)
 - developmental trauma disorder and, 7
 - in internal working model, 12
- Child and Adolescent Needs and Strengths (CANS) - Trauma Comprehensive Version, 42
- childhood disorder of social functioning, 57–58
- children. *See specific topics*
- chronic stress, 12
- chronic trauma, developmental trauma disorder and, 12
- classical autism, 53–54
- classrooms, accommodations in
 - for academic remediation, 132–134
 - with Individual Education Program, 134
 - for educational remediation, 61
- CNS. *See* central nervous system
- Cogen, Patty, 161

- Cognitive Enhancement Training (COGNET), 89–90
- Cognitive Enrichment Advantage, 89–90
- cognitive functioning
 definition of, 82
 educational remediation and, 57, 62
 SmartStart Program and, 94–95
- cognitive remediation. *See also* Cumulative Cognitive Deficit
 cognitive ability deficits, 82–83
 cognitive skills and, 82–83
- Cognitive/Academic Language Learning Approach (CALLA), 100–101, 110–112
- communicative/social language acquisition
 compared to, 106
 elements of, 112
- compensation
 definition of, 5
 for internationally adopted children, 65–66
 remediation compared to, 5
- culture. *See also* social skills
 deprivation of, 138–139
 cultural differences compared to, 140–142
 development of, 136
 differences in, 137, 150
 cultural deprivation compared to, 140–142
 familiarization of, as social skills development strategy, 153
 as heritage, 136
 language and, 140–142
 preservation of, 138–140
- language as
 forced bilingualism, 142–144
 as heritage, 140–142
 preservation of, 138–140
- preservation of
 as heritage, 138–140
 in orphanages, 139–140
- social language development and, 149–150
 trauma and, 144–146
- culture shock, 137, 150
- Cumulative Cognitive Deficit (CCD), 83–90
 clinical presentation, 84–88
 major characteristics, 85
 cognitive education programs, 88–90
 Cognitive Enhancement Training, 89–90
 Cognitive Enrichment Advantage, 89–90
 Instrumental Enrichment, 89–90
 selection criteria for, 89
 Tools of the Mind, 89–90
 Transactional Metacognitive Approach, 90
- contributing factors in, 84–88
 cultural deprivation, 86–87
 definition of, 83–84
- developmental trauma disorder and, 85
 etiology of, 84–88
 psychological roots, 84–85
 in family environment-based remediation, 88
 language remediation programs, 92–93
 language attrition and, 86
 prevalence of, 87–88
 school-based remediation of, 88
 Bright Start program, 90–92
 SmartStart Program, 93–96
 association and generalization skills, 96
 cognitive functioning, 94–95
 parts-of-a-whole training, 95
 problem solving training, 95–96
 special education and, 96–98
 clinical case study, 97–98
- deprivation, of culture, 138–139
 cultural differences compared to, 140–142
- Deutsch, Martin, 83
- developmental, neuropsychological, and educational (DNE) assessment
 mechanisms, 27–28
 adaptive behaviour domain, 29
 developmental history domain, 28–29
 emotional/social functioning domain, 29
 neuropsychological domain, 29
 skills domain, 29
- developmental trauma disorder (DTD), 7–18. *See also* BGCenter Approach; Dynamic Assessment methodology; rehabilitation
 attachment disorders compared to, 54–56
 attention-deficit/hyperactivity disorder compared to, 49–51
 autistic spectrum disorder compared to, 51–54
 catch-up deficiencies from, 15–18
 central nervous system and, 7
 in internal working model, 12
 chronic trauma and, 12
 conceptualization of, 7
 definition of, 7–10
 diagnosis of, 41, 55–56
 distorted attachment from, 13–18
 dysregulated high psychological functions, 10–11
 dissociative states, 11
 emotional volatility, 11
 for executive functions, 11
 educational remediation and, 63–64
 internal working model for, distortion of, 11–13
 central nervous system and, 12
 for hyper-arousal, 12
 for hypo-arousal, 12

- lack of developmental competence, 12
- mixed maturity and, 12–13
- long-lasting deficiencies from, 15–18
 - dose-response factors, 17
 - pre-adoption impairment, 16–17
- Post-Orphanage Behaviour Syndrome and
 - internalized survival skills, 14
 - survival behavior patterns, 14–15
- resilience to, 17–18
 - individual characteristics and, 18
 - social connectedness and, 18
- risk factors for, 9
 - adverse social circumstances, 9
 - Fetal Alcohol Syndrome Disorder, 9
 - inherited transgenerational trauma, 9
- social connectedness from, 13–18, 74
 - resilience to, 18
- social connectedness theory and, 74
- stress response in, 8–9
- symptomatic presentation of, 10
 - physiological symptoms, 10, 42
 - psychological symptoms, 10
- direct instruction, as social skills development
 - strategy, 151–153
- distorted attachment, developmental trauma
 - disorder and, 13–18
- DNE assessment mechanisms.
 - See* developmental, neuropsychological, and educational assessment mechanisms
- donating countries, for international adoption, 2
- dose-response factors, DTD and, 17
- DTD. *See* developmental trauma disorder
- Dynamic Assessment methodology,
 - 24, 30–40
 - Application of Cognitive Function Scale,
 - 32–33
 - case studies in, 33–39
 - classification tasks, 33–34
 - curriculum-based, 39–40
 - procedures and tests in, 39–40
 - diversity of, 32–33
 - imitating tasks in, 38
 - modelling in, 38
 - perspective-taking tasks, 34–35
 - procedures in, 31
 - role-playing in, 38
 - scope of, 30–33
 - sequential pattern completion tasks, 36–37
 - short-term auditory memory tasks, 35
 - short-term visual memory tasks, 35–36
 - verbal planning tasks, 36
- dysregulated high psychological functions, from
 - DTD, 10–11
 - dissociative states, 11
 - emotional volatility, 11
 - for executive functions, 11
- dysregulation, 11
- education. *See also* academic readiness; learning; special education; *specific psychoeducational tests*
 - Individual Educational Program
 - components of, 56
 - in educational placement settings, 59
 - goals for, 62–63
- educational remediation, 56–64
 - application of, 2–3
 - behaviour improvement through, 61
 - classroom and school accommodations for, 61
 - cognitive functioning and, 57, 62
 - developmental trauma disorder and, 63–64
 - diagnostic criteria for, 56–58
 - for childhood disorder of social functioning, 57–58
 - for mixed anxiety and depressive disorder, 57
 - educational classifications in, 58–59
 - under Individuals with Disabilities Education Act, 58
 - educational placement in, 59
 - Individual Educational Program in, 59
 - emotional rehabilitation through, 61
 - extended school year options, 62
 - Individual Educational Program
 - components of, 56
 - in educational placement settings, 59
 - goals for, 62–63
 - for reading and mathematics, 60
 - Wilson Reading System, 60
 - school-based services for, 59–60
 - supportive services, 60
 - social rehabilitation through, 61
 - test-taking modifications, 61–62
 - therapeutic placement in, 59
- ELL. *See* English Language Learners
- EMDR therapy. *See* Eye Movement
 - Desensitization and Reprocessing therapy
- emotional behavioural functioning, 180–181
- emotional rehabilitation, through educational
 - remediation, 61
- English as a Second Language (ESL), 106–110
 - affidavits for, 109
 - components of, 108–109
 - skills assessment for ESL learners, 102–103
 - English Language Learners (ELL), 106–107
 - entitlement, feelings of, 139–140
 - epigenetic factors, 4, 8, 18
 - ESL. *See* English as a Second Language

- extended school year (ESY) options, 62
 extreme attention-seeking, 140
 Eye Movement Desensitization and Reprocessing (EMDR) therapy, 69–70
- Fetal Alcohol Syndrome Disorder (FASD), 9
 flexibility, of CALLA methodology, 112
 forced bilingualism, 142–144
 friendliness. *See* indiscriminate friendliness
 functioning. *See* cognitive functioning
- gender, academic remediation and, 116
 Generalized Anxiety Disorder, 51
- HALTS. *See* hungry, angry, lonely, tired, or sick
 Haywood, Carl, 31–32, 90
 helplessness. *See* learned helplessness
 hungry, angry, lonely, tired, or sick (HALTS),
 temper tantrums and, 165
 hyper-arousal, 12. *See also* attention-deficit/
 hyperactivity disorder
 hyper-vigilance, 140
 hypo-arousal, 12
- IA children. *See* internationally adopted children
 IDEA. *See* Individuals with Disabilities
 Education Act
 IEP. *See* Individual Educational Program
 immature self-regulation, 85, 113
 Immigration Law, US, internationally adopted
 children under, 3
 indiscriminate friendliness, 140
 Individual Educational Program (IEP)
 academic remediation and, 134–135
 in BGCeater Approach, 77
 components of, 56
 in educational placement settings, 59
 goals for, 62–63
 Individual Transition Plan (ITP), 77
 accommodations for, 176–177
 adaptive behaviour objectives, 176
 assessment mechanisms for, 173
 content of, 170–171
 contributing agencies, implementation
 through, 177–178
 intermediate agencies, 178
 in school districts, 178
 developmental history of, 172–173
 emotional behaviour goals, 180–181
 family role in, 179–180
 goals for, 170–171
 independent living objectives, 176
 legal foundations for, 171–172
 occupational evaluation in, 174–175
 post-secondary college education, 181–183
 services and support for, 176–177
 social behaviour goals, 180–181
 state-by-state modifications for, 171–172
 structure of, 170–171
 theoretical approach to, 169–170
 vision statements as element of, 173–174
 vocational goals in, development of, 174–175
 Individuals with Disabilities Education Act
 (IDEA), US, 58
 inherited transgenerational trauma, 9
 institutionally induced autism, 51, 53–54
 Instrumental Enrichment, 89–90
 integration, of CALLA methodologies, 112
 internal working model (IWM), distortion of, for
 DTD, 11–13
 central nervous system and, 12
 for hyper-arousal, 12
 for hypo-arousal, 12
 lack of developmental competence, 12
 mixed maturity and, 12–13
 international adoption. *See also* post-institutionalized
 children
 by age, 2
 declines in, 1
 demographics for, 1
 donating countries for, 2
 methodological approach to, 6
 as natural experiment, 6, 184–185
 pre-adoption care and, 2
 in US, 1
 internationally adopted (IA) children. *See also*
 assessment mechanisms; rehabilitation;
 *specific topic*sage factors for, 3
 behavioural models for, 4
 compensation for, 65–66
 definition of, 3–4
 under US Immigration Law, 3
 demographics of, 3
 language learning by, 4
 late-adopted, 3–5
 parent surveys, 87–88
 qualitative characteristics of, 2
 quantitative characteristics of, 2
 remediation for, 65–66
 ITP. *See* Individual Transition Plan
 IWM. *See* internal working model
- Kolk, B. van der, 7, 10
 Kuypers, Leah, 79
- language. *See also* Cognitive/Academic Language
 Learning Approach
 acquisition and learning of, 99–100
 circumstantial, 100
 by internationally adopted children, 4

- of assessment mechanisms, for internationally-adopted children, 21–23
 - for native language of adopted children, 21
 - under Standards for Educational and Psychological Testing, 22
 - time frames of language attrition, 21–22
 - assessment of skills, 101–103
 - age of adoption as factor in, 103
 - for “at risk” groups, 102
 - for English as Second Language learners, 102–103
 - for language development, 102–103
 - attrition of
 - with Cumulative Cognitive Deficit, 86
 - definition of, 100
 - emotion as factor in, 104–105
 - of first language, 103–105
 - psychosocial consequences of, 105
 - behavioural regulation through, 101
 - bilingualism
 - forced, 142–144
 - as professional qualification for assessors, 23
 - communicative/social, 100
 - Cognitive/Academic Language Learning Approach compared to, 106
 - as culture
 - forced bilingualism, 142–144
 - as heritage, 140–142
 - preservation of, 138–140
 - English as Second Language methodology, 106–110
 - affidavits for, 109
 - components of, 108–109
 - skills assessment for ESL learners, 102–103
 - English Language Learners and, 106–107
 - post-adoption traumatic experience and, 144–146
 - as psychological function, 99
 - self-regulation and, 101
 - social language development, 149–150
 - special education assessments for, 110
- language development, 99–100
 - language remediation
 - of assessment mechanisms, for internationally-adopted children, 21–23
 - for Cumulative Cognitive Deficit, in family environments, 92–93
 - late-adopted children, 4–5
 - definition of, 3
 - learned helplessness, 74
 - learning. *See also* Cognitive/Academic Language Learning Approach
 - acquisition and learning of, by internationally adopted children, 4
 - Cognitive/Academic Language Learning Approach, 100–101, 110–112
 - language, acquisition of, 99–100
 - circumstantial, 100
 - mediated, 74
 - Lidz, Carol, 31–33
 - Light’s Retention Scale, 5th Edition (LRS-5), 123–124
 - MADD. *See* mixed anxiety and depressive disorder
 - maturity. *See* mixed maturity
 - McCarthy, Harriet, 167–168
 - mediated learning, 74
 - misdiagnoses, of attention-deficit/hyperactivity disorder, 50
 - mixed anxiety and depressive disorder (MADD), 57
 - mixed maturity, 12–13
 - NARM. *See* NeuroAffective Relational Model
 - National Council on Measurement in Education (NCME), 22
 - NeuroAffective Relational Model (NARM), 70, 72
 - occupational therapy. *See* school-based therapies
 - orphanages. *See also* adoption
 - autistic spectrum disorder in, 51
 - extreme attention-seeking in, 140
 - hyper-vigilance in, 140
 - indiscriminate friendliness in, 140
 - Post-Orphanage Behaviour Syndrome
 - autistic spectrum disorder and, 51
 - internalized survival skills, 14
 - survival behavior patterns, 14–15
 - preservation of culture in, 139–140
 - proactive aggressiveness in, 140
 - in Romania, 51–52
 - self-parenting in, 140
 - Orton-Gillingham methodology, 128–129
 - overlearning, CALLA methodology and, 112
 - parental burnout, 167–168
 - parenting. *See* adoptive families; therapeutic parenting
 - pediatricians, assessment mechanisms for
 - internationally-adopted children by, 20
 - peer rejection, 148–149
 - physiological regulatory restoration, 75–76
 - POB Syndrome. *See* Post-Orphanage Behaviour Syndrome
 - post-adoption stress, 6, 9, 17
 - post-adoption traumatic experience
 - language and, 144–146
 - native culture and, 144–146
 - post-institutional autistic syndrome, 51, 53–54

- post-institutionalized children, definition of, 3–4
- Post-Orphanage Behaviour (POB) Syndrome
 autistic spectrum disorder and, 51
 internalized survival skills, 14
 survival behaviour patterns, 14–15
- post-traumatic stress disorder (PTSD)
 assessment mechanisms for, 41–42
 Child and Adolescent Needs and Strengths - Trauma Comprehensive Version, 42
 Trauma Assessment Pathway Model for, 42
 developmental trauma disorder compared to, 47–49
 diagnosis for, 48
 physiological origins of, 47–48
 symptoms assessment for, 49
 therapies for, 49
 triggers for, 47–49
- pragmatics development, 150–151
- pre-adoption care, before international adoption, 2
- pre-adoption stress and impairment, 6, 16–18
- pre-adoptive childhood trauma, 16–17
- prenatal stress, 6
- primary physiological trauma, 10, 42
- proactive aggressiveness, 140
- pseudo-autism, 53–54
- psychotherapy, for adoptive families, 157–159
 parental counseling in, 158–159
 selection of psychotherapist, 157–158
- PTSD. *See* post-traumatic stress disorder
- Purvis, Karyn, 73
- quasi-autism, 51
- reactive attachment disorder, 54
- regulation. *See* dysregulation; self-regulation
- rehabilitation
 for internationally adopted children, 65–66
 definition of, 5
 emotional, 61
 goals and purpose of, 5
 neuro-physiological therapies, 68–70
 Eye Movement Desensitization and Reprocessing therapy, 69–70
 neurofeedback therapy, 69
 sensory integration therapy, 68
 psychosocial therapies, 70–73
 Attachment, Regulation and Competence model, 70–72
 NeuroAffective Relational Model, 70, 72
 Trust-Based Relational Intervention, 70, 72–73
 talking therapies, 66
 trauma-focused therapies, 66–68
 social, 61
- remediation. *See also* BGCenter Approach; cognitive remediation; educational remediation; language remediation; rehabilitation
 academic, 76
 compensation compared to, 5
 Cumulative Cognitive Deficit and
 in family environments, 88, 92–93
 school-based remediation of, 88, 90–92
 definition of, 5
 goals and purpose of, 5
 for internationally adopted children, 65–66
 principles and requirements of, 74–75
 residential treatment centers (RTCs), 159–160
- resilience
 definition of, 17–18
 to developmental trauma disorder, 17–18
 individual characteristics and, 18
 social connectedness and, 18
- RTCs. *See* residential treatment centers
- scaffolding, in CALLA methodology, 112
- Schmid, Monika S., 104
- school Internet, 152
- school-based therapies. *See also* classrooms
 in BGCenter Approach
 counseling programs, 79
 occupational therapy, 77–79
 self-regulation in, 77
- self-parenting, 140
- Self-Regulated Strategy Development (SRSD)
 intervention, 131–132
- self-regulation, 11, 32–33, 57, 69, 119. *See also*
 Attachment, Regulation and Competence model
 development of, 94
 immature, 85, 113
 language development and, 101
 in school-based occupational therapy, 77
 self-confidence and, 179, 183
- self-soothing, 52–53, 79
- self-stimulation, 52
- sensitive periods, 13
- skills. *See specific topics*
- SmartStart Program, 93–96
 association and generalization skills, 96
 cognitive functioning, 94–95
 parts-of-a-whole training, 95
 problem solving training, 95–96
 social behavioral functioning, 180–181
- social competence, 146–148
- social connectedness, developmental trauma disorder and, 13–18, 74
 resilience to, 18
- social language development, 149–150

- social learning. *See* social skills
- social rehabilitation, through educational remediation, 61
- social situation of development (SSD), 4–5, 9, 15, 82–83, 100, 184–185
- social skills
- deficiency of, 146–148
 - development strategies for, 150–154
 - culture familiarization, 153
 - direct instruction in, 151–153
 - environmental organization, 153–154
 - pragmatics development, 150–151
 - specialized help, 153–154
- special education
- academic remediation and, 134–135
 - retention compared to, 124–125
 - Cumulative Cognitive Deficit and, 96–98
 - clinical case study for, 97–98
 - for language acquisition, 110
- SRSD intervention. *See* Self-Regulated Strategy Development intervention
- SSD. *See* social situation of development
- Standards for Educational and Psychological Testing*, 22
- stress. *See also* post-traumatic stress disorder
- chronic, 12
 - post-adoption, 6, 9, 17
 - pre-adoption, 6, 18
 - prenatal, 6
 - stress response, in developmental trauma disorder, 8–9
- survival behaviour patterns, 14, 72, 74
- talking therapies, 66
- TBRI. *See* Trust-Based Relational Intervention
- temper tantrums, 164–167
 - HALTS and, 165
- therapeutic parenting (TP), 150–151, 160–168
 - behaviour contracts, 163–164
 - consequences of, 164
 - daily routines, structure of, 163–164
 - as intentional method, 162
 - objectives of, 162
 - parental burnout, 167–168
 - temper tantrums and, 164–167
 - HALTS and, 165
 - theoretical approach to, 155–156
- TISP. *See* Trauma-Informed Safety Plan
- Tools of the Mind, 89–90
- TP. *See* therapeutic parenting
- Transactional Metacognitive Approach, 90
- transference, CALLA methodology and, 112
- trauma. *See also* developmental trauma disorder; post-adoption traumatic experience; pre-adoptive childhood trauma
- assessment mechanisms for, 40–46
 - adverse childhood experience and, 44
 - Child and Adolescent Needs and Strengths - Trauma Comprehensive Version, 42
 - clinical case studies, 42–46
 - neuropsychological tests for, 40
 - for post-traumatic stress disorder, 41–42
 - verification of trauma, 41
 - attention-deficit/hyperactivity disorder and, 50
 - chronic, 12
 - culture and, 144–146
 - inherited transgenerational, 9
 - pre-adoptive childhood, 16–17
 - primary physiological, 10
 - recovery after, 184–186
- trauma disorders. *See* developmental trauma disorder
- Trauma-Informed Safety Plan (TISP), 79–81
- Trust-Based Relational Intervention (TBRI), 70, 72–73
- unique “natural experiment,” international adoption as, 6, 184–185
- United States (US)
 - Department of State Statistics, for international adoption, 1
 - Immigration Law, internationally adopted children under, 3
 - Individuals with Disabilities Education Act, 58
- Vygotsky, Lev, 74
- Welsh, Janet, 6
- Wilson Reading System (WRS), 60, 128–129