

Index

Tables are denoted in **bold**; figures in *italics*

23andMe, 80

ABO blood groups see blood types/groups

accrediting bodies, 65–66

admissibility, DNA profiling, 35–36

agglutination, blood cells, 20

AISNPs (ancestry informative SNPs), 126

alleles, 11, 12

drop-outs, 75–76, 77, 94

frequency, 12–13, 14–16

missing peaks, 77–79

peaks, 75–76, 77–79, 85–88

structure, 130

allelic ladders, 61, 62, 64, 129–130

alternative light sources (ALS), 4–5

amelogenin site (AMEL), 51–53,

61–62

amplification, 8–10

failure, 77

PCR, 48, 78, 113–114

stochastic effects, 94–96, 105–106

STR typing, 59–60

amylase, 5

analysis see data analysis and

interpretation

analytical thresholds, 75–76

ancestry, 39

ancestry informative SNPs

(AISNPs), 126

biogeographical, 126, 152

commercial companies, 148–149, 150

DNA methods, 138

AncestryDNA, 80

animal forensics, 133

antigens/antibodies, 19–20

archaeological testing, 2–3

Australia, national database, 80

autoradiograms (autorads), 39, 41

autosomal DNA, 8, 109–111, 150

combined with lineage markers,

123–124

background DNA, 100–102, 103–104

banding patterns, 27–28, 41

binary thresholds, 76

biogeographical ancestry (BGA), 126, 152

biological evidence, before DNA, 33–34

blood typing, 19–20, 21–22, 24–26

combining data, 28–31

forensic sampling, 17–19

gel electrophoresis, 27–28

phenotypes/genotypes, 20–21

- population data/interpretation, 32–33
 - product rule, 28–31
 - secretors/non-secretors, 22–23
 - serum proteins/isoenzymes, 26–27
 - sexual assault cases, 33
 - biological identification, xix–xx, 1–3, 16
 - characterization, 4–5
 - genetics and heredity, 6–10
 - methods, 3
 - questioned vs. known (Q vs. K)
 - comparisons, 5–6
 - rules of heredity, 10–16
 - sex, 51–53
 - successive classification, 5
 - biological weapons detection, 135–136
 - biomarkers, 1
 - blood transfusions, 19–20
 - blood types/groups, 19–22, 24–26
 - parental genotypes, 20–21
 - bloodstains, 22, 30
 - elimination, 30–31
 - bodily fluids, 3, 4–5
 - buccal swabs, 17

 - Cambridge Reference Sequence, revised (rCRS), 112–113, 117
 - Canada, national database, 80
 - capillary electrophoresis (CE), 50–51, 53, 55
 - case examples
 - Amanda Knox, 104–107
 - cat hairs, 133
 - Colin Pitchfork, 40–41
 - dog feces, 134
 - George Rodriguez, 24–25
 - Golden State Killer, 149–151
 - Grim Sleeper, 147–148
 - King Richard III, 126–127
 - Krystal Beslanowitch, 107–108
 - O. J. Simpson, 46
 - Paradise, California, wildfire, 131–133
 - President Bill Clinton, 46
 - Thomas Jefferson, 121–122
 - Tsar Nicholas II, 116–119
 - wild boar hairs, 134
 - casualty identification, 2
 - ceiling approach, population frequency data, 45
 - characterization, biological
 - identification, 4–5
 - characterization, STR typing, 56–57
 - cheek swabs, 17
 - Christmas tree staining, 5
 - chromosomes, 6–8, 10, 37, 51; *see also*
 - X-chromosome markers;
 - Y-chromosome markers
 - autosomal DNA, 109–110
 - sex-determining, 51–53, 111
- cognitive bias, complex mixtures, 139–140
- collection of samples, STR typing, 56–57
- Combined DNA Index System (CODIS), 81, 82, 131–133, 157
- combined frequency probabilities, 13–14, **15, 31, 69, 70**
- commercial kits, STR, 60–62
- complex mixtures, 93
 - cognitive bias, 139–140
 - interpretation, 138
 - low copy numbers, 97–100
- consumer databases, 80, 126
- contamination
 - DNA evidence, 102–103
 - forensic samples, 18–19
 - low copy numbers, 96
 - swabs, 67
 - use of gloves, 102
- control samples, 41, 61, **65**, 66, 106, 144
- crime-scene samples, 79, 89
- Culliford, Brian, 26, 27–28

174 INDEX

- data analysis and interpretation, 74, 92
 allele peaks, 75–79
 case examples, 90–91
 likelihood ratios, 88–89
 mixtures, 138
 mtDNA, 113–115
 national databases, 80–84
 populations, 32–33
 simple mixtures, 84–88
 STR typing, 68–72
 thresholds, 75–76
- databases
 mtDNA, 115, 117
 national, 80–84, 157–158
- deconvolution, 88
- defense hypothesis, 89
- deterioration, forensic samples, 18
- differential DNA extraction, 72, 88, 120
- direct-to-consumer (DTC) DNA kits,
 148–149, 150, 151
- discrimination power, 22–23
- DNA Doe Project, 152–153
- DNA extraction, 37, 57–59, 66
 amounts, 58
 differential, 72, 88, 120
- DNA methods, xx, 1, 155; *see also* PCR
 process; RFLP; STR typing
 first use of, 40–41
 legal challenges, 156
 limitations, 156, 158
 uncertainty, 156
- DNA, parental *see* parental DNA
- DNA sequencing *see* sequencing DNA
- DNA structure, 8, 9
- DNA Technology in Forensic Science*
 (NRC), 45
- DNA Wars, 44–45
- domain irrelevant context, 139–140
- DQ α (DQA1) system, 48
- DTC *see* direct-to-consumer DNA kits
- dyes/visualization methods, 98–100
- EDNAP (European DNA Profiling Group),
 115, 117
- electropherograms, 53, 59, 60, 62
 allele peaks, 75–79, 84
 low copy numbers, 94
 STR typing, 63, 64, 69
 thresholds, 75–76
- electrophoresis *see* capillary
 electrophoresis; gel electrophoresis
- elimination samples, 18, 56–57, 74,
 101–102
- EMPOP (European mtDNA Population
 Database), 115, 117
- epigenetics, forensic, 136–137
- epithelial cells, 5
- ethical concerns, 137
- Europe, national databases, 80
- European DNA Profiling Group (EDNAP),
 115, 117
- European mtDNA Population Database
 (EMPOP), 115, 117
- European Network of Forensic Science
 Institutes (ENFSI), 80–83
- The Evaluation of Forensic DNA Evidence*
 (NRC), 45
- evidentiary samples, 5–6
- exclusions, persons of interest, 5–6, 23,
 33–34, 79
- externally visible characteristics
 (EVP), 152
- extraction *see* DNA extraction
- eye color, 152
- familial DNA searches, 83, 123–124,
 146–148; *see also* parental DNA;
 paternity testing
- FDP *see* forensic DNA phenotyping
- first-generation forensic DNA, 35–36, 49
 PCR, 46–48
 RFLP, 36–46
- first-degree relatives, 146

- flanking areas, STR, 60
forensic biology, 3
forensic DNA, emerging issues, 138, 153–154
 complex mixtures, 138–140
 contradictions, 143–144
 controversial cases, 144–146, 149–151
 familial DNA, 146–149
 forensic DNA phenotyping, 151–153
 proprietary software, 140–141
 reliability, 141–143
forensic DNA phenotyping (FDP), 126, 127, 151–153, 155
forensic epigenetics, 136–137
forensic genealogy, 128–129
forensic sampling, 17–19
forensic serology, 3
- gel electrophoresis, 27–28, 37–39, 53
genealogy
 commercial companies, 148–149, 153
 forensic, 128–129
 investigative genetic genealogy, 146, 148–149, 150
genetic imputation, 128–129
genetic marker systems, 22, 28
genetics and heredity, biological
 identification, 6–10
Genome Reference Consortium GRCh38
 human genome, 128
genotype identification, STR typing, 62–64, 63
genotypes/phenotypes, 20–21
 blood groups, 20–21
gloves, preventing contamination, 102
Golden State Killer, 149–151
Grim Sleeper, 147–148
- hair loss/hair type, 152
haplotypes/haplogroups, 109–110, 113;
 see also microhaplotypes
- hemp plants vs. marijuana plants,
 DNA, 135
heredity, rules, 10, 16, 20–21
heteroplasmy, mtDNA, 114
heterozygous types, 11
HLrisPlex system, 152
historical testing, 2–3
homozygous types, 11
Human Genome Project (HGP), 127
human trafficking, 2
hypervariable regions, mtDNA, 111
- identification see biological; casualty;
 genotype *and* individual
 identification
identity informative SNPs (IISNPs),
 126
inclusions, persons of interest, 5–6, 23,
 33–34, 79
indirect transfer of DNA, 103–104
individual identification, 126
inheritance patterns, 110–111
instrument performance, 66
internal size standard, 79
interpretation see data analysis and
 interpretation
investigative genetic genealogy (IGG),
 146, 148–149, 150
IrisPlex system, 152
isoenzymes, 26–28
- Jeffreys, Sir Alec, 39–41
judicial system, xix
junk DNA see non-coding DNA
justice vs. science, 156
- kinship analyses see familial DNA
 searches
- Landsteiner, Karl, 19
LCN see low copy numbers

176 INDEX

- legal issues
 DNA profiling, 35–36, 44–45
 software, 143–144
 STR typing, 62
- Lewinsky, Monica, 46
- likelihood ratios, 88–89
- lineage markers, 109–110, 124
 combined with autosomal DNA, 123–124
 inheritance patterns, 111
- linkage, SNPs, 130–131
- Locard's exchange principle, 97–98
- loci, STR, 51
- low copy numbers (LCN), 93, 94–97, 108
 Amanda Knox case, 105–106
- LTDNA (low template DNA) *see* low copy numbers
- M-Vac system, 107
- marijuana plants *vs.* hemp plants, DNA, 135
- mass fatality incidents, 131–133
- massively parallel sequencing (MPS), 128
- methodology, xx, 3, 107–108
- methylation, 136–137
- microbial forensics, 135–136
- microhaplotypes, 130–131
- migration maps, using mtDNA, 115–116, 117
- misconceptions/misunderstandings, xix, 1, 35–36, 70–72, 82–83, 138, 139, 156–158
- missing peaks, 77–79
- missing persons, 2, 152–153
- mitochondrial DNA (mtDNA), 6, 109, 111, 158
 analysis and interpretation, 113–115
 databases, 115, 117
 early cases, 112
 historical case – last Tsar, 116–119
 Rodriguez case, 25–26
 sequence data, 112–113
 mixed samples *see* complex mixtures;
 simple mixtures
 molecular probes, 39
 MPS (massively parallel sequencing), 128
 Mullis, Kary, 47
 multiplex kits, 62
 murder cases, 90, 91
- national databases, 157–158
 DNA profiles, 80–83
 search results *vs.* conclusions, 83–84
- National DNA Index System (NDIS), 80–81, 81
- negative controls, instrument performance, 66
- next-generation sequencing (NGS), 128, 130, 138
 case examples, 128–129
 drawbacks, 131
- Nicholas II (Russian tsar), 116–119
- non-coding DNA, 37, 39, 111, 156
- non-human DNA, 133
- non-recombining region, Y chromosome (NRY), 119–120
- nuclear DNA, 6–8
 vs. lineage markers, 111
- nucleotides, 8–10
- off-ladder alleles, 78–79
- organizations, forensic DNA community, 65–66
- Paradise, California, wildfire, 131–133
- parental DNA, 124
 autosomal STRs/lineage markers, 123–124
 lineage markers, 109–110
 mitochondrial DNA, 111–119
 patterns of inheritance, 110–111

- X-chromosome markers, 122–123
- Y-chromosome markers, 119–122
- partial matches, database searches, 83
- paternity testing, 2, 21–22
- PCR (polymerase chain reaction), 49, 57, 73
 - advantages, 46–48
 - amplification, 59, 77, 78, 94, 113, 127
 - early techniques, 48
- peaks, allele, 75–76, 77–79, 85–88
- persons of interest (POI), 2, 5–6, 23, 33–34, 79
- PGS systems *see* probabilistic genotyping software systems
- phenotypes/genotypes, 20–21
 - blood groups, 20–21
- phenotypic informative SNPs (PISNPs), 126, 127, 151–153
- plasma, 19
- polymerase chain reaction *see* PCR
- polymorphic antigens, 19–20
- population frequency data, 28–31, 32–33, 45, 68–72, **69**
- population samples, 71, 157
- positive controls, instrument
 - performance, 66
- President's Council of Advisors on Science and Technology (PCAST), 142
- presumptive testing, 4
- primary transfers, 17
- primers, amplification, 59, 60
- probabilistic genotyping software (PGS) systems, 77, 139–143
- probability and statistical approaches, xix–xx, 1, 157; *see also* likelihood ratios
 - rules of heredity, 10–16
 - variations, 144
- product rule, 14, **15**
 - blood and isoenzyme types, 28–31
 - independence, 33
 - secretor status/blood group, 23
 - STR loci, 51, 64
- profile frequency estimates, 68–72
- proprietary software, 140–141
- prosecution hypothesis, 89
- prostate-specific antigen (PSA), 5
- quality assurance and control (QA/QC), STR typing, 64–67, **65**
- quantitation, STR typing, 59
- questioned vs. known (Q vs. K) comparisons, 5–6, 76, 79–80
- random match probabilities, 12–13, **70, 72**
- rapid DNA instruments, 131–133
- rare/common types, 14–16
- rCRS *see* Cambridge Reference Sequence, revised
- red blood cells, 19
- reference samples, 5–6, 56–57, 74, 76, 88, 114, 146
- reference sequence, 128
- restriction enzymes, 37
- RFLP (restriction fragment length polymorphism), 36–37
 - drawbacks, 43–44
 - early cases, 39–46
 - mutation/mutation rates, 39
 - process, 37–39
- Rhesus (Rh) factor, 22
- Richard III (English king), 126–127
- Rodriguez case, 24–25
- Russian royal family tree, 118
- samples
 - collection/characterization, 56–57
 - comparisons, 5–6
 - control, 41, 61, **65, 66, 106, 144**
 - directed/targeted, 100

178 INDEX

- samples (cont.)
 elimination, 18, 56–57, 74, 101–102
 population, 71, 157
 preparation and interpretation, 72,
 131, 134
 reference, 5–6, 74, 76, 88, 101–102,
 114, 134, 146
- Sanger, Frederick, 112–113
- science vs. justice, 156
- secondary transfers, 17, 97–98
- secretors/non-secretors, 22–23, 25
 sexual assault cases, 33
- semen stains, 22–23, 72
- sequencing DNA, 127–128
 mtDNA, 112–113
 STRs, 129–130
- sexual assault cases, 90
 mixed samples, 58–59, 72
 pre-DNA investigations, 33
- short tandem repeats see STR typing
- simple mixtures, 84–88
- single nucleotide polymorphisms (SNPs),
 36, 109–110, 125–127
- software
 CODIS, 81, 82, 131–133, 157
 legal challenges, 143–144
 PGS systems, 77, 139–143
 proprietary, 140–141
 validation, 144
- standard operating procedure (SOP),
 66–67
- Starch Wars, 28
- statistical approaches see probability and
 statistical approaches
- sterilization, forensic laboratories,
 96–97, 102
- stochastic effects, 75–76, 94–96
- STR (short tandem repeats) typing, 37,
 50–51, 73, 157
 collection and characterization, 56–57
 commercial kits, 60–62
 current methods, 53–56
 dangers of contamination, 67
 extraction, 57–59
 first and last concept, 151
 genotype identification, 62–64
 identification of biological sex, 51–53
 interpretation, 68–72
 national databases, 82–83
 next-generation sequencing, 129–130
 quality assurance and control, 64–67
 quantitation and amplification, 59–60
 sexual assault cases, 72
 X-chromosome markers, 122–123
 Y-chromosome markers, 119–122
- stutter products, 78, 84, 96
- subjectivity, mixture interpretation,
 139
- successive classification, biological
 identification, 5
- surface depositions, 17–18
- swabbing, 57, 107
- taping, 107
- techniques/methodologies, xx, 3,
 107–108
- technologies, emerging, 125, 138
 case examples, 128–129, 134
 DNA and marijuana, 135
 DNA sequencing, 127–128
 drawbacks, 131
 forensic epigenetics, 136–137
 linkage and microhaplotypes, 130–131
 microbial forensics, 135–136
 non-human DNA, 133
 rapid DNA instruments, 131–133
 sequencing STRs, 129–130
 SNPs, 125–127
- thresholds, 75–76
 binary, 76
- trace/touch DNA, 93, 97–100, 108
 Amanda Knox case, 104–107

- indirect transfer, 103–104
- locating, 98–100
- low copy number, 94–97
- shedders, 102
- sources, 97–98
- tools and techniques, 107–108
- transfer/background/contamination, 100–103
- transfers, 98, 100–102, 103–104
 - Amanda Knox case, 104–107
 - chains/sequences, 17–18, 98
 - primary, 17
 - secondary, 17, 97–98
 - trace evidence, 97–98
- 23andMe, 80
- two-person mixtures, 84–88
 - major/minor contributors, 86, 87
- type probabilities, 12–13
- United Kingdom, national database, 80
- United States, national database, 80–81
- United States vs. Yee*, 44
- vacuum system, 107
- vaginal swab evidence, 72
- validation, software, 143, 144
- vasectomy, 72
- visualization methods, 98–100
- VNTR (variable number tandem repeats), 37, 39–41, 50
- white blood cells, 19
- Wraxall, Brian, 26
- X chromosomes, 51–53
- X-chromosome markers, 122–123
- Y chromosomes, 51–53
- Y-chromosome markers, 119–121, 158
 - case example – Thomas Jefferson, 121–122
- Y-STRs (short tandem repeats), 120
 - database searches, 146–147
 - mutation rates, 120