

# Index

- accuracy, 206
- activation function, 184
  - exponential linear unit (ELU) activation function, 198
  - hyperbolic tangent function, 196
  - leaky ReLU activation function, 197
  - ReLU activation function, 196
  - sigmoid activation function, 196
  - sigmoid function, 184
  - softmax activation function, 198
- adaptive neuro-fuzzy inference system (ANFIS), 233
- anfisedit – MATLAB, 240
- ant colony optimization, 160
- artificial intelligence, 252
- AutoML, 368
- batch, 318
- batch normalization process, 269, 318
- block diagram, 381
- Bode plot, 395
- central processing unit (CPU), 182
- characteristic equation, 376
- Cholesky decomposition, 111
- Classification Learner app – MATLAB, 333
- condition number, 112
- confusion matrix, 205
- confusion plot, 204
- conjugate gradient method, 125, 136
- conjugate directions, 125
- control, 8, 13
  - adaptive control, 8
  - ANFIS controller, 246
  - closed-loop feedback system, 392
  - constant feedback gain, 86
  - fuzzy logic control, 9
  - GA FL controller, 166
- data
  - damping ratio, 376
  - bias, 11
  - gerrymandering, 11
  - nominal data, 10
  - ordinal data, 10
  - structured data, 11
  - unstructured data, 11
- data augmentation, 270, 317
  - color augmentation, 278
  - noise, 279
  - reflection, 277
  - rotation, 271
  - sampling, 279
  - scale, 275
  - shearing, 277
  - translation, 274
- datastore – MATLAB, 285
- decision trees, 5, 347
  - information gain, 349
- deep learning, 3, 6
- deepNetworkDesigner – MATLAB, 295
- Diagnostic Feature Designer app – MATLAB, 327
- domain knowledge, 255
- Duhamel's integral, 379
- epoch, 318
- error constant, 387
- error function
  - binary cross-entropy (BCE) function, 194
  - cross-entropy error function, 194
  - Huber error function, 194
  - mean square error (MSE), 193
  - mean squared logarithmic error (MSLE), 194
- false negative, 204
- false positive, 204
- false positive rate, 206
- feature engineering, 323
- F-score, 206
- fuzzy inference system
  - fuzzyLogicDesigner – MATLAB, 63
  - partitioning method, 236
  - fuzzy inference systems
    - tune fuzzy inference system, 73
  - fuzzy logic, 13, 16
    - crisp set, 19
    - linguistic value, 23, 42
    - linguistic variable, 42
    - many-valued logic, 16
  - fuzzy logic control, 73
    - Takagi–Sugeno control, 82, 84
  - fuzzy reasoning, 42
    - antecedent, 46
    - consequence, 46
    - firing strength, 49
  - fuzzy conjunction, 42
  - IF–THEN, 46

- fuzzy set, 29
  - alpha-cut, 29
  - cardinality, 53
  - Cartesian product, 38
  - complement, 31
  - core, 39
  - degree of membership, 22
  - empty fuzzy set, 53
  - equal fuzzy set, 53
  - fuzzy relation, 38
  - included fuzzy set, 9
  - max-min composition, 40
  - max-product composition, 40
  - normal set, 318
  - null set, 21
  - singleton, 34
  - strong alpha-cut, 29
  - support, 328
- gain margin, 399
- genetic algorithm, 162
  - chromosome, 162
  - cross-over, 163
  - gene, 163
  - mating, 163
  - offspring, 164
  - weighted cost selection, 163
- gradient, 118
- gradient descent, 187
- gradient descent method, 119, 136
- graphics processing unit (GPU), 182
- Hessian matrix, 113, 135
- humps function, 208
- hybrid intelligent system, 225
- imageDatastore – MATLAB, 290
- intelligent systems, 2
- Jacobian, 118
- JONSWAP spectrum, 312
- kernel, 262, 267
- kernel trick, 330
- k*-means clustering, 5
- k*-nearest neighbor, 5, 336
  - Hamming distance, 337
  - Manhattan distance, 337
  - Minkowski distance, 337
- Laplace transform, 155, 380
- leave-one-out validation, 336
- Levenberg–Marquardt method, 131, 136
  - delayed gratification, 133
- linear regression, 341
  - goodness-of-fit value, 342
  - LASSO regularization, 342
  - ridge regression, 342
- local search, 143
- long short-term memory neural network, 256, 309
- loop gain, 393
- machine learning, 1, 13
- magnetic levitation system, 211
- Mamdani fuzzy inference system, 60
  - aggregation, 62
  - center of gravity, 167
  - disjunction, 61
  - fuzzification, 60
- maximum percent overshoot, 385
- membership function, 23, 52
  - Bell membership function, 28, 29
  - Gaussian membership function, 28, 30
  - Hedge, 42
  - interval-valued fuzzy set, 24
  - sigmoidal membership function, 28, 30
  - trapezoidal membership function, 26, 28, 29
  - triangular membership function, 28, 30
  - type 2 fuzzy set, 25
  - Z-shaped membership function, 28
- misclassification rate, 206
- mutual information feature selection method, 327
- naïve Bayes algorithm, 345
  - Bayes' theorem, 345
  - Laplace estimate, 347
  - m*-estimate, 347
  - posterior probability, 345
- naïve Bayes classifier, 5
- natural frequency, 376
- neural expert systems, 228
- neural network, 6, 177
  - AlphaGo, 177
  - axon, 217
- backpropagation, 189
- backpropagation algorithm, 190
- batch, 7
- bias, 198
- delta rule, 183
- dendrite, 6
- dropout, 258
- exploding gradient, 257
- feed-forward neural network, 180
- long short-term memory neural network, 181
- multilayered neural network, 187
- neuron, 6
- perceptron, 179, 217
- radial basis function neural network, 256
- recurrent neural network, 179
- single-layered neural network, 182
- spiking neural network, 182
- synapse, 6
- training set, 7
- validation set, 7
- vanishing gradient, 257
- neuro-fuzzy system, 231
- neuromorphic processing units (NPU), 182
- Newton's method, 121, 136
  - Newton step, 122
- nnstart – MATLAB, 199
- nonlinear autoregressive (NAR), 211
- nonlinear autoregressive w. exogenous input (NARX), 211
- normalization, 324
- optimization
  - Ackley function, 143
  - Bohachevsky function, 143
  - Easom function, 143
  - feasible region, 110
  - Griewank function, 143
  - heuristic optimization, 172
  - hill climbing, 145
  - necessary condition, 113, 115
  - nonsingular, 111
  - objective function, 109, 135
  - positive definite, 110

## 472     Index

- optimization (cont.)
  - positive semidefinite, 111
  - Rastrigin function, 143
  - Rosenbrock function, 123, 143
  - Schwefel function, 143
  - sufficient condition, 115
- outliers, 325
- overfitting, 13, 204, 258, 335, 342
- padding, 260
- particle swarm optimization, 150
- peak time, 385
- phase margin, 399
- piecewise linear approximations, 83
- Pierson–Moskowitz spectrum, 312
- positive definite, 135
- precision, 206
- prevalence, 206
- principal component analysis, 6
- Python – MATLAB, 359
- Quasi-Newton method, 127, 136
  - Broyden–Fletcher–Goldvarb–Shanno, 128
  - Davidson–Fletcher–Powell, 128
- radial basis function, 330
- rank, 111
- recall, 206
  - receiver operating characteristic (ROC), 206
- Regression Learner app – MATLAB, 343
- regularization, 195, 316, 342
- reinforcement learning, 3, 12, 351
  - action, 352
  - actor–critic method, 356
  - agent, 352
  - discount factor, 353
  - environment, 352
  - Markov decision process, 355
  - openAI Gym, 359
  - policy, 352
  - Q*-function, 354
  - Q*-learning algorithm, 356
  - reward, 352
  - state, 352
  - value function, 352
- Reinforcement Learning Designer
  - app – MATLAB, 358
  - rise time, 386
  - root locus, 393
- sector nonlinearity, 92
- sequential forward selection
  - algorithm, 326
- settling time, 385, 386
- specificity, 206
- stability, 8, 388, 399
  - asymptotically stable, 390
  - BIBO stability, 389
  - global asymptotic stability, 99
  - globally asymptotically stable, 97, 98
  - Lyapunov, 85
  - marginal stable, 390
  - Routh stability criterion, 390
- state-space, 85
- state-space model, 383
- steady-state error, 387
- steady-state response, 385
- steepest descent method. *See* gradient descent method
- subtractive clustering, 240
- Sugeno fuzzy inference, 68
- Sugeno fuzzy inference system, 69
- supervised learning, 3, 12, 13
- support vector machines, 5
- tabu search, 145
  - cycling, 145
  - promising list, 146
  - tabu list, 146
- tensor processing unit (TPU), 182
- transfer function, 380
- transfer learning, 302, 318
  - inductive transfer learning, 302
  - transductive transfer learning, 302
- transformation matrix, 271
- transient response, 385
- true negative, 204
- true negative rate. *See* specificity
- true positive, 204
- true positive rate. *See* recall
- Type I error, 206
- Type II error, 206
- underdamped system, 377
- unit impulse response function, 379
- unsupervised learning, 3, 12, 13
- Z-domain, 392