

Index

In the following, bold page numbers refer to figures; italicized page numbers refer to tables.

Abbe number, or <i>V</i> -value, 413, 713	atomic clock, 880	depth of field, 151–153
<i>ABCD</i> matrix, 71	atomic force microscope, 137	f-number, 150
propagation of Gaussian beams, 659–663	atomic structure, 197–199	pinhole, 147, 148
table of matrices, 77–78	autocorrelation, 363, 732	relative aperture, 149
aberrations, 62, 120–123, 685–716	Babinet’s principle, 775	candela, 893
astigmatism, 122, 687, 705–708	bandwidth	carbon dioxide laser, 617
chromatic, 122, 687, 709–716	of detector, 263	cardinal points, 68–69
coma, 122, 687, 700–704	of signal, 358	table of, 85
distortion, 122, 687, 708–710	barrel distortion, 708	carrier wave, 253, 476
due to single spherical surface, 690–695	beam expander, 142	Cartesian sign convention, 45, 65–66
due to thin lens, 695–696	beam splitter, 297	Cartesian surface, 62
field curvature, 122, 687, 705–708	beam spreading, 380–381	catadioptric telescope, 139
spherical, 121, 686, 697–700	beam waist, 178, 613, 651	Cauchy’s equation, 412, 811
absorption coefficient	beam width, 178, 649	centered system, 41
general, 547, 594	beats, 252, 254	chief ray, 112
hemoglobin, 862	Beer’s law, 580–581	chirality, 560
small-signal, 581, 807	Bessel function, 385–387, 387	chirped pulse amplification, 868–870
water, 862	binoculars, 141	chromatic aberration, 122, 687, 709–716
accommodation, eye, 896	birefringence, 534, 829	CIE chromaticity chart, 11
achromat, 123, 687, 711	crystals, 552–555, 555	CIE luminous efficiency function, 890
acousto-optic effect, 845, 848	blackbody radiation, 193–195	circle of confusion, 151
adaptation, eye, 896	blind spot, 890	circular birefringence, 560–564, 840
Airy disk, 386	Boltzmann distribution, 208–209, 588	circularly polarized light, 184
Airy function, 308	boundary conditions on fields, 327, 449–451	classic textbook sign convention, 44, 45
amplitude modulation, 476, 478	Brewster angle, 459, 548	coherence, 345–371
amplitude splitting, 278, 296	Brewster window, 550	coherence length, 267, 347, 352–362
anomalous dispersion, 256, 412, 552, 809	brightness, 16	degree of (general), 367
antinodes, 250	as color term, 11	for a nonlinear medium, 828
antireflection coating, 279, 329–335, 335	Brillouin scattering, 845	partial, 362–367
aperture stop, 104, <i>116</i>	stimulated, 852	spatial, or lateral, or transverse, 346
Arago spot, 757	burn pattern, 647	temporal, or longitudinal, 347
astigmatism, 122, 687, 705–708	calcite, 555, 556	time, 347, 360
eye, 904–905	camera, 146, 154 , 156	volume of, 347–348
		width, 346, 348–352

- color temperature, 195
 coma, 122, 687, 700–704
 communications systems, 475–480
 complex dielectric constant, *see*
 complex relative permittivity
 complex numbers, review of, 171
 complex refractive index, 801
 complex relative permittivity, 801,
 808
 complex representation of a quantity,
 172
 complex susceptibility, 801
 confocal parameter, 654
 conjugate points, 61
 constructive interference, 243
 convolution theorem, 393, 735
 Cornu spiral, 763
 cosmic background radiation,
 211
 critical angle, 31, 459, 481
 cross section, 580
 stimulated absorption, 585
 stimulated emission, 585
 cylindrical wave, 177–178
- data rate, *see* optical fibers: bit rate
 de Broglie wavelength, 7
 degeneracy
 of energy level, 208
 relative, 589
 degree of coherence (general),
 367
 degree of temporal coherence,
 363–367
 depth of field, 151–153
 destructive interference, 243
 detector
 bandwidth, 263
 noise in, 230
 of images, *see* image sensor
 optical radiation, 223–228
 photon, or quantum, type, 225
 thermal type, 224
 dielectric material, 278, 805–812
 diffraction, *see* Fraunhofer diffraction,
 Fresnel diffraction
 diffraction grating, 394
 equation, 397
 order, 397
 diffuse, 17
 digital pulse modulation, 476
 diode
 laser, 619–621, 860
 LED, 214–217
 dipole oscillator, 548–549,
 802–803
 directed distance, 69
 discharge lamp, 211, 212
- dispersion, 122, 255, 409, 494,
 811
 dispersion relation, 256
 dispersive power, 413, 713
 distortion, 122, 687, 708–710, **709**,
 710
 Doppler broadening, 187
 Doppler effect, 186–187, 597
 double-slit experiment, *see* Young's
 double-slit experiment
 Dove prism, 119
 dye laser, 618
- effective ray, 61
 Einstein *A* and *B* coefficients,
 582–585, 586
 Einstein relations, 588, 589
 electromagnetic spectrum,
 9–13
 electromagnetic wave, 179–183
 intensity of, 182
 elliptically polarized light, 184
 entrance pupil, 106–112, **116**
 entrance window, 115–116, **116**
 equal-inclination fringes, *see*
 Haidinger fringes
 equal-thickness fringes, *see* Fizeau
 fringes
 etalon, 309
 étendue, 18
 evanescent wave, 467–468
 excimer laser, 617–618, 863–864
 excited state, 198
 exit pupil, 106–112, **116**
 exit window, 115–116, **116**
 extended source, 23
 external reflection, 457–463
 extinction coefficient, 552, 801,
 807
 extraordinary ray, 557, **560**, 829
 eye
 astigmatism, 904–905
 corrective surgery, 905–907
 hyperopia, 901–903
 myopia, 899–901
 presbyopia, 903–904
 prescription, 904
 resolution, 390
 response to radiant energy,
 890–893
 schematic, 893–894
 structure, 887–890
 visual acuity, 897, **898**
 eye lens, 125
 eye relief, 128
 eyepiece, 125–129
 Huygens, 126
 Ramsden, 126–127
- Fabry–Pérot interferometer, 309, **320**
 coefficient of finesse, 311
 figures of merit, 427
 finesse, 313
 fixed-length, 310
 free spectral range, 313
 fringe contrast, 311
 resolution, 317
 table of parameters, 324
 transmittance, 311–315
 variable-length, 310–311
 far point, eye, 899
 Faraday effect, 839–845
 optical isolator, 844–845
 table of Verdet constants, 841
 Fermat's principle, 35–37
 fiber laser, 618–619, 860–863
 fiber optics, *see* optical fibers
 field curvature, 122, 687, 705–708
 field lens, 125
 field number, 128
 field of view, 113–114
 field stop, 114, **116**
 film
 double-layer, 331, **334**
 high-reflectance, 336, **338**
 multilayer, 325
 single-layer, 310, 329–331
 triple-layer, 334–335, **335**
 Fizeau fringes, 285–286
 fluorescence, **214**
 fluorescent lamp, 213–214
 f-number, 149, 670
 focal points, 68
 Fourier analysis
 bandwidth of a signal, 358
 Dirichlet theorem, 352
 discrete Fourier transform, 742
 fast Fourier transform, 742
 Fourier series, 352–355
 Fourier transform, 355–356,
 721–725
 Fourier transform spectroscopy,
 737–743
 of a periodic top hat function, 353
 of a single harmonic pulse,
 357–358
 spatial frequency analysis, 725,
 729, **729**
 Fourier transform spectroscopy,
 737–743
 resolution, 742
 with optical frequency comb, 743
 Fraunhofer diffraction, 372–404
 and Fourier transform, 721–725
 circular aperture, 384–389
 criteria for, 381, 752
 double slit, 391–394

- Fraunhofer diffraction (cont.)
 multiple slit, 394, **399**
 principal maxima, 396
 rectangular aperture, 382–384
 secondary maxima, 396
 single slit, 374–381
- Fraunhofer line, 406–408, **407**
- Fraunhofer wavelength, 134, 713
- frequency mixing, 830–831
- frequency modulation, 476, 478–479
- Fresnel diffraction, 747–776
 circular aperture, 752
 Cornu spiral, 765, **768**
 criteria for, 751–752
 half-period zone, 753
 single slit, 772–774
 straight edge, qualitatively, 761, **764**
 straight edge, quantitatively, 769–772
 wire, 773, 775
- Fresnel equations, 452–457
 for dielectrics, 455–456
 for metals, 468, **469**
- Fresnel rhomb, 465
- Fresnel zone, *see* half-period zone
- Fresnel zone plate, 758–762, 785
- Fresnel–Kirchhoff diffraction
 integral, 751
 phase advance, 757–758
- Fresnel's biprism, 276
- fringe
 pattern, 262
 visibility, 268
- Gabor zone plate, 784
- gain coefficient, 624
 general, 594
 small signal, 624
 threshold, 628, 630
- gain medium, 588
- gain saturation, 610
- Gaussian beam, 178, 646–681
 beam width, 651–653
 collimation, 667
 divergence, 654
 focusing, 669–670
 higher-order, Hermite–Gaussian, 670, **675**
 intensity profile, 653
 propagation, 659–663
 radius of curvature, 651–653
 stable cavity, 663–667
 wavefronts, 654, **656**
- grating
 angular dispersion, 425–426
 blazed, 428, **431**
 echelle, 430, **431**
 efficiency, 428
 figures of merit, 426, 427
 free spectral range, 423
 general equation, 420
 holographic, or interference, 436–437
 resolving power, 426
 spectral resolution, 426–427
- gravitational wave detector, 325
- ground state, 198
- group velocity, 255–257
- Haidinger fringes, 283
- half-period zone, 753
- half-wave plate, 528, 556
- harmonic wave, 167–170
 angular frequency, 169
 initial phase, 167
 period, 169
 phase, 167
 propagation constant, 167
 propagation vector, 174
 wavelength, 168
- helium–neon laser, 610
- Hermite differential equation, 671
- Hermite–Gaussian beam, 670, **675**
- Hermite polynomials, 672
- high-harmonic generation, 871
- high-reflection coating, 280
- hologram, 781–797
 applications, 792–797
 data storage, 795
 embossed hologram, 790
 holographic grating, 785, 790–793, **793**
 of an extended source, 786, 789
 of point source, in-line
 configuration, 784–786
 rainbow hologram, 790
 reconstruction, 787–789
 reference beam, 784, 786
 subject beam, 784, 786
 ultrasonic, 794, **795**
 volume hologram, 790, **793**
- homogeneous broadening, 594, 595–597
- Hubble Space Telescope, 146, 408, **685**, 700
- hue, 11
- Huygens' principle, 32–35
- Huygens–Fresnel principle, 373
- hyperopia, 901–903
- ICESat-2, 866–867
- image sensor, 228–231
- incandescent lamp, 212, **213**
- inhomogeneous broadening, 594, 597–598
- intensity, 14, 182
- interference
 constructive, 243
 destructive, 243
 from multilayer film, 325, **338**
 from parallel plate, 306–309
 from single-layer film, 278–284
 general case, 243–244
 interference term, 264
 order, 271
 term, 363
- interferogram, 720
- interferometer
 Fabry–Pérot, 309, **320**
 Fourier transform, 737
 Mach–Zehnder, 305
 Michelson, 297, **304**
 Twyman–Green, 304, **305**
- internal reflection, 457–463
- irradiance, *see* intensity
- Jacquinot advantage, 737
- James Webb Space Telescope, 147
- Jones matrices, 526–533
 table of, 532
- Jones vectors, 515–526
 table of, 524
- Kerr effect, 836–839
- Kerr lens mode-locking, 869
- Lambert's cosine law, 17
- Lambertian surface, 17
- laser, 594
 cavity, 607
 cooling system, 608
 directionality, 612–614
 dynamics, qualitative description, 608–610
 eye surgery, 905–907
 focusability, 614–615
 gain medium, 607
 gain saturation, 610
 intensity, 613–614
 light amplification, 625–626
 mode-locking, 615, 637–639
 operation, linear cavity, 630
 operation, on startup, 633–635
 operation, ring cavity, 627–630
 pump, 606
 Q-switching, 615, 635–637, **637**, 835
 rate equations, four-level system, 621–624
 saturation, 631–633
 spatial coherence, 612
 stability, 663–667

- table of various types, 616
 temporal coherence, 612
 laser cooling, 872–873
 laser trapping, 873
 lateral chromatic aberration, 123, 711
 lens
 aplanatic, 704
 Fourier transform, 725
 position factor, 696
 shape factor, 696
 thick, 48
 thin, 48
 lensmaker's equation, 55
 LIDAR, 865–867
 lifetime broadening, 595
 light-emitting diode (LED), 214–217
 linearly polarized light, 184, 517–518
 lineshape, 207–208, 582, 594–598
 linewidth, 207, 359, 494, 582
 liquid crystal display (LCD), 219–221
 Lloyd's mirror, 275–276
 localized fringe system, 285
 localized fringes, 283
 longitudinal chromatic aberration, 123, 711
 lumen, 891
 lux, 893
 Mach–Zehnder interferometer, 305, 504–507
 magnification
 angular, 124
 lateral, 46
 magnifier, 124
 microscope, 130–132
 magnifier, 123–125
 Malus' law, 545
 marginal ray, 107
 material constants, 576
 Maxwell's equations, 179, 327, 448–449, 805–806
 meridional ray, 61
 metals, light propagating in, 812, **817**
 Michelson interferometer, 297, 304
 microLED display, 222
 microscope, 129–136
 atomic force, 136, **137**
 classic-setup, 129
 condenser lens, 133
 electron, 136
 infinity-corrected, 130
 resolution, 134–136, 390–391
 superresolution, 136–139
 tube length, 130
 modes, 320
 laser, 322–323, 656–658
 of a standing wave, 251
 transverse, 673
 modulation transfer function, 736
 molecular structure, 200–203
 diatomic molecules, 200–202
 polyatomic molecules, 202, **203**
 Mueller matrices, 538
 table of, 539
 mutual coherence function, 363
 mutually coherent beams, 247, 266–268, 362
 mutually incoherent beams, 247, 266, 362
 myopia, 899–901
 near point, eye, 124, 896
 near-resonant illumination, 579
 broadband light, 586–588
 narrowband light, 590–593
 negative temperature. *See* population inversion
 Newton's rings, 6, 286–288
 Newtonian thin-lens equation, 58
 nodal points, 68
 nodes, 250
 nonlinear optics, 822–852
 frequency mixing, 830–831
 in fibers, 851–852
 Kerr effect, 836–839
 linear electro-optic coefficients, 833
 phase conjugation, 848–851
 Pockels effect, 832, **837**
 second harmonic generation, 824, 826–828
 table of processes, 826
 non-localized fringes, 273
 normal dispersion, 122, 412
 numerical aperture (NA), 132–134, 481
 Nyquist criterion, 742
 Nyquist–Shannon sampling theorem, 479
 objective lens, 105
 obliquity factor, 32, 750
 optic axis, 30, 553
 optical activity, 560–564
 angle of rotation, 560
 table for quartz, 564
 optical coherence tomography, 348
 optical computing, 733–734
 optical constants, 801
 optical density, 783
 optical fibers, 473–511
 acceptance cone, 481
 attenuation and regeneration, 486–490
 bandwidth–distance product, 475, 497
 bit rate, 477
 cladding, 481
 critical angle, 481
 graded-index (GRIN), 481, 492–493
 Mach–Zehnder interferometer, 504, **507**
 material dispersion, 494–497
 modal dispersion, 493
 numerical aperture (NA), 481
 polarization mode dispersion, 498–499
 propagation modes, 483–486
 single-mode, 485
 skip distance, 482
 table of characteristics, 483
 time-division multiplexing, 480
 waveguide dispersion, 497, **498**
 wavelength-division multiplexing, 480, 504
 optical frequency comb, 877–881
 optical parametric oscillator (OPO), 874–877
 optical path difference, 267, 279
 optical path length, 63
 optical pattern recognition, 730–734
 optical processing, 728–730
 optical rectification, 826–828
 optical spectrum analyzer. *see* Fabry–Pérot interferometer, variable-length interferometer
 optical transfer function, 736
 optical tweezers, 874
 ordinary ray, 557, **560**, 829
 organic LED display, 221
 oscillator strength, 810
 paraxial approximation, 59
 paraxial ray, 30
 Pellin–Broca prism, 418
 penetration depth, 468
 periodic poling, 830, 876
 petrographic microscopy, 514
 Petzval surface, 707
 phase change on reflection, 463–465
 phase matching, 828–830
 phase transfer function, 736
 phase velocity, 255–257
 phasor addition, 243–247, 753–756
 phonon, 205, 846
 photoelasticity, 564, 566
 photoelectric effect, 7
 photometry, 890–893
 table of quantities, 892

- photon, 7, 194, 196
 photon model, 576
 pincushion distortion, 708
 plane of incidence, 26
 plane polarized light, *see* linearly polarized light
 plasma frequency, 815
 Pockels effect, 832, **837**
 point source, 23
 point spread function, 735
 Poisson spot, *see* Arago spot
 polarization of a medium, 577, 801–805
 polarization of light, 183–186
 birefringence, 552–555
 circular, 184, 513, 518–521
 dichroism, 546–548
 due to birefringence, 557, **560**
 due to selective absorption, 546–548
 due to selective reflection, 548, **550**
 due to selective scattering, 550–552
 elliptical, 184, 513, 521–522
 linear, 184, 512, 518
 partial, 186, 513
 photoelasticity, 564, **566**
 table of Jones matrices, 532
 table of Jones vectors, 524
 table of Mueller matrices, 539
 unpolarized light, 186, 513
 polarizer
 half-wave plate, 528
 linear, 527, 528–530
 pile-of-plates, 549
 polarizing beam splitter, 558, **560**
 quarter-wave plate, 528
 rotator, 528, **529**, 531
 waveplate, 527, **528**, 530–531, 555, **556**
 polarizing angle, *see* Brewster angle
 population inversion, 588
 Porro prism, 119
 posterior capsulotomy, 864
 power spectrum, 358
 Poynting vector, 182
 presbyopia, 903–904
 pressure broadening, 595
 principal points, 68
 prism
 angular dispersion, 412–413
 figures of merit, 427
 minimum angular deviation, 410
 reflecting, 119, **120**
 refracting, 409–413
 resolving power, 416
 spectral resolution, 415–417
 total angular deviation, 409, **411**
 pupil, eye, 887
 Q-switching, 615, 635–637, **637**, 835
 quantum number
 angular momentum, 198
 principal, 198
 rotational, 202
 vibrational, 201
 quarter-wave plate, 528, 556
 quarter-wave stack, 280
 radiance, as radiometric term, 16–17
 radiant exitance, 14
 radiometry, 14–18
 table of quantities, 15, 892
 Raman scattering
 spontaneous, 579, 851
 stimulated, 851
 ray aberration, 687–690
 ray tracing, in complex systems, 91, 88–94
 Rayleigh range, 651
 Rayleigh resolution criterion, 135, 389, 416
 Rayleigh scattering, 551, 578
 ray-transfer matrix, 71, *see also* ABCD matrix
 real image, 24
 reference beam, 784, 786
 reflectance, 308, 458, 461–462
 reflection
 external, 30, 277, 457–463
 internal, 30, 277, 457–463
 law of, 26, 453
 mathematical expression, 249
 phase change, 463–465
 plane mirror, 39–40
 spherical surface, 40–45
 table of equations, 57
 table of results, 67
 total internal, 31, 459
 reflection coefficient, 277, 455
 refraction
 law of, 27
 plane surface, 30–31
 spherical surface, 49–50
 table of equations, 57
 table of results, 67
 refractive index, 27, 29, 181
 complex, 468, 552, 801, 807
 measurement of, 302
 of quartz, versus wavelength, **559**
 real, 801
 table of, for birefringent crystals, 555
 table of, for coatings, 334
 table of, for glasses, 714
 table of, for various substances, 28
 refractive power, 59–60
 relative permittivity, *see* complex relative permittivity
 relaxation oscillations, 635
 remote sensing, 865–867
 resolution
 spatial, 134, 389–391
 spectral, 134
 resolving power, 318
 resonant angular frequency, 804
 retarder, *see* polarizer, waveplate
 retinal implant, 890
 Ronchi ruling, 726
 rotatory dispersion, 562, 840
 saturation, 11
 saturation intensity, 624
 scattering, 550–552, 577
 elastic, 577
 inelastic, 577
 schematic eye, 893–894
 second harmonic generation, 824, 826–828
 Seidel aberrations, *see* aberrations
 Sellmeier equation, 811
 semiclassical model, 576
 semiconductor laser, *see* diode laser
 sinc function, 358
 skew ray, 61
 skin depth, 814–815
 Snell's law, 27, 453
 solar constant, 211
 Soleil–Babinet compensator, 556
 solids, quantum theory of, 203–207
 nearly-free electron model, 205
 tight binding model, 204
 solid-state laser, 618–619, 863
 spatial coherence width, *see* coherence width
 spatial frequency, 356, 721
 spectral energy density, 211, 582
 spectral width, *see* linewidth
 spectrometer
 grating, 431–434, **434**
 prism, 414–419, **414**, **420**
 spectrum, 9, 355
 spherical aberration, 121, 686, 697–700
 spherical wave, 176
 spontaneous emission, 584
 spot size, *see* beam width
 stability diagram, **666**
 standing wave, 248–252
 Stefan–Boltzmann law, 193
 stimulated absorption, 582–584
 stimulated emission, 584
 Stokes relations, 277–278, 456
 Stokes vectors, 537–538
 subject beam, 784, 786

sunlight, 210	total internal reflection, 31, 459	Van Cittert–Zernike theorem, 367
superposition principle, 240	transfer matrix, 325, 338	VanderLugt filter, 733
superresolution microscopy, 136–139	transition lineshape, 582, 594–598	variable-length interferometer, 310–311
surface current density, 451	Gaussian, 594	Verdet constant, 840, <i>841</i>
susceptibility, nonlinear, 824	Lorentzian, 594	vergence, 59–60
system matrix, 71, 78	transmission coefficient, 277, 456	vignetting, 114
symmetric sign convention, 665	transmittance, 308, 458, 461–462	virtual image, 24
telescope, 139–147	transparency, 577	volume charge density, 448, 805
Cassegrain, 143	transverse chromatic aberration, <i>see</i> lateral chromatic aberration	volume current density, 448, 805
Galilean, 139	transverse electric (TE), or s-polarized, light, 448, 452, 548	wave equation
Keplerian, 139	transverse magnetic (TM), or p-polarized, light, 448, 454, 548	one-dimensional, 166
Newtonian, 143	Twyman–Green interferometer, 304, 305	three-dimensional, 176, 648
resolution, 146, 389		wavefront, 173
Schmidt, 144, 145		wavefront aberration, 687–690
temporal coherence length, <i>see</i> coherence length		wavefront splitting, 278, 296
thick lens, 65–71		wavelength-division multiplexing, 480
thin-lens equation, 55		wave–particle duality, 5
third-order aberrations, <i>see</i> aberrations		Wien displacement law, 193
throughput, 18		
Ti-sapphire laser, 618, 868	ultrashort pulse production, 867–871	
time-division multiplexing, 480	undepleted pump approximation, 623–624	Young’s double-slit experiment, 6, 269–276
	unpolarized light, 186	