

## Index

- analytic moment, 4, 12–16, 22
- anchors, *see* calibration
- approaches to QCA, 206–211
  - case-oriented, 207–209, 212, 213, 218
  - condition-oriented, 207, 208, 212, 218, 220, 221
  - exploratory, 207, 208
  - idealist, 208, 209
  - realist, 208, 209, 215, 216
  - theory-evaluating, 207, 208
- asymmetric causation, *see* causal complexity
- Boolean algebra, *see* logical operations
- calibration, 9, 11, 22, 27–47, 59, 107, 109, 134, 139, 143, 145, 146, 171, 180, 202, 204, 205, 213, 214, 216, 220, 222
  - anchors, 31–32, 143, 144, 146, 214
  - crossover point, 33, 35, 42–44, 46, 47, 49–50, 106, 153
  - diagnostics, 47–50
  - direct method, 30, 33, 42–47, 222
  - inclusion of temporal dimension, 165
  - indirect method, 32
  - point of indifference, 50
  - qualitative data, 46
  - recoding method, 33, 35–36
- case selection, 10, 107, 213
- cases – robustness
  - extreme deviant coverage, 149
  - irrelevant, 149
  - possible deviant, 149, 150, 157
  - possible typical, 149, 150, 157
  - robust deviant, 149–151, 157
  - robust typical, 149–150, 157
  - shaky deviant, 149, 150, 157
  - shaky typical, 149, 150, 157
- cases – set-theoretic multi-method research
  - deviant consistency in degree, 72, 92
  - deviant consistency in kind, 70–72, 84, 92–93, 96, 101, 108, 116, 179, 205
  - deviant coverage, 99, 116
  - globally uncovered individually irrelevant, 194
  - individually irrelevant, 184, 194, 200
  - just-so typical, 196
  - types, 182–186
  - typical, 96, 116, 148, 172, 180, 189–191, 194–197, 203
  - uniquely covered typical, 194, 196
- cases – theory evaluation
  - consistent least likely, 174, 175
  - consistent most likely, 174, 175
  - covered least likely, 174
  - covered most likely, 174, 177
  - inconsistent least likely, 174
  - inconsistent most likely, 174
  - uncovered least likely, 174, 175, 177
  - uncovered most likely, 174, 175
- causal chains, 166–168, 171
- causal complexity, *see also* INUS, SUIN, 5, 8, 15, 80, 87, 112
  - asymmetry, 8, 15, 50, 65, 87, 120, 214
  - conjunctural causality, 15
  - conjunctural causation, 8, 50, 87, 112
  - equifinality, 8, 15, 50, 87, 112
- causal dependencies, 168
- causes-of-effects, 5–6
- cluster analysis, *see* cluster diagnostics
- cluster diagnostics, 159–164
  - pooled consistency, 159
  - within consistency, 159
- coincidence analysis (CNA), 166–171
- complement, *see* logical operations, logical NOT
- complementary conjunct, *see* set-theoretic multi-method research (SMMR)
- complex solution, *see* solution types, conservative solution
- concepts
  - basic-level concept, 54–56
  - classic approach, 54
  - concept extension, 55
  - concept intension, 55
  - concept structures, 54–56
  - conceptual meaningfulness, 33, 74
  - conceptualization, 10, 28, 31–32, 107
  - family resemblance structure, 55

- higher-order concept, 80, 132
- secondary-level criteria, 54–56
- substitutability, 55
- configuration, *see* causal complexity
- conjunction, *see* logical operation, logical AND
- conjunctural causation, *see* causal complexity
- consistency, *see* parameters of fit
- counterfactual, 125, 130–131, 185, 208–210, 214, 222
  - contradictory, 130, 132–134, 137, 139
  - difficult, 127, 129
  - easy, 127–131, 134, 138, 185
  - impossible remainder, 130, 134–135, 137, 139
  - simplifying, 125–134, 137
  - untenable, 130, 131, 137, 139
- coverage, *see* parameters of fit
- crisp sets, 11, 32, 36–38, 65–66, 88–89
- crossover point, *see* calibration
- difference in degree, 16, 33, 34, 42, 45, 59, 70
- difference in kind, 16, 32–35, 42, 45, 59, 68, 70, 72
- directional expectations, 123, 127, 128, 173
- disjunction, *see* logical operation, logical OR
- empirical importance, *see* parameters of fit
- empirical relevance, *see* parameters of fit
- Enhanced Standard Analysis, 123, 130–140, 209, 210, 222
- focal conjunct, *see* set-theoretic multi-method research (SMMR)
- fuzzy sets, 11, 32–34, 38–45, 66–68, 89–90
- good practices, 46, 84, 131, 180, 211–219
- hypothesis testing, *see* theory evaluation
- inclusion score, *see* parameters of fit
- inference, 17–18
  - cross-case evidence, 5, 125, 181, 199, 203, 206, 208, 218
  - within-case evidence, 5, 121, 172, 199, 200, 206, 208, 218
- INUS, 184–186, 194, 206, 218
- labeling sets, 47
- logical operations, 50–59
  - associativity, 57
  - commutativity, 57
  - De Morgan's law, 56, 57, 59, 134, 214
  - distributivity, 57
  - logical AND, 8, 51, 59, 105
  - logical NOT, 8, 52–53, 59, 134
  - logical OR, 8, 52, 59, 63, 80–83
  - rule of the excluded middle, 57, 59
  - logical remainder, *see* counterfactual
  - logistic function, *see* calibration, direct method
  - maximum rule, *see* logical operation, logical OR
  - measurement, 10, 11, 28, 30
  - minimum rule, *see* logical operation, logical AND
  - model ambiguity, 119–121, 126, 168, 176, 219
  - model specification, 9, 213
  - multi-value sets, 32, 34, 59, 109, 160, 184
  - parameters of fit, 16
    - consistency necessity, 64, 65, 69–70, 72, 74–76, 78, 79, 81, 82, 84, 85, 219
    - consistency sufficiency, 13, 87, 91–93, 95, 100, 101, 108, 110, 111, 115, 143–146, 151, 153–155, 158, 168, 170, 171, 173, 179, 182, 205
    - coverage necessity, 69, 72–76, 81, 85, 205, 219
    - coverage sufficiency, 87, 96–101, 115, 168, 170, 179, 182
    - PRI, 87, 93–96, 100, 101, 108, 110, 115, 179, 205
    - raw coverage, 99, 115
    - Relevance of Necessity (RoN), 64, 65, 69, 72–76, 81, 85, 96, 205, 210, 219, 222
    - solution coverage, 100, 115
    - unique coverage, 100, 115
  - point of indifference, *see* calibration
  - point of maximum ambiguity, *see* calibration
  - prime implicant, 112–114, 121, 168
  - prime implicant chart, 113, 121
  - primitive expression, 112–114, 120, 121
  - process tracing, 181, 185, 186, 189, 191, 200, 221
  - property space, 103, 104, 208
  - QCA as a technique, *see also* analytic moment, 144, 206
  - QCA as an approach, *see also* approaches to QCA, 144, 206
  - qualitative difference, *see* difference in kind
  - R functions
    - ambig.cases, 49
    - c, 79
    - calibrate, 38, 39, 43

- R functions (cont.)  
 causalChain, 167, 168, 171  
 cluster, 160, 163, 166, 171  
 cluster.plot, 162, 163, 171  
 compute, 55, 58  
 esa, 133, 134, 136, 140  
 factorize, 58  
 fuzzyand, 51  
 fuzzyor, 52, 83  
 hist, 40, 217  
 ifelse, 37  
 intersection, 58  
 list, 155  
 LR.intersect, 132  
 minimize, 114, 115, 120, 140, 151, 152, 155,  
 160, 165, 176  
 negate, 56, 57  
 pimplot, 82, 115, 217  
 plot, 43, 217  
 QCAfit, 76, 78, 79  
 QCAradar, 118, 217  
 read.csv, 35, 76  
 rob.calibrange, 152, 158  
 rob.cases, 157  
 rob.fit, 155, 158  
 rob.inclrange, 152, 158  
 rob.ncut range, 152, 158  
 rob.xyplot, 156, 158  
 round, 44  
 row.names, 48  
 simplify, 57  
 skew.check, 48, 49, 55, 83  
 smmr, 186–189, 191, 192, 194, 199, 200  
 stargazerSol, 114, 217  
 stargazerTT, 110  
 subset, 48, 49  
 superSubset, 81, 209  
 theory.evaluation, 173, 175, 176,  
 179, 200  
 truthTable, 110, 114, 140  
 venn, 217  
 write.csv, 45  
 xyplot, 77, 78, 217  
 raw data, *see* calibration, measurement  
 remainder, *see* counterfactual  
 remote and proximate conditions,  
*see* two-step QCA  
 research design, 9–11  
 robustness, 47, 144–158, 214, 219–220  
 case-oriented robustness, 148–151,  
 155–158  
 conceptual plausibility ranges,  
 146, 154  
 fit-oriented robustness, 148, 154–155  
 initial solution (IS), 146–147  
 Rob\_Case\_Rank, 151  
 robust core (RC), 146–147  
 robustness case ratio for deviant cases  
 consistency( $RCR_{dev}$ ), 151  
 robustness case ratio for typical cases  
 ( $RCR_{typ}$ ), 150  
 robustness fit consistency ( $RF_{cons}$ ), 148  
 robustness fit coverage ( $RF_{cov}$ ), 148  
 robustness fit set coincidence ( $RF_{SC\_minTS}$   
 and  $RF_{SC\_maxTS}$ ), 148  
 Robustness Test Protocol, 145, 151–158, 220  
 sensitivity ranges, 46, 146, 152–154  
 test set (TS), 146–147  
 rule of the excluded middle, 52–53  
 scope conditions, 10, 18  
 set intersection, *see* logical operations, logical  
 AND  
 set negation, *see* logical operations, logical  
 NOT  
 set relations, 6–9, 15–16, 203–206, 217, 218  
 set theory, *see* logical operations  
 set union, *see* logical operations, logical OR  
 set-theoretic multi-method research (SMMR),  
 5, 17, 116, 164, 170, 172, 180–200, 209,  
 210  
 simplifying assumption, *see* counterfactual  
 simultaneous subset relation, 92–96, 205, 209,  
 210, 214, 215  
 skewness, 47–49, 81–84, 94–95  
 solution types, *see also* Enhanced Standard  
 Analysis, Standard Analysis  
 conservative solution, 123–125, 129–130,  
 210, 216, 222  
 enhanced conservative solution, 136–137  
 enhanced intermediate solution, 133,  
 138–139  
 enhanced most parsimonious solution, 133,  
 137–138  
 intermediate solution, 123, 127–216  
 most parsimonious solution, 123, 125–127,  
 129–130, 151, 168, 208–210, 216, 222  
 Standard Analysis, 123–130, 209, 210, 222  
 SUIN, 63, 74, 75, 80–85, 132–134, 137, 206,  
 218, 222  
 temporal QCA (tQCA), 165  
 temporality, 164–170  
 theory evaluation, 172–180, 200, 210,  
 211, 222  
 trivialness, *see* parameters of fit

- 
- truth table, 13, 22, 87, 119, 121–123, 125, 126, 129, 133, 134
    - analysis, 13–15, 101–114
    - frequency cutoff, 106, 110, 122, 144–146, 151, 153–155, 171
    - raw consistency threshold, 108, 110, 144–146, 151, 153–155, 171
  - two-step QCA, 9, 164, 166, 203, 210, 211, 213, 221
  - unit of analysis, 10
  - unit of observation, 10
  - universal set, 52
  - universe of cases, *see also* scope conditions, 10, 140
  - untenable assumption, *see* counterfactual
  - validity
    - measurement validity, 30
  - variables, 35
  - Venn diagram, *see* visualization, Euler diagram
  - visualization, 65–68, 214, 216–218
    - 'Fiss-style' table, 118
    - 2 × 2 table, 66, 88
    - cluster plot, 162
    - Euler diagram, 65–66, 88, 149
    - flowchart, 119
    - histogram, 40
    - radar chart, 117
    - scatterplot, 43–44
    - XY plot, 16, 68, 77–78, 82, 89, 115–116, 180, 183–184
    - robustness, 149–150, 155–157