

Index

- A, B, C -splitting, 116
- $\mathbb{A}$, 5
 - $\mathbb{A}a$, 9
 - $\widehat{\mathbb{A}}$, 9
- a_f , 50
- adequate subset, 11
- algorithm comparison protocol, 250
- alternating projection, 16, 110, 140
 - gradient flows, 143
- angle, 3
- angles between two subspaces, 40
 - variational characterization, 41
- approximate reconstructions, 19
- attracting basin, 20, 251
- autocorrelation function, x
- autocorrelation image, 12,
- auxiliary information, 1
 - ℓ^1 -constraint, 19
 - adequate, 19
 - nonnegativity constraint, 19
 - support constraint, 19
- $B_{r_1}^1$, 19, 93
- B_+^+ , 85
- B_+^C , 148, 198
- B_S , 40
- $B_r(v)$, 297
- ball of radius r , 297
- center manifold, 119
 - hybrid iterative map, 18
 - linear case, 122
 - nonnegativity constraint, 193
 - support constraint, 165
- closest point map,
 - reflection defined by, 109
- conjugate index, 43
- convolution
 - support, 51
 - tangent bundle, 50
- d_{AB} , 17
- $d_{\mathbb{A}aB}$, 21
- DFT, 8
- difference map, 110
- discrete Fourier transform, 8
- discrete image, 22
 - convolution examples, 26
 - examples, 25
 - smoothness, 24
 - support, 23
 - support examples, 25
- discrete, classical, phase retrieval problem, 10
- ϵ -nonunique, 67
- ϵ -nonuniqueness, 76, 77
- ϵ -support, 23, 67
- ϵ_{mach} , 22
- empirical S^1 -mean value, 228
- Error reduction, 116
- Ewald sphere, ix
- external holography
 - direct Fourier method, 256
 - Holographic Hilbert Transform, 270
 - hybrid iterative method, 257
- $\check{f}$, 41
- Fourier transform, ix
- geometric Newton's method, 42, 264
- Gerchberg–Saxton algorithm, 16

- H -matrix, 116
- Hölder continuity, 65
- Hölder estimate, 65
- hard edge, 250
- hard object, 22
- Hayes' Uniqueness Theorem, 10
- HHT, 135, 270
- Hilbert transform, 135
 - discrete implementation, 271
- HIO, 110
- holographic measurement
 - 1D, 137
 - 2D, 137
 - more realistic, 137
- Holographic Hilbert Transform, 135
- hybrid input-output map, 110
- hybrid iterative algorithm, 118
- hybrid iterative map, 17, 111
 - approximate reconstructions, 19
 - chaotic behavior, 175
 - fixed point, 166
 - global phase, 20, 120
 - linearization, 167
 - local phase, 20, 120
 - nonintersecting linear case, 127
 - principal component analysis, 210, 214
 - residual, 19
- image
 - continuous, ix
 - discrete, 8, 22
- inversion, 9
 - discrete image, 41
- irreducible polynomial, 11
- J -periodic,
 - J -periodic extension, 9
- Kato–Trotter product formula, 143
- ℓ_1 -norm, 93
- landscape, 113
- linearization
 - $P_{\mathbb{A}_a}$, 167
 - along the center manifold, 165
 - eigenvalues at an attracting fixed point, 170
 - Newton's method, 264
 - phase retrieval problem, 42
- Lipschitz estimate, 65
- Lipschitz local inverse, 14
- $\mathcal{M}$, 13, 66
- $\tilde{\mathcal{M}}$, 66
- machine epsilon, 22
- magnitude torus, 5, , 39
- mean value
 - S^1 -valued, 228
- measurement map, 13, 66
 - restricted, 66
- microlocal nonuniqueness, 80
- monomial degree, 10
- nearest point map, 16
 - B_r^1 , 203
 - B_+ , 148
 - B_S , 148
 - $\mathbb{A}_a$, 147
- Newton's method
 - geometric, 42, 264, 265
 - optimization, 265
- nonnegativity constraint, 85
- nontransversal intersection, 15, 41, 63
 - convolution, 15
 - inversion symmetry, 15
- nonuniqueness, 77
 - reducible $\mathbf{Z}$ -transform, 77
 - strict positivity, 86
- normal bundle,
 - fiber, 62
- normal space to $\mathbb{A}_a$, 43
- p -pixel neighborhood, 25, 49
- periodic convolution, 50
- periodic extension, 9
- phase, 3, 228
- phase error histogram, 208
- phase retrieval problem, 1
 - classical, 3
 - discrete classical, 10
 - generalized, 3
- phasors, 228
- polynomial
 - irreducible, 32
 - reducible, 32
- polynomial degree, 10
- positivity constraint, 11
- reducible polynomial, 11
- reflection, 17
- relative condition number, 7
- residual
 - hybrid iterative map, 173

small support, 10	tangent space to $\mathbb{A}_a$, 43
smoothness, 24	dimension, 44
soft object, 22	translate
spike	continuous image, 3
one-dimensional- δ , 137, 278	discrete image, 41
two-dimensional- δ , 137, 280	translation, 9
Bessel, 285	transversal intersection, 6, 62
Gaussian, 284	transversality,
stagnation, 17,	trivial associates
submanifold of $\mathbb{R}^n$, 60	continuum case, 3
subset	discrete case, 9
adequate, 19	
rectangular, 8	uniformly distributed subset of $\mathbb{A}_a$, 226
support, 10	in practice, 230
constraint, 10, 40	uniqueness
estimate, , 66	nonnegative image, 90
	support, 10
$\tau_f^{(v)}$, 50	
τ_f^α , 50	variance
tangent bundle, 6,	points on a circle, 229
fiber, 6, 61	
tangent space, 39, 61	Z-transform, 10, 77