

## Index

- CP* eigenstates
  - neutral kaons, 928
- CP* violation
  - in leptonic sector, 949
  - in neutral kaon system, 929
  - in quark sector, 926
  - relation to CKM matrix, 933
- CPT*
  - theorem, 11
- $C_F$ , 556
- $D$ -dimensional integral, 1044
- $D_\mu$ , 318, 761, 763
- $F^{\mu\nu}$  electromagnetic field tensor, 305
- $G_E$ ,  $G_M$ , 509
- $G_F$ , 660
- $J/\Psi$ , 633
- $K_S^0 - K_L^0$ 
  - properties of, 487
- $P_L$ ,  $P_R$  operators, 241
- $P_{qq}$ ,  $P_{qg}$ ,  $P_{gg}$ , 587–589
- $R_\infty$ , 1016
- $S$  matrix, 131, 262, 319
- $SU(2)$ 
  - isospin  $I = 1$  triplet, 526
  - isospin  $I = 1/2$ , 524
  - ladder operators, 525
- $SU(3)$ 
  - baryon decuplet, 530
  - baryon octet, 529
  - flavor symmetry, 526
  - ladder operators, 527
  - meson multiplet, 529, 530
  - structure constants  $f^{abc}$ , 528
- $SU(3)_{color}$ , 539
- $SU(6)_{flavor}$ , 538
- $W^2$ , 513
- $W^\pm$  boson
  - discovery, 842
  - measurements, 845
- $X_0$  length, 48
- $Z^0$  boson
  - discovery, 842
  - lineshape, 854
- $\Delta(1232)$  resonance
  - discovery of, 493
- $\Delta^{++}$  resonance, 540
- $\Upsilon$ , 645
- $\alpha$ -rays, 23
- $\alpha_s$ , 561
  - running, 578
- $\bar{\Lambda}$ 
  - discovery of, 491
- $\beta$  matrix, 213
- $\beta$ -rays, 23
- $dLips$ , 165
- $\delta_{ij}$ , 988
- $\epsilon^\mu$ , 308
- $\epsilon_{ijk}$ , 987
- $\eta$ ,  $\phi$ , 615
- $\gamma$  matrices, 216, 1036
- $\gamma$ -rays, 23
- $\gamma^5$  matrix, 241, 1036
- $\lambda_a$  matrices, 528
- $\nu$ ,  $Q^2$ , 500
- $\phi^4$  theory, 285
  - Feynman rules, 290
  - scattering, 288
- $\tau - \theta$  problem, 694
- $\vec{\alpha}$  matrices, 213
- $b$  quark mass, 647
- $b$ -tagging, 648, 649
- $c$  quark mass, 642
- $c_V^f$  and  $c_A^f$ , 800
- $e^\pm$ -proton scattering, 607
- $f^{abc}$ , 528
- $g$ -factor, 126, 441
- $g_{\mu\nu}$ , 1028
- $s,t,u$ , 353
- $x,y$ , 517, 519
- $x_F$ , 627
- $\mathcal{M}$  amplitude, 262
- $\mathcal{T}$  matrix, 262
- 't Hooft, Gerard, 411
- PYTHIA, 151, 154, 600, 619
- FeynCalc and FeynArts, 365
- Abelian group, 995
- accelerator, 61
  - Cockcroft–Walton generator, 61
  - collider, 65
  - cyclotron, 63
  - focusing, 65
  - Greinacher voltage multiplier, 61
  - isochronous cyclotron, 64
  - neutrinos from, 677
  - repeated application of time-varying field, 62
  - resonance acceleration, 62
  - synchrocyclotron, 64
  - synchrotron, 64
  - Van de Graaff generator, 62
- action, 184
- action at distance, 3
  - finite range, 466
- activity
  - of a source, 25
- Aharonov–Bohm effect, 130
- algebra
  - Clifford, 216
  - Lie, 997

- Lorentz group, 194
- spin operator, 124
- alpha-rays, 23
- Altarelli, Guido, 588
- Altarelli–Parisi equations, 585
- Alvarez, Luis Walter, 65
- amplitudes
  - automatic computation, 364
  - invariant, 338
- anapole moment, 439
- Angström, Anders Jonas, 17
- angular momentum, 115
  - operator, 115
- anomalous magnetic moment, 439, 442
- antibaryon, 489
- anticommutator, 213
- antiproton
  - discovery of, 489
- asymmetry
  - forward–backward, 361, 422, 856
  - left–right, 857
- asymptotic freedom, 549, 578
- atoms
  - exotic, 470
  - hydrogenic, 470
  - muonic, 470
  - pionic, 470
  - structure of, 29
- Avogadro, Amedeo Carlo, 33
- axial vector, 9
- B meson, 645
  - b*-tagging, 648, 649
- Balmer, Johann Jakob, 17
- Bargmann–Michel–Telegdi equation, 443
- barn, 13, 76
- baryogenesis, 924
- baryon, 489
  - decuplet, 530
  - definition of, 467
  - number, 482
  - octet, 529
- Becquerel, Antoine Henri, 22
- beta-rays, 23
- Bethe, Hans Albrecht, 51, 54
- Bethe–Bloch formula, 51
- Bhabha scattering, 352, 419
- Bhabha, Homi Jehangir, 352
- Bhagavantam, Suri, 309
- bilinear covariant, 257
- BIPM, 13
- Bjorken
  - x,y*, 517, 519
  - scaling, 520
  - scaling variables, 519
  - scaling violation, 585
  - sum rule, 606
- black-body radiation, 18
- Blackett, Patrick Maynard Stuart, 229
- Bloch vector, 128
- Bloch, Felix, 51
- Bohr magneton, 126
- Bohr, Niels Henrik David, 107, 657
- Boltzmann constant, 20
- Boltzmann, Ludwig Eduard, 20
- Born
  - approximation, 132
- Born, Max, 107, 303
- Bose, Satyendra Nath, 308
- boson
  - free fields, 197
  - Goldstone, 774
- Bothe, Walther Wilhelm Georg, 43
- bottom
  - hadrons, 645
    - decay modes, 647
    - fragmentation, 647
    - quark, 645
- bottomonium
  - spectroscopy, 645
- bound states, 449
- box diagram, 390, 927
- Boyle, Willard Sterling, 92
- branching ratio, 25
- Braun, Karl Ferdinand, 22
- Breit frame, 542
- Breit, Gregory, 273
- Breit–Wigner
  - collision broadening, 112
  - Doppler broadening, 112
  - generalized, 272
  - natural width, 112
- relativistic distribution, 273
- shape, 111
- Brout, Robert, 793
- Bunsen, Robert Wilhelm Eberhard, 17
- Cabibbo mixing, 715
- Cabibbo–Kobayashi–Maskawa matrix, 751
- Callan, Curtis Gove, 547
- Callan–Gross relation, 547
- calorimeters, 82
  - electromagnetic, 82
  - hadronic, 84
- canonical
  - energy and momentum, 190
  - momentum, 185
- cascade
  - electromagnetic, 82
  - hadronic, 84
- Casimir
  - effect, 205
  - trick, 343, 356, 719
- Casimir, Hendrik Brugt Gerhard, 339
- cathode-ray tube, 22
- causality, 277
- Cavendish, Henry, 17
- CCD, 92
- Chadwick, James, 44
- chamber
  - drift, 87
  - ionization, 78, 86
  - of Wilson, 79
  - tracking, 86
- Chambers, Robert, 130
- charge
  - conjugation, 8, 120
  - conservation, 190
  - leptonic, 675
- charged particles
  - interactions with matter, 49
- charged-coupled device, 92
- charm
  - hadrons
    - fragmentation, 642
    - lifetime, 642

- properties of, 640
- quark, 633
- charmonium, 636
  - spectroscopy, 643
- Charpak, Georges, 86
- Cherenkov
  - detectors, 88
  - imaging detector, 100
  - radiation, 55
- Cherenkov, Pavel Alekseyevich, 55
- chiral
  - interactions, 257
  - projection operator, 241
  - representation, 214, 240
  - structure of QED, 332
- chirality and helicity
  - relation, 249
- circular polarization, 310
- CKM matrix
  - unitarity triangle, 935
- Wolfenstein
  - parametrization, 927
- classical electron radius, 40, 384
- Clebsch, Rudolf Friedrich Alfred, 1025
- Clebsch–Gordan coefficients, 1025
- CLIC, 71
- Clifford
  - algebra, 216
- Clifford, William Kingdon, 216
- Cline, David Bruce, 842
- closed loop, 329
- cloud chamber, 79
- CMOS pixel detectors, 92
- Cockcroft, John Douglas, 61
- Cockcroft–Walton generator, 61
- CODATA, 12
- coefficient
  - of Townsend, 78
- collider, 65
  - B* factories, 647
  - CERN *SppS*, 842
  - DORIS, 66
  - experiments at, 92
  - factory, 76
  - FCC, 71
- future, 71
- hadron, 71
- ILC, 71
- KEKB, 647
- LEP, 68
- lepton–hadron, 73
- leptons, 66
- LHC, 61, 65, 71
- luminosity, 75
- muon, 71
- PEP, 66
- PEP-II, 647
- PETRA, 66
- RHIC, 71
- SLC, 68, 70
- TRISTAN, 66
- collisions
  - W/Z* production, 817
  - WW* and *ZZ* production, 830
  - WW* production, 823
  - $e^+e^-$ , 350, 352
  - Bhabha scattering, 352
  - Drell–Yan, 626
  - hard hadron–hadron, 612
  - head-on, 34
  - heavy lepton pair creation, 350
  - inertial frame of reference, 155
  - proton–(anti)proton, 615
  - relativistic, 166
- color, 553
  - colorless state, 539
  - confinement, 533, 539, 579
  - evidence of, 539
  - factor, 556, 564
- commutation rules, 108
  - equal time, 202
- Compact Linear Collider, 71
- completeness relation
  - for Dirac spinors, 225
  - for photon, 326
  - for photons, 315
- complex Klein–Gordon field
  - quantization, 206
- complex scalar field, 188
- composite particles, 1
- compositeness, 424, 982
- Compton scattering, 41, 380
- edge, 386
- Klein–Nishina formula, 384
- wavelength, 43
- Compton, Arthur Holly, 41, 303
- concordance model, 985
- conservation
  - baryon number, 489
  - charge, 190
  - current, 190
  - laws, 5
  - lepton number, 675
  - rules in hadron decays, 496
- conserved vector current (CVC), 677, 756, 879
- constants
  - fundamental, 13
- continuity equation, 110, 191
- continuous transformations, 5
- contraction
  - of the Dirac field, 294
- contravariant vector, 145
- cosmic microwave background, 985
- cosmic rays, 468
  - positron, 229
  - power law, 468
- Coulomb gauge, 308
- counters
  - Cherenkov, 88
  - Geiger, 78
- coupling constant, 263
  - running, 403, 578
  - strong, 466
  - weak, 718
- covariance, 189
  - Dirac equation, 238
- covariant
  - bilinear, 257
  - continuity equation, 191
  - derivative
    - Higgs field, 793
  - derivative  $D_\mu$ , 318, 561, 761, 763
  - equation, 189
  - form of Dirac equation, 216
  - vector, 145

- Cowan, Clyde Lorrain, 671  
 creation and annihilation operators, 203  
 cross-section, 30  
 $W^\pm, Z^0$  bosons discovery, 842  
 automatic computation, 364  
 Bhabha scattering, 364  
 charged current  $e^\pm p$  scattering, 610  
 differential, 31  
 Drell–Yan, 629  
 heavy lepton pair creation, 364  
 inverse beta decay, 667  
 inverse muon decay, 738, 841  
 Møller scattering, 364  
 neutral current  $e^\pm p$  scattering, 609  
 neutrino quasi-elastic scattering, 879  
 neutrino–nucleon, 873  
 neutrino–nucleon deep inelastic neutral current, 895  
 neutrino–nucleon deep inelastic scattering, 888  
 neutrino–nucleon scattering, 881  
 Rutherford, 35  
 tau neutrino–nucleon, 690  
 thin target, 33  
 total, 32  
 trace technique, 343  
 unpolarized, 343  
 weak quasi-elastic, 677  
 crossing symmetry, 353  
 Møller and Bhabha reactions, 355  
 Curie Skłodowska, Marie, 23  
 Curie, Pierre, 23  
 Curie-Joliot, Irène, 43  
 current conservation, 190  
 cutoff regularization, 395  
 cyclotron, 63 condition, 63  
 frequency, 63, 442  
 Dalitz plot, 176 resonance production, 177  
 Dalitz, Richard Henry, 176  
 dark energy, 985  
 dark matter, 984  
 Davisson, Clinton Joseph, 104  
 de Broglie, Louis, 3, 303  
 decay  
 $W^\pm$  boson, 809  
 $Z^0$  boson, 811  
 beta, 659  
 beta decay rate, 664  
 beta half-life, 664  
 branching ratio, 25  
 chain, 26  
 comparative half-life, 665  
 double- $\bar{\beta}$ eta, 978  
 into two photons, 161  
 inverse beta, 665  
 law of radioactive, 24  
 lifetime, 172  
 neutrinoless double- $\bar{\beta}$ eta, 978  
 partial width, 24  
 rate, 172  
 width, 172  
 $\pi^0 \rightarrow \gamma\gamma$ , 540  
 Yukawa, 295  
 deep inelastic scattering, 512, 607  
 kinematical variables, 513, 517  
 of neutrinos, 888, 895  
 parton distribution function, 544  
 parton model, 544  
 polarized, 603  
 structure functions, 518, 520, 521, 611  
 deep underground laboratories, 100  
 Dehmelt, Hans Georg, 443  
 Demokritos, 1  
 detectors  
 ALEPH, 849  
 calorimeters, 82  
 CDF, 906  
 CDMS, 100  
 charged-coupled device, 92  
 Cherenkov, 88  
 cloud chamber, 79  
 CMOS pixel, 92  
 DØ, 907  
 DELPHI, 849  
 DONUT, 690  
 emulsion cloud chamber, 690  
 H1, 607  
 infinite mass, 82  
 L3, 426  
 luminosity monitor, 430  
 massless, 86  
 microstrip silicon, 91  
 OPAL, 849  
 photographic emulsions, 473, 690  
 sampling calorimeter, 84  
 scintillators, 80  
 semiconductor, 89  
 SLC, 849  
 solid-state, 89  
 Super-Kamiokande, 100  
 tracking, 86  
 UA1 and UA2, 844  
 ZEUS, 607  
 deuteron, 476  
 DGLAP evolution equations, 585 splitting functions, 588  
 differential cross-section, 31  
 diffusion cloud chamber, 80  
 dimensional regularization, 411  
 dipole form factor, 503  
 dipole magnet of the LHC, 72  
 Dirac  $\delta$  function, 989  
 Dirac  $\gamma$  matrices, 1036 definition, 216 properties, 1036 slash notation, 217  
 Dirac equation, 215 adjoint, 218 charge conjugation, 247 covariance, 238 covariant form, 216 CPT, 248 current density, 218 derivation of, 212

- free solution, 219  
 hole theory, 228  
 hydrogen atom, 450  
 in an external electromagnetic field, 219  
 Lagrangian, 253  
 matrix form, 217  
 moving particle, 221  
 negative energy solution, 231  
 parity transformation, 243  
 particle at rest, 220  
 postulate, 212  
 relation to Klein–Gordon equation, 217  
 slash notation, 217  
 spin states, 226  
 time reversal, 245
- Dirac field  
 color, 554  
 contraction of, 294  
 magnetic moment, 440  
 quantization of, 255
- Dirac spinor  
 adjoint, 218  
 completeness relation, 225  
 definition of, 215  
 helicity, 235  
 normalization,  
     orthogonality,  
     completeness, 224  
 spin projection operator, 251
- Dirac, Paul Adrien Maurice, 5, 212, 303
- discovery  
 electron, 28  
 gluon, 596  
 neutron, 43  
 positron, 229
- doped semiconductors, 90
- Doppler broadening, 112
- double beta decays, 978
- Drell–Yan  
 cross-section, 629  
 definition, 626  
 in electroweak theory, 859  
 QCD corrections, 629  
 scaling properties, 632
- drift chamber, 87  
 drift velocity, 78  
 dual particle–wave nature, 3, 103, 108  
 duality, 105  
 Dyson  
     resummation, 287  
     time-evolution operator, 113  
     time-ordering operator, 114, 991  
 Dyson, Freeman John, 113
- ECTR, 202
- effective Lagrangian method, 976
- eightfold way, 524
- Einstein summation notation, 987
- Einstein, Albert, 1
- elastic scattering  
 electron–proton, 498  
 form factors, 501  
 kinematics, 499  
 of neutrinos, 879
- electric dipole moment, 439
- electric term, 336
- electromagnetic cascade, 82
- electromagnetic field tensor  
 $F^{\mu\nu}$ , 305
- electromagnetic form factor, 438
- electromagnetic potentials  
 significance of, 129
- electron, 28  
 capture, 665  
 classical radius, 40, 384  
 compositeness, 424  
 diffraction, 103  
 discovery of, 28  
 excited, 425, 433  
 interactions with matter, 54  
 intrinsic parity, 119  
 magnetic moment, 442  
 mobility, 78  
 polarization, 127  
 positive, 229  
 QED scattering, 349  
 self-energy, 406
- spin, 123  
 electron–parton scattering, 542  
 electron–positron annihilation  
 $R_{\mu\mu}$ , 420  
 Bhabha scattering, 352, 364, 419  
 differential cross-section, 364  
 electroweak contribution, 812  
 forward–backward asymmetry, 421  
 gluon, 596  
 heavy lepton pair creation, 350  
 heavy lepton pair production, 812  
 helicity conservation, 367  
 into hadrons, 592  
 into two photons, 372, 430  
 three-jet events, 596
- electron–proton scattering, 498, 515
- electric and magnetic form factors, 509
- form factor, 501
- neutral current, 609
- polarized, 783
- Rosenbluth formula, 503
- weak charged current, 610
- electronvolt, 4
- electroweak theory, 4, 778  
 $SU(2)_L \times U(1)_Y$  local gauge, 785
- $W/Z$  production, 817
- $WW$  production, 862
- $W^\pm$  boson decay, 809
- $Z^0$  boson decay, 811
- $c_V^f$  and  $c_A^f$ , 800
- Brout–Englert–Higgs mechanism, 793
- Drell–Yan, 859
- effective weak mixing angle, 835
- fermion couplings to gauge bosons, 798
- fermion masses, 792, 795
- Feynman diagrams, 798
- forward–backward asymmetry, 814, 856

- free parameters, 834
- gauge bosons, 785, 792
  - self-coupling, 796
- heavy lepton pair
  - production, 812
- heavy quark
  - measurements, 857
- Higgs boson, 911
  - discovery, 915
  - mass fit, 914
- Higgs field, 793
- higher-order corrections, 902
- hypercharge  $Y$ , 786
- Lagrangian, 792
- left and right-handed
  - couplings, 800
- left-right asymmetry, 857
- number of neutrinos, 860
- precision global fit, 921
- precision tests, 854
- QED radiative
  - corrections, 816
- spontaneous symmetry
  - breaking, 793
- tau polarization, 857
- top mass fit, 903
- trilinear and quadrilinear
  - gauge boson
  - coupling, 801
- vector and axial vector
  - couplings, 800
- Weinberg angle, 787
- Yukawa coupling, 795
- elementary
  - particles, 1
  - unit charge, 1
- Ellis, Jonathan Richard, 597
- energy
  - canonical, 190
  - missing transverse, 94
  - zero-point, 205
- energy-momentum
  - four-vector, 149
  - tensor, 190
- Englert, François, 793
- equal time commutation rules (ECTR), 202
- equation
  - continuity, 110, 191
- Dirac, 215
- Klein-Gordon, 197
- of relativistic motion, 185
- Pauli, 125
- Schrödinger, 109
- Euler, Leonhard, 185
- Euler-Lagrange
  - equations, 184, 185
  - relativistic equation, 188
- exchanged virtual boson
  - of electromagnetism, 322
  - of strong force, 466
  - of weak force, 714
- excited
  - electron, 425
  - leptons, 433
- exotic atoms, 449, 470
- experiments
  - ALEPH, 66
  - ALICE, 66
  - at the LHC, 96
  - ATLAS, 66, 93, 96, 97
  - BaBar, 647
  - BEBC, 886
  - Belle, 647
  - BNL-Columbia, 679
  - CCFR, 886
  - CDF, 906
  - CDHS, 886
  - CHARM, 886
  - CMS, 66, 96, 97
  - CPLEAR, 932
  - DØ, 907
  - DELPHI, 66
  - DONUT, 688
  - H1, 73, 607
  - L3, 66, 426
  - Lamb-Rutherford, 457
  - LHCb, 66, 77
  - long-baseline neutrino
    - oscillations, 946
  - neutrinoless double-beta, 978
  - NuTeV, 898
  - OPAL, 66
  - SLAC-MIT, 512
  - spin precession, 442
  - spin resonance, 442
  - T2K, 946
  - UA1 and UA2, 844
- Wu's parity violation, 696
- ZEUS, 73, 607
- exponential integrals, 1041
- external legs contraction
  - QED, 320
- Yukawa theory, 296
- FCC, 71
- femtobarn, 13
- Fermi
  - weak coupling constant, 660
  - allowed transitions, 693
  - coupling constant  $G_F$ , 660
  - precise determination, 729
  - four-point weak interaction, 659, 676
  - Golden Rule, 134
  - integral  $f$ , 664
- Fermi, Enrico, 134, 303
- fermions
  - free fields, 212
  - fundamental, 2
  - mass, 792
- Feynman
  - diagram, 282
  - automatic computation, 364
  - interference, 338
  - of QED, 330
  - integrals, 408, 1043
  - parametrization method, 407
- Feynman propagator, 270
  - gluon, 559
  - of a complex scalar field, 273
  - of a Dirac field, 292
  - of a real scalar field, 268
  - of massive spin-1 vector fields, 316
  - of photon field, 311, 313
  - photon, 323
- Feynman rules
  - $\phi^4$  theory, 290
  - electroweak theory, 798
  - Higgs boson, 912
  - massive propagator, 316
  - QCD, 560

- QED, 330
- Yukawa theory, 298
- Feynman, Richard Phillips, 231
- Feynman-*x*, 627
- Feynman–Stückelberg interpretation, 231
- field, 185
  - as operator, 201
  - boson, 197
  - Dirac, 212
  - ground state, 203
  - Klein–Gordon, 197
  - plane waves expansion, 202
  - proper Lorentz transformation, 194
  - scalar, 186
  - tensor, 186
  - vector, 186
  - zero-point energy, 205
- field theory
  - Lagrangian density, 187
- fields
  - interacting, 260
- Fierz
  - identity, 1039
  - transformation, 720
- Fierz, Markus, 2
- fine-structure constant  $\alpha$ , 15, 1015
- finite size effects, 458
- first quantization, 107
- first Townsend coefficient, 78
- flavor-changing neutral current, 748
- flux factor, 35, 168
  - Lorentz invariant, 168
- Fock, Vladimir Aleksandrovich, 203
- form factor, 501
  - dipole, 503
  - electric and magnetic, 509
  - electromagnetic, 438
  - Pauli and Dirac, 504
  - point-like, 502
  - Sachs, 509
- forward–backward asymmetry, 361, 422
- electroweak, 814
- four gluon vertex, 560
- four-dimensional integrals, 1043
- four-gradient, 186
- four-point interaction, 274
- four-vector, 146
  - contravariant, 145
  - covariant, 145
  - energy–momentum, 149
  - gradient, 186, 1034
- Fourier transform, 988
- fragmentation
  - function  $D_p^h(z)$ , 581
  - heavy quarks, 581
  - light quarks, 581
  - Peterson model, 581
- frame of reference
  - center-of-mass system, 155
  - fixed target system, 155
  - laboratory system, 155
  - transition, 158
- fundamental
  - constants, 13
  - CODATA, 12
  - fermions, 2
  - interactions, 3
- Furry, Wendel Hinkle, 978
- Future Circular Collider (FCC), 71
- Gamma function, 1040
- gamma-rays, 23
- Gamow–Teller transitions, 693
- gauge
  - $SU(3)$  local field theory, 765
  - $U(1)$  local field theory, 760
  - covariant derivative, 761, 763
  - freedom, 307
  - global symmetry, 10
  - invariance, 10
  - invariance principle, 759
  - local symmetry, 10
  - non-Abelian field theories, 762
  - transformation, 307
  - unitary, 774
  - unitary global transformation, 759
- vector field, 761, 763
- Yang–Mills field theories, 762
- gauge fixing
  - Coulomb, 308
  - Faddeev–Popov terms, 561
  - Feynman, 314
  - Lorenz, 307
- Gauss, Johann Carl Friedrich, 111
- GEANT, 58
- Geiger, Johannes Hans Wilhelm, 29
- Geiger–Müller counter, 79
- Gell-Mann
  - matrices  $\lambda_a$ , 528
- Gell-Mann, Murray, 488
- Gell-Mann/Nishijima formula, 482, 488
- GENBOD, 180
- general relativity, 983
- generalized Stokes theorem, 188
- generation of phase space, 177
- generators
  - of a transformation, 116
  - of the Lorentz group, 194
- Georgi, Howard Mason, 969
- Gerlach, Walther, 123
- Germer, Lester Halbert, 104
- Glashow, Sheldon Lee, 749, 969
- Glashow–Illiopoulos–Maiani mechanism, 748
- gluon, 544, 553
  - color singlet, 555
  - discovery of, 596
  - Feynman propagator, 559
  - self-coupling, 559
- gluon–gluon scattering, 574
- gluonic
  - field, 557
  - kinetic term, 559
- Goeppert Mayer, Maria, 978
- Golden Rule
  - of Fermi, 134
- Goldhaber, Maurice, 702
- Goldstone boson, 774
- Gordon identity, 335

- Gordon, Walter, 197
- Gottfried sum rule, 548
- gradient, 992
- grand unified theories, 4, 964
- gravity, 983
- Greinacher voltage multiplier, 61
- Greinacher, Heinrich, 61
- Gross, David Jonathan, 547
- ground state, 283
- group
  - Lie, 116
  - Lorentz, 144, 147
  - Poincaré, 144
  - theory basic notions, 995
- GUT
  - $SU(5)$ , 969
  - proton decay, 971
  - scale, 967
  - SUSY, 972
  - Weinberg angle, 968
- Hadron–Electron Ring Accelerator (HERA), 73
- hadron–hadron collisions, 491, 612
  - resonances, 491
  - hadronic cascade, 84
  - hadronic resonances, 491
  - hadronization, 580
  - hadrons
    - bottom, 645
    - charmed, 640
    - decay of, 496
    - jungle of, 491
  - Hamiltonian, 110
  - handedness, 2
  - Hanford nuclear reactor, 672
  - head-on collisions, 34
  - Heaviside step function, 988
  - heavy lepton pair creation, 350
  - heavy quarks
    - identification, 95
  - Heisenberg, Werner Karl, 107, 113, 303
  - Heitler, Walter Heinrich, 54
  - helicity
    - amplitudes, 341
    - conservation, 367
  - eigenstates, 236
  - left-handed, 236
  - right-handed, 236
- HERA, 73
- Higgs boson, 911
  - decay in two photons, 917
  - decay modes, 914
  - discovery, 915
  - fit of mass, 914
  - four-lepton final states, 918
  - properties, 919
- Higgs field, 793
- Higgs, Peter, 793
- high-energy cosmic rays, 468
- Hilbert space, 1016
- Hilbert, David, 203
- hydrogen atom, 450
  - finite size effects, 458
  - hyperfine splitting, 458
- hydrogenic atoms, 449, 470
- hypercharge  $Y$ , 526, 786
- hyperfine splitting, 458
- hyperons
  - definition of, 487
  - properties of, 487
- ILC, 71
- Iliopoulos, John, 749
- impact parameter, 31
- improper Lorentz transformation, 148
  - Dirac equation, 243, 245
- inertial frame of reference, 155
- infinite momentum frame, 542
- integrated luminosity, 76
- interacting fields, 260
- interaction
  - chiral, 257
  - Fermi four-point weak, 659, 676
    - fundamental, 3
    - probability, 33
    - strong, 465
    - weak, 674
    - weak neutral currents, 676
    - with matter, 45
  - interactions with matter, 45, 56
    - charged particles, 49
- electrons, 54
- photons, 46
- interference
  - $\gamma - Z^0$  in  $e^+e^-$  collisions, 856
  - in  $e^+e^- \rightarrow W^+W^-$ , 823
- intermediate gauge bosons, 3
- International Linear Collider (ILC), 71
- interval
  - light-like, 147
  - space-like, 147
  - time-like, 147
- intrinsic parity, 119
  - Dirac particle, 245
  - electron, 119
  - fermion–antifermion, 119
  - neutron, 119
  - photon, 119
  - pion, 477
  - positron, 119
  - proton, 119
  - quarks, 119
  - spherical harmonics, 118
- invariance, 189
  - under rotation, 117
  - under translation, 118, 189
- invariant, 145
  - scalar field, 186
  - space-time interval, 147
- inverse
  - beta decay, 665
  - muon decay, 738, 840
  - ionization chamber, 78, 86
  - Ising, Gustaf, 62
  - isochronous cyclotron, 64
  - isospin
    - definition of, 478
    - quantum number, 480
    - raising and lowering operators, 481
    - symmetry, 480, 481
    - weak, 778
  - isotopic spin, 478
- Jacobi determinant, 520, 992
- Jacobi, Carl, 992
- James, Fred, 180
- Jeans, James Hopwood, 19

- jets
  - at the LHC, 622
  - cone algorithm, 615
  - discovery of gluon, 596
  - event variables, 596
  - first observation of, 594
  - major axis, 596
  - minor axis, 596
  - parton shower simulation, 598
  - reconstruction, 95
  - sphericity  $S$ , 595
  - thrust, 596
- Joliot-Curie, Jean Frédéric, 43
- Jordan, Ernst Pascual, 107, 303
- jungle of hadronic resonances, 491
- Jönsson, Class, 105
- K-factor
  - Drell-Yan, 629
  - in  $W$  production, 819
- Kaluza, Theodor, 984
- kaon
  - charged, 486
  - neutral, 487
  - neutral system mixing, 927
  - properties of, 486
  - weak decay, 741
- kinematical analysis, 44
- Kinoshita, Tichir, 736
- Kirchhoff, Gustav Robert, 17
- Klein, Oskar Benjamin, 197
- Klein-Gordon equation, 197
  - covariant form, 197
  - current density, 198, 200
  - definition, 197
  - Lagrangian, 199
  - negative energies, 206
  - negative energy problem, 200
  - physical interpretation, 200
- Klein-Gordon field
  - energy-momentum, 204
  - physical interpretation, 206, 209
  - quantization of complex, 206
- quantization of real, 201
  - statistics of, 206
- Klein-Nishina formula, 384
- Kobayashi, Makoto, 645
- Kronecker tensor, 145, 1035
- Kronecker, Leopold, 988
- Kurie function, 662
- Källén function, 170
- Lüders, Gerhart, 11
- ladder operators
  - of  $SU(2)$ , 525
  - of  $SU(3)$ , 527
- Lagrange formalism, 184
- Lagrange, Joseph-Louis, 184
- Lagrangian
  - covariance and invariance, 189
  - density, 187
  - formalism, 184
  - Klein-Gordon, 199
  - left-right symmetric model, 973
  - Maxwell equations, 307
  - of Dirac equation, 253
  - of electroweak theory, 792
  - of QCD, 560
  - of QED, 317
  - Standard Model effective theory, 976
- Lamb shift, 456
- Lamb, Willis Eugene, 457
- Landé factor, 126
- Landé, Alfred, 126
- Laplace operator, 992
- Laplacian, 992
- Large Electron-Positron Collider (LEP), 69
- Large Hadron Collider (LHC), 61, 65, 71
- Large Hadron Electron Collider (LHeC), 73
- Larmor precession, 442
- law of radioactive decay, 24
- Lawrence, Ernest Orlando, 63
- least action
  - principle of, 185
- Lederman, Leon, 631
- left-right symmetric model, 973
- left-handed helicity, 236
- Legendre polynomial, 1023
- leptogenesis, 924, 981
- lepton, 2
  - charge, 675
  - definition of, 467
  - flavor tagging, 649
  - isolated, 94
  - number, 675
  - conservation, 675
- Levi-Civita tensor, 1035
- Levi-Civita, Tullio, 987
- LHC, 61, 65, 71
- LHeC, 73
- Lie
  - algebra, 997
  - groups, 996
- Lie group, 116
  - Lorentz, 147
- Lie, Marius Sophus, 997
- lifetime, 172
- light-like interval, 147
- linear momentum, 118
- Lippmann, Bernard Abram, 140
- longitudinal polarization, 129, 327
- Lorentz
  - boost, 147, 1031
  - group, 144, 147
    - algebra, 194
    - generators, 194
  - group representation, 194
  - invariant phase space, 165
  - proper transformation, 1030
  - rapidity, 1032
  - space rotation, 1030
  - transformation, 145
    - infinitesimal, 1007
    - violation, 11
- Lorenz gauge, 307
- Low, Francis Eugene, 425
- luminosity, 75
  - integrated, 76
  - of LHC, 76
- magnetic moment
  - Dirac particle, 440

- of electron, 442
- of muon, 446
- magnetic term, 336
- magneton
  - Bohr, 126
  - nuclear, 126
- Maiani, Luciano, 749
- Majorana, Ettore, 960
- Maki, Ziro, 752
- Mandelstam variables, 166, 169, 353
- Mandelstam, Stanley, 353
- Marsden, Ernest, 29
- Maskawa, Toshihide, 645
- massive spin-1 vector field
  - Feynman propagator, 316
  - polarization, 328
  - wave equation of a, 316
- matrix element, 132
  - spin averaged, 339, 356
- matter–antimatter asymmetry, 981
- Maxwell theory, 304
- Maxwell, James Clerk, 304
- McIntyre, Peter M., 842
- mean excitation energy, 51
- mean free path, 34
- meson, 466
  - definition of, 467
  - discovery of, 472
  - multiplet, 529, 530
  - pseudoscalar, 477
- metastable state, 111
- metric  $g_{\mu\nu}$ , 1028
- Michel, Louis, 735
- microstrip silicon detectors, 91
- millibarn, 13, 76
- Millikan, Robert Andrews, 229
- Mills, Robert Laurence, 762
- minimum ionizing particle (mip), 51
- minimum opening angle, 162
- Minkowski, Hermann, 144
- Minkowski space, 144, 1027
- missing transverse energy, 94
- MKSA units, 13
- mobility
  - in semiconductors, 90
  - of electrons, 78
- Molière
- multiple scattering, 53
- radius, 83
- moment
  - anapole, 439
  - anomalous magnetic, 439
  - electric dipole, 439
- momentum
  - canonical, 190
  - sphere, 159
- Monte-Carlo
  - event generation, 1051
  - generation phase space, 180
  - techniques, 1048
- Mott scattering
  - formula, 346
  - spin-flip paradox, 347
- Mott, Nevill Francis, 346
- multiple scattering, 53
- multiwire proportional chamber, 86
- muon
  - capture, 471
  - collider, 71
  - decay rate, 722
  - discovery of, 472
  - electron-antineutrino spectrum, 727
  - excited, 433
  - helicity in decays, 707
  - lifetime, 722, 726
  - magnetic moment, 446
  - mass term and radiative corrections to lifetime, 728
  - Michel electron, 726, 730
  - Michel parameters, 735
  - polarized deep inelastic scattering, 603
  - properties of, 473
  - QED scattering, 349
  - storage ring, 447
- muon neutrino
  - discovery, 679
  - helicity, 708
- muonic
  - atom, 470
  - hydrogen, 449
- muonium, 449
- MWPC, 86
- Møller
  - flux factor, 168
  - scattering, 351
- Møller, Christian, 51, 351
- Müller, Walther, 79
- naive quark–parton model, 544
- Nakagawa, Masami, 752
- natural
  - radioactivity, 22
  - units, 13
  - width, 112
- negative energy problem
  - Klein–Gordon field, 200
- negative energy solution, 231
- neutrinoless double-beta decay, 978
- neutrinos, 655
  - absolute mass scale, 957
  - accelerator, 677
  - deep inelastic neutral current scattering, 895
  - deep inelastic scattering, 888
  - Dirac mass term, 957
  - Dirac–Majorana mass term, 961
  - discovery
    - of electron neutrino, 670
    - of muon neutrino, 679
    - of tau neutrino, 688
  - Fermi four-point weak interaction, 659
  - first detection, 670
  - flavor oscillations, 935
  - flavor oscillations in matter, 944
  - global fit of oscillation parameters, 951
  - helicity, 702
  - high-energy beams, 865
  - leptonic charges, 655
  - long-baseline neutrino oscillation experiments, 946
  - Majorana mass term, 960
  - mass hierarchy, 951
  - mass terms, 957, 977
  - narrow and wide band beams, 865

- narrow-band flux, 869  
 neutrino scattering  
     experiments, 886  
 neutrino–nucleon  
     scattering, 881  
 neutrinoless double-beta,  
     978  
 number of light species,  
     860  
 off-axis beam, 871  
 one mass scale  
     approximation, 942  
 oscillations parameters,  
     953  
 Pauli postulate, 656  
 quasi-elastic scattering,  
     879  
 reactor, 668  
 scattering off electrons,  
     801, 836  
 scattering off nucleons,  
     873  
 seesaw mechanism, 963  
 two components Weyl  
     theory, 701  
 wide-band flux, 871
- neutron, 43  
 decay parameter, 757  
 discovery of, 43  
 interactions with matter,  
     56  
 intrinsic parity, 119  
 lifetime, 755  
 properties of, 479  
 structure functions, 547
- Nishijima, Kazuhiko, 488  
 NIST, 13  
 Noether  
     theorem, 5, 189  
 Noether, Amalie Emmy, 5  
 non-Abelian gauge field  
     theories, 762  
 non-Abelian gauge field  
     theory, 553  
 non-accelerator experiments,  
     100  
 non-derivative interaction  
     term, 260  
 non-relativistic quantum  
     mechanics, 103
- normal ordering, 279  
 nuclear  
     magnetons, 126  
     reactor  
         Hanford, 672  
         Savannah River, 672  
 nuclear bound state  
     deuteron, 476  
 nuclear magneton, 126  
 nucleon, 524  
     definition of, 480, 524  
     isospin  $SU(2)$ -doublet,  
         481, 524  
 number operator, 203  
     particle, 205  
 numerical boost, 151
- Okubo–Zweig–Iizuka rule, 643  
 operators  
     angular momentum, 115  
     commuting and  
         non-commuting, 1018  
     creation and annihilation,  
         203  
     D'Alembert, 1034  
     Dyson time ordering, 114,  
         991  
     Dyson time-evolution,  
         112, 113  
     four gradient, 1034  
     gradient, 992  
     Hamiltonian, 1019  
     helicity, 235  
     Laplacian, 992  
     particle number, 205  
     raising and lowering, 124  
         transfer  $T$ , 131  
 optical theorem, 262  
 ordering  
     normal, 279  
     time, 279  
 ortho-positronium, 459
- p–n junction, 91  
 pair annihilation  
     into two photons, 372, 430  
 para-positronium, 459  
 Parisi, Giorgio, 588, 594  
 parity  
     conservation QED, 333  
     intrinsic, 119
- transformation, 7, 118,  
     148  
 violation  
      $\tau - \theta$  problem, 694  
     Wu experiment, 696  
 violation in weak decays,  
     693  
 partial width, 24  
 particle data group, 2  
 particle–wave duality, 105  
 particles  
     accelerators, 61  
     composite, 1  
     electrically charged, 1  
     elementary, 1  
     massive, 1  
     massless, 1  
     number operator, 203, 205  
     on/off shell, 150  
     real or virtual, 150  
     subatomic, 1  
     trackers, 86  
 parton distribution functions,  
     544  
      $Q^2$  evolution, 583  
     global fits, 611  
     spin-dependent, 605  
 parton luminosity, 820  
 parton shower simulation, 598  
 Paschen, Louis Carl Heinrich  
     Friedrich, 18  
 Pauli  
     equation, 125  
     exclusion principle, 123  
     matrices, 124, 213, 1025  
     postulate, 656  
 Pauli, Wolfgang, 2  
 Pauli–Dirac representation,  
     214  
 PDG, 2  
 Penning trap, 443  
 Penning, Frans Michel, 443  
 pentaquark, 533  
 PEP collider, 66  
 Perkins, Donald Hill, 473  
 perturbation theory, 130  
     higher orders, 139  
 perturbative regime, 561  
 Peterson fragmentation model,  
     581

- PETRA ring, 66  
 phase space  
     GENBOD, 180  
     generation, 177  
     Lorentz invariant, 165  
     Monte-Carlo generation,  
         180  
     one particle, 163  
     PHASESPACE, 180  
     RAMBO, 180  
     three-body decay, 174  
     two-body decay, 173  
 phosphorescence, 22  
 photographic emulsions, 473  
 photomultiplier tube, 80  
 photon  
     attenuation length, 48  
     circular polarization, 310  
     completeness relation,  
         315, 326  
     Feynman propagator in  
         any gauge, 313  
     Feynman propagator in  
         Coulomb gauge, 311  
     Feynman propagator in  
         Feynman gauge, 315  
     gauge, 309  
     interactions with matter,  
         46  
     intrinsic parity, 119  
     pair production, 372, 430  
     plane-wave solution, 309  
     polarization, 327  
     polarization states, 308  
     propagator, 323  
     real and virtual, 324  
     self-energy, 393, 412  
     transverse polarization,  
         310  
 Picasso, Emilio, 69  
 pion, 466  
     charged, 475  
     discovery of, 472  
     intrinsic parity, 477  
     isospin multiplet, 481, 526  
     neutral, 475, 478  
     parity, 476  
     properties of, 475, 476  
     spin, 476  
     weak decay, 704, 741  
 pionic  
     atoms, 470  
     hydrogen, 449  
 Planck  
     black-body spectrum, 21  
     constant, 13  
     mass, 4  
     reduced constant, 13  
     scale, 4  
     stars, 984  
     unit system, 13  
 Planck, Max Karl Ernst  
     Ludwig, 4, 20  
 plane waves expansion, 202  
 PMT, 80  
 Pockels, Friedrich, 784  
 Poincaré group, 144, 1011  
 Poisson  
     distribution, 1046  
     formula, 1047  
 Poisson, Siméon Denis, 1047  
 polarization  
     electron, 127  
     four-vector  $\epsilon^\mu$ , 308  
     of massive spin-1 vector  
         fields, 328  
     photon, 308  
     transverse and  
         longitudinal, 129, 327  
 pomeron, 652  
 Pontecorvo, Bruno, 2, 752  
 Pontecorvo–Maki–Nakagawa–  
     Sakata matrix, 751,  
         752  
 positive electron, 229  
 positron  
     discovery of, 229  
     interactions with matter,  
         54  
     intrinsic parity, 119  
     theory of, 231  
 positronium, 449, 459  
     lifetime, 460  
     lifetime puzzle, 462  
     para and ortho states, 459  
 potential  
     of Yukawa, 466  
 precession experiments, 442  
 principle  
     of least action, 185  
     of minimal substitution,  
         121, 440  
 Proca, Alexandru, 306  
 Proca–Lagrange function, 306  
 project Poltergeist, 671  
 projection operators  
     chiral, 241  
     energy states, 225  
     helicity, 235  
     spin states, 226  
 propagator  
     causality, 277  
     Feynman gluon  
         propagator, 559  
     massive spin-1 vector  
         field, 316  
     photon, 311, 313, 323  
 proper Lorentz transformation,  
     148, 239  
     of a field, 194  
 proton, 30  
     charge radius, 511  
     decay, 489, 971  
     finite size, 508  
     internal structure, 498  
     intrinsic parity, 119  
     properties of, 479  
     spin, 606  
     spin crisis, 606  
     structure functions, 515,  
         547  
 pseudo-rapidity  $\eta$ , 615  
 pseudoscalar, 9  
 pseudoscalar meson multiplet,  
     529  
 pseudovector, 9  
 QCD, 553  
      $Q^2$  evolution of parton  
         distribution  
         functions, 583  
     SU(3) local gauge field  
         theory, 765  
      $\alpha_s$  running, 578  
      $e^+e^-$  annihilation into  
         hadrons, 592  
     asymptotic freedom, 578  
     color confinement, 579  
     color factor  $C_F$ , 556  
     covariant derivative  $D_\mu$ ,  
         561

- determination of  $\alpha_S$ , 582  
 experimental tests, 591  
 Feynman diagrams, 560,  
     563  
 Feynman rule, 561  
 four gluon vertex, 560  
 gauge invariance, 570  
 gauge-fixing  
     Faddeev–Popov  
     terms, 561  
 global fits of parton  
     distribution  
     functions, 611  
 gluon  
     self-coupling, 559  
 gluon Feynman  
     propagator, 559  
 gluon–gluon scattering,  
     574  
 gluonic field, 557  
 gluonic kinetic term, 559  
 hadronization, 580  
 hard collisions, 612  
 jets, 594  
 jets at the LHC, 622  
 Lagrangian, 560  
 parton shower simulation,  
     598  
 perturbative regime, 561  
 proton–(anti)proton  
     collisions, 615  
 quark and gluons, 553  
 quark–antiquark pair  
     annihilation, 568  
 quark–gluon vertex, 557  
 quark–quark scattering,  
     566  
 strong CP problem, 956  
 three-gluon vertex, 560  
 Ward identity, 570  
 QED, 302  
 $R_{\mu\mu}$ , 420  
 S-matrix, 319  
 $U(1)$  local gauge field  
     theory, 760  
 amplitudes, 319  
 angular dependence, 361  
 at lepton colliders, 414  
 bound states, 449  
 chiral structure, 332  
 closed loops, 329  
 Compton scattering, 380  
 computations in, 338  
 covariant derivative, 318  
 Drell–Yan process, 626  
 electric charge  
     renormalization, 401  
 electron–parton  
     scattering, 542  
 Feynman diagrams, 330  
 form factor, 438  
 forward–backward  
     asymmetry, 361, 421  
 gauge, 318  
 helicity amplitudes, 341  
 helicity conservation, 367  
 Lagrangian, 317  
 Lamb shift, 456  
 Mott scattering, 339  
 pair annihilation into two  
     photons, 372, 430  
 parity conservation, 333  
 photon pair production,  
     372, 430  
 positronium, 459  
 radiative corrections, 390  
 regularization, 395  
 renormalization, 400  
 scalar fields, 334  
 scattering angle, 362  
 search for deviations, 417,  
     424  
 self-energy, 329  
 self-energy of electron, 406  
 self-energy of photon, 393,  
     412  
 soft photons, 392  
 test at high energy, 414  
 test at low energy, 438  
 total cross-section, 420  
 UV divergence, 394  
 vertex correction, 408  
 vertex factor, 321  
 quantization  
     first, 107  
     of the complex  
         Klein–Gordon field,  
             206  
     of the real Klein–Gordon  
         field, 201  
 second, 201  
 strong force, 465  
 quantum electrodynamics, 302  
 quantum field theory, 201  
 quantum mechanics  
     addition angular  
         momentum, 1024  
     angular momentum, 1022  
     Bohr atomic model, 1015  
     Bohr radius, 1016  
     bra-ket notation, 1016  
     Clebsch–Gordan  
         coefficients, 1024  
     commuting operators,  
         1018  
     Hamiltonian, 1019  
     Hermitian operator, 1017  
     Hilbert space, 1016  
     hydrogen atom, 1024  
     linear harmonic oscillator,  
         1021  
     Rydberg constant, 1016  
     Schrödinger and  
         Heisenberg pictures,  
             1020  
     spherical harmonics, 1023  
     stationary states, 1020  
     unitary operator, 1017  
 quantum number  
     baryon, 482, 489  
     isospin, 480  
     strangeness, 488  
 quark, 2, 553  
     bottom, 645  
     charm, 633  
     flux diagram, 541  
     pentaquark state, 533  
     top, 900  
     valence, 544  
 quark model, 530  
     baryonic states, 536  
     light meson states, 534  
 quark–antiquark pair  
     annihilation, 568  
 quark–gluon vertex, 557  
 quark–parton model, 544  
 radiation length, 48  
 raising and lowering operators  
     for isospin, 481

- Raman, Chandrasekhara Venkata, 309
- RAMBO, 180
- rank
- of tensor, 146
- Rayleigh, John William Strutt, 19
- Rayleigh–Jeans spectrum, 20
- reactor neutrinos, 668
- real field
- energy–momentum, 204
- real Klein–Gordon field
- quantization, 201
- refractive index
- of water, 88
- regularization, 395
- dimensional, 411
  - Pauli–Villars, 399
- Reines, Frederick, 671
- relation between chirality and helicity, 249
- relativistic
- collisions, 166
  - decay rate, 172
  - heavy ion collider, 71
  - tensor field, 185
- renormalization, 400
- minimal subtraction scheme, 400
  - of electric charge, 401
- representation
- chiral, 214, 240
  - Heisenberg's, 113
  - Lorentz group, 194, 195
  - of Weyl, 214
  - Pauli–Dirac, 214
  - Weyl, 240
- resonance experiments, 442
- resonances
- $\Delta^{++}$ , 540
  - discovery of, 493
- rest mass, 1, 150
- review of particle physics (PDG), 2
- RHIC, 71
- Richter, Burton, 635
- right-handed helicity, 236
- Rosenbluth formula, 503, 507, 510
- Ross, Graham Garland, 597
- Rossi, Bruno Benedetto, 472
- Rubbia, Carlo, 842
- Rubin, Vera Florence Cooper, 984
- running
- of  $\alpha$ , 403
  - of  $\alpha_s$ , 578
- Rutherford
- scattering, 29, 137
  - scattering cross-section, 35
- Rutherford, Ernest, 29
- Rydberg constant, 18
- Rydberg, Johannes Robert, 18
- Röntgen, Wilhelm, 22
- Sakata, Shoichi, 752
- Sakurai, Jun John, 650
- Salam, Abdus, 718
- sampling calorimeter, 84
- saturated vapor, 79
- Savannah River nuclear reactor, 672
- scalar, 6, 145, 146
- quantity, 6, 9
- scalar field, 186
- complex, 188
  - invariant, 186
  - QED of, 334
- scaling
- of Bjorken, 520
  - variables, 519
- scattering
- $\phi^4$  theory, 288
  - $e^\pm$ -proton, 607
  - amplitude, 262
  - angle, 31
  - angle in QED, 362
  - Bhabha, 352, 419
  - Compton, 41
  - Compton formula, 384
  - deep inelastic
    - electron–proton, 512  - Dirac point-like, 500
  - electron–parton, 542
  - electron–proton, 498, 515
  - experiment, 29, 35
  - form factor, 501
  - hard sphere, 32
  - inelastic cross-section, 515
- Mott, 339, 501
- multiple, 53
- Møller, 351
- neutrino deep inelastic
- neutral current, 895
  - neutrino experiments, 886
  - neutrino off electrons, 801, 836
  - neutrino quasi-elastic, 879
  - neutrino–nucleon, 881
  - neutrinos deep inelastic, 888
  - neutrinos off nucleons, 873
  - polarized deep inelastic
    - muon scattering, 603
    - polarized electron deep inelastic, 783
    - quark–quark, 566
- Rosenbluth formula, 503, 510
- Rutherford, 137
- Thomson, 38
- trace technique, 343
- unpolarized, 343
- unpolarized cross-section, 357
- Yukawa, 297
- Schrödinger equation, 109
- relativistic, 197
- Schrödinger, Erwin Rudolf Josef Alexander, 107
- Schwinger, Julian Seymour, 140, 411, 445
- scintillators, 80
- screened Coulomb potential, 341, 466
- second quantization, 201, 255
- of electromagnetic field, 310
- secondary vertex
- reconstruction, 648
- secular equilibrium, 27
- self-energy, 329
- electron, 406
  - photon, 393, 412
- semiconductor
- detectors, 89
  - doped, 90
- Sirlin, Alberto, 736
- SLAC linear collider (SLC), 70

slash notation, 217  
 Smith, George Elwood, 92  
 Sommerfeld, Arnold Johannes Wilhelm, 107, 456  
 space  
     Minkowski, 144  
 space-like interval, 147  
 space-time  
     interval, 147  
     translation, 189  
 SPEAR storage ring, 66  
 special relativity, 144  
 spectator approximation, 643  
 spectroscopy  
     bottomonium, 645  
     charmonium, 643  
 speed of light, 13  
 spherical harmonics  $Y_{\ell m}$ , 1023  
 spin, 123, 124  
     isotopic, 478  
 spin-0 meson multiplet, 529  
 spin-1 meson multiplet, 530  
 spin-1/2 baryon octet, 529  
 spin-3/2 baryon multiplet, 530  
 spin-dependent structure functions, 605  
 spin-flip paradox, 347  
 spinor  
     chirality, 240  
     Dirac, 215  
     four- and two-components, 223  
     isospin state, 480  
     of Weyl, 240  
     Pauli, 125  
     proper Lorentz transformation, 239  
 splitting functions  $P_{qq}$ ,  $P_{qg}$ ,  $P_{gg}$ , 588  
 spontaneous symmetry breaking, 767  
     of  $SU(2)$  symmetry, 776  
     of  $U(1)$  symmetry, 772  
     of a continuous symmetry, 770  
 Standard Model, 899  
     as effective theory, 976  
     beyond the, 956  
     flavor problem, 925  
     neutrino mass terms, 957

star events  
     in emulsion, 473  
 Stark effect, 127  
 statistics, 1046  
 Steinberger, Jack, 119  
 Stern, Otto, 123  
 Stern–Gerlach experiment, 123  
 stochastic cooling, 843  
 Stokes theorem, 188  
 stopping power, 51  
 storage ring, 65  
     Antiproton Accumulator, 842  
 strangeness, 488, 526  
     conservation of, 488  
     discovery of, 484  
 strong  
     coupling constant, 466, 555, 561  
     strong CP problem, 956  
     strong force, 465  
     strong interaction  
         gluon exchange, 554  
         invariance under isospin transformation, 481  
         QCD, 553  
     structure constants  $f^{abc}$ , 528  
     structure functions  
          $F_1$  and  $F_2$ , 504  
         spin dependent, 605  
     structure of atoms, 29  
     Stückelberg, Ernst Carl Gerlach, 231  
     Stückelberg–Feynman interpretation, 231  
     subatomic particles, 1  
     superstring theories, 984  
     symbol  
         Kronecker, 988  
         Levi-Civita, 987  
     symmetry, 5  
          $CP$  violation, 926  
          $SU(3)$  flavor, 526  
          $SU(3)_{color}$ , 539  
          $SU(4)$  flavor, 640  
          $SU(5)$  GUT, 969  
         crossing, 353  
         discrete, 7  
         eightfold way, 524  
         GUT, 964  
     isospin, 478, 481  
     left-right symmetry model, 973  
     spontaneously broken, 767  
     spontaneously broken  
          $SU(2)$  symmetry, 776  
         spontaneously broken  
          $U(1)$  symmetry, 772  
         spontaneously broken  
         continuous, 770  
         spontaneously broken  
         electroweak theory, 793  
         SUSY, 972  
     synchrocyclotron, 64  
     synchrotron, 64  
         radiation, 65  
 tandem Van de Graaff, 62  
 tau  
     excited, 433  
     QED scattering, 349  
     weak decay, 744  
 tau lepton  
     discovery, 683  
     lifetime, 687  
     properties, 687  
 tau neutrino discovery, 688  
 Telegdi, Valentine Louis, 443  
 tensor, 146  
     energy-momentum, 190  
     Kronecker, 145  
     rank, 146  
 tensor field, 186  
     relativistic, 185  
 theorem of Noether, 5, 189  
 theory  
      $\phi^4$ , 285  
 theory of everything, 5  
 thin target approximation, 33  
 Thomas precession, 347, 442  
 Thomas, Llewellyn Hilleth, 153  
 Thomas–Wigner rotation, 153  
 Thomson scattering, 38  
 Thomson, George Paget, 103  
 Thomson, Joseph John, 28  
 three-body decay phase space, 174  
 three-gluon vertex, 560  
 time ordering, 279

- Feynman propagator, 273  
 time reversal, 7, 148  
 time-evolution operator, 112, 113  
 time-like interval, 147  
 time-ordering operator of Dyson, 114  
 Ting, Samuel C.C., 633  
 top quark, 900  
     discovery, 904, 910  
     fit of mass, 903  
     measurements, 910  
     properties, 902  
 total cross-section, 32  
 Townsend, John Sealy Edward, 78  
 toy model  
     decays in the, 263, 267  
     definition, 263  
     scattering, 274, 276  
 trace  
     techniques, 344  
     theorems, 344, 1037  
     theorems with slashes, 1038  
 trackers, 86  
 transfer matrix, 131, 262  
 transformation  
      $SO(n)$ , 998  
      $SU(2)$ , 1000  
      $SU(N)$ , 1003  
      $U(n)$ , 1000  
     charge conjugation, 120  
     continuous, 5  
     discrete, 7, 118  
     improper Lorentz, 148  
     isospin, 481  
     Lorentz, 145  
     Lorentz  $SO(3,1)$ , 1005  
     parity, 7, 118, 148  
     Poincaré, 1011  
     proper Lorentz, 148  
     scalar field, 186  
     strong reflection, 11  
     tensor field, 186  
     time reversal, 7  
     time-reversal, 148  
     vector field, 186  
 transition  
     from center-of-mass to laboratory system, 158  
 transition amplitude, 261, 262  
     non-relativistic, 137  
 transition probability, 133  
 translation  
     invariance, 189  
 transverse mass  $m_T$ , 844  
 transverse polarization, 129, 310, 327  
 triangle function, 170  
 TRISTAN ring, 68  
 two components Weyl theory, 701  
 two-body decay phase space, 173  
 two-slits experiment, 104  
 uncertainty principle  
     of Heisenberg, 466, 1019  
 unitary gauge, 774  
 units  
     natural, 13  
     Planck, 13  
 vacuum, 203, 283  
     expectation value, 768  
 valence quark, 544  
 Van de Graaff generator, 62  
 Van de Graaff, Robert Jemison, 62  
 Van der Meer, Simon, 842  
 vector, 9  
     contravariant, 145, 995  
     covariant, 145, 995  
     meson dominance VMD, 650  
     meson multiplet, 530  
 vector field, 186  
 Veltman, Martinus Justinus Godefriedus, 364  
 vertex factor  
     QED, 321  
 Villars, Félix, 399  
 violation Bjorken scaling, 585  
 virtual boson  
     strong force, 466  
 Walton, Ernest Thomas Sinton, 61  
 Ward identities, 324  
 Ward, John Clive, 718  
 water Cherenkov detectors, 88  
 wave function  $\Psi$ , 108  
 weak  
     coupling constant, 660  
 weak interaction, 674  
      $V - A$  structure, 698  
     Cabibbo angle, 715  
     Cabibbo–Kobayashi–Maskawa matrix, 751, 926  
     Casimir trick, 719  
     charged current, 713  
     charm and bottom hadron decays, 753  
     coupling constant, 718  
     Fermi allowed transitions, 693  
     flavor-changing neutral current, 748  
     Gamow–Teller transitions, 693  
     GIM mechanism, 748  
     helicity in  $\pi$  decay, 704  
     helicity in muon decays, 707  
     intermediate vector boson, 714  
     inverse muon decay, 738, 840  
     lepton polarization, 700  
     lepton universality, 747  
     Michel electron, 726, 730  
     Michel parameters, 735  
     muon lifetime, 726  
     neutral current  
         interpretation, 783  
     neutral currents, 778  
     neutral currents discovery, 781  
     neutrino scattering off electrons, 801, 836  
     neutron lifetime, 755  
     parity violation, 693  
     Pontecorvo–Maki–Nakagawa–Sakata matrix, 751  
     quark and lepton couplings, 751  
     quark states mixing, 716

- quasi-elastic process, 677  
semi-leptonic decay of  
    pion and kaon, 741  
tau decay, 744  
weak isospin, 778  
Wu experiment, 696  
Weinberg, Steven, 718  
Weisskopf, Victor Frederick,  
    201, 407  
Weyl  
    equations of motion, 241  
    representation, 214  
    spinors, 240  
Weyl, Hermann Klaus Hugo,  
    215  
Wheeler–Pirenne formula, 460  
Wick  
    theorem of, 279  
    ordering theorem, 279  
    rotation, 1041  
Wick, Gian Carlo, 279  
Widerøe, Rolf, 62  
Wien, Wilhelm Carl Werner  
    Otto Fritz Franz, 18  
Wigner, Eugene Paul, 1, 153,  
    245  
Wilson, Charles Thomson  
    Rees, 79  
Yan, Tung-Mow, 626  
Yang, Chen-Ning Frank, 477,  
    762  
Yang–Mills gauge field  
    theories, 762  
Young tableau, 1011  
Young, Alfred, 1011  
Young, Thomas, 104  
Yukawa  
    external legs contraction,  
        296  
    Feynman rules, 298  
    interaction, 295  
    particle, 472  
    potential, 341, 466  
    scattering, 297  
Yukawa, Hideki, 295, 341  
Zeeman effect, 127  
Zeeman, Pieter, 17  
zero-point energy, 205  
Zwicky, Fritz, 984