
Index

- 1-motive, 69
 - comparison of realisations, 223
 - of Baker type, 147, 148, 155
 - of second kind, 148, 158
 - of semi-abelian type, 157
 - reduced, 148
 - saturated, 148, 150, 155
- 1-periods, 112
- additive group \mathbb{G}_a , 31
- algebraic periods, 164
- analytic homomorphism, 43, 50
- Analytic Subgroup Theorem, 48
- Baer sum, 33
- Baker type, 147, 155, 164
- Baker's Theorem, 99
- Beta integral, 198
- category, 15
 - abelian, 16
 - additive, 15
- character group of torus, 32
- classical periods, 128
- classifying map of a semi-abelian variety, 36
- CM-type, 202, 204
- coalgebra $\mathcal{A}(\mathcal{C}, T)$, 62
- cohomological periods, 112, 129
- complete periods, 129
- completely non-trivial vector extension, 52
- complex multiplication, 199, 202, 205
- de Rham cohomology, 24, 131, 222
 - explicit cocycle, 27, 131
 - of a pair, 26
 - of a smooth variety, 24
 - the general case, 28
- de Rham realisation
 - of a 1-motive, 73, 221, 224
 - of a Nori motive, 212
 - of a pair, 222
- degree filtration of Nori motives, 212
- differential forms
 - exact, 128
 - first, second, third kind, 128
 - second kind, 200
- dimension estimate, 148, 162
- dimension filtration for geometric motives, 218
- dimension formula, 148
 - Baker type, 155
 - for elliptic periods, 188
 - for formal periods, 65
 - for periods of 1-motives, 89
 - precise, 165, 170
 - product of Baker motive and saturated motive, 159
 - saturated case, 155
 - saturated, simple case, 153
 - second kind, 158
 - semi-abelian type, 157
- dual abelian variety, 32
- effective Nori motives, 210
- elliptic curves, 178, 192, 195
- elliptic integral, 191
- elliptic period space, 187
- elliptic periods, 101, 149, 176, 181, 184, 193
 - dimension formula, 188
- Euler integral, 191, 198
- evaluation map
 - for $V \in (K, L)\text{-Vect}$, 58
- exact functor, 19

242

Index

- exponential map
 - of a Lie group, 44
- extensions of commutative algebraic groups,
 - 33
 - computation, 35
- external duality, 58
- faithful functor, 18
- Fermat curve, 199
- filtration by degree of a Nori motive, 212
- filtration by dimension for geometric motives,
 - 218
- formal periods, 56
 - dimension formula, 65
- full subcategory, 17
- fullness
 - and the Period Conjecture, 60
 - for 1-motives, 90
 - for Nori motives and Hodge structures, 122
- fully faithful functor, 18
- functor, 18
- Gelfond–Schneider Theorem, 98
- generalised Jacobian, 40, 130
- geometric motives, 117, 217
 - vs 1-motives, 223
- good filtration, 220
- Hodge filtration, 74
- hypergeometric function, 194, 197
 - transcendence, 195, 205, 206
- incomplete periods, 164, 167
- iso-1-motive, 69
- isogeny category, 16
- Kummer motive, 95
- Legendre family, 195
- Lie algebra, 43
- Lie group, 43
- mixed Hodge structure, 76
 - of a 1-motive, 77
 - of a Nori motive, 211
- motive
 - 1-motive, 69
 - geometric, 117, 217
 - Nori, 117, 209
- multiplicative group \mathbb{G}_m , 31
- non-trivial vanishing, 133
- Nori motives, 117, 209, 219
 - effective, 210
 - non-effective, 214
- Period Conjecture
 - and fullness, 60
 - for 1-motives, 86
 - for a category \mathcal{C} , 59
 - for curves, 124
 - for Nori motives, 214
 - for \mathcal{P}^1 , 121
 - Kontsevich’s, 121
- period isomorphism
 - for 1-motives, 228
 - for varieties, 29
 - of a 1-motive, 74
- period matrix, 55, 59
 - elliptic example, 102
 - saturated case, 151
- period pairing
 - for a 1-motive, 82
 - for varieties, 29
- period realisation
 - of a 1-motive, 221
 - of a Nori motive, 212
- period space
 - structure, 164
- periods
 - algebraic, 164
 - cohomological, 112, 129
 - comparison, 115, 118
 - complete, 129
 - first, second, third kind, 129
 - incomplete, 164, 167, 170, 176
 - of a 1-motive, 82
 - of $\in (K, L)$ -Vect, 54
 - of curve type, 114
 - of curves, 128
 - of motives, 118
 - of saturated 1-motives, 150
 - precise, 176
 - second kind, 164
 - simple, 129, 141
 - Tate, 164
 - third kind, 164
 - vanishing, 85, 128, 140
- Pochhammer symbol, 194, 197
- primitive relations, 169

- rank of a motive, 148
- reduced 1-motive, 148
- relation space, 169, 170, 176
- relative de Rham cohomology, 26
- relative singular homology, 23

- saturated 1-motive, 148, 150, 155
- saturation, 156, 158, 162
- second kind, 164
- semi-abelian type, 148
- semi-abelian variety, 32, 37
 - classifying map, 36
 - isogeny category, 37
- simple periods, 129, 141
- singular chain complex, 22
- singular cohomology, 217
- singular homology, 22, 131
 - of a pair, 23
 - relative, 23
- singular realisation
 - of a 1-motive, 70, 221, 226
 - of a geometric motive, 217
 - of a Nori motive, 210, 221
- Structure Theorem for commutative algebraic groups, 31
- Structure Theorem for period spaces, 164
- subcategory generated by X , 57

- Subgroup Theorem for 1-motives, 85
- subquotient, 17

- Tate periods, 164
- third kind, 164, 167
- torus, 31
- transcendence
 - for periods of 1-motives, 87
 - of an explicit period, 185
 - of elliptic periods, 184
 - of $\log \alpha$, 96
 - of non-closed elliptic periods, 106
 - of periods of abelian varieties, 99
 - of periods of curves, 125
 - of π , 93
 - of values of the hypergeometric function, 195

- universal vector extension, 39
 - of a 1-motive, 71, 72

- vanishing of periods, 85, 128, 140
- vector extension
 - of a 1-motive, 72
 - of a semi-abelian variety, 39
- vector group, 31

- Weierstraß \wp -, ζ -, σ -functions, 179
- weight filtration, 70, 74, 78