

## CONTENTS

|                        | PAGE |
|------------------------|------|
| INTRODUCTION . . . . . | xi   |

### CHAPTER I.

#### QUARTIC SURFACES WITH ISOLATED SINGULAR POINTS.

| ART. |  |   |
|------|--|---|
| 1, 2 | Quartic surfaces with four to seven nodes . . . . .    | 1 |
| 3    | Quartic surfaces with more than seven nodes . . . . .  | 3 |
| 4, 5 | Quartic surfaces with nodal sextic curves . . . . .    | 4 |
| 6—12 | Quartic surfaces with eight to sixteen nodes . . . . . | 9 |

### CHAPTER II.

#### DESMIC SURFACES.

|       |  |    |
|-------|--|----|
| 13    | Desmic tetrahedra . . . . .  | 24 |
| 14    | Quartic curves on the desmic surface . . . . .   | 26 |
| 15—18 | Expression of coordinates in terms of $\sigma$ functions and<br>resulting properties . . . . . | 27 |
| 19    | Section by tangent plane . . . . .   | 35 |
| 20    | A mode of origin of the surface . . . . .  | 35 |
| 21    | The sixteen conics of the surface . . . . .  | 37 |

### CHAPTER III.

#### QUARTIC SURFACES WITH A DOUBLE CONIC.

|        |   |    |
|--------|---|----|
| 22     | Five cones touching surface along twisted quartic whose<br>tangent planes meet surface in pairs of conics . . . . . | 38 |
| 23—28  | Expression of coordinates in terms of two parameters and<br>mapping of surface on a plane . . . . .                 | 40 |
| 29     | The class of the surface . . . . .  | 46 |
| 30     | The sixteen lines of the surface . . . . .  | 46 |
| 31     | Origin of the surface by aid of two quadrics and a point. . . . .   | 47 |
| 32, 33 | Perspective relationship with general cubic surface . . . . .   | 49 |
| 34     | Connection with plane quartic curve . . . . .   | 52 |
| 35—37  | Segre's method of projection in four-dimensional space . . . . .  | 55 |

## CHAPTER IV.

QUARTIC SURFACES WITH A NODAL CONIC AND  
ADDITIONAL NODES.

| ART.  |  | PAGE |
|-------|--|------|
| 38    | Case of one to four nodes . . . . .  | 62   |
| 39—43 | Origin and nature of double points arising from special positions of base-points . . . . . | 64   |
| 44—46 | Cuspidal double curve . . . . .  | 69   |
| 47    | Double conic consists of a pair of lines . . . . .   | 72   |
| 48—53 | Segre's classification of different species of the surface . . . . .                       | 72   |

## CHAPTER V.

## THE CYCLIDE.

|        |  |     |
|--------|--|-----|
| 54, 55 | Equation and mode of origin of cyclide . . . . .               | 86  |
| 56     | Inverse points on the surface . . . . .                        | 89  |
| 57—59  | The fundamental quintic and form of the cyclide . . . . .      | 90  |
| 60—62  | Power of two spheres: pentaspherical coordinates . . . . .     | 94  |
| 63—69  | Canonical forms of the equation of the cyclide . . . . .       | 99  |
| 70     | Tangent and bitangent spheres of surface . . . . .             | 108 |
| 71, 72 | Confocal cyclides . . . . .                                    | 109 |
| 73, 74 | Sphero-conics on the surface . . . . .                         | 113 |
| 75     | Cartesian equation of confocal cyclides . . . . .              | 115 |
| 76     | Common tangent planes of cyclide and tangent quadric . . . . . | 117 |

## CHAPTER VI.

## SURFACES WITH A DOUBLE LINE: PLÜCKER'S SURFACE.

|        |   |     |
|--------|---|-----|
| 77, 78 | Conics on the surface . . . . .               | 118 |
| 79—81  | Mapping of the surface on a plane . . . . .   | 120 |
| 82     | Nodes on surface with a double line . . . . . | 125 |
| 83     | Plücker's surface . . . . .                   | 128 |

## CHAPTER VII.

QUARTIC SURFACES WITH AN INFINITE NUMBER OF CONICS:  
STEINER'S SURFACE: THE QUARTIC MONOID.

|        |  |     |
|--------|--|-----|
| 84, 85 | Quartic surfaces with an infinite number of conics . . . . .   | 131 |
| 86—88  | Rationalization of Steiner's surface: all its tangent planes contain two conics of the surface: images of its asymptotic lines . . . . . | 134 |
| 89     | Modes of origin of the surface . . . . .   | 139 |
| 90     | Quartic curves on the surface . . . . .  | 141 |
| 91     | Weierstrass's method of origin of the surface . . . . .  | 143 |
| 92     | Eckhardt's point-transformation . . . . .  | 145 |
| 93     | The quartic monoid . . . . .   | 147 |

## CONTENTS

ix

## CHAPTER VIII.

## THE GENERAL THEORY OF RATIONAL QUARTIC SURFACES.

| ART.   |   | PAGE |
|--------|---|------|
| 94     | The cubics which rationalize $\sqrt{\Omega(y)}$ when $\Omega(y)=0$ is the general plane quartic: the surface $S_4^{(1)}$ . . . .  | 152  |
| 95, 96 | The curves which rationalize $\sqrt{\Omega(y)}$ when $\Omega(y)=0$ is respectively a sextic with a quadruple point or a sextic with two consecutive triple points: the surfaces $S_4^{(2)}$ and $S_4^{(3)}$ . . . . . | 155  |

## CHAPTER IX.

## DETERMINANT SURFACES.

|          |   |     |
|----------|---|-----|
| 97       | Sextic curves on the surface . . . . .                      | 161 |
| 98, 99   | Correspondence of points on the surface. . . . .            | 163 |
| 100      | The Jacobian of four quadrics and the symmetroid . . . . .  | 165 |
| 101      | Distinctive property of the symmetroid . . . . .            | 167 |
| 102      | Tangent plane of Jacobian . . . . .                         | 168 |
| 103, 104 | Cubic, quartic, and sextic curves on the surfaces . . . . . | 169 |
| 105      | Additional nodes on the surfaces . . . . .                  | 172 |
| 106—115  | Weddle's surface . . . . .                                  | 173 |
| 116      | Bauer's surfaces . . . . .                                  | 189 |
| 117, 118 | Schur's surfaces . . . . .                                  | 191 |
|          | INDEX OF SUBJECTS . . . . .                                 | 196 |
|          | INDEX OF AUTHORS . . . . .                                  | 198 |