

Index

- AAP guidelines
 bronchiolitis, 51
 BRUE, 56, 57
 child abuse, 287
 febrile seizure, 69
 HIV screening, 265
 infant botulism, 204
 infant feeding, 172
 iron supplements, 65
 otitis media, 115, 116
 over-the-counter preparations, 216
 UTIs, 268, 269
- ABCDE algorithm, 5
- abdominal pain, 173–200
 appendicitis, 173–5
 constipation. *See* constipation
 diabetic ketoacidosis, 180–3
 ectopic pregnancy. *See* ectopic pregnancy
 foreign-body ingestion, 183–6
 intussusception, 220
 pelvic inflammatory disease, 265
 pneumonia. *See* pneumonia
 pregnancy, 260, 261
 referred, 190
 STIs. *See* sexually transmitted infections (STIs)
 gonadal torsion, 192–5
 urinary retention, 176–80
- abscess
 drainage, 113
 peritonsillar. *See* peritonsillar abscess
 retropharyngeal. *See* retropharyngeal abscess
- absolute neutrophil count (ANC), 75
- abusive head trauma, 17
- acetaminophen, 218
- activated charcoal, 87
- acute asthma exacerbation, 52–5
 diagnosis, 54
 disposition, 55
 pathophysiology, 53
 presentation, 53
 treatment, 54–5
- acute gastroenteritis, 150–2
 diagnosis, 151
 epidemiology, 151
- pathophysiology, 151
 presentation, 151
 treatment, 151–2
- acute lymphoblastic leukemia (ALL), 35, 73, 276–8
 diagnosis, 278
 epidemiology, 277
 pathophysiology, 277
 presentation, 277
 treatment, 278
- acute myeloid leukemia (AML), 277
- acute psychosis, 221–3
 diagnosis, 222
 epidemiology, 222
 pathophysiology, 222
 presentation, 222
 treatment, 223
- acute respiratory distress syndrome (ARDS)
 burns and, 21
 drowning and, 25
- acute viral perimyocarditis, 91–4
- altered mental status, 201–23
- acute psychosis, 221–3
 brain tumors, 162
 coarctation of the aorta, 211–15
 coronary artery anomaly, 206–8
 hyponatremia, 209–11
 idiopathic ketotic hypoglycemia, 201–3
 infant botulism, 203–6
 intoxication, 215–18
 intussusception. *See* intussusception
- American Academy of Pediatrics (AAP). *See* AAP guidelines
- American Burn Association, criteria, 280
- anaphylaxis, 38–41
 diagnosis, 40
 disposition, 40
 epidemiology, 39
 pathophysiology, 39
 presentation, 40
 red flags, 40
 treatment, 40
- anemia, 64–7, 254
 diagnosis, 65–6
 epidemiology, 65
- pathophysiology, 65
 presentation, 65
 treatment, 66
- anesthesia
 lacerations, 131
 paraphimosis, 259
 shoulder dislocation, 143
- aneurysms, subarachnoid hemorrhage, 250, 251, 252
- animal bites, 282–5
 diagnosis, 283–4
 disposition, 285
 epidemiology, 282
 pathophysiology, 283
 presentation, 283
 treatment, 284–5
- anion gap, elevated, 217
- ankle fracture, 144–6
- ankle sprain, 123–6
 diagnosis, 125
 disposition, 126
 epidemiology, 123
 grading, 124, 125
 pathophysiology, 123–4
 presentation, 123, 124
 treatment, 125
- anorexia nervosa, 164–5
- anosmia, 161
- anticoagulants, 111
- antidotes, and poisons, 218
- antiemetics, 242
- aorta, coarctation of, 211–15
- apnea, 46
 bronchiolitis and, 51, 52
 definition, 46
- apparent life-threatening event (ALTE). *See also* brief resolved unexplained event (BRUE)
 GERD and, 48
 periodic breathing vs., 46
- appendectomy, 175
- appendicitis, 173–5
 diagnosis, 175
 epidemiology, 174
 pathophysiology, 174
 presentation, 175
 treatment, 175
- Apt test, 254
- arterial blood gas (ABG)

- drowning, 25
 - reference values, xvi
 - respiratory failure, 34
 - arteriovenous malformations, 250, 252
 - arthritis
 - Lyme. *See* Lyme arthritis
 - septic. *See* septic arthritis
 - arthrocentesis, 128, 129, 134, 135
 - aseptic meningitis, 237, 245
 - aspiration method, 259
 - aspirin overdose, 85–8
 - diagnosis, 86
 - epidemiology, 85
 - pathophysiology, 86
 - presentation, 86
 - treatment, 87
 - asthma
 - acute exacerbation. *See* acute asthma
 - exacerbation
 - anaphylaxis and, 39
 - epidemiology, 53
 - ataxia, 161
 - atrial septal defect (ASD), 61, 63
 - autism spectrum disorder, 76, 183
 - axillary nerve, 142
 - bacteremia, 267, 293
 - bacterial meningitis
 - epidemiology, 237
 - pathophysiology, 238
 - Bacterial Meningitis Score, 238
 - balloon catheter, 97, 101
 - Bankart lesion, 142
 - basilar skull fracture, 8
 - bee allergy, 38–41
 - benzodiazepines, 70, 159
 - beta-agonists, 54, 55
 - beta-hCG levels, 197, 198, 199, 262
 - beta-hydroxybutyrate, 181
 - bicycle accidents
 - head trauma, 7–10
 - multiple trauma, 3–6
 - botulism immunoglobulin, 205
 - biphasic reaction, 41
 - bipolar disorder, 222
 - bladder-bowel dysfunction, 176–80
 - BLEEP examination, 214
 - blood typing, 262
 - blowout fractures, 107, 108
 - blue CHD, 60, 61
 - blunt trauma, 5, 21
 - bone conduction theory, 107
 - bone marrow examination, 278
 - Borrelia burgdorferi*, 134, 244
 - Borrelia mayonii*, 244
 - botulinum neurotoxin (BoNT), 205
 - botulism, infant, 203–6
 - bougienage method, 186
 - bowel perforation, 183–6
 - brain tumors. *See* medulloblastoma, intracranial mass
 - breastfeeding, 172, 204, 210
 - breathing difficulties, 42–67
 - acute asthma exacerbation, 52–5
 - anemia. *See* anemia
 - bronchiolitis, 49–52
 - congestive heart failure, 59–63
 - foreign-body aspiration, 42–4
 - GERD. *See* gastroesophageal reflux disease (GERD)
 - periodic breathing, 45–6
 - respiratory failure, 32–5
 - brief psychotic disorder, 222
 - brief resolved unexplained event (BRUE), 55–8
 - diagnosis, 57
 - epidemiology, 56
 - pathophysiology, 56
 - presentation, 56
 - treatment, 57–8
 - bronchiolitis, 48, 49–52
 - diagnosis, 51
 - disposition, 52
 - epidemiology, 50
 - pathophysiology, 50
 - presentation, 51
 - treatment, 51–2
 - bronchoscopy, 43, 44
 - bruising
 - BRUE and, 58
 - child abuse, 286–8
 - B-type natriuretic peptide (BNP), 31
 - buckle fracture, 145
 - bulimia nervosa, 163–5
 - diagnosis, 164
 - epidemiology, 164
 - pathophysiology, 164
 - presentation, 164
 - treatment, 164
 - burn center, transfer to, 22, 280, 281
 - burn shock, 20
 - burns, 19–23, 278–81
 - classification, 20
 - diagnosis, 280
 - disposition, 22, 280–1
 - epidemiology, 20, 279
 - pathophysiology, 20, 279–80
 - presentation, 20, 280
 - treatment, 21–2, 280
 - burr hole, 233
 - button batteries, ingestion, 186
 - Canadian C-spine Rule, 12
 - cancer. *See also specific cancers*
 - neutropenic fever and, 73–6
 - Candida albicans*, 188
 - carbon monoxide poisoning, 21, 224–6
 - diagnosis, 225
 - epidemiology, 225
 - pathophysiology, 225
 - presentation, 225
 - treatment, 226
 - carboxyhemoglobin levels, 225, 226
 - cardiac arrest, 211
 - cardiogenic shock, 29–32
 - diagnosis, 31
 - epidemiology, 30
 - pathophysiology, 30
 - presentation, 30
 - septic shock and, 36, 213, 214
 - treatment, 31
 - cardiopulmonary resuscitation (CPR)
 - BRUE patient, 57, 58
 - drowning patient, 23, 25
 - carditis
 - endocarditis, 30, 31
 - Lyme, 245
 - myocarditis, 30
 - pericarditis. *See* pericarditis
 - cat bites, 283, 285
 - CATCH criteria, 232
 - catheterization, 97, 101, 179, 186
 - c-collar immobilization, 11
 - Centers for Disease Control and Prevention (CDC), 264, 265
 - Centor score, 170
 - cerebral edema, 181, 182
 - cerebral palsy, 178
 - cerebral perfusion pressure, 232
 - cerebrospinal fluid (CSF)
 - meningitis, 238
 - pleocytosis, 238
 - reference values, xvi
 - CHALICE criteria, 232
 - chest pain, pericarditis, 93
 - chest X-ray (CXR)
 - acute asthma exacerbation, 54
 - bronchiolitis, 51
 - CHD, 62
 - CHF, 59
 - coarctation of the aorta, 213
 - foreign-body aspiration, 44
 - foreign-body ingestion, 185
 - pneumonia, 190, 191
- child abuse, 1, 286–8. *See also* non-accidental trauma
 - diagnosis, 287
 - disposition, 288
 - epidemiology, 286
 - pathophysiology, 287
 - presentation, 287
 - risk factors, 287
 - sexual, 189, 262, 264, 271
 - treatment, 288
- Child Abuse Prevention and Treatment Act, 287
- chlamydial infection, 187–9, 263–6

Index

- choking episode, 43
 circumcision, 258, 260, 267
 clinical decision rules
 head trauma, 232
 neutropenic fever, 75
Clostridium botulinum, 204
Clostridium difficile, 82
 coagulation reference values, xvi
 coarctation of the aorta, 211–15
 diagnosis, 213–14
 disposition, 214
 epidemiology, 212
 pathophysiology, 212–13
 presentation, 213
 treatment, 214
 cognitive behavioral therapy, 165
 colic, 206–8
 definition, 207
 diagnosis, 208
 epidemiology, 207
 presentation, 207
 colloid therapy, 28
 Colorado CoFlex[®] technique, 259
 community-acquired pneumonia, 189–91
 compartment syndrome, 281
 compensated shock, 27
 complete blood count (CBC), xv
 compression bandage, 259, 260
 congenital heart disease (CHD), 59–63
 coarctation of the aorta. *See*
 coarctation of the aorta
 coronary artery anomaly, 206–8
 cyanotic, 60, 61
 diagnosis, 61
 epidemiology, 60, 212
 pathophysiology, 60
 pink, 60, 61, 62
 congestive heart failure (CHF), 59–63
 definition, 61
 diagnosis, 61
 pathophysiology, 61
 presentation, 61
 treatment, 62–3
 constipation, 176–80
 diagnosis, 178–9
 epidemiology, 176
 foreign-body ingestion and, 184, 185
 infant botulism and, 204, 205
 pathophysiology, 177–8
 presentation, 178
 treatment, 179
 convulsions, seizures and, 158
 corn syrup, contaminated, 204
 coronary artery anomaly, 206–8
 red flags, 208
 cow milk protein intolerance, 48
 cranial nerve palsies, 205
 cricothyroidotomy, 5
 crying, persistent, 206, 207–8
 c-spine injury, 10–14
 diagnosis, 12–14
 epidemiology, 11
 imaging, 232
 pathophysiology, 11
 presentation, 11–12
 treatment, 15
 CT scanning, 1
 animal bite, 283
 appendicitis, 175
 brain tumors, 162
 epidural hematoma, 230, 232
 foreign-body ingestion, 185, 186
 globe rupture, 103
 head trauma, 8
 intussusception, 221
 Lemierre syndrome, 111
 mastoiditis, 105, 106
 multiple trauma, 6
 non-accidental trauma, 18
 orbital fracture, 108, 109
 peritonsillar abscess, 113
 retropharyngeal abscess, 118, 119, 248, 249
 subarachnoid hemorrhage, 250, 251
 cyanide, 21
 cyanotic CHD, 60, 61
 cystitis, 266–9
 cytomegalovirus (CMV),
 transplant-associated, 81–4
 deep partial-thickness burns, 20
 deferoxamine, 154
 dehydration
 acute gastroenteritis, 151
 diabetic ketoacidosis, 181, 182
 epidemiology, 209
 hypernatremic, 209–11
 depression, 222
 postpartum, 262
 dextromethorphan overdose, 215–18
 diabetes, types, 181
 diabetic ketoacidosis, 180–3
 diagnosis, 182
 epidemiology, 181
 pathophysiology, 181
 presentation, 181
 treatment, 182
 diarrhea, 210
 hypovolemic shock from, 27
 digital rectal exam, 178
 diplopia, 161
 disseminated intravascular
 coagulation, 293, 294
 distributive shock, 36
 dog bites, 282–5
 dorsal slit procedure, 260
 double-bubble sign, 167
 Down's syndrome, 166
 drainage
 abscess, 113
 joint, 128
 mastoiditis, 106
 dressing changes, burns, 281
 drowning, 23–6
 disposition, 25
 epidemiology, 24
 pathophysiology, 24
 presentation and diagnosis, 25
 prevention, 25
 resuscitative measures, 23
 treatment, 25
 ductal-dependent lesions, 211–15
 Dundee technique, 259
 duodenal atresia, 166
 dysentery, acute gastroenteritis and, 151
 dysuria, 264
 ear complaints. *See* eye, ear, nose, and throat
 ear pain, 115, 116
 early disseminated Lyme disease, 244, 245, 246
 early localized Lyme disease, 244
 echocardiography
 cardiogenic shock, 31, 32
 CHD, 62, 63
 coarctation of the aorta, 214
 ectopic pregnancy, 195–9
 diagnosis, 196–7
 epidemiology, 196, 197, 284
 pathophysiology, 196
 presentation, 196
 treatment, 197–8
 elbow, supracondylar fracture, 138–40
 electrical burns, 279
 electrocardiogram (EKG)
 acute viral perimyocarditis, 92, 94
 cardiogenic shock, 31
 CHD, 62
 CHF, 60
 coronary artery anomaly, 208
 electroencephalography (EEG),
 seizures, 159, 160
 ELISA, 134
 EMLA[®] glove technique, 259
 endocarditis, 30, 31
 endoscopy, 185
 enema, 156, 157, 220
 enteroviral meningitis, 236–9
 environmental hyperthermia, 88–91
 diagnosis, 90
 epidemiology, 88
 pathophysiology, 89
 presentation, 89–90
 treatment, 90

- enzyme immunoassay, 245
- epididymitis, 188
- epidural hematoma, 230–3
 - diagnosis, 231
 - epidemiology, 230
 - pathophysiology, 231
 - presentation, 231
 - treatment, 232–3
- epilepsy
 - febrile seizure and, 69, 70
 - seizures and, 158, 159
- epinephrine, 38, 40, 41
- epistaxis, 98–101
 - diagnosis, 99–100
 - epidemiology, 99
 - pathophysiology, 99
 - posterior, 101
 - presentation, 99
 - treatment, 100–1
- Epstein–Barr virus (EBV), 82, 84
- erythema migrans, 134, 244, 245
- Escherichia coli*, 267
- esophageal foreign body, 96
 - diagnosis, 96
 - presentation, 96
 - treatment, 97
- extravaginal torsion, 193
- eye, ear, nose, and throat, 95–120
 - epistaxis, 98–101
 - foreign body in, 95–8
 - globe rupture, 102–4
 - Lemierre syndrome, 109–11
 - mastoiditis, 104–6
 - orbital fracture, 106–9
 - otitis media, 104, 105, 114–16
 - peritonsillar abscess, 112–14
 - retropharyngeal abscess, 117–20
- facial nerve palsy, 243–6
- FAST examination, 4, 5
- febrile seizure, 68–70
 - diagnosis, 69–70
 - epidemiology, 69
 - pathophysiology, 69
 - presentation, 69
 - treatment, 70
- fever, 68–94
 - acute viral perimyocarditis, 91–4
 - aspirin overdose, 85–8
 - environmental hyperthermia, 88–91
 - febrile seizure, 68–70
 - neonatal, 71–3
 - neuroleptic malignant syndrome, 76–8
 - neutropenic, 73–6
 - with sickle cell disease, 78–80
 - with transplant, 81–4
- fluid resuscitation
 - aspirin overdose, 87
 - burns, 21, 23, 280
 - cardiogenic shock, 31
 - hypovolemic shock, 28–9
 - septic shock, 37
- fluorescein staining, 103
- Foley catheter, 101, 186
- forced expiratory volume in one second (FEV1), 54
- forced vital capacity (FVC), 54
- foreign body
 - esophageal. *See* esophageal foreign body
 - eye, 102, 103
 - lacerations, 131
 - nasal. *See* nasal foreign body
 - vaginitis, 272
- foreign-body aspiration, 42–4
 - diagnosis, 43–4
 - epidemiology, 43
 - pathophysiology, 43
 - presentation, 43
 - treatment, 44
- foreign-body granuloma, 273–6
 - diagnosis, 275
 - epidemiology, 274
 - pathophysiology, 275
 - presentation, 275
 - treatment, 275
- foreign body in the ear, 95–8
 - diagnosis, 96
 - epidemiology, 95
 - pathophysiology, 96
 - presentation, 96
 - treatment, 97–8
- foreign-body ingestion, 183–6
 - diagnosis, 185
 - disposition, 186
 - epidemiology, 184
 - pathophysiology, 184
 - presentation, 185
 - treatment, 185–6
- formula feeding, 171, 172, 204
- overconcentration, 210
- four-extremity pulse oximetry, 213
- fractures, 144–6
 - diagnosis, 145–6
 - epidemiology, 144
 - maxillofacial, 282–5
 - pathophysiology, 144–5
 - presentation, 145
 - rib, 16, 17
 - supracondylar, 138–40
 - treatment, 146
- free radicals, 153
- full-thickness burns, 20
- Fusobacterium necrophorum*, 110, 111
- gait problems, 127
- Gardnerella vaginalis*, 188, 263–6
- Gartland classification, 139
- gastric decontamination, 206
- gastric outlet obstruction, 153
- gastroenteritis, 48
 - acute. *See* acute gastroenteritis
 - viral, 26–9
- gastroesophageal reflux, 47
- gastroesophageal reflux disease (GERD), 48–9
 - diagnosis, 48
 - differential diagnosis, 48
 - epidemiology, 47
 - overfeeding and, 172
 - pathophysiology, 48
 - presentation, 48
 - red flags, 48
 - treatment, 49
- gastrointestinal bleeding, 253–5
 - diagnosis, 254
 - disposition, 255
 - epidemiology, 253
 - iron toxicity, 154
 - pathophysiology, 253
 - presentation, 254
 - treatment, 254
- gastrointestinal irritation, 153
- generalized rashes, 290
- genital warts, 265
- genitourinary complaints, 253–72
 - inguinal hernia, 255–7
 - milk protein allergy, 253–5
 - paraphimosis, 257–60
 - pregnancy. *See* pregnancy
 - STIs. *See* sexually transmitted infections (STIs)
 - UTIs. *See* urinary tract infection (UTI)
 - vaginitis, 269–72
- Glasgow Coma Scale (GCS), 3, 6
- globe rupture, 102–4
 - diagnosis, 103
 - epidemiology, 102
 - pathophysiology, 102
 - presentation, 103
 - treatment, 103
- globe to wall theory, 107
- glucocorticoids, 54
- glycerin suppositories, 179
- gonococcus, 265
- gonorrhea, 127, 188, 264, 265
- greenstick fracture, 145
- growth centers, elbow, 139
- G-tube, feeding through, 209, 210
- Haemophilus influenzae*, 115, 237, 239
- hair tourniquet, 258
- hallucinations, 217, 218, 222

Index

- head and neck pain, 224–52
 - carbon monoxide poisoning, 224–6
 - epidural hematoma, 230–3
 - hypertensive emergency, 226–9
 - Lyme disease, 243–6
 - medulloblastoma, 234–6
 - meningitis. *See* meningitis
 - migraine, 240–2
 - retropharyngeal abscess, 247–9
 - subarachnoid hemorrhage, 249–52
 - head trauma, 5, 7–10. *See also* epidural hematoma, traumatic brain injury (TBI)
 - abusive, 17
 - diagnosis, 8–9
 - disposition, 9
 - epidemiology, 8
 - globe rupture in, 103
 - pathophysiology, 8
 - presentation, 8
 - treatment, 9
 - headache
 - brain tumors, 161
 - epidemiology, 241
 - episodic, 226
 - migraine, 240–2
 - red flags, 241
 - heart failure, 30–1. *See also* congestive heart failure (CHF)
 - heat cramps, 89
 - heat exhaustion, 89
 - heat stroke, 88, 89. *See also* environmental hyperthermia
 - classic, 89
 - exertional, 89
 - Heimlich maneuver, 42, 44
 - hematogenous seeding, 136
 - hemodialysis, 87
 - hemorrhagic shock, 27, 28
 - treatment, 29
 - hepatotoxicity, 153
 - herpes infections, 188, 265, 266
 - heterotaxy, 166
 - high ankle sprain, 124, 126
 - high-flow nasal cannula (HFNC), 52
 - hip, septic arthritis, 126–9
 - Hirschsprung’s disease, 178
 - HIV infection, 188, 264, 265
 - HIV testing, 265
 - homonymous hemianopsia, 161
 - honey, contaminated, 204
 - human papilloma virus, 264, 265
 - Hunt and Hess scale, 251
 - hyaluronidase method, 259
 - hydraulic theory, 107
 - hydrocele, hernia and, 256
 - hydrocephalus, GERD and, 48
 - Hymenoptera* anaphylaxis, 39
 - hyperbaric oxygen, 226
 - hypercarbia, 33
 - bronchiolitis and, 51, 52
 - hypernatremia, 209–11
 - diagnosis, 210
 - disposition, 210
 - pathophysiology, 210
 - treatment, 210
 - hypertonic saline solution, 233
 - hypertensive emergency, 226–9
 - diagnosis, 228
 - epidemiology, 227
 - pathophysiology, 227–8
 - presentation, 228
 - treatment, 228–9
 - hypertensive encephalopathy, 227, 228
 - hyperthermia. *See* environmental hyperthermia
 - hypoglycemia
 - idiopathic ketotic. *See* idiopathic ketotic hypoglycemia
 - inborn error of metabolism and, 148, 149
 - hyponatremia, 182
 - hypotension
 - septic shock and, 37
 - hypotensive shock, 27
 - hypothermia, induced, 25
 - hypovolemic shock, 26–9
 - cardiogenic shock and, 30
 - diagnosis, 28
 - epidemiology, 27
 - pathophysiology, 27
 - presentation, 27
 - septic shock and, 36
 - treatment, 28–9
 - hypoxia, 33, 225
 - iced glove, 259, 260
 - idiopathic ketotic hypoglycemia, 201–3
 - diagnosis, 202
 - epidemiology, 202
 - pathophysiology, 202
 - presentation, 202
 - treatment, 202
 - immune system, chemotherapy and, 74
 - immunofluorescence assay, 245
 - inborn error of metabolism, 147–50
 - diagnosis, 149
 - epidemiology, 148
 - idiopathic ketotic hypoglycemia and, 202
 - pathophysiology, 148
 - presentation, 148–9
 - treatment, 149
 - induced hypothermia, 25
 - infant botulism, 203–6
 - diagnosis, 205
 - epidemiology, 204
 - pathophysiology, 204
 - presentation, 205
 - treatment, 205
- infant feeding guidelines, 172
 - informed consent, 262, 263
 - inguinal hernia, 255–7
 - diagnosis, 256
 - disposition, 257
 - epidemiology, 256
 - pathophysiology, 256
 - presentation, 256
 - treatment, 256
 - insect bites, 288–91
 - intoxication, 215–18
 - diagnosis, 217
 - disposition, 218
 - epidemiology, 216
 - pathophysiology, 216
 - presentation, 216
 - treatment, 217
 - intracranial mass, 160–3. *See also* medulloblastoma
 - diagnosis, 162
 - epidemiology, 161
 - pathophysiology, 161
 - presentation, 161
 - treatment, 162
 - intracranial pressure, 232
 - intrathoracic injury, 5
 - intubation
 - anaphylaxis, 39
 - aspirin overdose, 87
 - drowning, 23
 - epidural hematoma, 232
 - multiple trauma, 5
 - respiratory failure, 34, 35
 - subarachnoid hemorrhage, 251
 - intussusception, 155–7, 219–20, 255
 - diagnosis, 156–7, 220
 - epidemiology, 156, 219
 - pathophysiology, 156, 219
 - presentation, 156, 220
 - treatment, 157, 220
 - ipratropium, 54
 - iron supplements, 65, 66
 - iron toxicity, 152–5
 - diagnosis, 153–4
 - epidemiology, 153
 - pathophysiology, 153
 - presentation, 153
 - treatment, 154
 - iron-deficiency anemia, 64–7
 - irreversible shock, 27
 - isotonic crystalloids, 210
 - Ixodes pacificus*, 244
 - Ixodes scapularis*, 244

- Kawasaki disease, 30
Kesselbach's plexus, 99, 100
Kingella kingae, 127
knee complaints. *See* limb complaints
Kocher criteria, 128
- lacerations, 129–32. *See also* skin
 complaints
 diagnosis, 131
 disposition, 132
 epidemiology, 130
 pathophysiology, 130–1
 presentation, 130, 131
 treatment, 131–2
- Ladd's procedure, 168
laparoscopy, 257
laparotomy, 198, 220
laryngoscopy, 44
late disease, Lyme, 245
latent phase, iron toxicity, 153
lateral ankle sprains, 124
Lemierre syndrome, 109–11
 diagnosis, 111
 epidemiology, 110
 pathophysiology, 110
 presentation, 110
 treatment, 111
 vaccination and, 110
leukemia. *See* acute lymphoblastic
 leukemia (ALL)
limb complaints, 121–46
 ankle sprain, 123–6
 fractures, 144–6
 lacerations, 129–32
 Lyme arthritis, 133–5
 nursemaid's elbow, 121–2
 osteomyelitis, 135–43
 septic arthritis, 126–9
 shoulder dislocation, 141–3
 supracondylar fracture, 138–40
Listeria monocytogenes, 237
localized rashes, 290
lumbar puncture (LP)
 febrile seizure, 69
 Lyme meningitis, 245
 meningitis, 238
 subarachnoid hemorrhage,
 251
Lund and Browder chart, 21,
 280
Lyme arthritis, 133–5, 244
 diagnosis, 134
 epidemiology, 134
 pathophysiology, 134
 presentation, 133, 134
 treatment, 134
Lyme disease, 243–6
 cases by State in the USA, 244
 diagnosis, 245
 epidemiology, 244
 pathophysiology, 244
 presentation, 244–5
 treatment, 246
Lyme meningitis, 239, 245
- magnesium sulfate, 54
magnets, ingestion, 186
malignant hypertension, 226–9
malnutrition, hypovolemic shock and,
 28
malrotation, 48, 165–8
 diagnosis, 167
 disposition, 168
 epidemiology, 166
 pathophysiology, 166
 presentation, 167
 treatment, 167
mastoiditis, 104–6
 diagnosis, 105
 epidemiology, 105
 pathophysiology, 105
 presentation, 105
 treatment, 106
maxillofacial fractures, 282–5
mean arterial pressure, 232
medulloblastoma, 234–6
 diagnosis, 235
 epidemiology, 234
 pathophysiology, 235
 presentation, 235
 treatment, 235–6
meningitis, 236–9, 293
 aseptic, 237, 245
 bacterial, 237, 238
 diagnosis, 238–9
 epidemiology, 237
 GERD and, 48
 pathophysiology, 238
 presentation, 238
 treatment, 239
meningitis with bacteremia, 293
meningococcemia, 291–4
 diagnosis, 293
 epidemiology, 292
 pathophysiology, 292
 presentation, 293
 treatment, 294
mental status assessment
 c-spine injury, 12
 multiple trauma, 6
metabolic acidosis, 25, 86, 87
metabolic decompensation, 28
methotrexate, 198
migraine, 240–2
 diagnosis, 241–2
 disposition, 242
 epidemiology, 241
 pathophysiology, 241
 presentation, 241
 treatment, 242
milk protein allergy, 253–5
miscarriage, 261
motor vehicle accidents
 c-spine injury, 10–14
 statistics, 4
MRI scanning
 brain tumors, 162
 osteomyelitis, 137, 138
 peritonsillar abscess, 113
MRSA, 127, 137, 138, 248
multiple trauma, 4–6
 diagnosis, 5
 epidemiology, 4
 globe rupture in, 103
 pathophysiology, 4
 presentation, 4–5
 treatment, 5–6
myalgias, 293
myocarditis, 30
myringotomy, 106
- nasal foreign body, 96, 99
 diagnosis, 96
 presentation, 96
 treatment, 97
nasal packing, 100
nasoethmoid fractures, 107
neck. *See also* head and neck pain
 decreased mobility, 117, 119
Neisseria gonorrhoeae, 127, 188, 189
Neisseria meningitidis, 237, 292,
 293
neonatal fever, 71–3
 diagnosis, 72
 epidemiology, 71
 pathophysiology, 72
 presentation, 72
 treatment, 72
neuroleptic malignant syndrome
 (NMS), 76–8
 diagnosis, 77–8
 disposition, 78
 epidemiology, 77
 pathophysiology, 77
 presentation, 77
 treatment, 78
neurologic disorders
 constipation and, 177, 178
 intoxication and, 217
neurosurgery, 162, 233
neutropenic fever, 73–6, 82
 diagnosis, 75
 disposition, 75
 epidemiology, 74
 pathophysiology, 74
 presentation, 74
 treatment, 75

Index

- NEXUS criteria, 12–13
non-accidental trauma, 16–18. *See also*
 child abuse
 BRUE and, 58
 burns and, 20
 diagnosis, 17–18
 disposition, 18
 epidemiology, 17
 persistent crying and, 208
 pregnancy and, 261
 presentation, 17
 red flags, 17
 subarachnoid hemorrhage and, 250, 251
 treatment, 18
nose complaints. *See* eye, ear, nose, and throat
NSAIDs, 93
nucleic acid amplification, 188, 265, 266
nursemaid's elbow, 121–2
 diagnosis, 122
 disposition, 122
 epidemiology, 121
 pathophysiology, 121
 presentation, 122
 treatment, 122

obesity, 171, 172
oculocardiac reflex, 108
ondansetron, 151
orbital fracture, 106–9
 diagnosis, 108
 disposition, 108
 epidemiology, 107
 pathophysiology, 107–8
 presentation, 108
 treatment, 108
orbital wall fracture, 108, 109
osmolar gap, elevated, 217
osmotic agents, 162, 259
osteomyelitis, 135–43
 diagnosis, 137
 epidemiology, 136
 pathophysiology, 136–7
 presentation, 137
 treatment, 137
otitis media, 114–16
 diagnosis, 115–16
 epidemiology, 115
 mastoiditis and, 104, 105
 pathophysiology, 115
 presentation, 115
 treatment, 116
Ottawa Ankle Rules, 125
ovarian torsion, 193, 194
overfeeding, 170–2
 diagnosis, 172
 pathophysiology, 171–2
 presentation, 172
 treatment, 172
oxygen, hyperbaric, 226
oxygenation, maintaining, 232

Panayiotopoulos syndrome, 157–60
papilledema, 162, 235, 246
paraphimosis, 257–60
 diagnosis, 258
 disposition, 260
 epidemiology, 258
 pathophysiology, 258
 presentation, 258
 treatment, 258–60
Parkland formula, 21
Pasteurella infections, 283, 284
patent ductus arteriosus, 63
PECARN criteria, 232
 c-spine injury, 13
 head trauma, 8, 9
pediatric severe sepsis, 37
pelvic examination, 262
pelvic inflammatory disease, 188, 189, 265
pelvic pain, 260, 261
penetrating trauma, globe rupture, 102–4
pericarditis, 91–4
 diagnosis, 93
 epidemiology, 92
 pathophysiology, 92
 presentation, 93
 treatment, 93
periodic breathing, 45–6
 diagnosis, 46
 epidemiology, 45
 pathophysiology, 46
 presentation, 46
peripheral perfusion, assessing, 6
peritonsillar abscess, 112–14
 diagnosis, 113
 disposition, 113
 epidemiology, 112
 pathophysiology, 112
 presentation, 112
 treatment, 113
pharyngitis, 110, 111
 strep. *See* streptococcal pharyngitis
pheochromocytoma, 226–9
phimosis, 258
physeal fractures, 145
pink CHD, 60, 61, 62
placenta previa, 262
placental abruption, 261
plastic deformity, 144
Pneumocystis jirovecii, 82
pneumonia, 189–91
 diagnosis, 190
 epidemiology, 190
 foreign-body aspiration and, 43
 GERD and, 48
 pathophysiology, 190
 presentation, 190
 respiratory failure from, 33, 34
 transplant-associated CMV infection and, 82
 treatment, 191
Poison Control Hotline, 218
poisoning. *See also* intoxication
 BRUE and, 58
 carbon monoxide, 224–6
 poisons, and antidotes, 218
polyethylene glycol, 154, 179, 180, 213
polymerase chain reaction (PCR) testing, 238
post-transplant lymphoproliferative disease (PTLD), 82
potassium levels, abnormal, 182
pregnancy, 260–3
 diagnosis, 262
 disposition, 262–3
 ectopic. *See* ectopic pregnancy
 epidemiology, 196, 261
 pathophysiology, 261
 presentation, 261
 treatment, 262
Pregnancy Mortality Surveillance System, 196
pregnancy testing, 196, 261
primary closure of wounds, 284
prostaglandin therapy, 63, 214
psychosis. *See* acute psychosis
pulse oximetry, four-extremity, 213
puncture wounds, 274
 treatment, 284
purpura fulminans, 293, 294
pyloric stenosis, 48

rabies prophylaxis, 284, 285
radial head subluxation. *See* nursemaid's elbow
radiation exposure, thyroid cancer and, 14
radiography. *See* X-rays
rashes, 288–91
 dangerous-appearing, 290–1
 diagnosis, 290–1
 epidemiology, 289
 pathophysiology, 289
 presentation, 289
 treatment, 291
red blood cells (RBC)
 destruction, 65, 66
 failure to make, 66
 loss of, 65
red flags
 anaphylaxis, 40
 coronary artery anomaly, 208

- GERD, 48
 - headache, 241
 - non-accidental trauma, 17
 - reduction
 - inguinal hernia, 256
 - intussusception, 157
 - paraphimosis, 259–60
 - shoulder dislocation, 143
 - referred abdominal pain, 190
 - rehydration
 - bulimia and anorexia, 164
 - oral, 90, 151
 - resection, tumor, 229, 235, 236
 - respiratory failure, 32–5
 - diagnosis, 33–4
 - epidemiology, 33
 - pathophysiology, 33
 - presentation, 33
 - treatment, 34
 - respiratory rate, taking, 33
 - respiratory syncytial virus (RSV),
 - bronchiolitis and, 50, 51
 - resuscitation, 3–41. *See also* fluid resuscitation
 - anaphylaxis, 38–41
 - brain tumors, 162
 - burns, 19–23
 - cardiogenic shock, 29–32
 - c-spine injury, 10–14
 - drowning, 23–6
 - ectopic pregnancy, 199
 - head trauma, 7–10
 - hypovolemic shock, 26–9
 - multiple trauma, 3–6
 - non-accidental trauma, 16–18
 - respiratory failure, 32–5
 - septic shock, 35–8
 - retinal hemorrhage, 18
 - retropharyngeal abscess, 110, 117–20, 247–9
 - diagnosis, 248
 - epidemiology, 117, 248
 - pathophysiology, 119, 248
 - presentation, 119, 248
 - treatment, 119, 248
 - rhesus status, 262
 - rheumatic fever, 169
 - rib fractures, 16, 17
 - RICE, 125
 - Rome IV criteria, 178
 - rotavirus, 151
 - rule of 7s, meningitis, 239, 245
 - rule of 9s, burns, 21, 280
 - Russell’s sign, 164
 - salpingectomy, 198
 - salpingostomy, 198
 - Salter–Harris fractures, 125, 145, 146
 - Sandifer syndrome, 48
 - schizoaffective disorder, 222
 - schizophrenia, 222
 - schizophreniform, 222
 - secondary brain damage, 232
 - Seidel’s sign, 103
 - seizures, 157–60
 - diagnosis, 159
 - drowning and, 25
 - epidemiology, 158
 - febrile. *See* febrile seizure
 - inborn error of metabolism and, 147, 149
 - pathophysiology, 158
 - presentation, 158–9
 - treatment, 159
 - tumors, 235
 - septic arthritis, 126–9
 - diagnosis, 127–8
 - epidemiology, 127
 - pathophysiology, 127
 - presentation, 127
 - treatment, 128
 - septic shock, 35–8
 - cardiogenic shock and, 36, 213, 214
 - CHF and, 63
 - diagnosis, 36–7
 - epidemiology, 36
 - neonatal fever and, 72
 - pathophysiology, 36
 - presentation, 36
 - treatment, 37
 - serotonin syndrome, 78
 - serum iron levels, 153, 154
 - serum reference values, xv
 - serum salicylate levels, 86
 - sexual abuse, 189, 262, 264, 271
 - sexually transmitted infections (STIs), 187–9, 263–6
 - diagnosis, 188, 262, 265
 - disposition, 189
 - epidemiology, 188, 264
 - pathophysiology, 188, 264
 - presentation, 188, 264–5
 - treatment, 189, 265
 - UTIs and, 268
 - shaken baby syndrome, 287
 - shock index, 197
 - shock syndrome, 27
 - shoulder dislocation, 141–3
 - diagnosis, 142–3
 - epidemiology, 142
 - pathophysiology, 142
 - presentation, 142
 - treatment, 143
 - shunting, 60
 - sickle cell disease, 78–80
 - diagnosis, 79
 - disposition, 80
 - epidemiology, 79
 - osteomyelitis and, 137
 - pathophysiology, 79
 - presentation, 79
 - treatment, 80
- SIRS criteria, 36
- skeletal survey, 287
- skin complaints, 273–94. *See also* lacerations
- ALL. *See* acute lymphoblastic leukemia (ALL)
- animal bites, 282–5
- burns. *See* burns
- child abuse. *See* child abuse
- foreign-body granuloma, 273–6
- meningococemia, 291–4
- rashes, 288–91
- slit-lamp examination, 103
- sore throat, 110, 111, 113
- spina bifida, 178
- spinal cord injury without radiographic abnormality (SCIWORA), 11, 14
- spirometry, 54
- staphylococcal scalded skin syndrome, 280
- Staphylococcus aureus*, 127
- MRSA, 127, 137, 138, 248
- Stevens–Johnson syndrome, 280
- streptococcal pharyngitis, 168–70
 - diagnosis, 170
 - epidemiology, 169
 - pathophysiology, 169
 - presentation, 169
 - treatment, 170
- streptococci, 110
- Streptococcus pneumoniae*, 115, 237
- subarachnoid hemorrhage, 249–52
 - diagnosis, 251
 - disposition, 252
 - epidemiology, 250
 - pathophysiology, 251
 - presentation, 251
 - treatment, 251–2
- subdural hematomas, 1
- sudden infant death syndrome (SIDS), 49
- superficial burns, 20
- superficial partial-thickness burns, 20
- supracondylar fracture, 138–40
 - diagnosis, 139–40
 - disposition, 140
 - epidemiology, 139
 - nursemaid’s elbow and, 122
 - pathophysiology, 139
 - presentation, 139
 - treatment, 140
- sutures, lacerations, 132
- sweating, 89
- syndesmotic sprain, 124, 126

Index

- synovial fluid, assessment, 128, 134, 135
- syphilis, 188, 264, 265
- systemic toxicity, 153
- systolic blood pressure, 232
- tension pneumothorax, 5
- testicular torsion, 192–5
- tetanus, 285
- tetanus prophylaxis, 132
- Tetralogy of Fallot, 60
- THE MISFITS differential diagnosis
 - CHD, 62
 - febrile seizure, 70
 - malrotation, 167
 - seizures, 159
- thoracotomy, 44
- throat complaints. *See* eye, ear, nose, and throat
- thyroid cancer, 14
- tick bites, 244
- tonsillitis, 112
- torsion, 192–5
 - diagnosis, 193
 - epidemiology, 193
 - pathophysiology, 193
 - presentation, 193
 - treatment, 194
- torticollis, 119, 247–9
- torus fracture, 145
- total body surface area (TBSA), burns, 20, 21
- toxic epidermal necrolysis, 280
- toxidromes, examination findings, 217
- transplant-associated CMV infection, 81–4
 - diagnosis, 83–4
 - epidemiology, 81–2
 - pathophysiology, 82
 - presentation, 83
 - treatment, 84
- traumatic brain injury (TBI). *See also* epidural hematoma, head trauma
 - epidemiology, 230
 - high-risk patients, 9
 - incidence, 8
 - intermediate-risk patients, 9
 - low-risk patients, 9
 - secondary brain damage from, 232
- Trichomonas*, 188, 271
- triptans, 242
- trismus, 113
- trisomy 4–5, 165, 183
- troponin, 31, 94
- type 1 diabetes, 181
- type 2 diabetes, 181
- ultrasound (U/S), 1
 - appendicitis, 174, 175
 - ectopic pregnancy, 197, 198
 - foreign body, 275
 - globe rupture, 103
 - intussusception, 156, 157, 220
 - malrotation, 167
 - septic arthritis, 128
 - torsion, 194
 - urinary retention, 177, 180
- upper GI series, 167, 168
- upper respiratory infection (URI)
 - febrile seizure and, 69
 - peritonsillar abscess, 113
 - retropharyngeal abscess and, 119
- urethritis, 188
- urinalysis, 194, 268
- urinary retention, 176–80
- urinary tract infection (UTI), 48, 266–9
 - diagnosis, 268
 - epidemiology, 267
 - neonatal fever and, 71–3
 - pathophysiology, 267
 - presentation, 267–8
 - treatment, 268–9
- urine pregnancy tests, 197
- urine reference values, xvi
- uterine rupture, 261
- vaginal discharge, 264
- vaginitis, 188, 269–72
 - diagnosis, 271
 - epidemiology, 270
 - pathophysiology, 270
 - presentation, 270
 - treatment, 271
- ventricular septal defect, 60, 63
- viral gastroenteritis, 26–9
- viral perimyocarditis. *See* pericarditis
- vital signs
 - CHD, 208, 213
 - migraine, 241
- volvulus, 48
 - malrotation with, 165–8
- vomiting, 147–72
 - acute gastroenteritis, 150–2
 - bulimia nervosa, 163–5
 - diabetic ketoacidosis, 182
 - inborn error of metabolism, 147–50
 - intracranial mass, 160–3
 - intussusception, 155–7, 220
 - iron toxicity, 152–5
 - malrotation, 165–8
 - overfeeding, 170–2
 - seizures, 157–60
 - strep pharyngitis, 168–70
- Wessel’s rule of 3s, 207
- Western blot, 134, 245
- whirlpool sign, 167
- white blood cells (WBC)
 - reference values, xv
 - septic shock, 36
- wound irrigation, 131
- wounds. *See* lacerations
- X-rays. *See also* chest X-ray (CXR)
 - ankle sprain, 123, 125
 - c-spine injury, 13
 - foreign body, 275
 - osteomyelitis, 137
 - retropharyngeal abscess, 118, 119
 - septic arthritis, 128
 - shoulder dislocation, 142
 - supracondylar fracture, 139, 140
- zygomatic complex, 108