

## Index of Terms and Definitions

- $\frac{1}{2}$ -arc-transitive, 24
- a.e., 26
- Ádám's Conjecture, 91, 122
- adjacency matrix of a graph, 29
- adjacent, 1
- adjacent to, 2
- adversary reconstruction number of a graph, 142
- affine group of transformations of a field, 121
- ally reconstruction number of a graph, 142
- almost every, 26
- arc, 2
- arc-transitive graph, 23
- association schemes, 77
- asymmetric graph, 18
- automorphism
  - colour preserving, 41
  - of digraph, 7
  - of graph, 7
  - of structure, 160
  - two-fold, 103
- ball, 57
- canonical double cover, 102
- canonical double covering
  - of a digraph, 106
- card, 124
- cartesian product, 94, 97
- cartesian sum, 94
- categorical product, 92
- Cayley colour graph, 39
- Cayley digraph, 44
- Cayley graph, 45
  - Hamiltonicity of, 53–54
- character of abelian group, 55
- character table, 55
- characteristic polynomial deck, 145
- characteristic polynomial of a graph, 29
- circulant graph, 109, 116
- class-edge-reconstruction number, 142
- class-reconstruction number of a graph, 142
- classification of vertex-transitive graphs of order  $pq$ , 116, 122
- clique, 99
- coherent configuration, 77
- colour preserving automorphism, 41
- commutator, 16
- compatible structures, 157
- complement of a graph, 1
- complete bipartite graph, 19
- complete graph, 8
- complexity of graph isomorphism, 14, 139
- conference graph, 75
- connectedness preserving product, 96
- connecting set, 45
- coset graph, 49
- cover of a graph, 149
- cube, 37
- cubic graph, 1
- cutvertex, 128
- cycle, 2
- cyclic group, 6
- deck of a graph, 124
- degree, 1
- degree of an edge, 137
- degree-associated adversary reconstruction number of a graph, 143

- degree-associated card, 137
- degree-associated e-card, 137
- degree-associated edge-reconstruction number of a graph, 143
- Degree-Associated Reconstruction Conjecture, The, 137
- degree-associated reconstruction number of a graph, 143
- Desargues Graph, 108
- diameter, 2
- diameter of a graph, 73
- digraph, 2
  - automorphism of, 7
  - Cayley, 44
  - generalised orbital, 65
  - isomorphic, 7
  - orbital, 65
  - order of, 2
  - quasi-Cayley, 117
  - quasigroup, 117
  - regular, 2
  - size of, 2
  - underlying graph of, 2
- dihedral group, 7
- direct product, 93, 94
- directed cycle, 2
- directed graph, 2
- directed path, 2
- distance between vertices, 2, 8
- distance sequence, 21
- distance-regular graph, 34
- distance-transitive graph, 33
- dominating set of vertices, 111
- double coset graph, 51
- Doyle-Holt Graph, 47
  
- edge, 1
  - similar, 9
- edge of a structure, 158
- edge-automorphism, 10
- edge-card, 125
- edge-deck of a graph, 125
- edge-isomorphic graphs, 12
- edge-isomorphism of graphs, 12
- edge-reconstructible graph, 125
- edge-reconstruction as reconstruction of structures, 158
- Edge-Reconstruction Conjecture, The, 125
- edge-reconstruction number, 142
- edge-reconstruction of a graph, 125
- edge-transitive graph, 19
- efficient algorithm, 13
- eigenvalues of a graph, 29
- eigenvectors of a graph, 29
- elementary graph, 154
- embedding in the plane
  - unique, 133
- embedding of structures, 159
- embeddings of structures with forbidden positions, 161
- end-cutvertex, 82
- endvertex, 82
- endvertex-deck, 140
- endvertex-reconstructible graph, 140
- endvertex-reconstruction as reconstruction of structures, 159
- equal graphs, 9
- equivalent permutation groups, 3
- Exoo's Graph, 87
  
- F*-geodetic graph, 34
- finitely generated group, 6
- finitely presented group, 6
- Folkman Graph, 20, 35
- free group, 6
- Friendship Theorem, The, 75
- Frucht notation, 112
  
- GAP, 15
- general graph product, 93
- generalised Cayley graph, 119
- generalised dicyclic group, 81
- generalised orbital digraph, 65
- generalised orbital graph, 65
- generalised Petersen graph, 110
- generators, 6
- geodetic graph, 34
- girth, 2
- girth of a graph, 73
- GRAPE, 15
- Graph
  - Desargues, 108
  - Doyle-Holt, 47
  - Exoo, 87
  - Gray, 20, 52
  - Heawood, 35
  - Hoffman-Singleton, 75, 77
  - Klin, 76, 77
  - Ljubljana, 36
  - Petersen, 48
  - Shrikhande, 69

- graph, 1  
 adjacency matrix of, 29  
 adversary reconstruction number of, 142  
 allyreconstruction number of, 142  
 arc-transitive, 23  
 asymmetric, 18  
 automorphism of, 7  
 card of, 124  
 Cayley, 45  
 Cayley colour, 39  
 characteristic polynomial of, 29  
 circulant, 109, 116  
 class-reconstruction number of, 142  
 complement of, 1  
 complete, 8  
 complete bipartite, 19  
 conference, 75  
 coset, 49  
 cover of, 149  
 cubic, 1  
 deck of, 124  
 degree-associated adversary reconstruction number of, 143  
 degree-associated edge-reconstruction number of, 143  
 degree-associated reconstruction number of, 143  
 diameter, 73  
 diameter of, 2  
 distance-regular, 34  
 distance-transitive, 33  
 double coset, 51  
 edge-automorphism of, 10  
 edge-card of, 125  
 edge-deck of, 125  
 edge-isomorphic, 12  
 edge-isomorphism of, 12  
 edge-reconstructible, 125  
 edge-reconstruction of, 125  
 edge-transitive, 19  
 eigenvalues of, 29  
 eigenvectors of, 29  
 elementary, 154  
 endvertex-reconstructible, 140  
 equal, 9  
 $F$ -geodetic, 34  
 Folkman, 20, 35  
 generalised orbital, 65  
 generalised Petersen, 110  
 geodetic, 34  
 girth, 73  
 girth of, 2  
 identical, 9  
 induced edge-automorphism of, 11  
 infinite, 57  
 isomorphic, 7  
 isomorphism of, 7  
 Kneser, 66  
 Kneser's, 114  
 labelled, 9  
 line-, 10  
 locally finite infinite, 57, 91  
 $(m, n)$ -metacirculant, 115  
 maximal planar, 132  
   reconstruction of, 132–4  
 monomorphisms, 100  
 Moore, 74  
 non-Cayley vertex-transitive, 49, 62, 109  
 odd, 66  
 orbital, 65  
 order of, 2  
 $p$ -imprimitive, 116  
 prime, 97  
 primitive, 116  
 $q$ -imprimitive, 116  
 reconstructible, 124  
 reconstruction number of, 141  
 reconstruction of, 124  
 regular, 1, 2  
 self-complementary, 15  
 semisymmetric, 20  
 separable, 150  
 size of, 2  
 spectrum of, 29  
 square lattice, 70  
 stable, 102  
 strongly regular, 69  
 $t$ -arc-transitive, 32  
 transitive, 19  
 triangular, 70  
 undirected, 2  
 unstable, 102  
 vertex-transitive, 18  
   with property  $A_k$ , 26  
 graph product, 93  
   direct, 94  
   cartesian, 94, 97  
   cartesian sum, 94  
   categorical, 92  
   connectedness preserving, 96  
   direct, 93  
   lexicographic, 97

- graph product (*cont.*)  
 modular, 99  
 strong, 94, 97  
 wreath, 105
- graphical regular representation, 79
- Gray Graph, 20, 52
- group  
 generalised dicyclic, 81  
 quasi-, 117  
 virtually nilpotent, 57
- Groups & Graphs*, 14, 63, 139
- growth rate of a finitely generated group, 56
- growth rate of a locally finite infinite graph, 56
- Hamiltonian cycle, 53
- Hamiltonian path, 53
- Hamiltonian sequence in a subset of a group,  
 53
- Hamiltonicity of Cayley graphs, 53–4
- Hamiltonicity of vertex-transitive graphs,  
 53–60
- Heawood Graph, 35
- Hoffman-Singleton Graph, 75, 77
- homomorphism of structures, 159
- hypercube, 37
- hypomorphism, 126
- identical graphs, 9
- illegitimate deck, 138, 139
- imprimitive permutation group, 5
- imprimitivity block system, 6
- imprimitivity blocks, 6
- in-degree, 2
- incident, 1
- incident from, 2
- incident to, 2
- induced edge-automorphism, 11
- induced subgraph, 2
- infinite graph, 57
- Integrality Condition, 7
- interchange-similar, 82
- Interlacing Theorem, 146
- intersection array, 33
- intersection numbers, 33
- interval between vertices, 98
- irreplaceable vertex, 169
- isomorphic graphs, 7
- isomorphic structures, 157
- isomorphism of digraphs, 7
- isomorphism of graphs, 7
- $k$ -coverings, 108
- $k$ -homogeneous permutation group, 5, 114
- $k$ -set, 1
- $k$ -transitive permutation group, 5
- $k$ -vertex, 1
- Klein Graph, 76, 77
- Kneser's graphs, 66, 114
- Knight product, 101
- labelled graph, 9
- left regular representation, 3
- length of cycle, 2
- length of path, 2
- lexicographic product, 97
- line-graph, 10
- Ljubljana Graph, 36
- locally finite infinite graph, 57, 91
- loop, 1
- $(m, n)$ -metacirculant graphs, 115
- Mathematica*<sup>TM</sup>, 14
- maximal planar graphs, 132
- minimum polynomial, 72
- modular product, 99
- monomorphism between graphs, 100
- Moore graph, 74
- multiple edges, 1
- mutually pseudosimilar vertices, 84, 86–88, 91
- nauty*, 15
- non-Cayley vertex-transitive graphs, 49, 62,  
 109
- nontrivial TF-automorphism, 103
- nontrivial graph, 10
- NP class, 13
- NP-complete problems, 14
- odd graph, 66, 114
- oligomorphic permutation group, 58
- orbit, 3
- Orbit-Stabiliser Theorem, 3
- orbital, 64  
 self-paired, 64  
 trivial, 64
- orbital digraph, 65
- orbital graph, 65
- order of a graph or digraph, 2
- out-degree, 2
- P class, 13
- $p$ -imprimitive graph, 116
- path, 2

- permutation group, 3  
   acting on ordered pairs, 5, 64  
   acting on unordered pairs, 5, 158  
   compatible with relation, 5  
   equivalent, 3  
   imprimitive, 5  
   imprimitivity block system, 6  
   imprimitivity blocks, 6  
   invariant set, 4  
    $k$ -homogeneous, 5, 114  
    $k$ -transitive, 5  
   oligomorphic, 58  
   primitive, 5  
   rank 3, 68  
   rank of, 64  
   reconstruction index of, 166, 169  
   regular, 3  
   restriction of the action, 4  
   semiregular, 167  
   sub, 4  
   transitive, 3  
 permutation matrix, 30  
 Petersen graph, 48  
 polynomial-time algorithm, 13  
 polynomially reducible, 14  
 presentation of a group, 6  
 prime graph, 97  
 primitive graph, 116  
 primitive permutation group, 5  
 property  $A_k$ , 26  
 property  $EA_k$ , 147  
 pseudosimilar edges, 9  
 pseudosimilar vertices, 9, 81–88, 91  
   set of mutually, 84, 86–88  
  
 $q$ -imprimitive graph, 116  
 quasi-Cayley digraph, 117  
 quasigroup, 117  
   digraph, 117  
   right-associative, 117  
  
 Raleigh quotient, 145  
 Ramsey number, 36  
 rank 3 permutation group, 68  
 rank of a graph product, 93  
 rank of a permutation group, 64  
 recognisable class of graphs, 127  
 reconstructible graph, 124  
 reconstructible graph class, 126  
 reconstructible graph parameter, 126  
 Reconstruction Conjecture, The, 125  
  
 reconstruction index of a permutation group,  
   166, 169  
 reconstruction number of a graph, 141  
 reconstruction of a graph, 124  
 reconstruction of maximal planar graphs,  
   132–4  
 regular family of permutations, 117  
 regular graph, 1  
 regular graph or digraph, 2  
 regular permutation group, 3  
 relations, 6  
 removal-similar vertices, 8  
 restriction of the action of a permutation  
   group, 4  
 right regular representation, 3  
  
 $\mathcal{S}$ -deck, 158  
 $\mathcal{S}$ -reconstructible structure, 158  
*Sage*, 15  
 self-complementary graph, 15  
 self-paired orbital, 64  
 semiregular permutation, 113, 167  
 semiregular permutation group, 167  
 semisymmetric graph, 20  
 separable graph, 150  
 set notation, 1  
 Shrikhande Graph, 69  
 similar edges, 9  
 similar vertices, 8  
 simple eigenvalues, 31  
 size of a graph or digraph, 2  
 $\mathcal{S}_k$ -deck of a structure, 166  
 $\mathcal{S}_k$ -reconstructible structure, 166  
 software package  
   GAP, 15  
   GRAPE, 15  
   *Groups & Graphs*, 14, 63, 139  
   *Mathematica*<sup>TM</sup>, 14  
   *nauty*, 15  
   *Sage*, 15  
 spectrum of a graph, 29  
 square lattice graph, 70  
 stabiliser, 3  
 stable graph, 102  
 standard automorphism of  $CDC(G)$ , 119  
 Stirling numbers of the second kind, 149  
 strong product, 94, 97  
 strongly regular graph, 69  
 structure, 157  
   automorphism of, 160  
   compatible, 157

- structure (*cont.*)  
 edge of, 158  
 embedding of, 159  
 homomorphism of, 159  
 isomorphic, 157  
 $\mathcal{S}$ -reconstructible, 158  
 $\mathcal{S}_k$ -deck, 166  
 $\mathcal{S}_k$ -reconstructible, 166  
 sub-, 158  
 super-, 158  
 suborbit, 66  
 subpermutation group, 4  
 substructure, 158  
 superstructure, 158
- $t$ -arc, 32  
 $t$ -arc-transitive graph, 32  
 TF-automorphism  
   nontrivial, 103  
 TGF, 93  
 Theorems of  
   Alon, Caro, Krasikov and Roditty, 166  
   Biggs and Smith, 33  
   Bouwer, 43  
   Bryant, 141  
   Burnside, 121  
   Cayley, 15  
   Chartrand, Kaugars and Lick, 133  
   Dörfler, 117  
   Fiorini, 132, 134  
   Frucht, 42  
   Frucht, Graver and Watkins, 110  
   Gauyacq, 118  
   Godsil, 114  
   Godsil and Kocay, 83  
   Greenwell, 130  
   Harary and Palmer, 82  
   Imrich, 81, 89  
   Kagno, 59  
   Kelly, 128, 130, 164  
   Kimble, Schwenk and Stockmeyer, 84  
   Kirkpatrick, Klawe and Corneil, 82  
   Kocay, 150  
   Korshunov; Müller; Bollobás, 28  
   Lovász, 163, 165  
   Lovrečić Saražin, 111  
   Müller, 165  
   Müller; Myrvold; Bollobás, 142  
   Macpherson, 58  
   Manvel, 128  
   Mnukhin, 167  
   Mowshowitz; Petersdorf and Sachs, 31  
   Nash-Williams, 164  
   Nedela and Škoviera, 111  
   Petersdorf and Sachs, 31  
   Pouzet, 58  
   Prins, 82  
   Pyber, 169  
   Radcliffe and Scott, 166  
   Sabidussi, 50, 97  
   Sachs, 76, 154  
   Trofimov, 57  
   Tutte, 25, 33, 151, 155  
   Watkins, 49  
   Weiss, 33  
   Whitney, 12, 133, 154  
 transitive graph, 19  
 transitive permutation group, 3  
 transitive tournament, 90  
 transpose of a set of ordered pairs, 64  
 triangular graph, 70  
 trivial orbital, 64  
 twisting graph function, 93  
 two-fold automorphism, 103
- underlying graph of a digraph, 2  
 undirected graph, 2  
 unique embeddability in the plane, 133  
 unstable graph, 102
- vertex, 1  
   degree of, 1  
   in-degree, 2  
   irreplaceable, 169  
    $k$ -, 1  
   out-degree, 2  
   pseudosimilar, 9  
   removal-similar, 8  
   similar, 8  
 vertex-transitive graph, 18  
   Hamiltonicity of, 53–60  
 virtually nilpotent group, 57
- weakly reconstructible class of graphs, 127  
 wreath product of graphs, 105