

INDEX

- 1,10-phenanthroline, 192
 1,2-diacylglycerol, 848
 16S-sequencing, 310
 1-octanesulfonic acid, 368
 2,5-diphenyloxazole (PPO), 325, 332
 23andMe (USA), 176
 25-hydroxycholecalciferol (vitamin D₃), 347
 2D PAGE, 233
 2 μ circle, 143
 3,6-anhydrogalactose, 223
 3-amino-9-ethylcarbazole, 239
 3D reconstruction, 398
 3D structured illumination microscope, 407
 4',6-diamidino-2-phenylindole (DAPI), 295, 305
 4-aminophenazone, 368
 4-chloro-1-naphthol, 239
 4D imaging, 405
 4-nitrophenol, 366
 4-nitrophenyl phosphate, 366
 5' nuclease assay, 117
 50-majority rule, 593
 5-amino-2-nitrobenzoate, 366
 5-bromo-4-chloro-indolylphosphate (BCIP), 239
 5caC (5-carboxycytosine), 83
 5-carboxycytosine (5caC), 83
 5D imaging, 405
 5fC (5-formylcytosine), 83
 5-formylcytosine (5fC), 83
 5hmC (5-hydroxymethylcytosine), 83
 5-hydroxymethylcytosine (5hmC), 83
 5mC (methylcytosine), 83
 6-mercaptopurine, 175
 7-aminoactinomycin D (7-AAD), 295, 305
 7-diethylamino-3-(4'-maleimidylphenyl)-4-methylcoumarin (CPM), 524
 A (nucleon number), 502
 AAS (atomic absorption spectroscopy), 494
ab initio
 gene prediction, 743
 modelling, 625
 molecular orbital calculation, 616
 Abbe, Ernst Karl, 405
 Abelson murine leukaemia virus, 51
 aberration, 384
 absorbance, 464
 apparent, 464
 absorbed dose, 340
 absorption, 432
 coefficient, 464
 dipole momentum, 490
 of drugs, 896
 optical system, 432
 spectrum, 456
 accelerator mass spectrometry (AMS), 555
 accession number (in database), 562
 accreditation, 361
 accuracy, 33
 acid dissociation constant, 21
 acid phosphatase, 446
 acidosis, 27
 acquired immune response, 254
 tolerance, 260
 acquired immunodeficiency syndrome (AIDS), 298
 acridine orange, 246
 acrylamide, 224
 ACTH (adrenocorticotrophic hormone), 347, 370
 actin, 296
 activated agarose, 207
 activation domain, 163
 active site, 809
 active state, 848
 active-to-hit phase, 895
 activity
 as effective concentration, 25
 enzyme, 214, 812
 of a small-molecule compound, 600, 895
 optical, 471
 activity–property relationship, 600
 acute phase response, 378
 acyclovir, 827
 acyl-CoA dehydrogenase, 358
 adaptive immune system, 253
 ADC (analogue-to-digital converter), 293
 Addison's disease, 371
 adenine, 75
 ADF (atomic displacement factor), 609
 adherent cell, 45
 adjacency matrix, 610
 adjuvant, 261
 ADMET, 875
 A-DNA, 77, 517
 adrenaline
 in serum, 347
 adrenocorticotrophic hormone (ACTH), 347, 370
 Advisory Committee on Dangerous Pathogens, 46
 aeration, 69
 AES (atomic emission spectroscopy), 494
 afatinib, 842
 Affibody, 297, 298, 334
 affinity, 848
 constant, 815, 848
 development, 199
 maturation, 256, 260
 of antibody, 256
 affinity chromatography, 184, 206
 for antibody purification, 268
 protein A/G, 268
 RNA, 100
 agar, 223
 agarase, 102
 agarobiose, 223
 agarose, 222
 gel, 223, 240
 gel electrophoresis, 98, 131, 167
 age, 347
 agglutination, 271
 Agilent Bioanalyzer, 251
 agonism, 849
 agonist, 845
 agonistic antibody, 284

- AIDS (acquired immunodeficiency syndrome), 280, 284, 298
 alanine aminotransferase, 363
 alanine transaminase, 348
 ALARA principle, 341
 albumin, 377
 Alexa Fluor®, 295
 ALI (annual limit on intake), 341
 alignment
 seed, 573
 alkaline phosphatase, 107, 239, 269, 366, 399
 in serum, 347
 to prevent re-circularisation, 132
 alkalosis, 27
 allele, 80
 allele-specific oligonucleotide PCR (ASO-PCR), 167
 allophycocyanin, 297
 allosteric
 ligand, 852
 modulator, 847
 regulation, 828, 841
 allosteric, 525, 828
 alpha (probability of a Type I error), 702, 727
 α tubulin, 400
 α -1-antitrypsin, 378
 α 1B adrenergic receptor, 850
 α 2A adrenergic receptor, 850
 α -fetoprotein, 349
 alpha-numeric data, 679
 alpha-particle, 316, 319
 ALPHA-Screen®, 523
 alternative splicing, 93
 amastatin, 192
 Amber (software), 622
 ambient mass spectrometry (AMS)
 imaging, 805
 American Standard Code for Information Interchange (ASCII), 679
 Ames test, 903
 Amido Black, 236
 AmiGO (web service), 578
 amino acid
 ionisation, 822
 networks, 831
 amino acids substitution model, 748
 aminoacidopathy, 358
 aminoacyl tRNA synthetase, 78
 aminopterin, 264
 ammonium sulfate, 211
 precipitation, 268
 ammonium-chloride-potassium buffer, 299
 amniocentesis, 349
 amniotic fluid, 349
 amphipathic protein, 845
 amphiphilic dye, 484, 523
 amphoteric substance, 30, 231
 amphotericin B, 52
 amplifluor, 117
 amplitude, 455
 AMS (accelerator mass spectrometry), 555
 amylase
 in saliva, 362
 amylose resin, 185
 Anaconda (software), 632
 analogue-to-digital converter (ADC), 293
 analysis of variance (ANOVA), 726, 799
 analyte, 197, 537
 analytical
 range, 33, 723
 sensitivity, 33
 specificity, 33
 analytical ultracentrifugation, 424, 446
 anaphylactic shock, 260
 anaplerosis, 794
 ANCOVA (analysis of covariance), 726
 aneuploidy, 310
 angina pectoris, 363
 angular velocity, 426
 animal work, 37
 anion, 219, 537
 annealing
 DNA, 79
 in PCR, 111
 annexin A5, 305
 annual limit on intake (ALI), 341
 anode, 219
 anomeric position, 11
 ANOVA (Analysis Of Variance), 726, 799
 ANS (1-anilino-8-naphthalene sulfonate), 484
 antagonism, 849
 antagonist, 846
 anthracyclines, 883
 antibiotics, 193, 883
 antibody, 238, 254
 agonistic, 284
 anti-idiotypic, 267
 coating, 272
 engineering, 156
 deficiency, 310
 inhibitory, 284
 inhibitory systemic, 283
 mimetic, 334
 monoclonal, 257
 polyclonal, 256
 production, 71
 recombinant, 258
 titer, 257
 anti-CD16/32, 299
 anticoagulant, 352
 anticodon, 78, 93
 antifungal agent, 193
 antigen, 254
 antigen-presenting cell, 254
 anti-idiotypic antibody, 267
 antisense RNA, 165
 anti-Stokes lines, 476
 anti-Stokes shift, 519
 antivenom, 284
 Apache (software), 626
 apamin, 9
 aperture
 numerical, 386
 apoptosis, 284, 305
 apparent volume of distribution, 899
 applied centrifugal field, 426
 approach to equilibrium method, 859
 aptamer, 524
 aqueous solubility, 876
 area under concentration (AUC), 898
 aromatic side chain
 as chromophore, 462
 stacking, 12
 aromatic structure, 602
 array (data type), 689
 array of data, 657
 Arrhenius equation, 820
 arthritis, 284
 artificial intelligence, 683
 ASCII (American Standard Code for Information Interchange), 679
 ASCII file, 563
 ascitic fluid, 262
 aseptic technique, 47
 ASO-PCR (allele-specific oligonucleotide PCR), 167
 aspartate aminotransferase, 366
 aspartate transaminase, 348
 aspartic protease, 192
 aspirin, 869
 Asp-N (protease), 769
 assay window, 893
 assay-specific adjustment factor, 369
 association constant, 815
 association rate constant, 859
 asymmetry potential, 25
 atheromatous plaque, 363
 atherosclerosis, 874
 atomic absorption spectroscopy (AAS), 494
 atomic displacement factor (ADF), 609
 atomic emission spectroscopy (AES), 494
 atomic fluorescence spectroscopy (AFS), 496
 atomic force microscope, 530
 atomic number, 314
 atomic orbital, 615
 ATR (attenuated total reflection), 479
 ATR-FT-IR, 479
 attenuation, 464
 attenuated total reflection (ATR), 479
 AUC (area under concentration), 898
 auto-antibody, 284

- autoclaving, 41
autofluorescence, 404
autoimmune disease, 849
autoimmune lymphoproliferative syndrome, 310
autoimmune phenomena, 284
auto-induction, 191
automated
 docking, 889
 HPLC, 865
automation, 530
autonomous replicating sequence (ARS), 141
autoprotolysis constant, 20
autoradiography, 106, 146, 160, 221, 239, 332
autotroph organism, 68
avidin, 240
avidity, 256
AWK, 683
axis
 hypothalamus–pituitary–adrenal, 371
azide, 193
- β -1,3-glucanase, 195
 β -galactosidase, 214
 β -glycerol-phosphate, 192
 β -mercaptoethanol, 192, 226, 774
B cell, 254
 activation, 256
 malignancy, 310
 memory, 256
BAC (bacterial artificial chromosome), 130, 733
back gating, 304
backbone (macromolecule)
 angles, 9
back-to-back emission, 316
bacteria
 Gram-positive/negative, 189
bacterial artificial chromosome (BAC), 130, 141, 733
bacterial cell culture, 67
bacterial infection
 cell culture, 47
bacteriophage, 258, 268
bacteriophage λ DNA marker, 241
bacteriostatic agent, 193
Balb/C mouse strain, 263
band pass filter, 291
bandwidth, 291, 466
bar chart, 696
base-pairs (bp), 241
base-stacking, 77
basic fibroblast growth factor, 66
Basic Local Alignment Search Tool (BLAST), 569
basis set (atomic orbitals), 616
basophil, 254
batch culture, 70
bathochromic effect, 465
Bayesian inference (BI), 590
BCA (bicinchoninic acid), 181, 460
BCIP (5-bromo-4-chloro-indolylphosphate), 239
Bcl-2, 305
B-DNA, 77, 517
beacon, 522
bead enrichment, 294
bead loading, 404
Beer–Lambert law, 465
behavome, 682
Bence Jones protein, 378
bench-top centrifuge, 431
bending (vibrational motion), 476
bestatin, 192
beta (probability of a Type II error), 702, 727, 729
 β -carotene, 463
 β -galactosidase, 161, 451
 β -glucuronic acid, 348
 β -human chorionic gonadotropin (β -hCG), 375
 β -mercaptoethanol, 226
beta-particle, 316
B-factor (atomic displacement factor), 609
BI (Bayesian inference), 590
BIA-MS (biomolecular interaction analysis by mass spectrometry), 529, 772
bias, 33, 678, 702
biased agonist, 846
bicarbonate, 804
bicinchoninic acid (BCA), 181, 460
big data, 2, 678
 dimensions (big Vs), 681
bile salts, 68
bilirubin, 348, 365
binary code, 680
binding assay, 829
 with radiolabel, 331
binding constant, 848
bioavailability, 897, 898
biochemistry, 3
BioConductor (R package manager), 686
bioconversion of waste, 71
biodiversity, 883
biofilm, 309
bioinformatics, 559
bio-isosterism, 878
biolistic transformation, 144
bioluminescence, 161, 493, 735
 resonance energy transfer (BRET), 489
biomolecular interaction analysis by mass spectrometry (BIA-MS), 528, 772
biomolecular screening, 892
BioPython (Python module), 652, 663
bioreactor, 69
 for antibody production, 266
biosafety cabinet, 35, 42
biosafety levels, 35
biosensor, 837
 fabrication, 530
biosynthesis, 8
biotin, 107, 186, 240, 270
BirA (enzyme), 186
bis-acrylamide, 224
bit, 680
Biuret reaction, 182
Black Hole quencher, 523
blank, 704, 723
BLAST (Basic Local Alignment Search Tool), 569
 gapped, 747
 software, 569, 664, 673
blastocoel, 61
blastocyst, 61
BLAT (software), 571
blood
 immunophenotyping, 299
blood clotting disorder, 172
blood poisoning, 365
blood–brain barrier, 899
BLOSUM, 748
blot, 104
blotto technique, 238
blue shift, 465
blue/white selection, 133
boat conformation, 11
body fluid, 346
body mass, 347
body surface area, 369
Bohecek number, 865
Bohr magneton, 504
Boileau, Nicolas, 678
Boltzmann factor, 624
bond
 angle, 617
 potential, 616
bone marrow, 255, 310
 transplantation, 280
Boolean
 data, 635
 operation, 635
bootstrapping, 592
bortezomib, 841
bottom-up proteomics, 759
bovine serum, 52
bovine serum albumin (BSA), 180, 273, 279
bovine spongiform encephalitis, 52
box plot, 694, 698, 801
bp (base-pairs), 241
Bradford assay, 181, 460
Bragg's law, 505
Brainbow technique, 406
BRCA1 gene, 171
breast cancer, 285, 311
Bremsstrahlung, 322, 515
BRET (bioluminescence resonance energy transfer), 489
bridge PCR, 735

- bright-field contrast, 308, 390
 Brilliant Violet dye, 296
 bromelain, 770
 bromophenol blue, 227, 241
 Brownian motion, 491, 519
 BSA (bovine serum albumin), 180, 273, 279
 buffer capacity, 28
 buffer gel, 229
 Bug FACS, 309
 Burrows–Wheeler algorithm, 738
 burst kinetics, 817
 Butyl–Sepharose, 209
 byte, 682
 bzip, 738

 CAD (collision-activated dissociation), 759
 caesium chloride, 439
 CAFA (Critical Assessment of Function Annotation), 752
 caged compound, 852
 caged fluorescent probe, 410
 Cahn–Ingold–Prelog nomenclature, 603, 839
 calcium, 848
 chelator, 306
 imaging, 409
 ionophore, 306
 signalling, 305
 calcium–myristoyl switch, 210
 calibration curve, 722
 in UV/vis spectroscopy, 469
 protein concentration assay, 180
 quantitative measurements, 722
 calorimeter, 501
 Calvin cycle, 313
 Cambridge Crystallographic Data Centre (CCDC), 626
 cAMP (cyclic adenosine monophosphate), 848
 cancer, 173, 310
 canonical representation
 of chemical structures, 603
 capacity, 205
 capillary electrophoresis, 246, 734
 capillary electrophoresis mass spectrometry (CE-MS), 785
 capping, 205
 capsid
 of phage, 138
 capsular gum, 196
 capture antibody, 272
 carbamazepine, 348, 897
 carbodiimide, 207
 carbohydrate, 10
 carbon dioxide fixation, 313
 carbon isotopes, 556
 carbon metabolism, 804
 carboxyfluorescein
 succinimidyl ester (CFSE), 307
 cardiolipin, 803

 cardiovascular disease, 311
 Cartesian coordinate system, 605
 Cas9 nuclease, 166
 cascade, 848
 casein, 273, 279
 CASP (Critical Assessment of Protein Structure Prediction), 751
 caspase 3, 305
 CAT (chloramphenicol acetyl transferase), 161
 CAT box, 90
 CAT scanning, 507
 catalase, 446
 catalytic
 antibody, 153
 efficiency, 817
 site, 840
 triad, 840
 catechol, 886
 categorical data, 680
 CATH (protein structure classification), 14, 626, 750
 cathode, 219
 cation, 219, 537
 cavitation, 194
 CCD (charge coupled device), 387
 CCDC (Cambridge Crystallographic Data Centre), 626, 748
 CD (cluster of differentiation), 297
 CD20, 284
 CD20+ cell, 310
 CD34+ cell, 311
 CD4+ cell, 310
 cDNA
 expression array, 171
 library, 120
 C-DNA, 77
 CDS (protein-coding sequence), 742
 CEGs (core eukaryotic genes), 744
 celite, 196
 cell
 proliferation, 307
 cell bank
 master, 265
 working, 265
 cell counting, 56
 cell culture
 animal, 51
 bacterial, 67
 medium, 52
 cell cycle
 analysis, 307
 cell death, 305
 cell debris remover, 196
 cell growth kinetics, 59
 cell line, 51
 cell lysis, 782
 cell resuscitation, 60
 cell scraper, 54
 cell transformation, 51
 cell viability assessment, 61
 cell-based therapy, 71

 cell-free
 transcription, 153
 translation, 124
 cellular fractionation, 438
 cellulose acetate, 235, 531
 CE-MS (capillary electrophoresis mass spectrometry), 785
 central processing unit (CPU), 682
 centrifugal field, 425, 426
 centrifugal force, 424
 centrifugation, 424
 safety, 436
 centromere, 81
 cephalosporin, 368, 883
 Cerenkov effect, 329
 cetyl trimethylammonium bromide (CTAB), 193
 CFP (cyan fluorescent protein), 410, 492
 CFSE (carboxyfluorescein succinimidyl ester), 307
 cGMP (cyclic guanosine monophosphate), 848
 chair conformation, 11
 channel
 in scintillation counter, 327
 chaotropic agent, 213
 chaotropic ion, 268
 CHAPS, 193
 character
 data, 637
 escape codes, 637
 charge coupled device (CCD), 387
 charged molecule, 220
 charging
 of tRNA, 93
 chelation of metals, 192
 chelator, 306, 442
 chemical biology, 880
 chemical equilibrium, 619
 chemical formula, 602
 chemical ionisation, 539
 chemical shift, 506
 chemiluminescence, 107, 239, 327, 357, 493
 Chemistry Development Kit (CDK), 614
 chemoautotroph organism, 68
 chemoheterotroph organism, 68
 chemoinformatics, 599
 chemometrics, 797
 chemotypes, 877
 Cheng–Prusoff equation, 860
 Chicago library, 736
 chickenpox, 828
 Chinese hamster ovary (CHO) cell, 259
 ChIP-Seq (chromatin immunoprecipitation sequencing), 90, 162
 chiral centre, 839
 chirality, 471
 in organic molecules, 10
 volume, 619

- chitinase, 195
 chloramphenicol acetyl transferase (CAT), 161
 CHO (Chinese hamster ovary) cell, 259
 chokepoint, 797
 cholestasis, 365
 cholesterol
 in serum, 347
 substrate assay, 837
 cholesteryl ester transfer protein, 874
 chorionic gonadotropin (hCG), 530
 chromatic aberration, 384
 chromatin diminution, 755
 chromatin fibre, 85
 chromatin immunoprecipitation sequencing (ChIP-Seq), 90, 162
 chromatogram, 198
 chromatography, 196
 immobilised metal ion affinity (IMAC), 193, 769
 ion exchange, 31, 207
 pipette tip, 768
 reverse phase, 768
 chromogenic substrate, 274
 chromophore
 definition, 456
 external effects, 465
 protein CD, 472
 UV/vis, 460
 chromosome, 81
 chromosome painting, 160
 chronic kidney disease, 367
 CI (chemical ionisation), 539
 CID (collision-induced dissociation), 552, 759
 CIF (crystallographic information file), 608
 circular dichroism, 472
 circularly polarised light, 459
 cirrhosis, 365
 of the liver, 348
 cis conformation, 10
 citrate, 794
 clade, 587
 cladistic methods, 589
 cladogram, 587
 Clarity (preparation protocol), 390
 class (programming), 646
 Claude, Albert, 424
 clearance
 of drugs, 898
 clinical audit, 360
 clinical diagnosis, 348
 clonal deletion, 255
 cloning vector, 128
 closely related species, 586
 cloud data storage, 419
 CLUSTAL
 format, 565
 software, 572
 cluster, 799
 cluster of differentiation (CD), 297
 Cluster of Orthologous Groups of proteins (COG), 583
 clustered regularly interspaced short palindromic repeats (CRISPR), 166
 CNBr (cyanogen bromide), 207
 CO₂ incubator, 44
 coating antibody, 272
 cocktail
 in scintillation counting, 325
 codon, 82
 codon usage, 190, 586
 coefficient of variation (CV), 359, 707, 783
 coenzyme, 810
 as chromophore, 462
 cofactor, 810
 COG (Cluster of Orthologous Groups of proteins), 583
 cold carrier, 336
 coliphage, 138, 155
 collagen, 66
 collagenase, 64
 collateral efficacy, 847
 collections (programming), 639
 collision-activated dissociation (CAD), 759
 collision-induced dissociation (CID), 552, 759, 803
 colony hybridisation, 146
 colorimetry, 466, 524
 assays, 180, 471
 colour compensation, 297, 302
 combinatorial chemistry, 865
 comma-separated value (CSV) file, 651
 common ancestor, 587
 common sense, 702
 comparative modelling, 624, 891
 comparison operation (programming), 635
 competent
 for transformation, 131, 144
 competitive antagonist, 859
 competitive ELISA, 276
 competitive inhibition, 823
 linear, 824
 parabolic, 824
 competitive reversible antagonist, 846
 complement system, 254
 complete growth medium, 53
 compound management, 887
 Comprehensive R Archive Network (CRAN), 684
 computed tomography (CT), 366, 397
 concatemer, 135
 concentration measures, 19
 condenser lens, 384
 condition (programming), 642
 conditional likelihood, 591
 confidence
 interval, 336, 710
 limit, 710
 confluent cells, 53, 55
 conformation, 10
 conformational selection model, 849
 Congreve's rule of three, 871
 conjugate acid–base pair, 21
 conjugate gradient minimisation, 620
 conjugated double bond
 as chromophore, 460
 connectivity matrix, 611
 constitutive activity, 844, 849
 constitutively active mutant, 849
 constraint-based modelling, 797
 construct
 in cloning, 144
 constructive interference, 505
 container
 data organisation, 639
 contig, 736
 contingency table, 726
 continuous culture, 70
 continuous enzyme assay, 831
 continuous flow, 833
 centrifugation, 432
 monitoring of kinetics, 497
 continuous gradient method, 439
 continuous wave NMR, 508
 contrast, 520
 bright field, 390
 by staining, 395
 dark field, 390
 differential interference, 393, 404
 optical, 390
 phase, 393, 404
 control sample, 704, 723
 convection, 529
 convergent evolution, 14, 589, 750
 conversion dynode, 556
 Coomassie Brilliant Blue, 181, 236, 395, 460, 768
 cooperativity, 525, 856
 negative, 828
 positive, 828
 core eukaryotic genes (CEGs), 744
 coronary artery, 363
 correlated NMR spectroscopy, 510
 correlation coefficient, 722
 corruption, 678
 corticotropin-releasing hormone (CRH), 370
 cortisol, 357, 370
 in serum, 347
 COS cell, 155
 cos site, 135
 cosmid, 129, 140
 COSY, 510
 Cot curve, 82
 co-translational modification, 583

- Coulter counter, 57
 counterion atmosphere, 24
 counting efficiency, 328
 coupled assay, 364, 366, 368, 832
 coupling of spins, 507
 covariance matrix, 667
 coverslip, 389
 CpG (C-phosphate-G), 83, 172
 CPM (7-diethylamino-3-(4'-maleimidylphenyl)-4-methylcoumarin), 524
 CPU (central processing unit), 682
 CRAN (Comprehensive R Archive Network), 684
 C-reactive protein (CRP), 378
 creatinase, 368
 creatininase, 368
 creatinine, 367
 in serum, 347
 tert-butyldimethylsilyl derivative, 368
 CRH (corticotropin-releasing hormone), 370
 CRISPR (clustered regularly interspaced short palindromic repeats), 3, 166
 Critical Assessment of Function Annotation (CAFA), 752
 Critical Assessment of Protein Structure Prediction (CASP), 751
 cRNA, 136
 probe, 145
 crop engineering, 143, 175
 cross-disciplinarity, 2
 crossing threshold, 117
 CRP (C-reactive protein), 378
 crRNA, 166
 cryo probe, 512
 cryo-electron tomography, 415
 cryopreservation, 59, 264
 cryoprotection, 60
 cryostat, 389
 crystal violet, 189
 crystalline fibre, 517
 crystallographic information file (CIF), 608
 crystallography
 atomic coordinates, 605
 cSNP (coding region single nucleotide polymorphism), 81
 CSV (comma-separated value) file, 651
 CT (computed tomography), 397
 CTAB (cetyl trimethylammonium bromide), 193
 cTP signal, 581
 curation of databases, 562, 627
 curtain gas, 540
 Cushing's syndrome, 371
 CV (coefficient of variation), 359, 707, 783
 cyan fluorescent protein (CFP), 410, 492
 cyanine, 399, 523
 cyanogen bromide (CNBr), 207, 774
 cyclic adenosine monophosphate (cAMP), 848
 cyclic guanosine monophosphate (cGMP), 848
 cyclooxygenase 2, 902
 cyclosporin A, 900
 cystatin, 192
 cysteine, 192
 cysteine proteases, 827
 cystic fibrosis, 155, 171, 348
 cytochrome oxidase, 586
 cytochrome P450, 900
 CyTOF, 311
 cytokine, 253, 297
 cytometric bead array, 308
 cytoplasm, 189
 cytosine, 75
 cytosine triphosphate, 827
 cytoskeleton, 191
 cytosol, 446
 cytotoxicity assays, 902

D/L nomenclature, 602
 dA:dT cloning, 127
 DabcyI, 523
 DALI (protein structure comparison), 15
 dam system, 87
 DAPI (4',6-diamidino-2-phenylindole), 295, 305
 dark-field, 388
 contrast, 390
 DAS (double antibody sandwich) ELISA, 274
 data
 download, 662
 array, 657
 frame (data type), 691
 transformation, 680
 types (programming), 633
 wrangling, 679
 database
 curation, 562, 627
 definition, 560
 literature, 563
 mirroring, 561
 update, 627
 dbEST (Protein database), 776
 DDBJ (DNA Data Bank of Japan), 561
 de Broglie hypothesis, 505
 de Bruijn graph-based assembly algorithm, 737, 741
 de novo drug discovery, 879
 dead time
 in assays, 835
 of ionisation counter, 322
 dead-end complex, 825
 death cap mushroom, 296
 decline phase, 59
 deCode (Iceland), 176
 deconvolution, 401
 mass spectrum, 546
 decorator (programming), 646
 decoy databases, 776
 degeneracy
 of genetic code, 82, 106
 degrees of freedom, 707
 deletions (in sequence alignments), 572
 DELFIA (dissociation-enhanced lanthanide fluorescence immunoassay), 277
 delta p.p.m., 777
 denaturation, 210
 by pH, 210
 DNA, 78
 fractionation, 210
 in PCR, 111
 monitoring, 524
 denatured structure, 18
 denaturing gradient gel electrophoresis, 167
 denaturing high-performance liquid chromatography (dHPLC), 168
 dendritic cell, 254
 dendrogram, 698, 799
 densitometry, 237
 density gradient, 425, 439
 centrifugation, 126, 299
 deoxycholate, 193
 deoxynucleotide, 733
 deoxyribonucleic acid (DNA), 74
 deoxyribonucleoside triphosphate (dNTP), 105
 depolarisation
 in Raman spectroscopy, 477
 DEPT (distortionless enhancement by polarisation transfer), 509
 descriptor (molecule), 612, 867
 deshielding of nuclei, 506
 DESI (desorption electrospray ionisation), 805
 desorption electrospray ionisation (DESI), 805
 destaining of protein gel, 228
 destructive interference, 505
 detection limit, 33, 723
 detergent, 193
 terminate error, 704
 deterministic rate equation, 815
 deuterated solvent, 506
 deuteration, 521
 developer (software), 559
 dexamethasone, 380
 dextran, 439
 DFP (di-isopropylphosphorofluoridate), 192

- dHPLC (denaturing high-performance liquid chromatography), 168
- diabetes, 371, 372
- marker, 373
- mellitus, 348
- dialysis, 237
- diamagnetism, 503
- dicer, 95, 165
- dichotomy, 587
- dichroic, 394
- dichromatic mirror, 394
- dictionary (programming), 641
- dideoxy sequencing, 733
- dideoxynucleotide, 733
- diethylenetriamine pentaacetate (DTPA), 270
- differential centrifugation, 438
- differential display, 126, 159
- differential interference contrast, 393, 395, 397, 404
- differential scanning fluorimetry (DSF), 484, 523
- differentiation of cells, 61
- diffraction
- of light, 291, 505
- single molecule, 517
- diffusion, 203, 404, 519, 529
- diffusion coefficient, 203, 204, 247, 519
- diffusion pump, 536
- digestion
- of proteins in-gel, 772
- of proteins in-solution, 772
- digital DNA typing, 171
- digital PCR (dPCR), 117
- digoxigenin, 107
- dihedral angle, 10
- dihydropyridine receptor, 444
- diisopropylfluorophosphate, 827
- di-isopropylphosphofluoridate (DFP), 192
- dimethyl sulfoxide, 887
- dipole momentum, 477
- absorption, 490
- transition, 490
- direct methods for phase determination, 515
- direct transgenesis, 164
- discontinuous
- gel electrophoresis, 227
- discontinuous enzyme assay, 831
- disease biomarker, 779
- displacement development, 199
- dissociation constant, 501, 815, 843, 848, 873
- dissociation rate constant, 856
- dissociation-enhanced lanthanide fluorescence immunoassay (DELFIA), 277
- distortionless enhancement by polarisation transfer (DEPT), 509
- distribution of drugs, 899
- distribution coefficient, 196
- disulfide bond, 770
- dithiothreitol (DTT), 192, 772, 226
- divergent evolution, 750
- divergent species, 586
- diversity oriented synthesis, 877
- Dixon's Q-test, 713
- DMSO, 60, 887
- DNA
- chromosomal, 80
- fibre diffraction, 517
- genomic, 733
- separation by centrifugation, 439, 446
- unwinding, 86
- DNA (deoxyribonucleic acid), 74
- DNA chip, 171
- DNA content analysis, 310
- DNA content aneuploidy, 310
- DNA Data Bank of Japan (DDBJ), 561
- DNA fingerprinting, 170
- DNA footprint, 163, 314
- DNA helicase, 86
- DNA library, 258
- DNA ligase, 86, 119
- DNA methylase, 87
- DNA methylation, 83
- DNA methyltransferase, 83
- DNA polymerase, 86, 108, 112
- DNA probe, 160
- DNA sequence
- reverse complement, 661
- DNA sequencing gel, 243
- DNase, 98
- DNase I, 162, 196, 446
- DNase-Seq, 163
- dNTP (deoxyribonucleoside triphosphate), 105
- domain
- definition, 14
- extra-cellular, 844
- intra-cellular, 845
- swapping, 14
- transmembrane, 844
- dormant state, 848
- dose equivalent, 340
- dose limit, 340
- dose rate, 340
- dose ratio, 860
- dose-response curve, 845
- dot blot, 105, 214
- double antibody sandwich (DAS) ELISA, 274
- double helix, 76
- double-strand RNA (dsRNA), 95, 165
- Down syndrome, 81, 349, 396
- download of data, 662
- downstream, 88
- doxorubicin, 869
- dPCR (digital PCR), 117
- draft genome, 733
- drug repurposing, 879
- drug-like molecules, 867
- DSF (differential scanning fluorimetry), 484, 523
- dsRNA (double-strand RNA), 95, 165
- DTPA (diethylenetriamine pentaacetate), 270
- DTT (dithiothreitol), 192, 226, 772
- dual tags, 185
- dual-axis tomography, 416
- dual-label isotope counting, 327
- dUTPase, 151
- dwell time, 284
- dye-terminator sequencing, 734
- dynamic light scattering, 519
- dynein, 404
- Dyno®-mill, 194
- dystrophin, 440, 444
- dystrophin-glycoprotein complex, 451
- Eadie-Hofstee equation, 816
- EC (Enzyme Commission), 810
- EC₅₀, 843, 848
- ECD (electron capture dissociation), 765
- ECL
- electrochemiluminescence, 357
- enhanced chemiluminescence, 239
- ED₅₀, 848
- edge (graph theory), 603, 739
- Edman degradation, 758
- EDTA, 54, 192
- as anticoagulant, 352
- effect size, 729
- effective distribution coefficient, 197
- effective dose, 848
- effector molecule, 844
- effector protein, 848
- efficacy, 285, 847
- eGFR (estimated glomerular filtration rate), 368
- EI (electron impact ionisation), 537
- Eigenvectors, 667
- elastic light scattering, 506, 518
- electroblotting, 238
- electrocardiogram, 363
- electrochemiluminescence (ECL), 357
- electroelution, 102
- electroendosmosis, 248, 222
- electrokinetics, 529
- electrolysis, 221
- electron capture dissociation (ECD), 765
- electron density map, 514
- electron impact ionisation, 537
- electron microscope, 381, 383
- electron microscopy, 411
- electron multiplier, 556

- electron paramagnetic resonance (EPR), 504
- electron spin, 480, 495
- electron tomography, 416
- electron transfer dissociation (ETD), 765
- electron volt (eV), 318
- electronegativity, 615
- electroosmotic flow, 222
- electropherogram, 251
- electrophoresis, 101, 377, 425
- agarose gel, 98, 131, 167
- capillary, 246
- cellulose acetate, 235
- microchip, 250
- electrophoretic mobility, 32, 221, 247
- electrophoretic mobility shift assay (EMSA), 90, 161
- electrophoretic separation, 31
- electroporation, 144, 189, 404
- electrospray ionisation (ESI), 529, 540
- electrostatic interaction, 9, 617
- elimination half-life, 899
- ELISA (enzyme-linked immunosorbent assay), 48, 214, 239, 262, 272, 308, 524
- sandwich, 273
- ELISPOT (enzyme-linked immunospot assay), 277
- elliptically polarised light, 459
- ellipticity, 473
- elongation
- translation process, 93
- elongation factor 1 α , 586
- eluate, 185, 197
- eluent, 197
- EM grid, 416
- EMBL
- European Molecular Biology Laboratory, 561, 564
- data format, 564
- EMBOSS
- Seqret (sequence conversion tool), 568
- web service, 32
- embryo stem cell, 164
- emission spectrum
- due to molecular transitions, 456
- fluorescence, 483
- empirical formula, 602
- EMSA (electrophoretic mobility shift assay), 90, 161
- emulsion PCR, 735
- ENA (European Nucleotide Archive), 561, 626
- end-labelling, 107
- endocytosis, 255
- receptor-mediated, 256
- endogenous agonist, 844
- endonuclease, 87, 96, 118, 161, 166
- endoplasmic reticulum, 188, 445, 579
- endoproteinase Lys-C, 772
- endoribonuclease, 95
- endoscope, 407
- endothelial cell, 51
- end-point technique, 355, 837
- end-to-end distance, 16
- end-user (software), 559
- energy minimisation, 620
- energy metabolism, 804
- energy states, 456
- engineered antibody, 156
- enhanced chemiluminescence (ECL), 239
- enhancer, 90
- enrichment of transfected cells, 309
- Ensembl (genome database), 562
- enteric bacterium, 68
- enthalpy, 619
- entropy, 619, 876
- enzymatic cycling, 837
- enzyme, 809
- activity, 214, 812
- annotation, 746, 810
- assay (with radiolabel), 331
- catalytic site, 838
- identification in gel, 229
- in body fluid, 347
- isoform, 813
- quantum tunneling, 822
- structure, 838
- Enzyme Commission (EC), 810
- enzyme immunosorbent assay, 272, 308
- enzyme-linked immunosorbent assay (ELISA), 48, 214, 239, 262, 524
- competitive, 276
- sandwich, 273
- enzyme-linked immunospot assay (ELISPOT), 277
- eosinophil, 254, 299
- epifluorescence light microscopy, 393
- epigenome, 83
- epilepsy, 348
- epitope, 254
- mapping, 279
- EPR (electron paramagnetic resonance), 504
- Epstein-Barr virus, 51
- equilibrium, 619
- equilibrium method, 439
- eribulin, 883
- error, 678
- determinate, 704
- experimental, 703
- indeterminate, 705
- random, 705
- systematic, 704
- error handling (programming), 644
- error-prone PCR, 152
- erythromycin, 869
- erythropoietin, 367
- E-selectin, 14
- ESI (electrospray ionisation), 529, 540
- essential gene, 797
- EST (expressed sequence tag), 172
- estimated glomerular filtration rate (eGFR), 368
- ETD (electron transfer dissociation), 765
- ethics approval, 37
- ethidium bromide, 242
- Eulerian path, 739
- European Collection of Animal Cell Cultures, 51
- European Molecular Biology Laboratory (EMBL), 561, 564
- European Nucleotide Archive (ENA), 561, 626
- e-value, 570, 664, 746
- evanescent field wave, 527
- evaporative light scattering detector, 889
- evolution, 750
- evolution time, 510
- excitation
- of atoms, 321
- excitation spectrum
- fluorescence, 483
- excited state, 456, 480
- exon, 92, 167, 742
- amplification, 172
- trapping, 172
- exonuclease, 108
- exopeptidase, 192
- Expansion Microscopy (preparation protocol), 390
- ExPASy (web service), 770
- experimental error, 703
- explant, 51
- exponential decay curve, 318
- exposome, 682
- expressed protein ligation, 187
- expressed sequence tag (EST), 172
- extension
- in PCR, 111
- of file names, 563
- external calibration, 545
- external control, 358, 704
- external magnetic field, 503
- extinction coefficient, 463
- extra-cellular domain, 844
- extra-cellular matrix protein, 66
- extraction
- metabolite, 782
- extrinsic fluorescence, 483
- extrinsic membrane protein, 193
- eyepiece lens, 384
- FAB (fast atom bombardment ionisation), 540
- Fab fragment, 259

- FACS (fluorescence activated cell sorting), 280, 288, 294, 530
- F-actin, 296
- factor (data type), 690
- Factor V Leiden, 171
- false negative, 702, 727
- false positive, 702, 727
- fast atom bombardment ionisation (FAB), 540
- FASTA
- alignment tool, 569
 - format, 563, 654, 663, 673
- FASTQ format, 669
- fatty acid, 802
- fatty acid oxidation defect, 358
- Fc block, 299
- Fc fragment, 259
- feedback control, 372, 841
- feeder cell, 61
- fermenter, 69
- ferromagnetism, 503
- fetal calf serum, 52
- fibrinogen, 378
- fibroblast, 51
- inactivation, 62
 - mouse embryonic, 62
- Fick's law of diffusion, 203
- Ficoll®, 241, 439
- FID (free induction decay), 508
- field gradient, 220
- FigTree (software), 593
- file object (programming), 651
- fingerprint, 746
- in mass spectrometry, 786
 - in spectroscopy, 477
 - molecular, 612
 - of genome, 245
- first-generation sequencing, 733
- first messenger, 844
- first-order minimisation algorithm, 620
- first-pass effect, 897
- first-order kinetics, 815
- FISH (fluorescence *in situ* hybridisation), 160, 396
- Fishbow technique, 406
- Fisher, Sir Ronald Aylmer, 677, 717, 726
- Fisher's Exact test, 727
- FITC (fluorescein isothiocyanate), 270, 295
- five-dimensional imaging, 405
- fixative, 389
- fixed change assay, 831
- fixed time assay, 831
- fixed-angle rotor, 433
- FLAG®-tag, 185
- flash photolysis, 852
- floating point number, 634
- flocculant, 196
- flow cytometry, 287
- flow rate, 203
- fluor-3, 409
- fluor
- in scintillation counting, 324
- fluorescein, 107, 277, 399, 523
- fluorescein isothiocyanate (FITC), 270, 295
- fluorescence
- assay, 357, 894
 - autofluorescence, 405
 - cross-correlation spectroscopy, 491
 - definition, 479
 - microscopy, 393, 404, 486, 491
 - recovery after photobleaching (FRAP), 489
 - resonance energy transfer (FRET), 487
- fluorescence-activated cell sorting (FACS), 280, 288, 294, 530
- fluorescence *in situ* hybridisation (FISH), 160, 396
- fluorescence lifetime imaging, 411
- fluorescence minus one (FMO)
- control, 303
- fluorescence photoactivation
- localisation microscope, 405
- fluorescence recovery after photobleaching (FRAP), 409
- fluorescence resonance energy transfer (FRET), 110, 296, 410, 522
- fluorescence speckle microscopy, 410
- fluoride, 192
- fluoride-oxalate, 352
- fluoro-deoxyglucose, 334
- fluorophore, 270, 394, 481
- flutemetamol, 335
- Flux Balance Analysis, 797
- flux control
- coefficient, 842
- FM-index, 738
- FMO (fluorescence minus one)
- control, 303
- focussed libraries, 877
- fetal screening, 349
- fold change, 800
- fold purification, 214
- folding, 12, 190
- Folin-Ciocalteu reaction, 182
- follicle-stimulating hormone (FSH), 372
- footprinting
- DNA, 162
 - metabolite, 804
- force field, 619
- formal charge, 615
- formaldehyde, 245, 389
- format conversion, 613
- formatting of data, 679
- forward scatter, 290
- four-dimensional imaging, 405
- Fourier synthesis, 515
- Fourier transform infrared spectroscopy (FT-IR), 478
- time-resolved, 479
- Fourier transformation, 508, 552, 660
- F-pilus, 138
- fractional ionisation, 23
- fractionation
- bioassay-guided, 884
- fragment ion, 537
- fragment molecular theory, 616
- fragment-like molecules, 872
- FRAP (fluorescence recovery after photo bleaching), 409, 489
- free energy, 619
- free induction decay (FID), 508
- freeze-clamp, 782
- freeze-drying, 217
- freeze-thaw cycling, 194, 782
- French press, 195
- frequency, 455
- frequency domain, 508
- FRET (fluorescence resonance energy transfer), 110, 296, 410, 487, 522
- friction, 426, 432
- frictional coefficient, 220, 426, 449
- fronting, 204
- FSH (follicle-stimulating hormone), 372
- FSSP (families of structurally similar proteins), 15
- F-test*, 717
- FT-ICR (Fourier transform ion cyclotron resonance), 547, 552, 765
- FT-IR (Fourier transform infrared spectroscopy), 478
- full agonist, 845
- full width at half maximum, 202
- fumarate, 794
- function (programming), 633
- functional genomics, 745
- functional groups
- in spectroscopy, 477
- functional selectivity, 848
- fungal infection
- cell culture, 47
- Fura-2, 485
- fusion protein, 184
- galactase, 185
- galactose, 223
- galactosyl transferase, 445
- gamma irradiation, 62
- gamma-globulin, 378

- gamma-glutamyl transferase, 366
 gamma-glutamyl-4-nitroaniline, 366
 gamma-ray, 62, 317
 gapped BLAST, 747
 gas chromatography coupled mass spectrometry (GC-MS), 368, 537
 Gasteiger and Marsilli method, 615
 gastrointestinal tract, 309
 gating, 300
 Gaussian distribution, 706
 GC clamp, 168
 GC-IR, 479
 GC-MS, 368, 537, 785
 Geiger-Müller counter, 322
 gel electrophoresis, 123, 214, 772
 agarose, 98
 discontinuous, 227
 DNA, 98
 gel filtration, 208
 gel mobility shift assay, 313
 gel retardation assay, 161
 Genbank
 database, 105, 561
 format, 564
 gender, 347
 gene, 80
 essential, 797
 gene editing, 174
 gene finding, 742
 gene gun, 144
 gene knockdown, 165
 gene knockout, 164
 gene library, 120
 gene ontology (GO), 577, 748, 751
 gene prediction, 742
 gene probe, 104, 105, 145
 gene targeting, 164
 gene therapy, 174
 GeneArt® Seamless Cloning, 128
 General Feature Format (GFF), 742
 generalised HMM (gHMM), 743
 genetic change, 588
 genetic fingerprinting, 80
 genetically modified organism, 35
 genome
 fingerprint, 245
 genome editing, 3
 genome sequencing, 733
 genomic library, 120
 genotyping, 175, 311
 gentamycin, 50
 geometric radius, 17
 GFF (General Feature Format), 742
 g-force, 427
 GFP (green fluorescent protein), 161, 296, 404, 486
 ggplot2 (R package), 700
 gHMM (generalised HMM), 743
 Gibbs free energy, 619
 Gibson assembly, 127
 Giemsa stain, 81
 global alignment, 569
 global minimum, 623
 glomerular filtration rate, 367
 glomerular nephritis, 367
 Glu-C (protease), 769
 glucan, 191
 glucokinase, 841
 glucose, 10, 804
 in plasma, 348
 in serum, 347
 measurement by sensor, 355
 substrate assay, 837
 tolerance test, 376
 glucose oxidase, 355
 glucose-6-phosphatase, 445
 glutamine, 804
 glutaraldehyde, 269, 389
 glutathione, 184, 192, 207
 glutathione-S-transferase (GST), 184, 206, 444
 glycaemic control, 376
 GlycanMass (web service), 770
 glycerol, 217, 241, 803
 glycerophosphate, 803
 GlycoMod (web service), 770
 glycoprotein staining, 236
 glycosylation, 188, 583, 770
 glyoxal, 245
 GO (gene ontology), 577, 748, 751
 Golden Gate cloning, 128
 Golgi apparatus, 188, 445, 579
 gonadotropin-releasing hormone (GRH), 372
 good laboratory practice, 35
 in cell culture, 41, 46
 goodness-of-fit, 722
 Gossett, William Sealy (aka 'Student'), 711
 GPCR (G-protein coupled receptor), 371, 849, 878
 gradient elution, 199
 gradient gel, 230
 Gram stain, 189
 Gram-negative bacteria, 68, 189
 Gram-positive bacteria, 68, 189
 granular cell, 299
 graph theory, 603, 739
 grating, 466
 Grave's disease, 372
 gravitational field, 425
 greedy assembly algorithm, 737, 740
 green fluorescent protein (GFP), 161, 296, 404, 486
 GRH (gonadotropin-releasing hormone), 372
 gRNA (guide RNA), 166
 Gromacs
 format, 605
 software, 622
 ground state, 456, 480
 growth kinetics of cells, 59
 GST (glutathione-S-transferase), 184, 206
 guanidinium hydrochloride, 213
 guanidinium thiocyanate, 99
 guanine, 75
 guide RNA (gRNA), 166
 guide strand, 95
 Guoy balance, 503
 haem, 348
 haemazoin, 781
 haemocytometer, 56
 haemoglobin, 357, 781
 haemoglobin A1 c (HbA1 c), 376
 half-life, 317
 biological, 318
 of antibody, 285
 Hamiltonian path, 739
 Hanes equation, 816
 Hanes plot, 855
 HapMap, 81, 172
 hapten, 267
 hard ionisation technique, 537
 harmonic oscillator, 616
 hashing function, 613
 HAT additive, 264
 HAVANA (genome database), 562
 HbA1 c (haemoglobin A1 c), 376
 HCA (hierarchical cluster analysis), 799
 HCD (higher-energy collisional dissociation), 769
 hCG (human chorionic gonadotropin), 349, 530
 HDF5, 679
 headspace analysis, 805
 health economics, 3
 heat shock transformation, 131, 189
 heatmap, 694, 698, 802
 helical symmetry, 517
 helminths, 892
 helper plasmid, 190
 hemi-acetal, 10
 Henderson-Hasselbalch equation, 26
 HEPA filter, 35, 42
 heparan sulfate proteoglycan, 66
 heparin
 as anticoagulant, 352
 hepatitis, 348, 365
 hepatitis B, 46, 284
 hepatocyte, 51
 hepatotoxic drug, 348
 Herceptin®, 150
 hERG ion channel, 902
 herpes simplex virus, 828
 heterogeneous nuclear RNA (hnRNA), 92
 heteronuclear coupling, 509
 heterotroph organism, 68
 heterotropic effect, 828
 heterozygous DNA, 80
 hexa-histidine tag, 185

- hexapole, 550
- hexokinase, 841
- HGPRT (hypoxanthine-guanine phosphoribosyl transferase), 264
- HIC (hydrophobic interaction chromatography), 209
- hidden Markov model (HMM), 572, 582, 743
- hierarchical cluster analysis (HCA), 799
- hierarchical shotgun sequencing, 733
- high mobility group protein, 85
- high performance computing (HPC) facility, 591
- higher energy collisional dissociation (HCD), 769
- highest occupied molecular orbital (HOMO), 463
- high voltage electron microscope, 412
- high-content screening, 892
- high-performance liquid chromatography (HPLC), 103, 223, 369, 891
- high-pressure liquid chromatography (HPLC), 198
- high-speed centrifuge, 431
- high-throughput DNA sequencing, 3
 - data, 669
 - quality scores, 670
- high-throughput screening, 865, 893
- Hill coefficient, 829, 856
- Hill plot, 829
- His-tag, 185
- histamine, 261
- histamine H3 receptor, 850
- histogram, 694, 696
- histological stain, 281
- histone, 84, 400
- histone protein, 83
- hit compound, 865, 895
- hit-to-lead phase, 895
- HIV (human immunodeficiency virus), 46, 171, 310
 - infection, 280
- HLA (human leukocyte antigen), 311
- HMM (hidden Markov model), 572, 582, 743
 - HMM Logos (software), 573
- hnRNA (heterogeneous nuclear RNA), 92
- Hoechst 33258, 48, 76
- holoenzyme, 813
- home pregnancy testing, 279, 530
- HOMO (highest occupied molecular orbital), 463
- homogenate, 195
- homologous recombination, 164, 166
- homology, 569
 - sequence, 14, 747
 - structural, 14, 750
- homology directed repair, 166
- homology model, 624
- homonuclear coupling, 509
- homoplasmy, 589
- homotropic effect, 828
- homozygous DNA, 80
- hood
 - for cell culture, 42
- horizontal gel, 219
- hormonal cascade, 370
- horse radish peroxidase, 269
- horseradish peroxidase, 239
- hotstart PCR, 115
- housekeeping gene, 90
- Hpa*II tiny fragments, 172
- HPLC (high-performance liquid chromatography), 103, 198, 223, 369, 891
- HTF islands, 172
- HTIB (tri-iodo-3-hydroxybenzoic acid), 368
- Hughes press, 195
- human chorionic gonadotropin (hCG), 349
- human embryonic stem cell, 61
 - culture, 64
- Human Genome Project, 3
- human immunodeficiency virus (HIV), 46, 171, 310
- human leukocyte antigen (HLA), 311
- human participants in research, 37
- humility, 2
- hybridisation, 105, 146
 - molecular orbital, 619
- hybridoma, 257
 - fusion, 156
- hydrodynamic focussing, 290
- hydrodynamic radius, 17, 429, 519
- hydrogen bond, 9
 - in DNA, 75
- hydrogen peroxide, 368
- hydrolase, 811
- hydronium ion, 20
- hydrophobic
 - interactions, 9
 - effect, 9, 12, 209
- hydrophobic interaction chromatography (HIC), 209
- hydroxylapatite, 81
- hyperchromic effect, 78
- hyperchromicity, 465
- hyperfine splitting, 507
- hyperglycaemia, 373
- hyperimmunity, 260
 - serum, 284
- hyperthyroidism, 276, 372, 849
- hypervariable minisatellite, 170
- hypervariable region, 167
- hyperventilation, 27
- hyphenated mass spectrometry, 537
- hypochromic effect, 81
- hypochromicity, 465
- hypomethylation, 83
- hypothalamus–pituitary–adrenal axis, 371
- hypothesis testing, 727, 799
- hypothyroidism, 276, 372, 374
- hypoxanthine, 264
- hypoxanthine-guanine phosphoribosyl transferase (HGPRT), 264
- hypoxia, 787
- hypsochromic effect, 465
- $I_{0.5}$, 843
- IC_{50} , 843, 859, 872, 873
- ICP (inductively coupled plasma), 495
- IDE (integrated desktop environment), 684
- identity
 - percentage, 570, 662
- idiotope, 267
- ID-MS (isotope dilution mass spectrometry), 369
- IgA (immunoglobulin A), 260, 309
- IgD (immunoglobulin D), 261
- IgE (immunoglobulin E), 256, 261
- IgG (immunoglobulin G), 238, 256, 260, 309
- IgM (immunoglobulin M), 256, 260, 309, 357
- Ig-sequencing, 309
- IgY (immunoglobulin Y), 262
- illicit drug testing, 279
- IMAC (immobilised metal ion affinity chromatography), 193, 769
- image current, 554
- image informatics, 420
- image plate, 333
- ImageJ (software), 237
- ImageStream®, 308
- imaging system, 383
- imidazole, 185, 840
- IMM (interpolated Markov model), 743
- immobilised metal affinity chromatography (IMAC), 193, 769
- immortalised cell, 51
- immune, 256, 260
- immune response
 - acquired, 254
 - innate, 254
 - primary, 260
- immune tolerance, 260
- immunisation, 256
- immuno-electron microscopy, 413
- immuno-affinity chromatography, 282, 769
 - purification, 442
- immunoassay, 214, 271
- immunoblot, 425
- immunocapture polymerase chain reaction, 281

- immunodeficiency, 310
 immunofluorescence (preparation protocol), 389
 immunofluorescence microscopy, 277, 396
 immunoglobulin
 in plasma, 377
 immunoglobulin A (IgA), 260, 309
 immunoglobulin D (IgD), 261
 immunoglobulin E (IgE), 256, 261
 immunoglobulin G (IgG), 238, 256, 260, 309
 immunoglobulin M (IgM), 256, 260, 309, 357
 immunoglobulin Y (IgY), 262
 immunogold, 270, 278
 immunopathology, 281
 immuno-PET, 334
 immunophenotyping, 297, 298
 immunoprecipitate, 272
 immunoradiometric assay (IRMA), 274
 immunosorbent assay, 272
 immunosorbent electron microscopy (ISEM), 270, 278
 immunostaining, 281
 immunoturbidimetry, 353
 imprecision, 32
 IMS (ion mobility-mass spectrometry), 557
in situ hybridisation, 146, 160, 172
in situ PCR, 160
 inaccuracy, 33
 InChI format, 603
 inclusion bodies, 213
 incompleteness, 679
 incubator, 44
 indeterminate error, 705
 Indo-1, 306, 485
 induced-fit model, 830
 inductively coupled plasma (ICP), 495
 inelastic light scattering, 506, 519
 informative sites, 591
 infrared spectrum, 476
 In-Fusion® cloning, 127
 in-gel digestion, 772
 ingroup, 587
 inhibin, 349
 inhibition constant, 823, 843
 inhibitory antibody, 284
 inhibitory systemic antibody, 283
 initial rate, 814
 initiation
 translation process, 93
 inkjet printing, 530
 innate immune response, 254
 innate immune system, 253
 inner filter effect, 482
 inositol, 803
 inositol-1,4,5-trisphosphate, 848
 in-paralogous, 748
 input argument (programming), 645
 insertional inactivation, 131, 136
 insertion (in sequence alignment), 572
 in-solution digestion, 772
 institutional biosafety committee, 35
 insulin
 in serum, 347
 integer number, 634
 integrated desktop environment (IDE), 684
 integrated microscopy, 416
 intein-mediated protein ligation, 187
 intercalation dye, 242
 intercalation, 102
 intercellular signalling, 844
 interference, 505
 inter-individual variation, 347
 interleukin, 297
 internal standard, 723
 internal control, 355, 358
 internal conversion, 480
 International Chemical Identifier (InChI), 603
 International Union of Pure and Applied Chemistry (IUPAC), 603
 interphase, 307
 interpolated Markov model (IMM), 743
 InterPro (database), 561, 584
 InterProScan (software), 573, 579, 745
 interquartile range, 801
 intersystem crossing, 492
 intracellular domain, 845
 intra-individual variation, 347
 intrinsic activity, 847
 intrinsic clearance, 898
 intrinsic membrane protein, 193
 intron, 93, 155, 167, 742
 inulin, 367
 inverse agonism, 850
 inverse agonist, 848, 850
 inverse virtual screening, 891
 inverse-square law, 340
 iodoacetate, 192
 ion, 314
 ion chip, 736
 ion cyclotron resonance (ICR), 552
 ion exchange chromatography, 31, 208
 ion mirror, 551
 ion mobility-mass spectrometry (IMS), 557
 ion trap, 550
 ion-exchange equilibrium, 24
 ionic strength, 24, 450
 ionisation
 due to atom beam, 540
 due to radiation, 321
 ionisation counter, 322
 ionomycin, 306
 ionophore, 306
 ion-selective electrode, 24, 353
 IPTG (isopropyl- β -D-thiogalactoside), 132, 189
 IRMA (immunoradiometric assay), 274
 irradiation with gamma-rays, 62
 irreversible competitive antagonist, 846
 irreversible inhibition, 827, 843
 ischaemic heart disease, 363
 ISEM (immunosorbent electron microscopy), 270, 278
 isobaric tags for relative and absolute quantification (iTRAQ), 774
 isocratic elution, 199
 isodensity technique, 434
 isoelectric focussing gel, 231
 isoelectric point, 30, 213
 estimation, 32
 isoelectric precipitation
 fractionation, 213
 isoenzyme, 233, 362, 813
 isoform, 845
 isoionic point, 30
 isomerase, 811
 isomery, 10
 isopropyl- β -D-thiogalactoside (IPTG), 132, 189
 isopycnic centrifugation, 434, 438, 440
 isoschizomer, 96
 isostere, 878
 isotachopheresis, 227
 isothermal titration calorimetry (ITC), 501, 835
 isothiocyanate, 270
 isotope, 315
 isotope dilution mass spectrometry (ID-MS), 369
 isotope effect, 338
 isotope exchange studies, 839
 isotope labelling, 791
 isotopologue, 791
 isozyme, 813
 ITC (isothermal titration calorimetry), 501
 iteration of objects (programming), 640, 643
 iTRAQ (isobaric tags for relative and absolute quantification), 774
 IUPAC (International Union of Pure and Applied Chemistry), 603
 ixabepilone, 883
 Jablonski diagram, 456, 480
 jackknifing, 592
 Jaffe reaction, 368
 jaundice, 365
J-coupling, 507
 JSON, 679

- JTT matrix, 589
 Jukes–Cantor model, 589, 591
 jumping pair, 741
 junction potential, 25
- karyotype, 81, 160
 katal, 812
 K_b base dissociation constant, 21
 receptor affinity constant for
 antagonist, 850, 862
 kb (kilobase-pairs), 241
 KEGG (Kyoto Encyclopedia of Genes
 and Genomes), 583, 747, 754
 Kekulé structure, 602
 ketoconazole, 900
 key (programming), 641
 Ki-67, 307
 kilobase-pairs (kb), 241
 Kimura model, 589
 kinase inhibitor, 891
 kinesin, 404
 kinetic enzyme assay, 831
 Kjeldahl analysis, 181, 498
 Klenow fragment, 108, 121, 124
 Klett meter, 465
k-mer, 740
 Köhler illumination, 385
 Kozak sequence, 93, 743
 Kunkel mutagenesis, 150
 Kyoto Encyclopedia of Genes and
 Genomes (KEGG), 583
- label, 107
 lab-on-chip, 530
 lac operon, 154, 189
 lactate, 804
 lactate dehydrogenase, 446
 lactose operon, 90
lacZ gene, 161
 lag phase, 59
 lagging strand, 86
 lambda
 bacteriophage, 134
 insertion vector, 135
 replacement vector, 135
 lambdaZap, 136
 Lambert–Beer law, 463
 lamina matrix, 85
 laminar flow hood, 42
 laminin, 66
 LAMP DNA amplification system, 115
 LAMP stack, 626
 lanthanide, 270
 large T antigen, 155
 largest common subgraph, 603
 Larmor frequency, 509
 laser flash photolysis, 852
 laser scanning confocal microscope,
 397
 lateral flow device, 278, 529
- latex particle, 270
 lattice plane, 516
 lawn, 135
 LC-MS (liquid chromatography
 coupled mass spectrometry),
 537, 541, 770, 785
 LC-MS/MS, 774
 LDA (linear discriminant analysis),
 799
 lead compound, 895
 lead optimisation, 903
 leading strand, 86
 lead-like molecule, 871
 least mean squares, 722
 lectin, 237
 lectin agglutination method, 444
 Lennard–Jones potential, 457
 lens, 384
 leukaemia, 175, 310
 LH (luteinising hormone), 372
 life science studies, 2
 lifetime
 fluorescence, 481
 ligand efficiency, 873
 lipophilic, 873
 ligase, 811
 ligation, 119
 ligation-independent cloning, 128
 light
 diffraction, 291
 microscope, 381
 reflection, 291
 refraction, 291
 scattering, 290, 464, 505, 518
 lignin, 191
 limiting dilution cloning, 264
 line notation, 603
 linear amplification, 293
 linear discriminant analysis (LDA), 799
 linear regression, 722
 linearly polarised light, 458
 Lineweaver–Burk equation, 816
 Lineweaver–Burk plot, 855
 Linux, 626
 lipase
 in pancreas, 362
 lipidomics, 802
 Lipinski rules, 867
 lipofection, 144
 lipopolysaccharide, 189
 lipoprotein
 separation by centrifugation, 439
 lipoxxygenase-1, 14
 lissamine rhodamine, 399
 list
 data type, 639, 690
 programming, 659
 literature databases, 563
 live cell chamber, 403
 live/dead stain, 305
- liver disease, 365
 living colours, 486
 local alignment, 569
 local minimum, 623
 locus, 80
 log phase, 59
 logarithmic amplification, 293
 logarithmic transformation, 680
 logical operator, 522
 log P , 615, 867, 868
 long pass filter, 291
 long-range PCR, 114
 longitudinal magnetisation, 509
 longitudinal relaxation time, 506
 loop (programming), 643
 loop injector, 198
 loop-mediated isothermal
 amplification, 115
 lovastatin, 883
 low pressure liquid chromatography,
 198
 low resolution structure, 521
 lowest unoccupied molecular orbital
 (LUMO), 463
 Lowicryl, 415
 Lowry assay, 181
 luciferase, 161, 495
 luminescence, 493, 525
 photostimulable, 516
 Luminex® assay, 283
 luminol, 239, 495
 luminometry, 493
 LUMO (lowest unoccupied molecular
 orbital), 463
lupus erythematosus, 284
 Luria–Bertani medium, 190
 luteinising hormone (LH), 372
 lux gene, 161
 LUX probe, 117
 lyase, 811
 lymphoblastic leukaemia, 310
 lymphocyte, 51, 254
 lymphoma, 310
 lyophilisation, 217
 lysate, 195
 Lys-C (protease), 769
 lysis of cells, 782
 lysogenic life cycle, 135
 Lysogeny broth, 190
 lysosome, 192, 446
 lysozyme, 195, 196
 lytic life cycle, 135
 lyticase, 195
- M13 phagemid, 138
 machine learning, 683
 macromolecular CIF (mmCIF), 608
 macromolecule, 8
 macrophage, 254
 mad cow disease, 52

- magic angle spinning, 511
 magnetic
 field, 503
 moment, 504
 particle, 271
 quantum number, 504
 magnetic resonance imaging (MRI), 366, 402
 magnetic sector mass spectrometry, 555
 magnetic susceptibility, 503
 magnetisation
 longitudinal, 509
 metal, 503
 nuclear, 503
 transverse, 509
 magnification, 381
 major groove, 77
 major histocompatibility complex (MHC), 255
 malate, 794
 MALDI (matrix-assisted laser desorption ionisation), 531, 542
 imaging, 547, 805
 MALDI-TOF
 nucleic acid analysis, 103
 peptide analysis, 545
 maltose-binding protein (MBP), 184
 mammalian artificial chromosome (MAC), 141
 mannan, 191
 MANOVA (multivariate analysis of variance), 726
 mantle cell lymphoma, 310
 Manton Gaulin press, 195
 MAPK (mitogen-activated protein kinase), 307
 maple syrup urine disease, 358
 mapping algorithms, 572
 Markov chain Monte Carlo (MCMC), 592, 743
 Mascot (MS data search engine), 776
 mass
 accuracy, 779
 concentration, 19
 number, 314
 ratio, 19
 mass cytometry, 311
 mass isotopomer distribution (MID), 792
 mass spectrometry, 535
 imaging (MSI), 805
 in metabolomics, 785
 massively parallel DNA sequencing, 162, 734
 mass-to-charge ratio, 535
 mast cell, 254
 master cell bank, 265
 match (in sequence alignment), 572
 mate pair, 741
 mate pair library, 736
 mathematical operator, 633
 Matrigel™, 66
 matrix
 chromatography, 282
 matrix-assisted laser desorption ionisation (MALDI), 529, 542
 maximum energy level
 of beta-radiation, 322
 maximum kinetic efficiency, 817
 maximum likelihood (ML), 590
 maximum parsimony (MP), 590
 maximum scoring pair (MSP), 570
 MaxQuant (MS data search engine), 776
 MBP (maltose-binding protein), 184
 MCE-MS (microchip electrophoresis mass spectrometry), 251, 529
 MCMC (Markov chain Monte Carlo), 592
 MCS (multiple cloning site), 132
 mean, 696, 706
 mean residue ellipticity, 473
 MECC (micellar electrokinetic capillary electrophoresis), 249
 mechanical shearing, 782
 mechanistic target of rapamycin (mTOR), 307
 median, 698, 801
 medium
 cell culture, 52
 complete growth, 53
 medium chain acyl-CoA dehydrogenase deficiency, 358
 MEGA (Molecular Evolutionary Genetics Analysis), 568, 592
 megadiverse countries, 883
 megaprimer PCR, 152
 melting temperature, 79
 membrane protein, 193
 membrane vesicle, 416
 separation by centrifugation, 439
 memory B cell, 256
 mercaptoethanol, 192, 226, 772
 mesophiles, 821
 messenger RNA (mRNA), 83
 meta data, 679
 metabolic flux, 842
 metabolic pathway analysis, 753
 metabolic quenching, 780
 metabolism
 of drugs, 897, 900
 metabolite
 extraction, 782
 footprinting, 804
 profiling, 787
 metabolome, 779
 metal chelation, 192
 metal fatigue, 436
 metalloprotease, 192, 442
 metallo-protease, 442
 metanephrine, 357
 metaphase, 81
 methylcytosine (5mC), 83
 methylmercuric hydroxide, 245
 metrizamide, 439
 Metropolis method, 624
 MHC (major histocompatibility complex), 255
 micellar electrokinetic capillary electrophoresis (MECC), 249
 Michaelis constant, 815
 Michaelis–Menten equation, 814
 micro RNA (miRNA), 91
 micro sensor analyser, 355
 microarray, 157, 171
 microbiome, 309
 microcalorimeter, 501
 microchannel, 529
 microchip
 electrophoresis, 250, 530
 microchip electrophoresis mass spectrometry (MCE-MS), 251, 529
 microfabrication, 250
 microfluidic circuit, 103
 microfluidic device, 529
 microfuge, 431
 microheterogeneity, 233
 microinjection, 144, 384, 404
 microsome separation, 439
 microsphere, 283
 microtome, 281, 389
 microtubule, 394, 404
 microtubule-associated protein, 404
 MID (mass isotopomer distribution), 792
 midpoint rooting, 587, 590
 milk powder, 273, 279
 minigel apparatus, 219
 minimal residual disease monitoring, 310
 minimisation of energy function, 620
 minimum effective concentration, 897
 minisatellite DNA, 168
 minisatellite variant repeat analysis, 170
 minor groove, 77, 117
 miRNA (micro RNA), 91
 misconduct, 6, 724
 missed cleavages parameter, 776
 mitochondria, 446
 separation, 439
 mitochondrial genes, 586
 mitogen-activated protein kinase (MAPK), 307
 mitomycin C, 62
 mitotic spindle, 394, 398

- mixed inhibition, 827
- mix-up, 678
- ML (maximum likelihood), 590
- MLPA (multiplex ligation-dependent probe amplification), 169
- mmCIF (macromolecular CIF), 608
- mobile phase, 197
- mobility of ion, 221
- Modification of Diet in Renal Disease Study, 369
- module (programming), 647
- MOL format, 604
- MOL2 format, 607
- molality, 19
- molar
 - concentration, 19
 - ratio, 19
 - mass, 448
- molarity, 19
- MolCalc (web service), 622
- molecular
 - descriptor, 612
 - fingerprint, 612
- molecular beacon, 110, 522
- molecular clock hypothesis, 587
- molecular descriptor, 614, 869
- molecular dynamics, 621
- Molecular Evolutionary Genetics Analysis (MEGA), 568
- molecular exclusion
 - chromatography, 208
- molecular graph, 603
- molecular graphics, 515
- molecular ion, 537
- molecular mass, 19
 - weight average, 451
- molecular mass determination
 - by centrifugation, 448, 451
 - by light scattering, 518
 - by mass spectrometry, 543
- molecular mechanics, 616
- molecular modelling
 - validation, 625
- molecular orbital, 463
 - hybridisation, 619
 - methods, 615
- molecular replacement, 515
- monoamino oxidase, 444
- monochromator, 466
- monoclonal antibody, 180, 257
- monocyte, 254
- monodisperse sample, 16
- mononuclear cell, 299
- monophyletic clade, 587
- Monte Carlo
 - folding, 625
- Markov chain, 592
 - simulation, 623
- Morse potential, 616
- motif, 12, 746
- motor protein, 404
- MP (maximum parsimony), 590
- MrBayes (software), 593
- MRI (magnetic resonance imaging), 402
- MRM (multiple reaction monitoring), 774, 802
- mRNA (messenger RNA), 83, 399
 - display, 157
 - isolation, 92
- MSI (mass spectrometry imaging), 805
- MSP (maximum scoring pair), 570
- mTeSR™ 1, 66
- mTOR (mechanistic target of rapamycin), 307
- mTP signal, 581
- multi-angle light scattering, 518
- multi-enzyme complex, 813
- multi-isotope counting, 327
- multi-locus probe, 170
- multiple analyte detection system, 308
- multiple cloning site (MCS), 132
- multiple displacement amplification, 754
- multiple isomorphous replacement, 515
- multiple myeloma, 311, 378
- multiple-photon microscope, 401
- multiple reaction monitoring (MRM), 774, 802
- multiple sequence alignment, 569
- multiple tags, 185
- multiplex ligation-dependent probe amplification (MLPA), 169
- multiplex PCR, 167
- multiplexing, 270, 277, 530
- multiplicity, 480
- multistate model, 850
- multivalence, 856
- multi-wavelength anomalous diffraction, 515
- mutagenesis
 - enzyme mechanisms, 838
- mutarotation, 471
- mutation, 584
- mycoplasma, 47, 48
- myeloma, 378, 379
- Mynox®, 50
- myocardial infarction, 348, 363
- MySQL, 626, 655
- myxoedema, 374
- N (neutron number), 315, 502
- N,N,N',N'-tetramethylethylenediamine (TEMED), 225
- Na⁺/K⁺-ATPase, 445
- naïve mouse, 266
- NAMD (software), 622
- NanoDrop™ spectrometer, 100
- nanocrystal, 517
- nanodrop spectrometer, 100
- nanoESI, 762
- nanoflow electrospray ionisation, 541
- National Center for Biotechnology Information (NCBI), 561
- National Institute of Genetics (NIG), 561
- native
 - alignment, 745
 - gel, 229
 - state, 832
 - structure, 18
 - state, 830
 - structure, 18
- natural isotope correction, 792
- natural killer cell, 254
- natural product, 882
- NCBI (National Center for Biotechnology Information), 561
- NCBItr (Protein database), 776
- NCE (new chemical entity), 867, 884
- near-vertical rotor, 434
- nebulin, 440
- nebulisation, 541
- necrosis, 347
- Needleman-Wunsch algorithm, 740
- negative acute phase protein, 378
- negative cooperativity, 856
- negative feedback control, 372
- negatron, 316
- neighbour-joining method, 572, 590
- neonatal screening, 357
- nephelometer, 465
- nephron, 367
- NetNGlyc (software), 583
- NetPhosYeast (software), 583
- neural tube defect, 349
- neuron, 51
- neutral antagonist, 849
- neutral loss scanning, 776
- neutron, 314
 - number, 315, 504
 - scattering, 522
 - number (N), 502
- neutrophil, 299
- new chemical entity, 867, 884
- newborn screening, 348, 357
- Newton's refraction ring, 56
- next-generation sequencing (NGS), 559, 734
- NEXUS format, 567, 593
- NGS (next-generation sequencing), 559, 734
- NHS (N-hydroxysuccinimide), 207, 775
- nick translation, 108
- NIG (National Institute of Genetics), 561
- nitrocellulose, 238
 - membrane, 104

- NMR (nuclear magnetic resonance), 890, 891
 in metabolomics, 786
 node, 587, 603, 739
 NOE (nuclear Overhauser effect), 509
 NOESY, 510
 nomograph, 428
 non-bonded interaction, 617
 non-competitive inhibition, 824
 non-competitive reversible antagonist, 846
 non-crystalline fibre, 517
 non-Hodgkin's lymphoma, 311
 non-ideal conditions, 450
 Nonidet P-40, 193
 non-radioactive label, 107
 non-specific binding, 852, 853
 non-steroidal anti-inflammatory drugs (NSAIDs), 879
 normal distribution, 696, 706
 normalised mass spectrum, 539
 normalised sedimentation coefficient, 430
 Northern blot, 105, 157
 NSAIDs (non-steroidal anti-inflammatory drugs), 879
 nt (nucleotides), 241
 N-terminal modification, 758
 nuchal translucency, 349
 nuclear magnetic resonance (NMR), 890, 891
 nuclear medicine, 334
 nuclear Overhauser effect (NOE), 509
 nuclear pore, 417
 nuclear ribosomal genes, 586
 nuclear spin, 502
 nucleic acid linker, 124
 nucleon, 314
 number, 502
 nucleophile, 840
 nucleoprotein
 separation by centrifugation, 439
 nucleoside, 75
 nucleosome, 84
 nucleotide, 74, 241
 nude mouse, 266
 null hypothesis, 713, 714, 727
 numerical aperture, 386
 Numba (Python module), 634
 NumPy (Python module), 632, 652, 657, 667
 Nycodenz®, 439
 obesity, 365, 371
 object (programming), 634
 occupancy, 609
 octapole, 550
 oestradiol, 372
 off-target effect, 165, 891
 Ohm's law, 221
 Okazaki fragments, 86
 OLC assembly algorithm, 737, 740
 oligonucleotide, 79, 106
 primer, 127
 OME (Open Microscopy Environment), 420
 omnibus test, 726
 oncogene, 173
 one-sample *t*-test, 715
 on-line detector, 556
 ooplasm, 409
 Open Microscopy Environment (OME), 420
 open reading frame (ORF), 83, 576
 open system culture, 70
 OpenBabel (software), 614
 open-chain conformation of sugars, 10
 operational taxonomic units, 587
 operator
 logical, 522
 mathematical, 633
 operon, 90
 opioid receptor, 849
 opsonisation, 254
 optical
 activity, 471
 density, 70, 190, 466
 contrast, 390
 density, 190, 464
 filter, 291, 466
 rotatory dispersion (ORD), 472
 section, 396
 optical-projection tomography, 397, 402
 optimum temperature of enzyme activity, 820
 orbital
 atomic, 494
 molecular, 463, 615
 orbitrap, 554, 769
 ORF (open reading frame), 83, 576
 organic acidaemia, 358
 organic solvent fractionation, 211
 origin of DNA replication, 85, 130
 orphan gene, 755
 orthologue, 747
 orthology, 583, 748
 orthosteric agonist-binding site, 844
 orthosteric ligand, 852
 orthovandate, 192
 Ouchterlony double diffusion, 271
 outgroup, 587
 outlier, 801
 out-paralogous, 748
 over-expression of protein, 184
 overlap extension PCR, 152
 over-speed control, 432
 oxaloacetate, 794
 oxidoreductase, 811
 oxygen singlet state, 523
 oxytocin, 9
 P1 artificial chromosome (PAC), 141
 pA₂ (potency), 848
 paclitaxel, 883
 PAGE (polyacrylamide gel electrophoresis), 224
 PAINS (pan assay interference compounds), 882, 885
 paired electron, 503
 paired *t*-test, 718, 799
 paired-end read library, 736
 pairwise sequence alignment, 569
 PAM matrix, 589
 PAMPA (parallel artificial membrane permeability assay), 897, 900
 pan-assay interference compounds (PAINS), 882, 885
 Pandas (Python module), 632, 652, 684
 panning, 268, 294
 papain, 770
 parallel artificial membrane permeability assay (PAMPA), 897, 900
 paramagnetism, 503
 paraphyletic clade, 587
 paraprotein, 357, 378
 paratope, 259
 partial
 agonist, 845
 charge, 615
 restriction digest, 121
 specific volume, 450, 451
 Particle Mesh Ewald approximation, 622
 particle shape, 521
 partition coefficient, 196, 615
 PAS (periodic acid-Schiff) staining, 236
 passage zero, 62
 passaging, 53
 passenger strand, 95
 patent, 877
 pattern recognition, 798
 Pauli principle, 495, 503
 PAUP (molecular evolutionary genetics analysis), 593
 pBluescript SK, 138
 pBR322, 130
 PBS (phosphate-buffered saline), 54
 PCA (principal component analysis), 667, 798
 PCR (polymerase chain reaction), 48, 110, 259, 281
 mutagenesis, 152
 PDB
 eFold (web service), 16
 PDB (Protein Data Bank), 14, 624, 663
 format, 608
 PDMS (polydimethylsiloxane), 530
 Pearson's chi-square distribution, 727
 pEC₅₀, 848

- pED₅₀, 848
 PEG (polyethylene glycol), 263
 penicillin, 53, 869, 883
 pepsin, 770
 pepstatin, 192
 peptide bond
 as chromophore, 461
 condensation reaction, 8
 peptidoglycan, 195
 peptidyl transferase, 94
 Percoll®, 439
 performance indicator, 32, 705
 periodic acid-Schiff staining, 236
 periodic boundary condition, 622
 peripheral blood mononuclear cell, 299
 peripheral membrane protein, 193
 periplasmic space, 189, 191
 peristaltic pump, 198
 perl (programming), 628
 perl, 626
 permanent magnet, 503
 peroxidase, 368
 peroxisome, 446
 personalised drug dosage, 901
 persulfate, 225
 PET (positron emission tomography), 316, 334
 Petri dish, 45
 Pfam (database), 16, 561, 573, 584, 626, 747
 PFGE (pulsed-field gel electrophoresis), 102, 243
 pGEX vector, 184
 p-glycoprotein, 900
 pH
 electrode, 24
 denaturation, 210
 neutrality, 20
 partition theory, 20
 phage, 268
 phage display, 155
 phagemid, 136, 155
 phagocyte, 254
 phagocytosis, 256
 phalloidin, 296
 phallotoxin, 296
 pharmaceutical and personal care products (PPCPs), 901
 pharmacodynamics, 896
 pharmacoenvironmentology, 902
 pharmacogenetics, 175
 pharmacokinetics, 896
 pharmacophore, 882, 896
 phase contrast, 393, 404
 phase difference of waves, 505
 phase halo, 391
 phase problem, 514
 phenetic methods, 589
 phenobarbitone, 897
 phenol oxidase, 193
 phenol red, 52
 phenol/chloroform, 139
 phenotypic screening, 892, 893
 phenylalanine hydroxylase, 358
 phenylketonuria, 358
 phenylmethyl-sulfonylfluoride (PMSF), 192
 Phenyl-Sepharose, 209
 phenytoin, 348, 897
 pheochromocytoma, 357
 Phosflow, 306
 phosphatase, 192
 phosphate-buffered saline (PBS), 54
 phosphatidylinositol (PI), 802
 phosphodiester bond, 75
 phosphoenolpyruvate, 792
 phospholipid, 802
 phospholuminescence, 327
 phosphor, 333
 phosphor, 334
 phosphoramidite, 105
 phosphorescence, 492
 phosphorylation, 307, 583, 769
 photo animation, 404
 photo diode array detector, 889
 photoactivation, 410
 photoaffinity label, 839
 photoautotroph organism, 68
 photobleaching, 295, 396, 409
 photodiode, 293, 387
 photoheterotroph organism, 68
 photolithography, 171, 530
 photolysis, 852
 photomultiplier tube (PMT), 293, 387
 photon, 455
 coherence, 459
 photon correlation spectroscopy, 519
 photopolymerisation, 226
 photostimulable luminescence, 516
 php (programming), 626
 phtalocyanine, 523
 phycobiliprotein, 297
 phycoerythrin, 297
p-hydroxybenzoic acid, 193
p-hydroxymercuribenzoate, 827
 PHYLIP
 format, 567
 software, 593
 phylogenetic analysis using parsimony (PAUP), 593
 phylogenetic tree, 587
 phylogenetics, 584
 phylogram, 587
 physico-chemical properties
 calculation, 614
 in drug discovery, 867
 PI (phosphatidylinositol), 802
 pIC₅₀, 873
 picric acid, 368
 pie chart, 694
 pipette tip chromatography, 768
 pK_a, 822
 Planck constant, 503
 plane polarised light, 458
 plaque hybridisation, 146
 plasma, 352
 metal-binding protein, 377
 protein synthesis, 377
 steroid-binding protein, 377
 plasma half-life, 899
 plasmalemma, 445
 plasmid, 129
 separation by centrifugation, 439
 Plasmocin™, 50
 plasmon, 526
 plate height, 201
 plate reader, 466
 PLRV (potato leafroll virus), 274
 pluripotent stem cell, 61
 PMSF (phenylmethyl-sulfonylfluoride), 192
 PMT (photomultiplier tube), 293, 387
p-nitrobenzyl esterase, 153
p-nitrophenol phosphate, 107
 point accepted mutation (PAM)
 matrix, 589
 point of care, 355
 point scanning, 399
 point spread function, 401
 Poisson distribution, 668
 polar surface area, 875
 for CNS drugs, 899
 polarisability, 477
 polarisation
 fluorescence, 490
 of light, 458
 poly(A) tail, 92
 polyacrylamide gel
 DNA sequencing, 243
 polyacrylamide gel electrophoresis (PAGE), 101, 153, 162, 168, 224
 polyclonal antibody, 180, 256
 polydimethylsiloxane (PDMS), 530
 polydisperse sample, 16
 polyethylene glycol (PEG), 213, 263, 519
 polyethyleneimine, 196
 poly-histidine tag, 185
 polymerase chain reaction (PCR), 48, 110, 259, 281
 polymerisation
 of acrylamide, 225
 polymorphism, 80
 polynucleotide, 75
 polynucleotide kinase, 107
 polyphyletic clade, 587
 polyprotic acids and bases, 22
 polysome, 125
 polytomy, 587
 polyvinylidene fluoride (PVDF), 238
 polyvinylpyrrolidone (PVP), 193
 Pomona method, 615

- population genetics, 3
 population statistics, 710
 positional cloning, 172
 positive acute phase protein, 378
 positive cooperativity, 856
 positron, 316
 positron emission tomography (PET), 316, 334
 post hoc test, 726
 posterior probability, 591
 post-translational modification, 94, 191, 583, 769, 776
 potato leafroll virus (PLRV), 274
 potency, 847
 potential difference, 220
 potential gradient, 220
 potentiometry, 353, 355
 Potti scandal, 724
 powder diffraction, 517
 PPCPs (pharmaceutical and personal care products), 901
 PPO (2,5-diphenyloxazole), 325, 332
 precipitation
 of DNA, 98
 of protein, 268
 protein, 24
 precipitin, 271
 precision, 32, 680, 723
 precursor ion, 537
 predictive power, 349
 pre-equilibrium, 815
 pre-exponential factor, 820
 preflashing, 333
 pregnancy, 347
 screening, 349
 pre-hybridisation mix, 146
 pre-initiation complex, 90
 preparative centrifugation, 424, 431
 pre-steady state, 814, 833
 primary culture, 51
 primary immune response, 260
 primary structure, 12, 761
 primase, 86
 primer, 86
 principal component analysis (PCA), 667, 798
 prior probability, 591
 privileged structures, 878
 probe compounds, 880
 Procion Blue, 236
 Procion S, 236
 product inhibition, 827, 841
 product ion, 537
 professional humility, 2
 programmed cell death, 284
 programming (software), 559
 pro-insulin, 125
 prolactin
 in serum, 347
 proliferation, 307
 marker, 307
 promoter, 88, 154
 promoter element, 90
 proofreading activity, 112
 property-activity relationship, 600
 propidium iodide, 295, 305, 307, 310, 399
 proportional counter, 322
 prostate cancer, 285
 prosthetic group, 812
 as chromophore, 462
 protamines, 196
 protean agonist, 846, 850
 protease, 440, 770
 protease inhibitor cocktail, 440
 proteasome, 841
 protein
 biosynthesis, 8
 fold, 12
 folding in over-expression, 190, 191
 phosphorylation, 307
 protein A, 240, 271, 282
 protein A/G, 268
 Protein Data Bank (PDB), 14, 624, 838
 format, 608
 protein engineering, 106, 149
 protein G, 282
 Protein Prospector (MS data search engine), 776
 protein sorting, 579
 protein translation, 576
 protein X-ray crystallography, 890, 891
 protein-coding sequence (CDS), 742
 protomer, 829
 proton, 314
 number, 315, 502
 proton shuttle, 840
 protoplast, 144
 proxyfan, 850
 PSI-BLAST, 747
 PSIPRED (software), 574
 PubChem (database), 626
 PubMed (database), 563
 pulse height analyser, 327
 pulse-acquired NMR, 509
 pulsed amperometric detection, 250
 pulsed-field gel electrophoresis (PFGE), 102, 243
 pumping of laser, 459
 purine, 75
 p-value, 669, 702, 727, 800
 PVDF (polyvinylidene fluoride), 238
 PVP (polyvinylpyrrolidone), 193
 Pymol (software), 652
 pyrimidine, 75
 pyrosequencing, 735
 pyruvate, 794
 PySam (Python module), 632, 652
 Python, 631, 684
 qPCR (quantitative PCR), 114, 117
 Q-test, 713
 Q-TOF (hybrid mass spectrometer), 551
 quadrupole, 549
 qualitative data, 680
 quality assessment procedures, 32
 quality control, 355, 358
 quantitative data, 680
 quantitative PCR (qPCR), 114, 117, 157
 quantum dot, 240, 396
 quantum mechanics
 phenomenon, 455, 456
 quantum number
 magnetic, 504
 quantum rules, 503
 quantum tunnelling, 822
 quantum yield
 fluorescence, 481
 quartile, 698, 801
 quasi-elastic light scattering, 519
 quaternary structure, 14, 448
 quenching
 collisional, 486
 dynamic, 486
 metabolic, 780
 of fluorescence, 486
 of reaction, 497, 833
 scintillation, 327
 static, 486, 522
 query sequence, 570
 Quin-1, 485
 quinone, 193, 886
 r value, 592
 R value, 724
 R (software), 684
 R/S nomenclature, 603
 rabbit reticulocyte lysate, 153
 racotumomab, 267
 radian, 426
 radiation dose limit, 340
 radical reaction, 225
 radioactive decay, 315, 318
 radioactive label, 106
 radiocarbon dating, 556
 radioimmunoassay, 214, 277, 524
 radioisotope, 315
 legislation, 313
 radius of gyration, 16, 521
 RAID (redundant array of independent disks), 421
 RAM (random access memory), 682
 Raman spectroscopy, 506, 519
 Raman spectrum, 476
 random access memory (RAM), 682
 random amplified polymorphic DNA (RAPD), 114
 random error, 705
 random labelling, 108
 random sampling, 592
 random walk, 16

- rapamycin, 880
 RAPD (random amplified polymorphic DNA), 114
 rapid mixing method, 497, 833
 rare earth element, 270
 rate of sedimentation, 429
 rate separation method, 439
 rate-limiting step, 815
 ratio imaging, 409
 ratiometric technique, 306
 Rayleigh interference optical system, 432, 446
 Rayleigh limit, 540
 Rayleigh ratio, 518
 Rayleigh scatter, 462, 469, 476, 518, 520
 RCF (relative centrifugal field), 427
 reaction coordinate, 471
 reading frame, 576
 real-time PCR, 157
 reannealing, 119
 RecA protein, 88
 re-calibration, 723
 recombinant
 antibody, 258
 protein, 184
 protein production, 71
 recombinatorial library, 156
 red blood cell, 299
 red fluorescent protein (RFP), 486
 red shift, 465
 redox cyler, 886
 reduced complexity molecules, 871
 reducing agent, 192
 reflected light, 384
 reflection
 of light, 291
 reflectron, 551
 refraction, 432, 467
 of light, 291
 refractive index, 446, 518, 526
 RefSeq (database), 562, 746
 regulatory gene, 154, 161
 relative centrifugal field (RCF), 427
 relative molecular mass, 19, 448, 535
 relative standard deviation, 706
 relaxation
 enzyme kinetics, 833
 in NMR, 504, 506
 molecular, 457
 relaxation time, 506
 pre-steady state kinetics, 835
 relaxed state, 829
 renal
 clearance, 367
 disease, 367
 renaturation, 82
 DNA, 79
 repeat region challenge, 741
 repetitive DNA, 80
 replica plating, 131
 replication
 DNA, 85
 fork, 86
 of measurement, 705
 origin, 130
 semi-conservative, 86
 replicative form of DNA, 138
 reporter enzyme, 272
 reporter gene, 161, 163
 reporter molecule, 404
 reproducibility, 801
 research ethics, 37
 resistance
 electric, 57
 frictional, 432
 to antibiotics, 129, 131, 902
 to environmental factors, 175
 resolution, 381
 in chromatography, 198, 205
 of microscope lens, 387
 resonance condition, 503
 resonance Raman spectroscopy, 520
 resonance unit, 527
 respirometry, 787
 rest period (antibody preparation), 263
 resting state, 844
 inactive, 848
 of cells, 53
 restriction digest, 121
 restriction enzyme, 87, 96, 104, 118, 161
 restriction fragment length polymorphism, 167
 restriction mapping, 104
 retention
 factor, 200
 time, 200
 retinitis pigmentosa, 849
 reverse complement of DNA
 sequence, 661
 reverse phase chromatography, 768
 reverse substitution, 589
 reverse transcriptase, 123, 124
 reverse transcriptase-PCR (RT-PCR), 114, 159
 reverse transcription, 282
 reversible inhibition, 823, 841
 Reynolds number, 529
 RF (replicative form) DNA, 138
 RFP (red fluorescent protein), 486, 492
 rhodamine, 277
 RIA (radioimmunoassay), 277
 ribonuclease (RNase), 98
 ribonuclease protection assay, 157
 ribonucleic acid (RNA), 74
 riboprobe, 136, 145
 ribosomal genes, 586
 ribosomal RNA (rRNA), 84, 586
 ribosome, 93
 ribosome display, 157
 ribosome profiling, 125
 ribosome-binding site, 154
 ribozyme, 809
 ring count, 875
 ring inversion, 11
 RISC (RNA-induced silencing complex), 95
 risk assessment, 34
 rituximab, 310
 RNA (ribonucleic acid), 74
 separation by centrifugation, 439
 denaturation, 245
 RNA interference (RNAi), 91, 95, 165
 therapy, 165
 RNA polymerase, 88
 RNA probe, 157, 160
 RNA sequencing (RNA-Seq), 157, 752
 RNAi (RNA interference), 91, 95, 165
 therapy, 165
 RNA-induced silencing complex (RISC), 95
 RNase (ribonuclease), 98, 196
 RNase A, 157
 RNase H, 124
 RNase T1, 157
 RNA-seq (RNA sequencing), 309
 robustness, 33
 Roccal-D®, 45
 rofecoxib, 902
 root mean square deviation (molecular dynamics simulation), 623
 rooted tree, 587
 Rosetta (software), 625
 rosette cell, 194
 rotamer, 10
 rotary vane pump, 536
 rotatable bonds, 875
 rotating anode generator, 515
 rotational transition, 456
 rotor speed, 426
 rRNA (ribosomal RNA), 84, 586
 RT-PCR (reverse transcriptase-PCR), 114, 159
 Ruffus (Python module), 632, 672
 rule of five, 868
 ryanodine receptor, 440

 S phase, 307
 S_{0.5}, 829
 S1 nuclease mapping, 158
 safety manual, 35
 saliva, 309
Salmonella infection, 244
 salt bridge, 12
 salt fractionation, 211
 salting in/out, 24
 salting out, 209, 210
 sample handling
 mass spectrometry, 767

- SamTools (Python module), 671
 sandwich ELISA, 273
 Sanger sequencing, 733
 SANS (small-angle neutron scattering), 520
 sarcolemma vesicle, 444
 sarcosine oxidase, 368
 SARS-Coronavirus, 416
 satellite DNA, 80
 saturation condition, 854
 saturation kinetics, 815
 saturation transfer difference NMR (STD-NMR), 513
 SAXS (small-angle X-ray scattering), 520
 SBAL (software), 574
 scaffold, 864, 877
 scaffold hopping, 879
 scalar coupling, 507
 scanned-light-sheet microscopy, 405
 scanning densitometry, 237
 scanning electron microscope (SEM), 411
 scanning mass spectrometry, 550
 Scatchard equation, 854
 scatter plot, 694
 scattering
 of light, 17, 290, 464, 505
 X-ray, 450
 scFv (single-chain antigen-binding fragment), 268
 SCID (severe combined immune deficiency), 310
 scientific misconduct, 6, 724
 scintillation, 324
 cocktail, 325
 efficiency of counting, 328
 proximity assay, 329
 quenching, 327
 SciPy (Python module), 632, 652, 660, 668, 684
 SCOP, 748
 database, 626
 protein structure classification, 14
 scoring function, 890
 scorpion probe, 117
 scouting experiment, 208
 SD-formatted files (SDF files), 605
 SDS (sodium dodecyl sulfate), 193, 226
 SDS-PAGE, 214, 226
 SEC (size-exclusion chromatography), 208
 SEC-MALS, 518
 second messenger, 371, 848
 second order kinetics, 835
 second order minimisation algorithm, 620
 second virial coefficient, 518
 secondary electrons, 411
 secondary ion mass spectrometry (SIMS) imaging, 805
 secondary screen, 894
 secondary structure, 12
 prediction, 574
 second-generation sequencing, 734
 secreted protein, 188
 sector mass spectrometry, 555
 security screening, 557
 sedimentation, 425
 rate, 429
 sedimentation coefficient, 448
 correction for non-ideality, 450
 distribution, 447
 sedimentation equilibrium, 447
 sedimentation velocity, 430, 447
 seed alignment, 573, 743
 seeding density, 58
 selected ion monitoring (SIM), 368, 774
 selective plane illumination microscopy, 405
 selective transgenesis, 164
 selectivity, 33, 848
 selectivity factor, 201
 self-absorption, 334
 self-diagnostic kit, 279
 SEM (scanning electron microscope), 411
 semi-conservative replication, 86
 semi-empirical molecular orbital calculation, 616
 senescence, 53
 sensitivity, 33, 349
 enzyme assay, 837
 sensor chip, 526
 separation efficiency, 247
 separation factor, 201
 Sephadex® G-75, 233
 sequence
 alignment, 569
 annotation, 569
 identity, 570, 662
 logo, 573
 sequence format, 563
 conversion, 568
 sequence heterogeneity, 755
 sequence homology, 14, 747
 sequencing by synthesis, 734
 sequential model, 830
 SEQUEST (MS data search engine), 776
 serine protease, 150, 192
 serotyping, 272
 serum, 52, 352
 creatinine, 367
 gel separator, 352
 set (data type), 640
 severe combined immune deficiency (SCID), 310
 sex hormone, 347
 shape restoration, 521
 sheath gas, 540
 shielding of nuclei, 506
 Shine-Dalgarno sequence, 93
 shingles, 828
 short hairpin RNA (shRNA), 165
 short interfering RNA (siRNA), 165
 short pass filter, 291
 shotgun proteomics, 759
 shRNA (short hairpin RNA), 165
 shuttle vector, 143
 SI system, 319
 SIB (Swiss Institute for Bioinformatics), 577
 side scatter, 291
 SigmaClean®, 45
 signal peptide, 579
 signal transduction, 844
 signalling
 intercellular, 844
 molecule, 844
 significance, 799
 of difference, 800
 SILAC (stable isotope labelling with amino acids in cell culture), 773
 silanol group, 222
 silver staining, 236
 SIM (selected ion monitoring), 368, 774
 simian virus 40 (SV40), 51, 155
 similarity, 569
 chemical, 600
 similarity score, 612
 simplex algorithm, 620
 simplified molecular input line entry system (SMILES), 603
 Simpson's paradox, 725
 simulated annealing, 623
 single cell examination, 309
 single gel electrophoresis, 228
 single molecule diffraction, 517
 single nucleotide polymorphism (SNP), 81, 171, 175
 single-reaction monitoring (SRM), 774
 single wavelength anomalous diffraction, 515
 single-chain antigen-binding fragments (scFv), 268
 single-crystal diffraction, 515
 single-locus probe, 170
 single-stranded DNA binding protein (SSB), 86
 single-stranded DNA rescue, 136
 singlet gate, 300
 singlet state, 480
 oxygen, 523
 sinusoidal voltammetry, 250
 siRNA (short interfering RNA), 91, 95, 165
 sirolimus, 880
 site occupation factor (SOF), 609
 site-directed mutagenesis, 148
 size distribution function, 521

- size-exclusion chromatography (SEC), 107, 208, 518
 Skyline (software), 775
 slot blot, 105
 small molecule, 864
 small nuclear RNA (snRNA), 84
 small-angle scattering, 520
 SMILES format, 603
 Translator (web service), 614
 Smith–Waterman algorithm, 740
 smooth muscle cell, 51
 snap-freezing, 217
 SNP (single nucleotide polymorphism), 81, 171, 175
 snRNA (small nuclear RNA), 84
 SOC media, 190
 sodium azide, 193, 269
 sodium bromide, 439
 sodium deoxycholate, 193
 sodium dodecyl sulfate (SDS), 193, 226
 sodium fluoride, 192
 sodium iodide, 439
 sodium orthovanadate, 192
 SOF (site occupation factor), 609
 soft ionisation, 539, 540, 545
 solid state NMR, 511
 solid-phase
 binding assay, 524
 extraction, 804
 microextraction, 806
 solubility fractionation, 210
 solvation, 9
 solvent polarity, 465
 sonication, 194
 Soret band, 462
 SOS response, 88
 Southern blot, 104, 167
 space group, 516
 special term (force field), 619
 speciation event, 583
 specific activity
 of radioisotope, 334
 specific binding, 853
 specific enzyme activity, 214, 812
 specificity, 349
 constant, 817
 of enzyme, 810
 specimen stage, 385
 spectral overlap, 297
 spectrophotometry, 353, 355, 368, 466
 spectroscopic splitting factor, 504
 spheroplast, 142, 191
 spin
 electron, 480, 495
 nuclear, 502
 total, 480
 spin–lattice relaxation, 504, 506, 513
 spinning–disc confocal microscope, 400
 spin–spin coupling, 507
 spin–spin relaxation, 504, 506, 513
 spleen, 258
 splice site, 742
 spliceosome, 93
 splitting factor (in NMR), 504
 SPR imaging, 528
 spreadsheet, 651
 SPR-MS (surface plasmon resonance coupled mass spectrometry), 529, 772
 sputtering, 805
 SQL database, 655
 SQLite, 649, 655
 SRM (single-reaction monitoring), 774
 SSB (single-stranded DNA binding protein), 86
 SSM (secondary structure matching), 16
 stable isotope labelling, 791
 with amino acids in cell culture (SILAC), 773
 standard deviation, 696, 706
 relative, 707
 standard error, 711
 standard operating procedure, 35, 705
 standard reference, 704
 standard score, 696
 standard, internal, 723
 starch gel, 223
 start codon, 83
 static light scattering, 518
 statin drug, 348, 883
 stationary phase, 59, 197
 statistical limitation, 788
 statistics
 in data analysis, 702
 population, 710
 STD-NMR (saturation transfer difference NMR), 513
 steady state, 814
 stealth drug, 519
 steepest descent minimisation, 620
 stem (RNA secondary structure), 78
 stem cell
 human embryonic, 61
 passaging tool, 65
 pluripotent, 61
 transplantation, 310
 step gradient method, 439
 stereo image, 412
 stereochemistry, 602
 stereogenic carbon atom, 10, 472, 603, 839, 876, 882
 stereomicroscope, 388
 stereoselectivity, 839
 steric barrier, 600
 sterile
 insect release programmes, 314
 laboratory conditions, 41
 Stern–Volmer equation, 486
 stimulated emission depletion microscope, 407
 stochastic optical reconstruction microscope, 407
 stochastic rate equation, 815
 stoichiometry of binding, 501
 Stokes
 lines, 476
 radius, 521
 shift, 295, 481, 519
 Stokes' law, 429
 Stokes–Einstein relation, 519
 stop codon, 83, 576
 stop in translation, 576
 stopped flow, 833
 monitoring of kinetics, 497
 streptavidin, 107, 186, 270
 streptomycin, 53
 stress, 347
 stretching (vibrational motion), 476
 string (programming), 636
 stringency
 of hybridisation, 105
 structural alert, 885
 structural annotation, 742
 structural gene, 88
 structural homology, 14, 750
 structural novelty, 877
 structure
 motif, 12
 structure factor, 514
 Structure File Generator (web service), 614
 structure–activity relationship, 864, 895
 structure-based amino acid sequence alignment, 574
 structure-based drug design, 891
 Student's *t*, 710
 subcellular fractionation, 438, 442
 subcloning, 137
 subculture, 53
 subroutine (programming), 645
 substitution model, 589
 for amino acids, 750
 substrate
 assay, 837
 for reporter enzyme, 272
 inhibition, 827
 subtilisin, 108, 150
 subtractive hybridisation, 126
 subtractor cell, 126
 subunit (in oligomeric protein), 14
 succinate, 794
 succinate dehydrogenase, 444
 succinimidyl group, 307
 sucrose, 241
 sucrose gradient centrifugation, 439, 442
 sugar, 10
 suicide inhibitor, 828
 sum of squares, 706
 supercoiled DNA, 84
 superinfection, 136

- super-resolution microscope, 382, 405
- super-secondary structure, 12
- surface plasmon resonance, 526
coupled with mass spectrometry (SPR-MS), 529
- SV40 (simian virus 40), 51, 155
- svedberg unit, 430
- Svedberg, Theodore, 424
- swap memory, 682
- sweet spot, 544
- swept field scanning, 399
- swinging-bucket rotor, 432, 433
- Swiss Institute for Bioinformatics (SIB), 577
- switch technique to assess molecular interaction, 521
- SYBR® Green, 117, 242
- symmetry model, 829
- synchrotron, 515
- synteny, 743, 752
- synthetic biology, 106
- SYPRO® Orange, 236, 484, 523
- SYPRO® Ruby, 236
- systematic error, 704
- systems biology, 4
- T3 (tri-iodothyronine), 371
- T4 (thyroxine), 371
- T4 DNA ligase, 119
- TAE buffer, 224
- tag
fusion protein, 184
SNP, 81
- tailed test, 669
- tailing, 200, 205
- tandem dye, 296
- tandem mass spectrometry, 357, 759
- tandem mass tag (TMT), 774
- Tanimoto coefficient, 613
- tannin, 193
- Taq polymerase, 117
- TaqMan, 117, 534
- target DNA, 110
- target peptide, 579
- target sequence, 570
- target-based screening, 892, 893
- targeted libraries, 877
- targeted metabolomics, 790
- TargetP (software), 581
- TAS (triple antibody sandwich)
ELISA, 274
- TATA box, 88
- TA-TOPO cloning, 127
- taxa, 584, 587
- TBE buffer, 224
- TBG (thyroxine-binding globulin), 371
- tblastn (software), 570
- TCA (tricarboxylic acid), 794
- telomere, 81
- TEM (transmission electron microscope), 411
- TEMED (*N,N,N',N'*-tetramethylethylenediamine), 225
- temperature jump, 83
- template DNA, 110
- Ten-eleven translocation (Tet)
enzyme, 83
- tense state, 829
- terminal transferase, 107
- termination codon, 94, 576
- termination of translation process, 93
- terminator, 88
- tertiary structure, 12
- testosterone, 372
- Tet (Ten-eleven translocation)
enzyme, 83
- tetanus toxoid protein, 448
- tetracycline, 883
- tetramethylsilane (TMS), 506
- TEV protease, 185
- Texas Red, 523
- thalidomide, 880
- theoretical plates, 201, 247
- therapeutic index, 348, 897
- thermal
denaturation, 210
stability, 210
- thermal displacement factor, 609
- thermocycling, 282
- thermophiles, 821
- thin-layer chromatography, 223
- thioglycollate medium, 48
- thiol protease, 192
- Thiomersal®, 45
- thiophene, 523
- third-generation sequencing, 736
- three-dimensional structure
enzymes, 12, 838
proteins, 12
- thrombin, 184
- thrombophilia, 171
- thymidine, 264
- thymine, 75
- thyroglobulin, 451
- thyroid disease, 371
- thyroiditis, 372
- thyroid-stimulating hormone (TSH), 357, 371
in serum, 347
- thyrotropin-releasing hormone (TRH), 371
- thyroxine (T4), 276, 371
- thyroxine-binding globulin (TBG), 371
- Ti plasmid, 143
- time domain, 508
- time-of-flight (TOF) analyser, 550
- time-lapse imaging, 403
- time-resolved
fluorescence spectroscopy, 492
FT-IR, 479
- TIR (total internal reflection), 402, 526
- Tiselius, Arne, 223
- tissue microarray, 172
- tissue regenerating, 71
- titanium dioxide, 769
- titer, 257
- titin, 440
- TMHMM (software), 582
- TMS (tetramethylsilane), 506
- TMT (tandem mass tag), 774
- TOF (time-of-flight), 550
- tomogram, 334
- tomography, 397
electron, 416
EM grid, 412
optical projection, 402
- topoisomerase, 84, 127
- torsion angle, 10, 617
- tosylphenylalanyl-chloromethylketone (TPCK), 192, 769
- total internal reflection (TIR), 402, 526
- total ion current, 556
- touchdown PCR, 111
- toxicity, 902
of radioisotopes, 340
threshold, 897
- toxoflavin, 886
- TPCK (tosylphenylalanyl-chloromethylketone), 192, 769
- trabectedin, 883
- tracer, 524
- tracrRNA, 166
- trajectory (molecular dynamics simulation), 623
- trans alignment, 743
- trans* coformation, 10
- trans-acting factor, 89
- transcription, 76, 88
- transcription factor, 89, 163
- transcriptional activator, 161
- transcriptome, 309, 752
- transeq (software), 577
- transfected cell, 309
- transfection, 144, 259
- transfer RNA (tRNA), 77, 84, 93
- transferase, 811
- transformation, 130, 131
of bacteria, 189
of data, 680
- transformed cell, 51
- transformed *r*-value, 590
- transgenic
animal, 175
plant, 175
- transgenics, 164
- transition
dipole momentum, 490
nucleic acid, 589, 591
transition (nucleic acid), 589

- transition state, 809
 - theory, 822
- translate (software), 577
- translation
 - conceptual, 576
 - of mRNA, 93
- transmembrane domain, 844
- transmission, 463
- transmission electron microscope (TEM), 411
- transmitted light, 384
- transport protein, 377
- transverse magnetisation, 509
- transverse relaxation time, 506
- transversion (nucleic acid), 589, 591
- TreeView (software), 593
- TRH (thyrotropin-releasing hormone), 371
- tricarboxylic acid (TCA), 794
- trichloroacetic acid, 232
- trifluoroacetic acid, 888
- triglyceride
 - in serum, 347
- tri-iodo-3-hydroxybenzoic acid (HTIB), 368
- tri-iodothyronine (T3), 371
- triple antibody sandwich (TAS) ELISA, 274
- triplet (codon), 82
- triplet state, 480
- trisomy 21, 81
- Triton X-100, 193
- tRNA (transfer RNA), 77, 84, 93
- tRNA synthetase, 78
- trophoblast, 61
- troponin T, 348
- true value, 703
- trueness, 33
- trypan Blue, 56, 61
- trypsin, 54, 768, 772
- trypsinogen, 348
- tryptone soya broth, 48
- TSH (thyroid-stimulating hormone), 347, 357, 371
- t*-test, 714, 799
- tubulin, 404
- tumour antigen, 267
- tuple
 - data type, 640
 - programming, 659
- turbidimetry, 378
- turbidity, 47, 70, 355, 464, 473
- turbomolecular pump, 536
- twilight zone, 746
- two-state model, 848
- Type I error, 702, 727
- Type II error, 702, 729
- ubiquitin, 841
- UCSF Chimera (software), 652
- uE3 (unconjugated oestriol), 349
- ultracentrifuge, 424, 431
 - analytical, 446
- ultrafiltrate from kidney, 367
- ultrafiltration, 431
- ultra-high-pressure liquid chromatography, 542
- ultramicrotome, 412
- ultra-performance liquid chromatography (UPLC), 198
- ultrasonication, 782
- ultrasonography, 366
- ultrasound, 194
- ultrastructure, 411
- unbiased data analysis, 798
- uncompetitive inhibition, 825
- unconjugated oestriol (uE3), 349
- UNG (uracil *N*-glycosylase), 115
- unified atom force fields, 619
- UNIMOD database (protein modifications for mass spectrometry), 769
- UniProt (database), 561, 663, 673, 746, 776
- unit cell
 - atomic structure, 605
- unpaired electron, 503
- unpaired *t*-test, 716, 799
- unrooted tree, 587
- untargeted metabolomics, 787
- untranslated region (UTR), 92, 742
- unweighted distances, 590
- UPGMA (unweighted pair group method using arithmetic average), 590
- UPLC (ultra-performance liquid chromatography), 198
- upstream, 88
- uracil, 75
- uracil *N*-deglycosidase, 151
- uracil *N*-glycosylase (UNG), 115
- urr system, 87
- UTR (untranslated region), 92
- UV spectroscopy, 460
 - nucleic acid, 98, 462
 - protein, 461
- vaccination, 256
- vaccine production, 71
- validation of molecular model, 625
- valproic acid, 880
- value (programming), 633, 641
- van Deemter equation, 203
- van der Waals interaction, 9, 617
- van't Hoff plot, 822
- vancomycin, 883
- variable (programming), 633
- variable number tandem repeat (VNTR), 80
- variance, 667, 707
- variation, 32, 783
- coefficient, 359, 707
- Veber's rule, 875
- vector, 120, 129
- venipuncture, 347
- Venter, J. Craig, 733
- vertex, 739
- vertical slab gel, 219
- vertical tube rotor, 433
- viability of cell, 305
- vibrational transition, 456
 - and symmetry, 477
 - by IR absorption, 476
 - by light absorption, 476
- video camera (as area detector), 387
- Vioxx, 902
- virial coefficient, 518
- virion, 138
- virtual screening, 889
- virus
 - separation by centrifugation, 439
 - treatment with hyperimmune serum, 284
- virus entry, 404
- visible light spectroscopy, 460
- Visinin-like protein, 210
- vitamin D₃ (25-hydroxycholecalciferol), 347
- Vizamyl™, 335
- VNTR (variable number tandem repeat), 80
- void volume, 200
- volcano plot, 800
- voltage, 220
- volumetric phase ratio, 201
- walltime, 682
- waste bioconversion, 71
- wave technology, 168
- waveguide, 529
- wavelength, 455
- wavenumber, 455
- wave-particle duality, 505
- Weblogo (software), 573
- website design, 626
- weight average molecular mass, 451
- weighted parsimony, 591
- West Nile fever, 284
- Western blot, 154, 238, 279, 307
- wheat germ agglutinin (WGA), 444
- wheat germ extract, 153
- whisker plot, 801
- whiskers in box plot, 698
- Whisky A Go-Go nightclub, 868
- white blood cell, 299
- whole mount, 388
- whole-genome shotgun sequencing, 733
- wide-field microscope, 396
- Wiener index, 611
- wild card (programming), 649

		Index	929
working cell bank, 265	yeast episomal plasmid (YE _p), 143	Z-factor, 894	
X-gal (5-bromo-4-chloro-3-indolyl-β-galactopyranoside), 133	yeast two-hybrid system, 163	ZINC (database), 626, 882	
XML (programming), 679	yellow fluorescent protein (YFP), 410, 489, 492	ZipTip®, 768	
X-ray	YE _p (yeast episomal plasmid), 143	zonal development, 199	
definition, 317	YFP (yellow fluorescent protein), 410, 489, 492	zonal rotor, 432	
X-ray crystallography, 605	yield, 214	zoo blotting, 105	
single crystal, 838		Z-projection, 398, 405	
X-ray free electron laser, 517	Z (proton number), 315, 502	Z-score, 696, 800	
X-ray scattering, 520	Z'-factor, 894	Z-stack, 397, 398	
	Z-DNA, 77	Z-transformation, 697, 800	
yeast artificial chromosome (YAC), 141	zero-order kinetics, 815	zwitterion, 30, 232	
		zymogram, 236	
		zymolyase, 195	