

Index

Note: **Bold** page numbers refer to tables.

- abyssal hill, 311
- accelerating rate models, 205
- accretionary wedge, 288
- acoustic emission, 24, 25, 116, 325
- aftershocks, 197–199
 - migration, 199
 - of deep earthquakes, 325
 - off-fault, 199, 202, 209
- Omori law, 197
- productivity
 - deep earthquakes, 325
 - oceanic vs. continental, 198
 - subduction zones, 198
- scaling laws, 198
- Utsu model, 197
- afterslip, 146, 172, 242, 295
- afterslip model, 242
- Amontons' laws, 43
- Andaman Sea, 291
- Anderson's theory of faulting, 98
- angle of internal friction, 15
- anti-crack model, 325
- anti-cracks, 325
- apparent friction, 201
- apparent stress, 159, **170**, 178, 312, 320
- Archard equation, 63
- asperities, **44**, 269
- attractor, 275
- Bakken shale, 329
- barrier zone, oceanic transform, 317
- barriers, 15, 160, 164, **267**
- Basin and Range Province, 15
- Bâth's law, 197, 209
- bi-material effect, 302
- block-slider system, 89, *See* spring-slider system
- bookshelf faults, 102
- boudinage, 131
- Bowden and Tabor. *See* friction: adhesion theory
- brittle ductile transition. *See* brittle plastic transition
- brittle strain, calculation of, 283
- brittle tectonics, **97**, 166
- brittle-plastic transition, 35, 137, 147
- Brownian passage-time model, 378
- Brune flip, 192
- Brune formula, 282
- buoyancy, negative, of slab, 323
- Burgers vector, 37
- Burridge and Knopoff model, 276
- b*-value, 185, 186, 200, 214, 317, 325, 349, *See also* precursors:*b*-value
- Byerlee's law, 53
- Cajon Pass borehole, 158
- California plate boundary, 233
- cataclasite, 41, 108, 114, 127, 128, 131, 132, 133, 137, 140, 141, 147, 149, 333
- cataclastic flow, 37, 140
- cellular automata, 277
- centroid time shift, 314
- CGPS, 231
- chaotic cycle, 276
- characteristic earthquake model, **186**, 186, 269, 372, 377
- chiki*, 343
- clastic dikes, 142
- clock advance, 205

- clustering
 - earthquake, 200
- coalescence of faults, 120
- Cocos Ridge, 307
- coefficient of friction, 45
- coefficient of internal friction, 15
- complexity, 277
- compound earthquake, 295
- conditionally stable, 80, 198, 225, 304, 317
- conjugate faults, 98, 117
- conjugate planes, 15
- contact theory, 46–48, 241
- Corinth Rift, 125
- corner frequency, 177
- Coulomb fracture surface, 98
- Coulomb plasticity, 143
- Coulomb stress function, 201, 218
- Coulomb–Mohr criterion. *See* fracture criteria: Coulomb criterion
- coupled oscillators, 207
- coupled patches
 - transform faults, 317
- COV, 251, 264
- crack extension force, 8
- crack models
 - CFTT model, 14, 111, 119
 - Dugdale–Barenblatt, 13, 106
 - elastic, 12, 172
- crack modes, 7
- creep
 - brittle, 32
 - primary, 33
 - tertiary, 33
- creeping faults, 154, 155–157
- creeping section
 - San Andreas fault, 153
- critical crack spacing, 126
- critical dilatant strain, 28, 35
- critical slip distance, 72
 - scaling of, 96
- critical stress intensity factor. *See* fracture toughness
- CTOA model. *See* crack models: CFTT model
- da Vinci, Leonardo, 43
- damage zone, 6, 112, 114, 115, 117, 127, 128, 129, 131, 133, 134, 135, 136, 137, 164
- decarbonization, 68
- decollement, 100, 191
- deep slip model, 239
- deformation bands, 115
- dehydration embrittlement, 321
- detachment, 101, 311
- dikes, 20
- dilatancy, 24, 246, 358
 - anisotropy, 24
 - hardening, 28, 29, 226, 364, 366, 368, 369, 371, 457
 - recovery postseismic, 246
- dilatant microcracks, 113
- direct effect, 74
- directivity effect, 190, 210
- double-couple source, 168
- ductile shear zones, 32, 137, 158, 241
- ductility, 35
- Dugdale–Barenblatt model. *See* crack models: Dugdale–Barenblatt
- duplex, 160
- earthquake cycles
 - cluster, 271
 - nested, 269
 - quasiperiodic, 251, 258
 - size–predictable, 248
 - supercycles, 271, 293
 - time–predictable, 248
- Earthquake early warning, 339, 373–374
- earthquake lights, 343
- earthquake prediction, 230, 337–340
 - Intermediate– and short-term, 339
 - long-term, 339
- earthquake scaling regimes, 181
- earthquake swarms, 197, 200
- earthquakes
 - Alaska
 - Alaskan 1964, 259
 - Denali 2002, 9, 210
 - Armenia
 - Spitak 1988, 362
 - California
 - Borrego Mountain 1968, 204
 - Elmore Ranch/Superstition Hills, 1987, 205
 - Loma Prieta 1989, 344, 362, 373
 - Morgan Hill 1984, 154
 - Owens Valley 1872, 166
 - Parkfield 1966 and 2004, 154, 199, 227, 244, 360, 372, *See* Parkfield earthquake cycle
 - San Fernando and Northridge 1971 and 1994, 234
 - San Francisco 1906, 228, 344
 - Chile
 - Antofagasta 1995, 357
 - Chile 1960, 236, 279, 353
 - Illapel 2015, 301
 - Iquique 2014, 287, 351, 354
 - Maule 2008, 357
 - China
 - Tangshan 1976, 362
 - Colombia–Ecuador, 266
 - Colorado
 - Denver, 326
- deep
 - Bolivia, 326
 - Okhotsk, 326
 - Tonga, 326

- Indonesia
 - Java 1994 and 2006, 296
 - Mentawai 2010, 296, 301
 - Nias-Simeulue 2004, 293
 - Sumatra-Andaman 2004, 214, 291-294
- Iran
 - Bam 2003, 246
 - Dasht-e-Bayez 1968, 160
- Italy
 - Amatrice 2016, 196
 - L'Aquila 2009, 192-196, 199, 352, 369-371, 375
 - Norcia 2016, 196
 - Umbria-Marche 1997, 192
- Japan
 - Genroko 1703, 259
 - historical, 342
 - Izu 1978, 1980, 361
 - Jogan 869, 270
 - Kanto 1923, 259
 - Kobe 1995, 361
 - Nankaido 1946, 219, 236, 352
 - Niigata-ken-Chuetsu 2004, 374
 - Nobi 1891, 167, 197, 230
 - Tango, 231, 342
 - Tohoku-oki 2011, 16, 181, 214, 269, 301, 351, 354
 - Tonankai 1944, 219, 352
- Kurils
 - doublet-2006-2007, 294-295
- Mexico
 - Oaxaca 1978, 345
- Nevada, 272
- New York
 - Blue Mountain Lake, 149, 200, 357
- New Zealand
 - Hope fault 1888, 167
 - Kaikoura 2016, 163
- Nicaragua 1992, 298
- oceanic
 - Balleny Islands 1998, 319
 - Macquarie Ridge 1989, 353
 - Tasman Sea 2004, 319
 - Wharton Basin 2012, 210, 319
- Ohio
 - Youngstown, 327
- Oklahoma
 - induced by fluid injection, 328
- Peru
 - Pisco 2007, 295
- Taiwan
 - Chengkung 2003, 156, 242
 - Chi-Chi 1999, 191, 360
- Turkey
 - Izmit 1999, 373
 - Van-Ercis 2011, 352
- East Pacific Rise, 310
- Eastern California shear zone, 207, 235
- effective stress, 18, 225
 - law of, 18
 - law, for friction, 61
- elastic rebound theory, 228
- en echelon segments, 118
- en echelon tension crack arrays, 22
- energy release rate. *See* crack extension force
- entrainment threshold, 207
- ETAS model, 209, 348, 357, 375, 378, *See also* statistical clustering theories
- ETS, 81, 214
- exhaustion process, 324
- extensional fracture. *See* tension crack
- fabric softening, 146
- fault coalescence, 120
- fault core, 127
- fault nucleation, 25
- fault pinning, 122
- fault roughness anisotropy, 129
- fault surface separation. *See* Brune flip
- fault tip taper, 111, 115, 119
- faults
 - Africa
 - Asal Rift, 124
 - Malawi rift, 120
 - Alaska
 - Denali, 102, 189
 - Totshunda, 102, 189
 - California
 - Calaveras, 102, 153
 - Cleghorn, 158
 - Elsinore, 102
 - Hayward, 153
 - Imperial, 204
 - Punchbowl, 6, 127
 - San Andreas, 127, 137, 204, 233
 - San Gabriel, 127
 - San Jacinto, 102
 - Volcanic Tablelands, 109
 - Chile
 - Atacama, 135
 - China
 - Haiyuan, 155
 - Israel
 - Dead Sea transform, 274
 - Italy
 - Alto-Tiberina, 155
 - Apennines, 239, 274
 - Zuccale, 57, 155
 - New Zealand
 - Alpine, 102
 - Awatere, 135
 - Marlborough, 102
 - North Carolina
 - Blue Ridge thrust, 138
 - oceanic
 - transforms, 254. *See* transform faults
 - Oregon
 - Flower Pit, 128
 - Pakistan
 - Chaman, 155

490	Index
faults (cont.) - Philippines - Philippine, 155 - Scotland - Moine thrust, 138 - Spain - Carboneras, 127, 156 - Taiwan - Chelungpu, 191 - Longitudinal Valley, 156, 242 - Turkey - North Anatolian, 157, 207, 253, 272 - Utah - normal faults, 109 - Wasatch, 258, 273	phyllosilicates, 86 ultramafics, 83 friction stability transition, , 301, 310 friction–plastic transition, 57, 58, 88, 91–94, 147 Gorda Plate, 318 grain size effect on strength. <i>See</i> scale effect on strength grain size reduction, 57 graphite, 53, 56, 60, 156 Griffith crack, 6 Griffith theory, 3 ground motion spectra, 188 Guerrero seismic gap, 374 Gutenberg–Richter relation, 123, 185, 208, 276, <i>See also</i> fractal:size distribution Hall–Petch relations, 29, 130 healing, fault, 246 healing, frictional, 72, 90 heat flow anomaly, San Andreas fault, 157 heterogeneity of rock, 28 Hopf bifurcation, 80 horsetail fan, 105 hot spots, frictional, 67 Hubbert–Rubey Theory, 100 humidity, effect on friction, 60 Hurst exponent, 128 Huygens' clocks, 207 hydraulic fracturing, 99 hydrodynamic lubrication, 192 hydrological effects, 247 hydrolytic weakening, 31 hypocenter, 172 imbricate fans, 161 Indian Ocean, 278 Indian Ocean seismicity, 319 InSAR, 192, 233, 371 intermediate– and deep– focus earthquakes, 321 intermediate principal stress, effect of, 25 intraplate earthquakes, 312, 318 intraplate vs. interplate earthquakes, 182 inverse Omori Law, 209, 348 Italian Apennines, 274 jogs, 159, 267 joints, 22 Juan de Fuca Ridge, 310 Kostrov formula, 282 Kuramoto model, 207 large earthquakes, 180 LFEs and VLFs, 214, 219 limit cycle, 275

- linear elastic fracture mechanics. *See* fracture mechanics
 lineation, 142
 linkage, hard and soft, **121**
 localization
 acoustic emission, 25
 aseismic slip, 302
 ductile shear zones, 146
 Riedel shears, 57
 strain, 143
 lock-up angle, **103**
 Long Valley caldera, 210
 low-angle normal faults, 102, 155
 lubrication, by water, 60
 Lyell, Charles, 166, 261, 337
- maturity, fault, 164
 mean field models, 277
 Mendocino Triple Junction, 318
 Mentawai islands, 271
 metastable wedge, of olivine, 325
 Mid-Atlantic Ridge, 310
 mid-ocean ridge seismicity, 309
 migration, aftershocks, 371
 mineralized halo, 20, 114
 Mohr circle, 15
 Mohr envelope, 16
 Monticello Reservoir, 334
 mylonites, 2, 42, 57, 61, 93, 147, 149, 239
- Nankai earthquake cycle, 249–251
 Navier–Coulomb criterion. *See* fracture criteria: Coulomb criterion
 Nazca Ridge, 307
 Nevada seismic belt, 272
 nucleation, 17
 nucleation phase, 82, 287, 349
- Obriemoff experiment, 6
 OBS, 317
 oceanic transform fault earthquakes, 312
 olivine to spinel transition, 321
 Omori law, **197**, 198, 348, *See* aftershocks: Omori law
 operational earthquake forecasting, 20, 210
 oscillatory stable sliding, 80, 225
 outer rise
 bending, 318
 faults, 323
 normal fault earthquakes, 294
 overlap/spacing, 119
 overpressure, 101, 152, 225
- paleoseismology, 236
 Parkfield earthquake cycle, 251–253
 Peierls creep law, 241
 period doubling, 225, 226
 phase locking, 208
 phase portrait, 274
- phase response diagram, 226
 phyllosilicate friction, 53–56, 86, 152
 plasticity, **35**, 93, 139, 148
 plastosphere, 3, 140, 148, 230, 238
 Plate Boundary Observatory, 372
 polymorphic phase change, 324
 poroelastic effect, 201, 205, 246
 coupled, 15
 poroelastic recovery, 14
 poroelastic relaxation, 242
 porphyroblasts, 138
 porphyroclasts, 42, 138, **146**
 postseismic viscoelastic relaxation, 204
 powder lubrication, 68
 power law size distribution. *See* fractal: size distributions
 precursors
 b-value, 350–352, 371
 dilatancy, 18
 electrical and magnetic, 362
 foreshocks, 291–294, *See also* foreshocks
 hydrological and geochemical, 17
 seismic velocity changes., 17
 seismicity patterns, 16
 slow seismic, 353
 slow slip, 352–357
 tectonic and physical, **339**
 preferred crystallographic orientation, 143
 pressure solution, 113, 140
 principle slip surface, 302
 probability gain, 375
 process zone, 11, 20, 21, 22, 27, 28, 32, 106, 108, 113, 114, 115, 117, 133, 135
 process zone wake, 114
 protolith, 138
 pseudotachylyte, 70, **140**, 147
 pull-apart basins, 122, 161, 317
 pulverized rocks, 135
 pump–seal mechanism, 226
 push-ups, 161
- radiation efficiency, **170**
 Rangely experiment, 95
 R-curve, 20, 115
 real area of contact, 44, 90, 92
 recurrence time, calculation of, 285
 recurrence times, earthquakes, 248, 254
 relay ramps, 118, 119
 repeating earthquakes, 154, 227
 ridge–push, 319
 Riedel shears, 57, 106, 142
 ring cracks, 63
 rockbursts, 137, 335
 rupture models
 avalanche, 175, 252
 crack-like, 171–175
 elastic crack, 171
 pulse-like, 266
 uniform slip, 265
 variable slip, 264

- rupture models (cont.)
 - wrinkle pulse, *135, 175, 302*
- S wave splitting, *371*
- SAFOD borehole, *154*
- sandpile model, *126, 276, 340*
- Savage and Wood inequality, *170*
- scale effect on strength, *29, 115*
- scale invariance, stress-drop, *178*
- scaled energy, *294, 296*
- scaling laws
 - deformation bands, *115*
 - earthquakes, *181*
 - fault core thickness, *131*
 - faults, *109*
 - fracture energy, *183*
 - process zones, joints, *20*
 - relay ramps, *119*
 - seismic moment, *179*
 - slow slip events, *225*
 - veins, *20*
- schizosphere, *3, 35, 133, 140, 147, 148, 149, 151, 159, 180, 180, 230*
- sea anchor force, *304*
- seamounts, affect on subduction, *237, 307*
- secondary faults, *135*
- segmentation, *159, 249–251, 253, 260*
- seismic coupling
 - analysis, *284*
 - Nankai, *219*
 - oceanic transform faults, *315*
 - small scale variations, *307*
 - subduction zones, *303*
- seismic coupling coefficient, *267, 285*
- subduction zones, *303, 306*
- seismic efficiency, *326*
- seismic flux, **285**
- seismic flux accumulation rate, *285*
- seismic flux release rate, *285*
- seismic gap, *228, 340*
- seismic hazard
 - long-term, *377*
 - probabilistic, *377*
 - time dependent, *377*
- seismic moment, **168**
- seismogenic layer, *149*
- seismogenic window, *83, 298, 354*
 - oceanic faults, *311, 314*
 - subduction zones, *299, 305*
- self-organized critical phenomena, *126*
- self-organized criticality, *277, 336, 340*
- self-similar, *106, 109, 129, 185*
- semibrittle, *36*
- semibrittle flow. *See* cataclastic flow
- serpentine, *84, 154, 155, 312, 322*
 - in creeping section, *154*
 - in oceanic transform faults, *157, 316*
 - North Anatolian fault, *157*
- ShakeAlert, *374*
- shallow slip surge, *287, 291, 301*
- shear heating, *146*
- Shumagin Islands, *307*
- size distributions. *See* fractal: size distributions
 - characteristic earthquake, *186*
 - cumulative, *123*
 - earthquakes, *183*
 - exponential, *123*
 - lognormal, *277*
 - periodic, *123*
 - power law. *See* fractal: size distribution
- Skempton's coefficient, *201, 333*
- slab-pull force, *304*
- slickenlines, *128, 130*
- slickensides, *128*
- slip weakening, *72, 226, 267*
- slip-patch model, *117*
- slip-predictable model, *248*
- slow earthquakes, *214–227*
- slow slip events, *200*
 - mechanism of, *15*
 - nonperiodic, *15*
 - periodic, *14*
 - trigger of large earthquake, *216*
 - Whillans Ice Stream, *222*
- small earthquakes, **180**
- smectite-illite transition, *300*
- soft linkage, *121*
- solitons, *226*
- Soultz-sous-Forêts, France, *328*
- splay fault, *102*
- split Hopkinson bar, *135*
- spring-slider system, *80, 80, 274–277*
- Spyropoulos-Scholz-Shaw model, *123*
- stability regimes, frictional, *80*
- stability transitions, *83, 221*
- stages in seismic cycle, *230*
- static fatigue, *32, 33, 34, 35, 198, 312, 348, See*
- statistical clustering theories, *12*
 - branching models, *209*
 - ETAS models, *209*
- step, **159**
- stepover, *160*
- stick-slip, *5, 71–73*
 - regular, *71*
- strange attractor, *276*
- streaks, *216*
- stress concentration, *3, 172*
- stress intensity factor, *8, 172*
- stress measurements, borehole, *151*
- stress shadow, **118, 119, 121, 122, 124, 203, 267, 345**
- stress singularity, *10*
- stress, crustal, *151*
- stress-corrosion, *31, 32, 32, 58, 63, 363*
- stress-drop
 - dynamic, *175*
 - static, **168**
- strong faults, *152*
- strong plastosphere model, *239*
- stylolite, *325*

- subcritical crack growth, 7, 31, 198, 205
- subduction zone variability, 303
- subduction zones
 - Cascadia, 214, 221, 259
 - Chile, 303
 - Hikurangi, 221
 - Hokkaido, 261, 271
 - Izu–Bonin, 306
 - Japan, 269
 - Marianas, 303
 - Mexican, 216
 - Nankai, 219, 219, 236
 - Sagami trough, 259
 - Sunda, 271, 307
- subfaults, 159
- superplastic, 325
- superplasticity, 140
- supershear. *See* velocity:rupture:supershear
- surface energy, 5
 - earthquakes, 2, 169, 170
 - effect of water, 60
 - in vacuum, 7
 - specific, 2, 11
- surface topography, 47, 52, 53, 96
 - faults, 48, 96, 128
 - seafloor, 306
- synchronized faults, 207
- syntectonic recrystallization, 140
- talca, 53, 57, 58, 84, 86, 153, 155
- Taupo rift zone, 274
- tension crack, 19
- tension gash arrays, 105, 143, 143
- theoretical strength, 2
- thermal model, of oceanic transform faults, 314
- thermal parameter, of subducted slabs, 325
- thermal pressurization, 64, 301
- thermal runaway instability, 67, 320, 322, 325, 326
- thermal weakening, 178
- thermoelastic instability, 67
- tidal modulation, ice streams, 222
- time–predictable model, 248, 250
- Tokai gap, 372
- transform faults
 - Blanco, 317
 - Chain, 316
 - Charlie–Gibbs, 316
 - Eltanin, 317
 - Gofar, 317
 - Romache, 316
 - Vema, 316
- transformational faulting, 321
- tremor, non–volcanic, 214
- tremor, tidal response, 218
- triggering, 200
 - dynamic, 13
 - sensitivity of hydrothermal areas, 213
 - of large earthquakes, 12
 - static, 10
 - tidal, 213
- tsunami data, 259
- tsunami earthquakes, 352–357
- UCERF3, 377
- ultracataclasite, 131
- unbending, plate, 323
- unclamping, 203
- uplifted marine terraces, 236, 258, 342
- vein aperture, 20
- velocity
 - particle, 90
 - rupture, 90, 172
 - limiting value, 172
 - supershear, 90, 135, 136, 174, 175, 190
 - tsunami earthquakes, 302
- velocity neutral, 83
- velocity strengthening, 73, 79, 83, 86, 172, 226, 242, 244, 267, 292
 - clay minerals, 86
- velocity weakening, 73, 79, 172, 225, 274, 300
- viscoelastic coupling model, 239
- viscoelastic relaxation, 241
- Voight and Reuss model, 56
- volumetric strain, 22
- von Mises–Taylor criterion, 37
- V_p/V_s . *See* precursors:seismic velocity changes
- Wadati–Benioff zones, 321
 - double, 322
- Wallace Creek, 255, 266
- Wallace cycle, 272
- weak faults, 152–155
- weak San Andreas fault hypothesis, 157–159
- wear, theory of, 61
- WGCEP, 377
- Whillans Ice Stream, 222
- Whipple Mountains, 151
- wing crack, 18, 35, 105
- Wrightwood, 256
- wrinkle pulse. *See* rupture models:wrinkle pulse
- Zener–Stroh mechanism, 37