

.....

## Index

- 24-hour circadian period 131–2
- ABC approach (antecedents, behaviour, consequences) 25–6
- Aboriginal Torres Strait Islander Heritage Protection Act 1984* (Cth) 313
- absolute risk reduction (ARR) 82
- abstinence 168
- acceptance-based interventions 270
- acceptant and commitment therapy (ACT) 270
  - pain acceptance mechanism 272
- accidents 126
  - road accident peak times–sleepiness peaks 141
  - shiftwork and 141–2
- accommodation 307
- achievement, individual 307
- action, cue to 47
- action (TTM) stage 51
- actual behavioural control 54
- acute coronary syndrome (ACS) 223
- acute myocardial infarction (AMI, ‘heart attack’) 216
  - lifestyle factors, association 217
  - MDD prevalence 224
- acute pain 263–4
- adaptive behaviours, pain and 265, 267, 268
- adaptive coping 265
- addiction
  - ‘addiction’ versus ‘dependence’ 162–4
  - treatments for 50–3
- adherence 48
- adolescent stage of development 309–10
  - adolescence to adulthood transitions 310
  - deviant or risk-taking behaviours 309
  - emerging adulthood 316–17
  - sexual orientation 293
  - transitioning 316
- adrenal glands 193, 194
- adrenalin 194
- adrenocorticotrophic hormone (ACTH) 193
- adulthood 167
- age 57
  - smoking and 176
- age discrimination (ageism) 297
- aggression, fight-or-flight response trigger 193
- alarm (stage of GAS) 194
- alcohol 146, 106–7, 149, 160–1
  - annual cost 107
  - brain damage 168–71
  - consumption 19–20, 164, 165–74
    - BAC% and sleep loss/performance impairment 137
    - excessive consumption, behavioural risk factor 2, 160
    - levels 166
    - NHMRC guidelines 37
    - reducing 7
  - frontal lobe damage 168–71
- alcohol-use disorder (AUD) 165–74
  - case study 174
  - family and social effects 169–70
    - interactions with healthcare professionals 170–1
    - population affected 169–70
  - illness, disease and injury 168–9
  - maintenance 171–4
  - treatment 167–71
    - barriers 168–71
    - individual level 167
    - pharmacologic interventions 167
    - readiness and willingness to change 168
    - societal level 167
    - treatment seeking 171
  - triggering events in adulthood 167
  - underlying risk 166–7
- allostatic load 195
- alpha level 74
- alternative hypotheses 74
- amputation 264
- analysis of variance (ANOVA) 74–5
- ancestors, importance to Indigenous peoples 3–4
- anger 266
  - fight-or-flight response trigger 193
- angina 217
- animal models 10
- anorexia nervosa 112–15
  - family intervention 114
- anterior hypothalamus
  - suprachiasmatic nucleus (SCN) 132
  - circadian rhythms timing links 132–3

- anterograde amnesia 168–9
- antibiotics 2
- antidepressants 74
- antioxidants 98, 105
- anti-social behaviour, glamorisation of 324–5
- anxiety 266
  - related to cancer diagnosis 236–8
  - state and trait anxiety reduction via exercise 117
  - stress–depression–anxiety, correlation 195
- anxiety disorder 166–7, 286
- anxiolytics 160–1
- aorta 214–15
- appetite 147
- arteries 214–15
  - ‘hardened’ 215
- assimilation 307
- assumptions 83
- asylum seekers 295–6, 320
  - refugee/asylum seeker terms 325–6
- atheroma 216
- atherosclerosis 216, 218
- attitudes 54
- Australian Human Rights Commission (AHRC)
  - Australian disability statistics 288–9
- Australian Institute of Health and Welfare (AIHW) 159–65, 181
- Australian Medical Association (AMA) 114
- Australian Psychological Society
  - eating disorders as hardest to treat 114
- autonomic nervous system, SNS
  - control 193
- autonomy 246
- baselines 10
- Beck Depression Inventory (BDI) 39
- behaviour
  - adaptive 268
  - anti-social 324–5
  - coaching for health-friendly behaviours 9
  - damaging, timing of help 9
  - deviant or risk-taking 309
  - effects of health on 7
  - frequency, duration, interval and magnitude 29
  - health-promoting behaviours 7
  - human see human behaviour
  - irrational 49, 61
  - making behaviour measurable 29
  - maladaptive 267, 268
  - non-rational 60–1
  - patterns 126
  - physical ‘roots’ of 7
  - predicted 46, 54–5
  - prevention 24
  - REM behaviour disorder 130
  - shared behaviour 323–5
  - sun protection 18
  - target 25–6, 27–8, 29, 37, 52
  - ‘typical zone’ for 38
- behaviour change
  - case studies 32–7, 39
  - evaluating 37–9
    - impact of change on ancillary outcomes 38
    - meaningful 37–8, 39
    - significant 38–9
  - for individuals 25–39
  - measuring 28–37
    - graphing and interpretation 29–32
    - making behaviour measurable 29
    - single system designs 28–9
  - planning 26–8
  - promoting change, environment and 20–2
- behaviour modification interventions 27
- behavioural (pain management)
  - approaches 268–9
  - additional issues addressed concurrently 269
- behavioural beliefs 54
- behavioural factors, of pain 266–7
- behavioural interventions 179
- behavioural mechanisms
  - health effects of sleep loss 145, 148
- behavioural risk factors
  - for chronic illness 2
  - for health 159–65
- behavioural techniques 269
- behaviourist health perspective 8
- beliefs
  - behavioural 54
  - challenges to previously held beliefs 320
  - core beliefs 306
  - fear-avoidance 265
  - maladaptive 269–71, 272
  - new values, beliefs and practices, socialisation and 309–10
  - normative 54
  - regarding pain control 265
  - regarding personal control 58–9
  - regarding self-efficacy 265

- belonging, sense of 309–10, 320, 325
- beneficence 311–12, 313
- best practice 167
  - personal and social contextual understanding 4
  - focus 8
- beverages, sugared 222
- bias 305
  - ethnocentric 312–18
  - participant expectation biases 72
  - publication bias 73–4
  - recall bias 72
  - selection bias 73
  - status quo 21–2
- bike lanes 21
- binary dependent variables 74–5, 79
- binary logistic regression models (BLRs) 83–7
  - MR–BLR similarities 84
  - reporting 84–7
    - in a table 85
    - in text 84–5
    - using figures 86–7
- binary outcomes 10–11
- binary variables 69
- binge drinking 61
- binge eating, subsequent ‘compensation’
  - purging 113
- biological factors, biological–psychosocial
  - factors interaction see biopsychosocial model
- biological health perspectives, health
  - perspectives overlap 7
- biomedical model of illness 2–4
  - as biopsychosocial model basis 4
  - criticisms 4
  - healthcare advances, associations with 2
  - illness and pain conceptualisation 262
    - phantom pain, failure to explain 264
  - tenets 2
- biomedical risk factors 159–65
- biopsychosocial model 4–5
  - consistency with WHO ‘health’ definition 5
  - evolution 4
  - implementation, multidisciplinary healthcare
    - foundation 7
  - importance according to Engel 5
  - interactions 5
  - pain conceptualisation
    - behavioural/social factors 266–7
    - cognitive factors 265
    - emotional factors 266
    - understanding of pain 265–7
- blood, deoxygenated 214–15
- blood alcohol concentration (BAC%) 137–8
- blood glucose levels (BGLs) 219–20
  - outside normal levels 221
- blood pressure 215
- blood vessels 214–15
- BMI, OSA and high BMI 147
- body
  - being ‘offline’ – recharging 206–7
  - bodily effect of chronic stress 195
  - bodily ‘humours’ – health/illness
    - dependence on 1
  - body temperature, 24-hour circadian
    - period 131–2
  - diurnal body rhythms see circadian rhythms
  - mind–body relationship 1–2, 3, 262
  - preparation for action 194
  - stress as bodily response to environmental
    - stimuli 192–3
- body image 242–3
  - disturbance 243
    - case study 243
  - eating disorders and 113–14
  - media to blame? 114
- body mass index (BMI) 102, 110, 243, 285
  - relation to GI 103
- brain, the 193, 262
  - activity during sleep 128
  - anterior hypothalamus 132
  - being ‘offline’ – recharging 206–7
  - brain modulation processes 263
  - children’s brain development and stress 201
  - chronic stress and 196
  - cortical regional grey matter volume,
    - loss 264
  - endorphins in 266
  - enticement to eat more food 197
  - frontal lobe damage – alcohol 168–71, 172
  - gate control theory 262–3, 265
  - interconnected neurological brain
    - mechanisms – pain experience 263
  - reward centres 197
  - reward systems 161
    - see also mind–body dualism
- brain damage 168–71
- brain plasticity 172

- bulimia nervosa 112–15
  - characterisation 113
- bupropion 178
- burden (of disease) 17, 70–1, 233
  - wider burden for society 71
- caffeine 149
  - case study 150
  - mixed research findings 105
  - toxicity 106
  - see also tea and coffee
- cancer 2
  - active treatment 237–9
  - body image and sexuality 242–3
  - burden of 233
    - global 233
  - childhood 250
  - decision-making 237
  - diagnosis 234–5
    - responses to initial diagnosis 236–7
    - timing of 247
  - family and 246–8
    - when cancer runs in the family 249–50
  - fibre as primary and secondary prevention for 101–2
  - incidence and mortality rates 233–4
  - ‘indoor tanning’ risks 19
  - leading cause of disease burden 17
  - non-discriminatory quality 233
  - not just a ‘me’ disease 232, 246–8
  - phases of 232, 234
  - prevalence 233–4
  - recurrence, case study 241–2
  - screening for 235
    - case study 236
  - skin cancer, role of sun exposure in 2, 18
  - survivorship 239–44
  - susceptibility, genetic testing for 249
  - treatment
    - predicted 5-year survival rate 233, 245
    - side effects of 243–4
- cancer of unknown primary (CUP) 233
- cancer recurrence
  - end-of-life and 244–8
  - managing fear of, case study 241
- CanCope 248
- cannabis 160–1
- capillary system 214–15
- carbohydrates 102–3
  - indices 103
- carcinoma 233
- cardiomyopathy 215
- cardiovascular disease (CVD) 2, 17, 213–19
  - common causes of 217–18
  - copng as protective factor for depression 226
  - CVD–T2D–depression interconnection 223–7
  - fibre as primary and secondary prevention for 101–2
  - human cardiovascular system 213–18
  - increases in 222
  - Indigenous people, leading cause of death for 291
  - saturated fat, links with increased risk 99–100
  - treatment and prevention 221–3
  - types of 215–17
  - vegetables and fruit as protective factor 98–9
- cardiovascular system (CVS) 213–18
  - circuits 214–15
- care, influenced by organisational culture 312–13
- care services 316
- case analysis, complete 76
- case-control studies 72
  - vulnerability to recall bias 72
- cases (groups of people counted as) 70
- catecholamines 193
- causal factors 7
- censoring 88
- central nervous system (CNS)
  - alcohol as depressant 107
  - post-pain incident slow reorganisation 263
- cerebral infarction (ischaemic stroke) 217
- challenge, transactional model component 200
- challenge (pain) appraisals 265
- chemotherapy 237
  - side effects 238, 239
- chi squares 74–5
- childhood cancer 250
  - strategies and interventions 250
- choice, freedom of 22
- cholesterol 100–1
  - cholesterol-lowering drugs 100
  - research regarding 101
- Christian culture 314
- chronic disease 17
- chronic illness 109, 126
  - behavioural risk factors 2
- chronic illness–depression–lifestyle behaviours
  - interrelationships 212–13

- chronic illness (*cont.*)
  - as current healthcare burden 2, 17
  - increased stress–increased chronic illness risk duality 2
  - possible interventions 225–6
- chronic pain 261
  - acute to chronic pain transition 263–4
  - future directions 271–5
  - as a stressor 265
- chronic stress
  - brain and 196
  - defined 195
  - depression and 196
  - effects 195–6
  - sleep disturbance and 197
- circadian rhythms 131–4
  - 24-hour circadian period 131–2
  - circadian phase markers
    - core body temperature 133–4
    - melatonin 133
  - entrainment or synchronisation 132
  - ‘free-running’ state reversion 131, 133
  - internal rhythms out of phase 139
  - irregular working hours–sleep/wake
    - conflict 139
  - light/dark cycle mismatch 134–5
  - in physiological and psychological functions 131
  - sleep homeostasis–circadian rhythms
    - relationship 134–5
  - zeitgebers (time givers/signals), light/dark cycle 131
- classical conditioning, Pavlov’s dog 26–7
- clients, pain management skills acquisition 268
- coaching 9
- Cochrane 78
- cognition, stress–cognition relationship 197
- cognitive appraisal 200, 204
- cognitive behavioural therapy (CBT) 179, 239, 240, 243, 269–71
  - CanCope 248
  - for eating disorders 114
  - effect sizes 271
  - efficacy 269–70
  - maladaptive thoughts, beliefs and perceptions 269–71
  - underlying pain catastrophising 272
- cognitive coping 203
- cognitive development 307
- cognitive factors, biopsychosocial perception
  - of pain 265
- cognitive health perspective 8
- cognitive transactional model 226
- cohort studies 72
  - causality inference ability benefit 72
- collaboration 297
- collective consciousness 325
- communicable disease 159
- community, Indigenous 3–4, 314
- community factors 62–3
- comorbid depressive disorders 166–7, 240–1, 266
  - burden 224
  - DSM-5 strict classification 223
  - possible interventions 225–6
- comorbidity, of eating disorders 112
- competence, cross-cultural 312–13
- condom use 63
- confidence intervals 10, 84
- conflict 245
- conflict perspective 313
- connectedness, sense of 309–10
- Consolidated Standards of Reporting Trials (CONSORT) 73
- contemplation (TTM) stage 51
- continuous dependent variables 74–5, 76–7
- continuous positive airway pressure (CPAP) 147
- control
  - actual behavioural control 54
  - locus of 59
  - pain control, beliefs regarding 265
  - perceived behavioural control 54
  - personal 58–9
  - self-control versus social control 318
- coping 60
  - adaptive 265
  - adolescent coping scales 60
  - coping strategies 200, 202–3
    - following cancer diagnosis 238
  - helpless/hopeless and avoidance-oriented coping styles 241
  - pain coping skills 271
  - with problems 325
  - as protective factor for depression 226
  - resources
    - for coping with stress 203
    - interventions considerations 225
    - mindfulness 226–7

- with stress 202–3
  - resources 203
  - stress, coping and depression 226–7
  - Ways of Coping Questionnaire 202–3
  - unhealthy coping mechanisms 197
- core body temperature, core body temperature–melatonin temporal relationship 133–4
- core values 306
- coronary heart disease (CHD) 99, 213, 215, 216–17
- corporate influences 62–3
- correlation(s) 61, 75–7, 195
- correlational survey design, studies relying on 10
- corticosteroids 193–4
- corticotrophin-releasing hormone (CRH) 193
- cortisol (stress hormone) 193–4, 196
- counselling 240
- country, importance to Indigenous peoples 3–4
- covariance structure 76
- cravings 147
- creative-based intervention approaches 241
- crisis factors 308, 317–18
- cross-cultural appreciation 305
- cross-cultural competence 312–13
- cross-cultural lens 319–23
  - of grief and mourning 321–2
- cross-cultural psychology
  - defined 310–11
  - necessity of cross-cultural psychology awareness, case study 311–12
  - specialised practice and 325–6
- cross-sectional studies 48, 71–2
  - disadvantage 71
- cross-sectional survey design 10
- cultural competence 3–4, 305
- cultural difference 57
- cultural diversity 3–4
- cultural environments 308–9
- cultural groups
  - new groups? 324–5
  - gamers 324–5
  - non-traditional 323–5
- cultural influences 62–3
- cultural integrity 3–4
- cultural norms 317
- cultural practice
  - downward approach – adults to children transmission (Vygotsky) 308
  - Indigenous Australians
    - traditional medicine practice see pharmacopoeia
    - unique practices 3–4
  - strong cultural hold of alcohol 106, 165
- cultural risk factors 3
- cultural safety 3–4, 313
- cultural sensitivity 3–4, 313
  - ethnocentric lens–cultural sensitivity, contrast 313
- cultural transmission, changing face of 315–18
- culturally and linguistically diverse (CALD) backgrounds 313
- culture
  - cross-cultural lens 310–11
  - cultural make-up, attributes 306
  - cultural transmission 315–18
  - cultural variants 308
  - defined 306–12, 324
  - 'them' and 'us' position 306
  - ethnocentric focus 311
  - grouping under commonalities 314
  - health inequalities and 293
  - impacts on human behaviour 306, 319–23
  - organisational 312–13
  - own culture 307–8
  - as shared behaviour across non-traditional groups 323–5
  - socialisation 308–10
  - static or dynamic? 313–15
  - understanding and appreciating other cultures 313
- culture shock 320
- curvilinear trend 29
- daily activities, pain interferences 269–70
- daily changes 29
- daily lifestyle, characteristics, WHO description
  - as risk factors 6
- daily rhythms, disruptions as health risk factor 2
- dairy 102
- data analysis aims 74
- daytime napping 149
- death
  - fear of 245
  - as part of health continuum 5–6
- decision-making/decision aids, regarding cancer 237
- 'deep sleep' (SWS) NREM sleep stages 130
- dehumanisation 295–6



- demographics 57–8, 324
  - demographic risk factors 3, 159–65
- demoralisation 245
- dependence, 'addiction' versus
  - 'dependence' 162–4
- dependent variables 74
  - binary 74–5, 79
  - continuous 74–5, 76–7
  - discrete 76–7
- depression
  - accompanying radiation therapy 238
  - chronic illness–depression–lifestyle behaviours
    - interrelationships 212–13
  - chronic stress and 196
  - comorbidity 223
  - as continuum/spectrum 223–4
  - CVD–T2D–depression interconnection 223–7
  - defined 223–4
  - depression scales 223
  - depressive symptoms
    - cancer diagnosis and 237–8, 240
    - increases in mortality risk
      - association 223–4
    - LRCI and 224
    - negative impact on healthy lifestyle
      - behaviours 224
  - increased mortality risk due to 225
  - morbidity and 225
  - often undetected/untreated in those with
    - LRCI 224
  - reduction through exercise 117
  - stress, coping and depression 226–7
  - stress–depression–anxiety, correlation 195
- detention centres, specialised practice for 325–6
- developmental stages 307
- deviant behaviours 309
- 'diabesity' crisis, pandemic 222
- diabetes 2
- diabetes mellitus see type 2 diabetes (T2D)
- Diagnostic and Statistical Manual of Mental Disorders (DSM-5)* 306
- major depression disorder (MDD) 223
- mental disorders 160–1
- diet, T2D management 221
- diet soft drinks 106
- dietary cholesterol, challenged role as CVD risk factor 218
- dietary fibre 101–2
- diets 97, 107–9, 286
  - better diets – barriers and enablers 108
  - case study 111
  - comparisons 108
  - healthy diets 21
  - obesity 108–9
  - of parents 285
  - poor diet, as behavioural risk factor 2
  - research regarding 100
    - effects of diets 119
  - for stress management 204
  - typical Western 222
  - for weight loss 107–8
- difference, cultural 57
- diffusion of innovations model 23–4
- dim light melatonin onset (DLMO) 133
- disability 267, 288–9
  - increases with maladaptive pain behaviour 268
  - services, access to 289
  - work participation rates, informing
    - employers 298
- disability-adjusted life years (DALY) 71, 213
- disability model, fear-based 267
- disadvantage 61, 288, 295–6
  - of homelessness 290
  - services, access to 290
- discrete dependent variables 76–7
- discrimination 285, 295, 296–7, 299
  - around gender and sexuality 159
  - based on age 297
  - based on race 296–7
- disease
  - alcohol-use disorder (AUD) 168–9
  - burden of 17, 70–1
    - cancer as leading cause of 233
  - chronic 17
  - control and progression see epidemiology
  - costs associated with 17
  - fibre as primary and secondary prevention
    - for 101–2
  - incidence 70
  - 'lifestyle diseases' 17
  - vulnerability to, female–male comparisons 286
- disorders
  - anxiety 286
  - comorbid depressive 266
  - eating see eating disorders

- gastrointestinal 101–2
- mental 287
  - Diagnostic and Statistical Manual of Mental Disorders* (DSM-5) 160–1, 223, 306
  - post-traumatic stress disorder (PTSD) 286, 287
  - sleep 130, 147–50
- dispositional optimism 11
- distal norms 23
- distress 197
- disuse 267
- diversity
  - culturally and linguistically diverse (CALD) backgrounds 313
  - of stress responses 201
- Djaparlagin* 315
- dreams/dreaming (during REM sleep) 130
  - motor activity – REM behaviour disorder 130
- drinks 104
  - alcohol *see* alcohol
  - fruit and vegetable juice 106
  - soft drinks (sugar-sweetened beverages) 105–6
  - '*rethink sugary drink*' campaign case study 20
  - tea and coffee 105
  - water 104
- drowsiness 107
- dual process model (grief) 321
- dualism, mind–body relationship underpinning 1–2, 3, 262
- dyadic appraisal 246
- dysregulation 194
- e-cigarettes 178–9
- eating disorders 112–15
  - causes 112–13
  - cross-sectional rather than longitudinal 113
  - treatments for 114
- ecological model 7, 18
- education 61, 297
  - about smoking 47
  - cholesterol education program 101
  - educational system
    - expanding experiences outside of 309–10
    - secondary socialisation and 309–10
  - prevention through 7
  - through informal socialisation 298
- effect sizes 10, 78, 83
  - of CBT 271
- elders, importance to Indigenous peoples 3–4
- electroencephalogram (EEG) 127–9
  - EEG spindles and K complexes of stage 2 NREM sleep 129
  - eye activity and 130
  - high amplitude, slow wave (delta) activity of deep sleep 130
  - low amplitude activity of stage 1 NREM sleep 129
- electromyogram (EMG) 128
- electro-oculogram (EOG) 128
- emerging adulthood 316–17
- emics 319, 326
- emotion-focused strategies 202–3
- emotional coping 203
- emotions
  - emotional reaction to stress 193
  - pain and 266
  - positive 266
- empathetic care 305
- empathy 313
- end-of-life 244–8
- endocrine system 193
- endorphins 266
- engagement with others 310
- Engel, George
  - biopsychosocial approach support 5
  - importance of referral – multidisciplinary healthcare 5
  - paradox regarding sickness 5
- environment 307
  - environmental cancer risk factors 249
  - environmental interventions 22
  - environmental manipulations
    - case study 22
    - nudging 21–2
    - promoting behaviour change 20–2
  - environmental risk factors 159–65
  - environmental stimuli 192–3
- epidemiology 10–11, 69–79
- epinephrine 194
- equivalence margin/testing 77
- Erikson's theories
  - crisis factors 308, 317–18
  - Freud's influence 308
  - psychosocial theory 308



- ethical considerations 10
  - ethical concepts 311–12
  - for withdrawal design use 28
- ethno-specific services 313
- ethnocentric bias 312–18
- ethnocentrism 3–4, 305, 326
  - defined 311
  - ethnocentric lens–cultural sensitivity, contrast 313
- etics 319, 326
- eustress 197
- evaluation
  - of behaviour change 37–9
  - cognitive evaluation of stress 191–2
- evidence-based interventions 240
- evolutionary health perspective 8
- exclusion 295
- exercise 97, 115–18
  - barriers 118
    - motivation 118
  - as buffer in stress–illness relationship 204
  - case study 118
  - health benefits 116–17
  - operationalisation of 115
  - promoting 117–18
  - psychological factors associated with 116
  - research regarding 119
  - T2D management 221
- exhaustion (stage of GAS) 195
- existential conflict 245
- experimental studies 10
- exposure-based techniques 268–9
- exposures
  - to alcohol 166
  - mass media campaigns, message
    - delivery 19–20
  - studies relating to 10
  - sun exposure risk factor 2
    - case study 18
- eyes
  - eye activity during sleep, EEG resemblance 130
  - see also non-rapid eye movement (NREM)
    - sleep; rapid eye movement (REM) sleep
- family
  - alcohol-use disorder (AUD)
    - history and 166
    - and social effects of AUD 169–70
  - cancer and 246–8, 249–50
    - case study 248
    - expectations of 247
  - Rolland's dyadic model 246
    - 'well' partner's life, impacts on 248
- establishing relationships outside 316
- health behaviour influences 22–3
- intervention 114
- norms of 59
- primary socialisation agent 308–9
- smoking and 176–7
- social learning experiences 166
- systems theory 321
- fast food 103, 222, 286
- fat, saturated 99–100
- fatigue
  - cancer-related 239, 240–1
  - food cravings as coping strategy 147
  - napping as useful countermeasure 149
  - reduction through exercise 117
  - shiftworkers' experiences 139
  - sleep loss–fatigue–human error associations 141
  - work-related fatigue and driver statistics 140
  - see also sleep loss
- fear
  - anxiety-related 266
  - disability model based on 267
- fear-avoidance 267, 268–9
  - beliefs 265
- fibre 101–2
- fight-or-flight response 193–4
  - triggers 193
- fitness
  - being fit – primary prevention 116
  - limited improvement beneficial 116–17
- fixed effects (specification) 76
- flaccid paralysis (during REM sleep) 130
- floating numerator problem 70
- folk songs 315
- food
  - case study 115
  - fast 222
  - intake 197
  - junk 286
  - organic 110
  - processed 222
  - selection and consumption motivators 109–10
- Fordyce, Wilbert E., father of multidisciplinary
  - pain treatment 268
- formalist perspective 313
  - see also sleepiness
- Framework Convention on Tobacco Control (FCTC) 290–1

- 'free-running' state (of circadian rhythms) 131, 133
- freedom of choice 22
- Freud's theories, personality structure 308
- friends, health behaviour influences 22–3
- frontal lobe damage 168–71
  - healing 172
- fruit and vegetables 97, 286
- juices 106
- function
  - ACT modification of 270
  - day-to-day 240–1
  - functional difficulties 242
  - improvement through CBT 269–70
  - physiological and psychological, circadian rhythms in 131
  - post-cancer treatment new 'normal' 240
- 'functional' support dimensions 59
- gamers 324–5
- gaming, research regarding adverse impacts of 324–5
- gastrointestinal disorders, fibre as
  - primary and secondary prevention for 101–2
- gate control theory 262–3, 265
  - see also 'neuromatrix' of pain
- gender 159
- gene–environment interactions 249
- general adaptation syndrome (GAS) 194–5
  - stages
    - alarm 194
    - exhaustion 195
    - resistance 194–5
- generalised estimating equations (GEE) 76–7
- genetic factors 166
- genetic risk 249
- genetic risk factors 159–65
- genetic testing 249
- genetics 307
- geographical factors 287–8
  - most to least disadvantaged 288
  - regional versus remote 287–8
- Gini coefficient (of poverty) 289–90
- 'glucocorticoid cascade hypothesis' 196
- glucocorticoids 193–4
- gluconeogenesis 193–4
- glucose 193–4, 219–20
- glucose metabolism 147
- glycaemic index (GI) 103
  - relation to BMI 103
- glycaemic load (GL) 103
- 'go-to strategies' 319–20
- goals
  - goal-setting principles 27, 37–8
  - health-related 290–1
- graphing and interpretation (behaviour change) 29–32
  - post-intervention comparison 29
  - change in level, variability or rate 32
- green spaces 21
- grey matter (cortical regional), loss in presence of persistent pain 264
- grief 5
  - case study 322–3
  - cross-cultural lens of 321–2
  - dual process model 321
  - Kübler-Ross model 321
- growth and tissue repair, SWS, implications of 130
- growth hormone, secretion during slow wave sleep 130
- habits 9
  - sleep 197
- hair loss 238, 239
- hallucinations (during REM sleep) 130
- hallucinogens 160–1
- happiness, subjective 266
- harm
  - loss/harm (pain) appraisals 265
  - reduction 7
  - transactional model component 200
- Harvard Work Hours, Health and Safety Group, long work hours–time of day–error, links 143
- headache, stress as trigger 271
- health 1–6, 97
  - barriers to better 297–8
  - being fit – primary prevention 116
  - as a continuum 5–6
  - control and progression 10–11
  - effects of behaviour on 7
  - evolving definitions 5–6
    - self-management ability 6
    - WHO–biopsychosocial model consistency 5
  - historical perspectives 1–4
  - increased 21

health (*cont.*)

Indigenous health concepts, mind–body

dichotomy absence 3

mental *see* mental health

negative impact of sleep loss on 127

nutrition, exercise and health, future technology

links 119

physical ‘roots’ of 7

research regarding 119

self-management of 6

SES–health correlation 61

sleep loss and 145–6

weight indices and 110–11

## health behaviour

barriers to new 46–7

building better models of 56–63

guidelines 37

health-friendly 9, 56–63

removing barriers to 20–2

societal influences 19–20

varied impact of mass media campaigns 19–20

## health belief model (HBM) 46–50, 235

approaches – causal pathways 46–7

case study 50

explanatory power of models 57

key components 47

limitations 49

habitual behaviour 49

irrational behaviour 49

standardised measures 49

study design 49

unexplained variance 49

outcomes prediction 47–8

perceptions core 46–7

producing predicted behaviour 46

strengths – health/research programs framework

and flexibility 46

health coaching *see* coaching

## health expenditure 17

## health inequalities 62, 282–3

barriers to better health 297–8

life expectancy as social justice issue 3

research 298

social determinants 285–8

culture and religion 293

disability 288–9

discrimination 296–7

females and males 286–7

geographical factors 287–8

health literacy 291

health policies 290–1

homelessness 290

Indigenous Australians 291–3

mental disorders 287

parents 285–6

poverty 289–90

sexual orientation 293–4

stigma 294–6

## health literacy 282

survey regarding 291

## health norms 283

health outcomes *see* outcomes

health policies 290–1

health profiles, of sleep-deprived groups 145

## health promotion 6

behaviours 7

## health psychologists

pain management role – client skills 268

skills

in hospital settings 8

in private practice setting 9

working with individuals and support

networks 9

## health psychology 1–13

aims 7

common models

health belief model (HBM) 46–50

theory of planned behaviour (TPB) 54–6

transtheoretical model (TTM) 50–3

definition 6–11

focuses 7, 126

health behaviour, building better models

of 56–63

psychological perspectives informing 8

## health psychology work

work environment 8–9

hospitals 8

individuals and networks 9

private practice 9

health-related behaviour 9, 56–63

health-related events analysis 80–7

health research *see* research

## healthcare

advances, biomedical model association with 2

biopsychosocial interactions in 5

burdens

current – chronic illness 2, 17

early – infectious illness 2

- challenges 7
- preventative 6
  - education and policy 7
- sleep loss in 143–50
  - implications for healthcare 143
- healthcare practice, cultural safety
  - promotion 3–4
- healthcare services 62
- healthcare workers, health approaches 7
- healthy behaviours 9, 17–18, 56–63
  - reasons for not adopting 17
- healthy lifestyle 17, 205
- heart, chambers 214–15
- heart failure 215
- heavy episodic drinking 165
- heuristics 319–20
- high-density lipoprotein (HDL), LDL–HDL ratio 100
- high-fat foods, cravings as coping strategy 147
- high fructose corn syrup (HFCS) 103
- hippocampus 196
  - atrophy of 194, 196
- Hippocrates, bodily ‘humours’ 1
- Hippocratic Oath 1
- ‘historical shocks’ 319–20
- Holmes and Rahe Stress Scale 199
- homelessness 290
- homework, for mindfulness and acceptance-based interventions 270
- hospital work environment 8
- human behaviour
  - impacts of culture on 306, 319–23
    - culture shock 320
  - emics and etics 319, 326
  - heuristics 319–20
- human cardiovascular system 213–18
- human error
  - medical error and sleep loss 143–5
  - sleep loss–fatigue–human error
    - associations 141
- human participants (studies) 10
- humanist health perspective 8
- humour 266
- hunger, changed feelings of 147
- hyperglycaemia 219–20
  - chronic 221
- hypertension 215
  - blood pressure/sodium and 101
- hypnotics 160–1
- hypoglycaemia 219–20
- hyponatremia 104
- hypothalamic–pituitary–adrenal (HPA) axis 193, 195, 196, 197
- hypothalamus 193–4
  - release of corticotrophin-releasing hormone (CRH) 193
- hypotheses 74, 77
- identity 317–18
- illness
  - alcohol-use disorder (AUD) 168–9
  - biological–psychosocial factors interaction 4
  - biomedical model 2–4
  - chronic see chronic illness
  - costs associated with 17
  - historical perspectives 1–4
  - infectious 2
  - psychological 291–2
  - stress–illness relationship 204
- immigration issues
  - immigrants, defined 326
  - specialised practice for 325–6
- immune system, prolonged stress
  - impairment 195
- impaired control 160, 161
- inactivity, physical, as behavioural risk factor 2
- incidence (of disease) 70
- income 61
  - distribution 289–90
- independence, loss of 245
- independent variables 74
- indices 10–11
- Indigenous Australians 291–3
  - communication with no shared language 315
- health concepts
  - mind–body dichotomy absence 3
  - ‘things aren’t well’ 3
- health effects of stereotyping and stigma 296
- locality of birth 314
- right to vote 296
- risk of children’s mortality 283
- SES values 283
- smoking and 176
- Stolen Generations 320
- unique cultural practices and shared concepts 3–4
- vegetable and fruit consumption 98–9

- Indigenous communities
  - characteristics 314
  - multiple 3–4
- Indigenous culture 314–15
  - connections with Country, Elders and ancestors 314, 315
  - grief practices 321–2
- individual factors (stressors) 201
- individuals
  - affected by family/friends and their norms 59
  - behaviour change for 25–39
  - working with (during critical times) 9
- infant mortality rates, for Indigenous children 292
- infectious illness, as early healthcare burden 2
- informal socialisation 298
- inhalants 160–1
- injury, alcohol-use disorder (AUD) 168–9
- innovations
  - health behaviour influences 23–4
  - innovators, early adopters, early majority, late majority or laggards 24
- insight 312–18
- insomnia
  - acute or chronic 148
  - primary or secondary 148
  - sleep hygiene and 148–50
- insulin/insulin resistance 219–20
  - case study 219–20
- intention 54
- interactions
  - biopsychosocial 5, 7
  - gene–environment 249
  - healthcare professionals and AUD 170–1
  - social 325
  - supportive, positive, non-judgemental 170–1
- International Association for the Study of Pain (IASP) 266–7
- International Classification of Sleep Disorders (ICSD-3) 149–50
- internet 324
- interpersonal connections 24
- interpersonal influences 22–5
  - family and friends 22–3
  - innovations, diffusion of 23–4
  - social networks 24–6
- intervention studies 72–4
  - non-randomised intervention studies 72
  - randomised clinical trials (RCT) 72–4
- interventions
  - acceptance-based 270
  - addressing fatigue/sleep quality 239
  - applying and evaluating using TTM 52
  - behaviour modification 27
  - for cancer treatment 240
  - effects under- or over-estimation – RM ANOVA 76
  - for end-stage cancer patients 245–6
  - environmental 22
  - ethical practice delivery 311–12
    - case study 311–12
  - possible interventions for depression treatment 225–6
  - stigma consequence, case study 25
  - stimulus control 26
  - targeting 6
  - ‘Western-derived’ interventions 311–12
  - in workplaces 21
- interviews
  - conducting 8
  - for target behaviour 27–8
- irrational behaviour 49, 61
- Islamic culture 314
  - Pakistan situation 317
- Islets of Langerhans 219–20
- jet lag 134–5
- Jewish people 320
- job status 61
- junk food 103, 222, 286
- kinesiophobia 266
- Korsakoff’s syndrome 168–9
- labelling (of people) 295–6
- laughter 266
- learned association 26–7
- learned helplessness 201
- legislation, changes in 19
- life, quality of 17
- life expectancy
  - changes in 71
  - difference in 3
  - extended through healthy lifestyle 17
- lifestyle, healthy 17
  - case study 205
  - choices 221–2
  - depressive symptoms, negative impact of 224

- lifestyle behaviours 212–13
- 'lifestyle diseases' 17
- lifestyle-related chronic illnesses (LRCI)
  - burden 224
  - case study 218–19
  - depression
    - often undetected/untreated 224
    - symptoms, presence of 224
  - DSM-5 strict classification 223
  - increased risk for 217
  - mindfulness as coping resource for 226–7
  - prevalence 217
- light/dark cycle 131, 132
  - circadian rhythms mismatch 134–5
  - influences on melatonin 133
- limit, activate and enhance model 273
- linear mixed-model regression 76
- linear trend 29
- link functions 76–7
- locus of control 59
  - self-efficacy–locus of control, complementarity 59
- longevity, female–male comparisons 286
- longitudinal data 75–7
- longitudinal studies 48, 49
  - difference in groups 298
- longitudinal survey design 10
- loss/harm (pain) appraisals 265
- low-density lipoprotein (LDL) 102
  - LDL–HDL ratio 100
- lymphoedema 239
- magnetic resonance imaging (MRI) 196
- maintenance (TTM) stage 51
- major depression disorder (MDD) 223
  - post AMI prevalence 224
- maladaptive behaviours, pain and 268
- maladaptive coping 197
- maladaptive thoughts, beliefs and perceptions 269
  - changes in 272
- marginalisation 159, 162–4, 295–6
- mass culture 315
- mass media campaigns 19–20, 180
  - maximising success of 20
  - 'rethink sugary drink' campaign, case study 20
  - varied impact on health behaviours 19–20
- master gland 193
- matriarchal system 308–9
- mature onset diabetes see type 2
  - diabetes
- mean value 83
- measurements
  - drop-out, missed and uneven spacing/relationship between 76
  - electro-oculogram (EOG) 128
  - electromyogram (EMG) 128
  - measurement error in individual studies 78
  - order of 76
- meat 102
- mediation
  - circadian clock mediation of melatonin 133
  - of treatment 272–3
- medical crisis counselling 240
- medical error
  - long work hours–time of day–error, links 143
  - 'sentinel events' 143
  - sleep loss and 143–5
  - work–sleep–error relationship studies
    - Australian studies 144
    - US studies 143–4
- medication, T2D management 221
- meditation 206–7
- melatonin
  - circadian clock mediation 133
  - core body temperature–melatonin temporal relationship 133–4
  - synthesis and regulation 133
    - dim light melatonin onset (DLMO) 133
    - light/dark cycle influence 133
- mental disorders 287
  - female–male comparisons 287
  - partners on the 'front line' 287
- mental health 69, 294
  - benefits of exercise 117
  - conditions 2
  - female–male comparisons 286
  - Indigenous Australians' service use, potential barriers to 3
  - self-efficacy as improver 58
  - sleep and 145
  - smoking and 176
- mental illness 196
  - large number of comorbidity disorders
  - problem 113



- meta-analysis studies 11, 48, 78–9
  - aerobic fitness 204
  - CBT efficacy 269–70
  - effects of sugar-sweetened beverages on weight 105–6
  - evaluation of cholesterol education program 101
  - limitations 78–9
  - music interventions 241
  - psychosocial interventions 248
  - SES values 283
  - TTM 52
- metabolic syndrome 102
- metastatic cancer 233
- mind–body dualism 1–2, 262
  - absence from Indigenous health concepts 3
- mindfulness
  - acceptance-based interventions and 270
  - as cognitive and emotional coping resource 226–7
  - eating disorders 114
  - stress reduction interventions 240
- mindfulness-based cognitive therapy (MBCT) 270
- mindfulness-based stress reduction (MBSR) 270
- mindfulness meditation 206–7
  - benefits and consequences 206–7
  - defined 206
  - exercise 207
- mobile or smart phone (quitting)
  - applications 179
- moderators, treatment 273
- mood
  - disorders 166–7
  - improvement through CBT 269–70
  - sleep and mood – hormonal pathway sharing 145
- morbidity 69
  - depression, presence of 225
  - psychological morbidity 248
  - reduced 100
  - statistics 70
- mortality 69
  - increased risk by depression 225
  - statistics 70
- mortality rates 299
  - anorexia nervosa 113
  - bulimia nervosa 113
  - cancer 233–4
  - depressive symptoms increases 223–4
  - discrepancies comparisons 3
  - Indigenous people 291
  - infant 292
  - reduced 100
  - risk – Indigenous/non-Indigenous children 283
- motivation, to exercise 118
- mourning
  - cross-cultural lens of 321–2
  - 'six Rs' of the mourning process 321
- movement, anxiety-related fear of 266
- multicollinearity 83
- multidisciplinary healthcare 5, 7
- multiple health risk behaviours (tobacco use) 177
- multiple regression (MR) 83–7
  - describing dependent variable 83
  - effect sizes estimates and assumptions 83
  - MR–BLR similarities 84
  - parameter estimates – 'best guess' 83
- muscle tone, loss during REM sleep 130
- music interventions 241
- napping 149
  - see also sleep
- National Drug Strategy Household Survey (tobacco smoking) 175
- National Health and Medical Research Council (NHMRC)
  - consumption recommendations/ guidelines 111
  - alcohol guidelines 37, 164
  - fat 100
  - fruit and vegetables/juice 97, 106
  - red meat 102
  - sodium 101
  - sucrose 103
  - daily drinking rates 107
- National Health Scheme (NHS) 235
- natural environments 21
- nausea 107
- neck, OSA and thickness in neck 147
- negative attitudes 285
- neo-adjuvant chemotherapy 237
- networks, social 23–4
- neuroendocrine system
  - dysregulation 195
  - endocrine system 193
  - sympathetic nervous system (SNS) 193

- 'neuromatrix' of pain 263
- nicotine replacement therapy (NRT) 177–8
- nociception 263
- non-inferiority margin/testing 77
  - case study 79
- non-maleficence 311–12, 313
- non-pharmacologic interventions 239, 240
- non-randomised intervention studies 72
  - limitation – participant expectation biases 72
- non-rapid eye movement (NREM) sleep 129
  - NREM–REM alternating periodic cycles 130–1
  - stages 129, 130
    - 1 – transitional 129
    - 2 – true sleep 129
    - 3, 4 – deep sleep: slow wave sleep (SWS) 130
- non-rational behaviour 60–1
- non-traditional cultural groups 323–5
- normative beliefs 54
- norms
  - cultural 317
  - distal 23
  - of family/friends 59
  - health 283
  - proximal 23
  - social 22
  - societal 7, 61
  - subjective 54
  - t*-tests against population 38
- nudging 21–2
- null hypotheses 74, 77
- number needed to treat (NNT) 10, 82, 100
- nutrition
  - case study 111
  - programs 21
  - research regarding 119
  - science of 97–111
- obesity 2, 108–9
  - fibre 101–2
  - increases in 222
  - logistical challenges of 108–9
  - OSA and 147
    - prevalence concerns 147–8
  - rates 110–11
  - risk factors for 109
  - see *also* overweight
- observational studies 71–2
  - case-control studies 72
  - cohort studies 72
  - cross-sectional studies 71–2
- obstructive sleep apnoea (OSA) 147–8
  - associations
    - prevalence concerns 147–8
    - treatment and 147
- occupation 61
- odds ratios 10–11, 69, 80–7
  - case study 87
- oils 100
- online and phone-based interventions 179
- online social connections 324
- operant conditioning 27
  - principles 268
- opioids 160–1
- Optimal Health Program (OHP) 58
- optimal wellness, as part of health continuum 5–6
- optimism 21–2, 201
- order of observations 76
- organic food 110
- organisational culture, influences on consumer care 312–13
- outcomes
  - binary 10–11
  - SES and health outcomes 283–4
  - studies relating to 10
- overmedicalisation 6
- overweight
  - logistical challenges of 108–9
  - risk factors for 109
- pain 5
  - acute 263–4
  - after radiotherapy 239
  - anger-related variables 266
  - anxiety-related fear of 266
  - behavioural and social factors 266–7
  - biopsychosocial understanding 265–7
  - in the brain 263–4
  - chronic 261
    - acute to chronic pain transition 263–4
  - congenital insensitivity to 261
  - control and self-efficacy beliefs 265
  - coping skills 271
  - defined 261
  - emotions and 266
  - fear of 245

- pain (*cont.*)
  - gate control theory 262–3, 265
  - intensity/thresholds 266
    - case study 267
    - improvement through CBT 269–70
  - interconnected neurological brain
    - mechanisms – pain experience 263
  - mental set about actual or anticipated pain 265
  - natural pain killers (endorphins) 266
  - 'neuromatrix' of 263
  - perception of see nociception
  - phantom 264
  - physiology of 262–4
    - historical and theoretical conceptualisations 262
  - primary appraisals forms 265
  - reporting of 326
  - supraspinal activity 263
- pain catastrophising 265
  - improvement through CBT 269–70, 272
- pain management
  - health psychologists' role 268
  - psychosocial approaches 267–71
  - variances 326
- pain populations 266
- palliative care 234, 245
- pancreas 219–20
- 'paradoxical' sleep see rapid eye movement (REM) sleep
- parameter estimates (OR) 84
  - 'best guess' 83
- parasympathetic nervous system 194–5
- parents 285–6
- participant expectation biases 72
- patient, knowledge, regarding treatment adherence 8
- patient–treatment matching 273
- patriarchal system 308–9
- Pavlov's dog 26–7
- peer pressure 117
- peers 23, 309, 316, 317–18
- perceived behavioural control 54
- performance
  - negative impact of sleep loss on 127
  - performance impairment
    - with accumulative sleep restrictions 136
    - with alcohol conditions 137
    - from sleep loss 136–8
    - shiftwork and 139–40
- peripheral vascular disease 215
- personal control, beliefs regarding 58–9
- personality–culture interaction 319
- personality factors 201
- personality structure 308
- pessimism 201
- phantom pain, case study 264
- pharmacologic interventions 239, 240
  - alcohol-use disorder (AUD) 167
  - for tobacco use 178
- pharmacological criteria 161
- pharmacopoeia (traditional medicine practice) 3
- pharmacotherapies 2
  - for pain relief 271
- physical activity 52
  - increased 21
  - interventions considerations 225
  - requiring effort – exercise 115–18
  - stress management 204
- physical coping 203
- physical health
  - benefits of exercise 116–17
  - SES–physical health relationship 61–2
- physical inactivity, as behavioural risk factor 2
- physiological mechanisms, health effects of sleep loss 147
- physiological model of stress 192–7
  - chronic stress 195–6, 197
  - experiences of stress 197
  - fight-or-flight response 193–4
  - general adaptation syndrome 194–5
- physiological responses to stress 191–2, 204
- physiology of pain 262–4
- phytochemicals 98
- Piaget's theories (accommodation and assimilation) 307
- pineal gland, melatonin synthesis 133
- pituitary gland 193
- plain packaging laws 222, 290–1
- plaques 216
- policy
  - changes in 19
  - health 290–1
  - public health policies/legislation 222
  - public healthcare 7

- political influences 62–3
- political risk factors 3
- polyunsaturated fatty acids 100
- pooled estimates 78
- populations
  - affected by AUD 169–70
  - Indigenous (Aboriginals and Torres Strait Islander) population 291
  - message delivery via mass media 19–20
  - non-heterosexual populations, risk of suicide for 294
  - pain 266
  - population at risk 70
  - pre-existing 10
  - t*-tests against population norms 38
- positive emotions 266
- post-traumatic stress disorder (PTSD) 286, 287
- poverty 289–90
- practice
  - cultural practices 3–4
  - daytime napping practices 149
  - ethical practice delivery 311–12
  - healthcare see healthcare practice
  - new values, beliefs and practices, socialisation and 309–10
  - reflective 312–18
  - s-shaped curve of practices adoption over time 23–4
  - specialised 325–6
- pre-existing populations, no baseline 10
- precontemplation (TTM) stage 51
- predicted behaviour 46, 54–5
- prediction 83
- prejudice 295–6
- preparation (TTM) stage 51
- prescription medication 146
- prevalence 70
- preventative healthcare 6
- prevention
  - behaviours, adoption of 24
  - through education 7
- primary appraisals (of pain), forms 265
- primary insomnia, triggers 148
- primary prevention 17
- primary socialisation 308–9
- private practice 9
- privileges 285–6
- problem-solving 319–20
  - efforts 202
- problems
  - coping with 325
  - problem-focused strategies 202–3
- processed food 222
- proportion/frequency approach 38
- proximal norms 23
- psychological health perspectives
  - health perspectives overlap 7
  - informing health psychology 8
- psychological illness 291–2
- psychological model of stress 199–201
- psychological support 179, 240
- psychological therapy 240
- psychology
  - cross-cultural 310–11
  - of health see health psychology
  - traditional 306
- psychology research see research
- psychosocial factors, biological–psychosocial factors interaction see biopsychosocial model
- psychosocial interventions 248
- psychosocial pain management approaches
  - barriers to 275
  - behavioural approaches 268–9
  - cognitive behavioural therapy 269–71
  - mindfulness and acceptance-based interventions 270
  - streamlining
    - limit, activate and enhance model 273
    - treatment mediators 272–3
    - treatment moderators 273
  - theory and evidence 267–71
- psychosocial theory 308
- puberty 293
- public healthcare policy 7
- publication bias 73–4
  - prescribing antidepressants decisions 74
- pulmonary circulation system 214–15
- quality of life 17
  - diminished due to anxiety/depression symptoms 238, 240–1
- quasi-experimental studies 10, 119

- racism 296–7
- radiation therapy 237
  - effects of 238
  - pain after 239
- random effects (specification) 76
- randomisation 10, 72–4, 108, 269–70
- randomised clinical trials (RCT) 72–4
  - potential limitations 73
  - publication bias 73–4
  - selection bias reduction 73
- randomised controlled trials 108
  - CBT efficacy 269–70
- rapid eye movement (REM) sleep 129
  - associations 130
  - NREM–REM alternating periodic cycles 130–1
- rate(s) 70, 80
- ratios 10–11, 69
  - see also odds ratios
- re-injury, anxiety-related fear of 266
- recall bias 72
- referral, importance according to Engel 5
- reflective practice (reflexivity) 312–18
- refugees 320
  - refugee/asylum seeker terms 325–6
  - specialised practice for 325–6
- regression 83–7
- reinforcement 27
- relatedness 246
- relative risk reduction (RRR) 82
- relative risks 69, 80–1
- reliable change index 39
- religion
  - health inequalities and 293
  - 'no religion' 318
- religious influences 62–3
- REM behaviour disorder 130
- repeated measures (RM) ANOVA 74–6
  - limiting assumptions 76
- research
  - common designs in 71–4
    - intervention studies 72–4
    - observational studies 71–2
  - diet 100
  - health inequalities 298
  - key health research concepts 69–71
  - regarding adverse impacts of gaming 324–5
  - regarding cholesterol 101
  - scientific knowledge and 10–11
  - skills 8
  - statistical techniques in 74–9
    - of TTM 52
- resilience 239, 266
- resistance (stage of GAS) 194–5
- Respect Every Body information kit 114
- respondent conditioning principles 268–9
- response contingencies 27
- rest/activity cycle, 24-hour circadian
  - period 131–2
- retina, melatonin synthesis 133
- review studies 11
- reward systems 161
- risk 80–7
  - genetic 249
  - increase/decrease in outcome 81–2
  - increased mortality risk by depression 225
  - 'indoor tanning' cancer 19
  - lifetime cancer 233
  - population at risk 70
  - relative risks 69, 80–1
  - use of substances 160, 161
  - of suicide for non-heterosexual
    - populations 294
- risk factors
  - behavioural, for chronic illness 2
  - for body image disturbance 243
  - bulimia nervosa 113
  - daily lifestyle characteristics as 6
  - demographic, social, cultural and political 3
  - for eating disorders 112
  - shiftwork as 145–6
- risk measures 81–3
- risk ratios 10–11
- risk-taking 309
- 'rites of passage' 310
- road safety 19–20
- 'role models' 7
- 'rules of thumb' 319–20
- ruling class 282
- safety 305
  - negative impact of sleep loss on 127
- salt 101
- same-sex couples 285
- sarcoma 233
- satiety, changed feelings of 147
- saturated fat 99–100
  - challenged role as CVD risk factor 218
- scale development 11

- scale of measurement 74
- schemas (stored knowledge) 307
- scientific knowledge, research and 10–11
- secondary appraisal domain 265
- secondary socialisation 309–10
- sedatives 160–1
- selection bias 73
- self-control versus social control 318
- self-determination theory 246
- self-efficacy 46–7, 54, 58, 246
  - beliefs regarding 265
  - case study 50
  - as key to improved mental health 58
  - self-efficacy–locus of control, complementarity 59
- self-exploration 306
- self-management 6
- self-medication 166–7, 197
- sensitivity 305
- 'sentinel events' (serious medical error) 143
- serial correlation 75–6
- serotonin levels 117
- severity 46
- sex 58
- sexual dysfunction 243–4
  - management intervention approaches 244
- sexual orientation 285, 293–4
- sexuality 159, 242–3
- sexually transmitted infections (STIs) 63, 159
- 'shift-lag' syndrome 135
- shiftwork/shiftworkers 134–5
  - accidents and 141–2
  - behavioural and social mechanisms 146
  - female nightshift workers 145–6
  - performance and 139–40
  - as risk factors 145–6
  - sleep loss and 138–42
    - irregular working hours–sleep/wake conflict 139
  - rhythms disruptions, implications 143
- shock, of cancer diagnosis 236–8
- single-point-in-time designs 74–5
- single system designs (behaviour measurement) 28–9
  - AB design 28
  - ABA design 28
  - multiple baseline designs 28–9
  - withdrawal design 28
- situation factors (stressors) 201
- skin cancer
  - case study 18
  - sun exposure risk factor 2, 18, 159
- sleep
  - absence of, 'free-running' state 133
  - activities other than 150,
  - arousal from 129, 130
  - brain activity during 128
  - categorised 129
    - NREM see non-rapid eye movement (NREM) sleep
    - REM see rapid eye movement (REM) sleep
  - comfortable environment for 150
  - defined 127
  - disturbed 239, 240–1
  - improving 7
  - measuring 127–31
    - electro-oculogram (EOG) 128
    - electroencephalogram (EEG) 127–9
    - electromyogram (EMG) 128
    - sleep cycles with hypnograms 130–1
  - mental health and 145
  - mentally/physical activation prior to 149–50
  - mood and 145
  - NREM–REM alternating periodic cycles 130–1
  - 'post-prandial' or 'post-lunch' dip 134
  - quality and quantity 145
  - reduced 139
  - regulation – sleep/wake aspect see sleep homeostasis
  - schedules (bedtimes; wake times) 149
  - screen time, impact of 149
  - shiftwork and transmeridian travel 134–5
  - sleep-disruptive products 149
  - stages
    - across a night – architecture 130–1
    - NREM 129, 130
  - for stress management 204
- sleep disorders 147–50
  - insomnia and sleep hygiene 148–50
  - obstructive sleep apnoea 147–8
  - REM behaviour disorder 130
- sleep disturbance, chronic stress and 197
- sleep homeostasis 134, 136–8
  - sleep homeostasis–circadian rhythms relationship 134–5
  - case study 136



- sleep hygiene
  - ICSD-3 characteristics 149–50
  - insomnia and 148–50
- sleep hypnograms 130–1
- sleep loss
  - health and 145–6
  - health effects of 136–42
    - accumulative sleep loss effects 136–8
    - behavioural and social mechanisms 146
    - performance impairment 136–8
    - physiological mechanisms 147
  - as health risk factor 2
  - in healthcare 143–50
  - medical error and 143–5
  - negative impact for performance, safety and health 127
  - shiftwork and 138–42
    - accidents 141–2
  - sleep loss–fatigue–human error
    - associations 141
    - case study 142
- sleep restriction 138
- sleep/wake cycle 197
  - influences on
    - circadian factors see circadian rhythms
    - homeostatic drive for sleep see sleep homeostasis
  - irregular working hours, disruption by 139
  - internal mechanisms desynchronisation 139
- sleepiness 134–5
  - food cravings as coping strategy 147
  - road accident peak times–sleepiness peaks 141
  - shiftworkers' experiences 139
  - stimulant use 148
- slow wave sleep (SWS) 130
- smoking
  - as behavioural risk factor 2
  - education about 47
  - plain packaging laws 222, 290–1
  - quitting 7
  - rates 62–3
    - CVD declines 213
    - for Indigenous people 293
    - reduction 222
  - smoking prevention efforts 180–1
- social cohesion 9
- social control versus self-control 318
- social coping 203
- social determinants, of health inequalities 285–8
- social development theory 308
- social factors, of pain 266–7
- social groups 324
- social health perspectives, health perspectives overlap 7
- social impairment 160, 161
- social interaction 325
- social isolation 295
- social justice, issues, life expectancy differences 3
- social mechanisms, health effects of
  - sleep loss 146
- social media 114, 149
- social networks 23–4
  - analysis applications 24
  - centrality 24–5
  - health behaviour influences 24–6
- social norms 22
- Social Readjustment Rating Scale 199
- social risk factors 3
- social roles, children modelling 308–9
- social support 59–60
  - as buffer for stress 59–60
- Social Support Questionnaire 59
- socialisation 308–10, 315–18
  - agents of 308–10
    - primary socialisation 308–9
    - secondary socialisation 309–10
    - tertiary socialisation 310
  - early socialisation, impact of parenting styles 308–9
- informal 298
- Western environments 316
- societal influences (on health behaviour) 19–20
  - mass media 19–20
  - policy 19
- societal norms 7, 61
- 'role models' 7
- sociocultural theory 308
- socioeconomic status (SES) 61–2, 282, 283–4
  - composition 61
  - education 283–4
  - occupation and income 284
  - SES–health correlation 61
  - SES–physical health relationship 61–2
  - smoking and 176
- sodium see salt
- soft drinks (sugar-sweetened beverages) 105–6

- solariums, banning of 19
- somatosensory system 263
- specialised practice, cross-cultural psychology and 325–6
- sphericity 76
- spiritual/philosophical coping 203
- stable pattern 29
- standardised mortality ratio (SMR) 113
- statin drugs 100, 82
- statistical conclusions 78–9
- statistical techniques 74–9
- status quo bias 21–2
- stereotypes 293, 296
  - AUD and 169, 170
- stigma 159, 294–6
  - of AUD 169, 170
  - consequence, case study 25
  - defined 294
  - discrimination, exclusion and social isolation 295
  - groups that suffer from 295
  - tobacco smoking and 159
- stimulus/stimulants 146, 160–1
  - control interventions 26
  - for stress 191–2
  - stress as bodily response to environmental stimuli 192–3
  - use with sleepiness 148
- Stolen Generations 320
  - case study 321
- storytelling, importance to Indigenous peoples 3–4, 314
- strain 192
- stress
  - as bodily response to environmental stimuli 192–3
  - case study 198, 271
  - coping with 202–3
    - and depression 226–7
  - defined 191–2
  - as enemy of sleep 150
  - experiences of 197
  - factors that cause see stressors
  - increased stress–increased chronic illness risk 2
  - internal resources 239
  - major sources 199
  - mindfulness-based stress reduction interventions 240
  - physiological model of 192–7
  - post-traumatic stress disorder 286, 287
  - reducing 7
    - mindfulness-based stress reduction (MBSR) 270
    - reduction through exercise 117
  - sense of control/predictability 201
  - social support as buffer 59–60
  - stress–cognition relationship 197
  - stress–depression–anxiety, correlation 195
  - susceptibility to 203
- stress–illness relationship 204
- stress management 203–5
  - diet 204
  - physical activity 204
  - sleep 204
  - time management 205
- stress response 192–8
  - stress, physiological model of 192–7
- stressors 195, 198–202
  - case study 202
  - chronic pain 265
  - impact of situations/stressors 201
  - individual and situation factors 201
  - social and work situations 199
  - stress perception 203
  - psychological model 199–201
- stroke 215
- studies
  - drawing statistical conclusions across multiple 78–9
  - experimental 10
  - Harvard Work Hours, Health and Safety Group 143
  - meta-analysis 11
  - overlapping other health professions 10–11
  - quasi-experimental 10
  - reliant on correlational design 10
  - review 11
  - shiftwork and performance
    - sleep and driving 139–40
    - statistics from 139–40
  - systematic review 11
  - time intervals of 10
  - of trans men 294
  - transdisciplinary 69
  - twin studies and SES 283
  - work, sleep and error relationship 143–4
- subcultures 317

- subgroups 323–5
- subjective happiness 266
- subjective norms 54
- substance-related risk behaviours and disorders 160–5
  - case study 164–5
- sucrose 103
- sugar 20, 103
- sugary foods 222
  - cravings as coping strategy 147
- suicide ideation 294
- sun exposure risk factor 2, 18, 159
- sun protection 19–20
  - behaviours 18
  - 'sun smart' 7
- supplements, health effects 103–4
- support 240, 241, 244
  - for end-stage cancer patients 245–6
- support networks 9
- suprachiasmatic nucleus (SCN) 132
  - melatonin production control 133
  - sleep homeostasis conflict, 'opponent processes' 134–5
- supraspinal activity 263
- surgery 237
  - extensive and invasive 243
- surveys
  - conducting 8
  - correlational design 10
  - education and health 284
  - for HBM 48
  - health literacy surveys 291
  - occupation and income 284
  - predictors of mental health literacy 284
  - predictors of seeking professional help 284
- survival analysis 69, 88–91
  - case study 91
  - extensions 90–1
  - reporting
    - in text 90
    - using figures 89–90
- survival curves 89–90
- survivorship 239–44
- susceptibility 46
- sympathetic nervous system (SNS) 193, 194
- systematic review 78, 248
- systematic review studies 11
  - CBT efficacy 269–70
- systemic circulation system 214–15
- t*-tests against population norms 38
- target behaviour 25–6, 52
  - interviews 27–8
  - operationalising 29
  - threshold scores for 37
- tax concessions 290
- tea and coffee 105
- technology
  - emailing health concerns directly 246
  - future research links 119
  - gamers 324–5
  - screen time, impact of 149
- temperature
  - body temperature
    - 24-hour circadian period 131–2
    - core 133–4
- 'tend and befriend' 194
- termination (TTM) stage [proposed] 52
- tertiary socialisation 310
- 'them' and 'us' position 306
- theory of planned behaviour (TPB) 54–6
  - behaviour prediction 54–5
  - case study 56
  - explanatory power of models 57
  - issues 55
  - limitations 55
  - strengths 55
- therapeutic relationship 305, 313
- thiamine deficiency 168–9
- threat 47
  - predictors of 47
  - transactional model component 200
- threat (pain) appraisals 265
- threshold scores 37
- time intervals 10
- time management, for stress
  - management 205
- time to event analysis 88–91
- tobacco 19–20, 149, 160–1
  - public health policies/legislation for 222
  - smoking 160
    - stigma and 159
- tobacco use 174–82
  - advertising/packaging, case study 182
  - associated risks 174–5
  - family and social environment 176–7
  - maintenance 181–2
  - multiple health risk behaviours 177
  - treatment 177–81

	Index	365
barriers 181	trends 29	
individual approaches 177–80	over time – trend lines 31–2	
mass media campaigns 180	triacylglycerol 102	
pharmacologic approaches 178	triglycerides 100	
policy and legislative changes 180	‘true’ NREM sleep stage 129	
public health approaches 180–1	trust 320	
underlying risk 176–7	type 2 diabetes (T2D) 219–21	
tolerance 160	case study 222–3	
traditional psychology 306	coping as protective factor for depression 226	
transactional model of stress 199–201, 265	CVD–T2D–depression interconnection 223–7	
cognitive appraisal 200	defined 221	
coping strategies 200	fibre as primary and secondary prevention	
‘harm,’ ‘threat’ and ‘challenge’ 200	for 101–2	
stages	increases in 222	
primary appraisal 200	living with 221	
secondary appraisal 200	pandemic ‘diabesity’ crisis 222	
transdisciplinary studies 69	statistics 219	
‘transitional’ NREM sleep stage 129	treatment and prevention 221–3	
transmeridian travel 134–5		
transtheoretical model (TTM) 50–3, 179	unified social morality 325	
critics 52	University of Pennsylvania School of Nursing,	
explanatory power of models 57	work, sleep and error relationship 143–4	
limitations – standardised measures and study	‘us’ and ‘I’ compositions 306	
design 53	UV radiation 18, 19	
parts		
processes of change 52	vaccines 2	
regression and progress 51	values	
stages 51	core 306	
strengths – research and health program	mean 83	
framework and flexibility 53	new values, beliefs and practices, socialisation	
treatments 7	and 309–10	
of addiction 50–3	varenicline 178	
alcohol-use disorder (AUD) 167–71	variability 29, 32	
of cancer 233	variables	
active treatment 237–9	binary 69	
efficacy of treatment 239	independent and dependent 74	
for eating disorders 114	relationships between 10	
of OSA 147	vegetables and fruit 286	
patient’s treatment adherence 8	antioxidant properties 98	
and prevention of CVD and T2D 221–3	daily serves 99	
side effects 239	NHMRC’s recommendations 97	
tobacco use 177–81	as protective factor 98–9	
treatment mediators 272–3	Vitamin D deficiency 104	
competing models explaining treatment	Vygotsky’s sociocultural theory and social	
effects 272	development theory 308	
frameworks 272–3		
key influential factors 272	waist circumference 110	
pure, validated measures 272–3	waist–hip ratio (WHR) 110	
treatment moderators 273	water 104	

- Ways of Coping Questionnaire 202–3
- weight
  - effects of sugar-sweetened beverages on 105–6
  - weight indices and health 110–11
- weight loss, diet for 107–8
- weightings 78
- wellbeing 97, 238
  - increased 7, 21
- wellness, optimal 5–6
- Wernicke-Korsakoff Syndrome 168–9
- Wernicke's encephalopathy 168–9
- Western diet 222
- withdrawal effects 160
- within-cluster correlation 76–7
- work environment 8–9
- work hours
  - flexible 21
  - internal mechanisms desynchronisation 139
  - irregular working hours–sleep/wake conflict 139
  - long work hours–time of day–error, links 143
- workplaces
  - interventions 21
  - multidisciplinary 8–9
- World Health Organization (WHO)
  - 'health' definition 5
  - criticisms 6
  - IASP chronic pain data 266–7
- Yatdjuligin* 315
- years of life lost (YLL) 71
- Yerkes–Dodson Law 197
- zeitgeibers (time givers/signals) 131
  - absence of external zeitgeibers, internal circadian pacemaker 132