

# Index

- ABEM. *See* American Board of Emergency Medicine
- ACA. *See* Patient Protection and Affordable Care Act
- access to medicine, in rural populations, 140–43
- nurse practitioner clinical residency training program, 141
- nurse practitioner/physician model, 140–41
- revised strategies for, 140–41
- unsuccessful efforts in, 140
- Accident and Emergency (A+E), 1–5
- Accountable Care Organization (ACO), 34–35
- ACEP. *See* American College of Emergency Physicians
- ACO. *See* Accountable Care Organization
- ACPs. *See* acute care plans
- ACS. *See* acute coronary syndrome
- ACSCOT. *See* American College of Surgeons Committee on Trauma
- Active Issues Management (AIM) Module, 171–72
- acute care plans (ACPs), 100–7
- EHRs in, 101
- healthcare resource utilization through, 107
- implementation of, 105–7
- long-term impact of, 105–7
- template for, 102–4
- transitions of care with, 106
- acute care systems. *See also* emergency medicine and care; Kaiser Permanente California; value-based payment systems; volume-based reimbursement systems
- call-back programs in, 14
- EDs as primary source of, 22
- fee-for-service model, 11–13
- fragmentation in, 11–15
- connecting to providers and, 13–14
- continuity of care influenced by, 12
- coordination and, 11–12
- information systems and, 15
- long-term impact of, 12
- after patient discharge, 12, 14
- reduction of, 12–15
- payment models in, 115
- quality of care in
- aims of, 21
- chief complaint-based measures, 23–26
- electronic clinical quality measures for, 24–25
- future improvements in, 23–25
- group measurement mechanisms for, 24
- history of, 18–19
- horizontal alignment in, 21–22
- measurement methodology, 19
- patient-reported outcomes and, 23–24
- priorities in, 21
- stakeholders in, 22–23
- strategies for, 21–22
- successes and failures of, 19–20
- taxonomy of, 20–21
- vertical alignment in, 21–22
- risk pooling in, 115
- acute coronary syndrome (ACS), 50
- acute illnesses, growing importance of, 4–5
- advanced care planning, 197
- advanced practice providers (APPs), 62–63, 126
- A+E. *See* Accident and Emergency
- Agency for Healthcare Research and Quality (AHRQ), 11–12, 14, 131–32
- AGS. *See* American Geriatrics Society
- AHRQ. *See* Agency for Healthcare Research and Quality
- AIM Module. *See* Active Issues Management Module
- Alexandria Plan, 3
- alternative payment models (APMs), 27–28. *See also* fee-for-service model
- value-based payment systems and, 31–36
- ACO, 34–35
- bundled payments in, 33–34
- episodic payments in, 33–34
- future applications for, 36
- population-based capitation, 35–36
- in shared savings programs, 34–35
- American Board of Emergency Medicine (ABEM), 4
- American College of Emergency Physicians (ACEP), 1, 19, 59, 83
- emergency medicine and, 3–4
- American College of Surgeons Committee on Trauma (ACSCOT), 156–62
- American Geriatrics Society (AGS), 83
- Anyone, Anything, Anytime: A History of Emergency Medicine* (Zink), 1
- APMs. *See* alternative payment models
- APPs. *See* advanced practice providers

- automated patient follow-up programs  
 advantages of, 176  
 EffectiveResponse, 170–76  
   AIM Module, 171–72  
   implementation of, 173–74  
   mobile phones in, 170–71  
 as impersonal, 175  
 implementation costs, 175  
 limitations of, 175–76  
 privacy issues with, 175–76
- B2C program. *See* Bridges to Care program
- bedside registration, 42–43
- behavioral health care. *See* mental health care
- BEMSTS. *See* Bureau of Emergency Medical Services and Trauma System
- benzodiazepine dependence, 75–77
- Birmingham Regional Emergency Medical Services System (BREMSS), 158–59
- Bivarus platform, 178–84  
 methodology for, 179–80  
 results of, 180–81  
 security features, 180  
 technical expectations, 180
- boarding, of psychiatric patients, 78–79
- BREMSS. *See* Birmingham Regional Emergency Medical Services System
- Bridges to Care (B2C) program, 210–11
- bundled payments, 33–34  
 defined, 33
- Bureau of Emergency Medical Services and Trauma System (BEMSTS), 160
- call-back programs, 14, 31, 170
- Canada, emergency medicine in, 6
- capitated outcome-based and incentivized contracts (COBICs), 36
- care pathways, 31
- CDS systems. *See* clinical decision support systems
- CEDR. *See* Clinical Emergency Data Registry
- Centers for Medicare and Medicaid Services (CMS), xiii, 18–19, 38, 142
- Chabert Medical Center, 216–19
- Chesapeake Regional Informational System for Our Patients (CRISP), 15
- CHWs. *See* community health workers
- clinical decision support (CDS) systems  
 computerized order entry and, 164  
 electronic health records and, 164  
 feedback reporting, 167  
 historical development of, 164  
 with low quality evidence, 167  
 optimal characteristics of, 164–65  
 Pulmonary Embolism Rule-out Criteria, 165–66  
 top-down approach, 167  
 in UC Health ED program, 165–66
- clinical decision units, 57–58.  
*See also* observation care
- Clinical Emergency Data Registry (CEDR), 22
- Clinical Opiate Withdrawal Scale (COWS), 74–75
- CME. *See* continuing medical education
- CMS. *See* Centers for Medicare and Medicaid Services
- COBICs. *See* capitated outcome-based and incentivized contracts
- community health workers (CHWs), 210–12
- community paramedicine, 186.  
*See also* emergency medical services
- community-based crisis centers, 69
- COMPuterized decision Aid for Stroke thrombolysis (COMPASS), 50
- computerized order entry (CPOE), 164
- continuing medical education (CME), 137
- continuity of care, 12
- Cowley, R. Adams, 158–59
- COWS. *See* Clinical Opiate Withdrawal Scale
- CPOE. *See* computerized order entry
- crisis stabilization units, 80
- CRISP. *See* Chesapeake Regional Informational System for Our Patients
- crowding, in EDs, 38–39  
 conceptual model of, 39  
 input management, 41  
 interventions strategies for, 40–44  
 measurement scales for, 39  
 output management, 43–44  
 throughput management, 42–43
- D2B time. *See* door-to-balloon time
- data analytics, 215–22  
 for Chabert Medical Center, 216–19  
 lean management approach and, 215  
 Plan-Do-Study-Act process, 220–21  
 Six Sigma, 215
- decision support interventions (DSIs), 49–50  
 COMPASS, 50
- Dedicated Fast Track units, 42
- delivery system reform, xiii–xiv  
 CMS, xiii  
 MACRA, xiii  
 MIPS, xiii
- DES. *See* discrete event simulation
- direct to consumer (DTC) telemedicine, 13–14
- discrete event simulation (DES)  
 application of, 201–2  
 conceptual building blocks of, 201–2  
 defined, 201–3  
 ED processes, 202–7  
   characterization of patient flow, 202–3  
   data results, 205–6

- exploratory analysis through, 205
- external validation, 204
- face validation and, 203
- intervention selection with, 205
- model development, 203
- model verification, 203–4
- process mapping with, 203
- Queuing Theory and, 123
- door-to-balloon (D2B) time, 19–20
- DSIs. *See* decision support interventions
- DTC telemedicine. *See* direct to consumer telemedicine
- ED Benchmarking Alliance (EDBA), 23
- ED navigators, 14
- ED Work Index (EDWIN), 39
- EDBA. *See* ED Benchmarking Alliance
- EDOU. *See* ED observation Unit
- EDPECS. *See* Emergency Department Patient Experiences with Care
- ED observation Unit (EDOU), 58–62
- inclusion and exclusion criteria for, 60
- EDs. *See* emergency departments
- education
- CME, 137
- for emergency medicine, 5
- EDWIN. *See* ED Work Index
- EffectiveResponse, 170–76
- AIM Module, 171–72
- implementation of, 173–74
- mobile phones in, 170–71
- EHRs. *See* electronic health records
- elderly patients. *See also* geriatric emergency departments
- delirium in, 86
- falls for, 85
- observation care for, 64
- PIMs for, 86–87
- polypharmacy protocols for, 86–87
- electronic health records (EHRs), 15, 101
- in CDS systems, 164
- HealthConnect program, 111–12
- Ellis, Maurice, 1–5
- Emergency Department Patient Experiences with Care (EDPECS), 178
- emergency departments (EDs), medical care in. *See also* geriatric emergency departments; mental health care, in EDs
- Alexandria Plan, 3
- call-back programs, 14, 31, 170
- crowding in, 38–39
- conceptual model of, 39
- input management, 41
- interventions strategies for, 40–44
- measurement scales for, 39
- output management, 43–44
- throughput management, 42–43
- DES and, 202–7
- characterization of patient flow, 202–3
- data results, 205–6
- exploratory analysis through, 205
- external validation, 204
- face validation and, 203
- intervention selection with, 205
- model development, 203
- model verification, 203–4
- process mapping with, 203
- ED navigators, 14
- EMTALA, 5
- expansion of, 2
- flow in, 39–40
- bedside registration, 42–43
- Dedicated Fast Track units, 42
- FLO for, 43
- immediate bedding, 42–43
- input management, 41
- interventions strategies for, 40–44
- lean management approach, 40
- in “No-Wait” emergency departments, 123
- output management, 43–44
- split-flow models, 42
- streaming strategies, 42
- throughput management, 42–43
- triage-based care protocols, 43
- FSEDs, 7–8
- historical crises in, 2–3
- hospitals and, 2–3, 5
- Input-Throughput-Output model, 39
- input management, 41
- output management, 43–44
- throughput management, 42–43
- JeffConnect Program and, 135
- mental health care outside of, 68
- operations research concepts, 39–44
- PIT and, 42
- POCT and, 148–52
- challenges with, 149–50
- expansion of, 149–52
- innovation in, 148
- management programs for, 150–51
- quality control for, 151
- results with, 148–49
- as primary source of acute care, 22
- private physicians and, 2
- SDM in, 46–47
- clinical vignettes for, 50–53
- informed consent compared to, 47
- limitations of, 53–54
- timeliness of, 38–39
- in UK, 91–95. *See also* 4-hour rule
- urgent care centers and, 6–8
- utilization of, reduction of, 209
- wait times strategies for, 96–97. *See also* 4-hour rule
- in Ontario, Canada, 95–96
- emergency medical services (EMS), 186
- emergency medical technicians (EMTs), 154–55

- Emergency Medical Treatment and Active Labor Act (EMTALA), 5, 28, 121, 126
- emergency medicine and care.  
*See also* value-based payment systems; volume-based reimbursement systems
- ACEP and, 3–4
- acute illnesses and, 4–5
- Alexandria Plan, 3
- call-back programs in, 14
- in Canada, 6
- defined, 1
- education and training for, 5
- emergency physician's role in, 1–2
- Flexner Report and, 1–2
- fragmentation in, 11–15
- connecting to providers and, 13–14
- continuity of care influenced by, 12
- coordination and, 11–12
- information systems and, 15
- long-term impact of, 12
- after patient discharge, 12, 14
- reduction of, 12–15
- historical development of, 1–5
- IFEM, 6
- international development of, 5–6
- overview of, xiii–xiv
- performance measurement for, 95
- quality of care in
- aims of, 21
- chief complaint-based measures, 23–26
- electronic clinical quality measures for, 24–25
- future improvements in, 23–25
- group measurement mechanisms for, 24
- history of, 18–19
- horizontal alignment in, 21–22
- measurement methodology, 19
- patient-reported outcomes and, 23–24
- priorities in, 21
- stakeholders in, 22–23
- strategies for, 21–22
- successes and failures of, 19–20
- taxonomy of, 20–21
- vertical alignment in, 21–22
- regional networks, 4
- as safety net of healthcare system, 9
- SDM and, 49–50
- as specialty, 5
- transformation of, 8–9
- in United Kingdom, 1–5
- Vietnam War as influence on, 4–5
- Emergency Nurses Association, 83
- emergency physicians, role in emergency medicine, 1–2
- emergency rooms, 3–5
- EMS. *See* emergency medical services
- EMTALA. *See* Emergency Medical Treatment and Active Labor Act
- EMTs. *See* emergency medical technicians
- episodic payments, 33–34
- defined, 33
- Medicare and, 33
- ERs. *See* emergency rooms
- ethanol dependence, 75–77
- fee-for-service (FFS) model, 12–13, 27–29, 186
- add-ons and modifiers in, 32–33
- first-line orders (FLOs), 43
- fixed payment model, in observation care, 62
- Flexner Report, 1–2
- FLOs. *See* first-line orders
- flow, in EDs, 39–40
- bedside registration, 42–43
- Dedicated Fast Track units, 42
- FLO for, 43
- immediate bedding, 42–43
- input management, 41
- interventions strategies for, 40–44
- lean management approach, 40
- in “No-Wait” emergency departments, 123
- output management, 43–44
- split-flow models, 42
- streaming strategies, 42
- throughput management, 42–43
- triage-based care protocols, 43
- 4-hour rule, in UK, 91–95
- ED reforms as result of, 92–93
- influence on patients, 93–94
- monitoring of, 91–92
- organisational impact as result of, 94–95
- under target and terror regimes, 94
- freestanding emergency departments (FSEDs), 7–8
- GEDI WISE. *See* Geriatric ED Innovations in care through Workforce, Informatics and Structural Enhancements
- GEDs. *See* geriatric emergency departments
- Geisinger Health System, 187–93. *See also* Mobile Health Paramedic Program
- Geriatric ED Innovations in care through Workforce, Informatics and Structural Enhancements (GEDI WISE), 83–85
- follow-up guidelines, 84–85
- staffing and administration, 83–84
- transitions of care guidelines, 84–85
- geriatric emergency departments (GEDs)
- contemporary development of, 82–83
- guidelines for, 83, 87–88
- innovation processes for, 87–88
- ISAR scores in, 85
- policies, procedures, and protocols for, 85–87
- for delirium, 86
- for falls, 85

- polypharmacy protocols, 86–87
- purpose of, 82–83
- social expectations for, 82–83
- Goldratt, Eli, 127
- H-CAHPS. *See* Hospital Consumer Assessment of Healthcare Providers and Systems
- health care, in US. *See also* acute care systems; emergency medicine and care; value-based payment systems
- under ACA, 11, 27
- narrow networks, 30
- APMs, 27–28
- payer policy for, 57–58
- reform of, 27
- value-based payment systems, 28
- volume-based reimbursement systems, 27–29
- disadvantages of, 28–29
- FFS model, 11–13, 27–29
- RVRBS, 28–31
- health care costs, 9
- health information technology (HIT), 15
- interoperable, 31
- Health Information Technology for Economic and Clinical Health Act, 100
- Health Resources and Service Administration (HRSA), 131
- Healthcare Effectiveness Data and Information Set (HEDIS) measures, 111–12
- HealthConnect program, 111–12
- HEDIS measures. *See* Healthcare Effectiveness Data and Information Set measures
- Hill-Burton Act, 2
- HIT. *See* health information technology
- Hospital Consumer Assessment of Healthcare Providers and Systems (H-CAHPS), 178
- Hospital Quality Alliance (HQA), 18–19
- Hospital Readmissions Reduction Program (HRRP), 32–33
- hospitals. *See also* pre-hospital services
- admission rates for KP California members, 114
- EDs and, 2–3, 5
- ERs and, 2–3, 5
- under Hill-Burton Act, 2
- increase in size of, 5
- integrated healthcare delivery systems and, 115–16
- JeffConnect Program and, 135–36
- mental health care in, 80–81
- TelEmergency program and, 143
- HQA. *See* Hospital Quality Alliance
- HRRP. *See* Hospital Readmissions Reduction Program
- HRSA. *See* Health Resources and Service Administration
- identification of seniors at risk (ISAR) scores, 85
- IFEM. *See* International Federation for Emergency Medicine
- immediate bedding, 42–43
- information systems
- in acute care, 15
- in emergency care, 15
- HIT, 15, 31
- information technology. *See also* telehealth; telemedicine; TelEmergency program
- ACPs and, 100–7
- EHRs, 101
- healthcare resource utilization through, 107
- implementation of, 105–7
- long-term impact of, 105–7
- template for, 102–4
- transitions of care with, 106
- under Health Information Technology for Economic and Clinical Health Act, 100
- innovation in, 100–1
- long-term impact of, 100
- informed consent, SDM compared to, 47
- input management, in EDs, 41
- Input-Throughput-Output model, 39
- input management, 41
- output management, 43–44
- throughput management, 42–43
- Institute of Medicine (IOM), 154
- intake processes
- with JeffConnect Program, 136
- UC Health Intake Model, 124–25
- integrated healthcare delivery systems. *See also* Kaiser Permanente California health plans in, 115
- hospital systems and, 115–16
- physicians in, 116
- International Federation for Emergency Medicine (IFEM), 6
- interoperable health information technology, 31
- IOM. *See* Institute of Medicine
- ISAR scores. *See* identification of seniors at risk scores
- Janiak, Bruce, 4–5
- JCAHO. *See* Joint Commission on Accreditation of Healthcare Organizations
- JeffConnect Program, 133–36
- ED care and, 135
- in hospital-based care, 135–36
- intake processes with, 136
- for mildly sick patients, 135
- for non-patients, 136
- second opinions and, 136

- JeffConnect Program (cont.)  
in transitions to home, 135–36
- Jefferson Health Urgent Care, 119  
telehealth and telemedicine and, 133–36
- The Joint Commission (TJC), 22
- Joint Commission on  
Accreditation of  
Healthcare  
Organizations  
(JCAHO), 18–19
- Kaiser Permanente (KP)  
California, 110–16  
demand management  
strategy, 111  
financial investment  
incentives, 113–15  
HealthConnect program,  
111–12, 114  
hospital admission rates for  
members, 114  
intensive ED care, 113  
model of care for, 111  
transition of care  
development, 112–13
- Kaiser Permanente OnCall (KP  
OnCall), 13, 111–12
- KP California. *See* Kaiser  
Permanente California
- KP OnCall. *See* Kaiser  
Permanente OnCall
- lean management approach, for  
ED flow, 40  
data analytics and, 215  
in “No-Wait” emergency  
departments, 123
- left without being seen (LWBS)  
rates, 38
- MACRA. *See* Medicare Access  
and CHIP  
Reauthorization Act of  
2015
- management strategies  
AIM Module, 171–72  
Input-Throughput-Output  
model  
input management, 41  
output management, 43–44  
throughput management,  
42–43
- KP California and, 111  
lean management approach,  
for ED flow, 40  
data analytics and, 215  
in “No-Wait” emergency  
departments, 123  
for POCT, 150–51  
for TelEmergency program,  
144–45
- Medicaid, 4
- Medicare, 4  
episodic payments and, 33  
HRRP, 32–33  
as payer policy, 57–58
- Medicare Access and CHIP  
Reauthorization Act of  
2015 (MACRA), xiii,  
22
- mental health care, in EDs  
boarding of psychiatric  
patients, 78–79  
historical background of, 69  
after hospital admittance,  
80  
interventions for, 69–70  
through community-based  
crisis centers, 69  
COWS, 74–75  
with opioid detox starter  
packs, 78  
Pennsylvania Client  
Admission/Placement  
criteria, 70  
reduction of inpatient  
length of stay, 70  
regional inpatient bed  
capacity, 69  
results of, 73–78  
through training for  
substance abuse  
patients, 70  
WAS, for ethanol and  
benzodiazepine  
dependence, 75–77  
outside EDs, 68  
before patient arrival, 79  
program challenges, 78  
regionalization of crisis  
stabilization units, 80  
SPRC tools for, 80  
treatment during ED visit,  
79–80
- merit-based incentive payment  
system (MIPS), xiii, 22,  
32–33
- Mills, James, 3
- MIPS. *See* merit-based  
incentive payment  
system
- Mississippi MED-COM. *See*  
TelEmergency program
- Mobile Health Paramedic  
Program, 187–93  
clinical assessment and  
interventions through,  
187  
documentation and, 190  
eligibility criteria, 188  
implementation challenges,  
192–93  
medical oversight in, 189–90  
operations of, 188–89  
outcome measures, 192  
outcomes for, 190–92  
payment structure for, 193  
performance measures for,  
189  
pilot programs and, 188–89  
process metrics for, 191  
stakeholders in, 190–92  
local issues for, 190  
structure and processes  
with, 191–92  
training component of, 192
- mobile integrated health care,  
186. *See also* emergency  
medical services
- National Cardiovascular  
Disease Registry  
(NCDR), 22
- National ED Overcrowding  
Scale (NEDOCS), 39
- national emergency phone  
number, 4
- National Quality Forum  
(NQF), 23
- National Quality Strategy  
(NQS), 21
- NCDR. *See* National  
Cardiovascular Disease  
Registry
- NEDOCS. *See* National ED  
Overcrowding Scale
- New York University Langone  
Medical Center  
(NYULMC), 58  
EDOS implementation,  
58–62  
inclusion and exclusion  
criteria for, 60  
UCC implementation, 58–62



- “No-Wait” emergency department  
 APPs in, 126  
 best practices for, 125–29  
 ED flow strategies, 123  
 under EMTALA, 126  
 lean management approach in, 123  
 nurses in, 128  
 patient assessment  
   approaches in, 126  
 physician evaluations in, 127–28  
 Poisson distribution for, 123–30  
 Queuing Theory and, 123  
 resource alignment in, 127  
 Theory of Constraints for, 123, 127  
 UCHealth Intake Model, 124–25  
 workplace organization in, 127
- NQF. *See* National Quality Forum
- NQS. *See* National Quality Strategy
- nurses  
 in “No-Wait” emergency department, 128  
 TCNs, 85
- NYULMC. *See* New York University Langone Medical Center
- OAT. *See* Office for the Advancement of Telehealth
- observation care  
 APPs, 62–63  
 in closed units, 64–65  
 in distributed model, 63  
 for elder patients, 64  
 in fixed payment model, 62  
 future issues for, 65–66  
 historical development of, 57–58  
 innovations in, 58–62  
 long-term impact of, 62–66  
 in NYULMC, 58  
   EDOS implementation, 58–62  
   UCC implementation, 58–62  
 in open units, 64–65
- patient out-of-pocket costs for, 65
- payer policy and, 57–58
- problems in, 58–62
- Office for the Advancement of Telehealth (OAT), 131
- Ontario, Canada, ED wait time strategies in, 95–96
- operations management. *See* data analytics
- opioid detox starter packs, 78
- output management, in EDs, 43–44
- overtriage, 155–57. *See also* undertriage
- PACS. *See* picture archiving and communication systems
- palliative care, 197–99  
 advanced care planning and, 197  
 case study, 195–96  
 core elements of, 195  
 decision support tools in, 197  
 initiation of, 197  
 patient identification for, 196  
 tertiary, 198
- PAMA. *See* Protecting Access to Medicare Act
- paramedicine. *See* community paramedicine
- patient decision aids, 47–49  
 DSIs, 49–50  
 risk communication and, 48
- patient experience data  
 benchmarking of, 183  
 Bivarus platform, 178–84  
   methodology for, 179–80  
   results of, 180–81  
   security features, 180  
   technical expectations, 180  
 limitations of, 178  
 survey methodologies, 178  
 in TPS, 184
- Patient Protection and Affordable Care Act (ACA), 11, 27  
 narrow networks under, 30
- patient voice and engagement. *See also* automated patient follow-up programs
- call-back programs, 14, 31, 170
- in outpatient setting, 48
- patient decision aids, 47–49  
 DSIs, 49–50  
 risk communication and, 48  
 in SDM, 46–47  
 clinical vignettes, 50–53  
 in emergency care settings, 49–50  
 informed consent  
   compared to, 47  
 limitations of, 53–54  
 payment models. *See also* alternative payment models; value-based payment systems  
 in acute care systems, 115  
 bundled, 33–34  
   defined, 33  
 episodic, 33–34  
   defined, 33  
   Medicare and, 33  
   fixed, 62  
   for UCCs, 121
- Pediatric Emergency Care Applied Research Network (PECARN), 51
- PERC. *See* Pulmonary Embolism Rule-out Criteria
- Physician Quality Reporting System (PQRS), 19, 22
- physician-in-triage (PIT), 42
- PhysicianOne Urgent Care, 119
- picture archiving and communication systems (PACS), 142
- PIMs. *See* potentially inappropriate medications
- PIT. *See* physician-in-triage
- Plan-Do-Study-Act process, 220–21
- point of care testing (POCT), 148–52  
 challenges with, 149–50  
 defined, 148  
 expansion of, 149–52  
 innovation in, 148  
 management programs for, 150–51  
 quality control for, 151  
 requirements for, 148  
 results with, 148–49  
 TAT and, 148  
 in UCH ED, 148–52

- population-based capitation, 35–36  
     in United Kingdom  
     healthcare system, 36  
 potentially inappropriate medications (PIMs), 86–87  
 PQRS. *See* Physician Quality Reporting System  
 pre-hospital services, 4  
 private physicians, ERs and, 2  
 Protecting Access to Medicare Act (PAMA), 166–68  
 Pulmonary Embolism Rule-out Criteria (PERC), 165–66  
 quality of care  
     in acute and emergency care  
     aims of, 21  
     chief complaint-based measures, 23–26  
     electronic clinical quality measures for, 24–25  
     future improvements in, 23–25  
     group measurement mechanisms for, 24  
     history of, 18–19  
     horizontal alignment in, 21–22  
     measurement methodology, 19  
     patient-reported outcomes and, 23–24  
     priorities in, 21  
     stakeholders in, 22–23  
     strategies for, 21–22  
     successes and failures of, 19–20  
     taxonomy of, 20–21  
     vertical alignment in, 21–22  
     HQA, 18–19  
 Queuing Theory, 123  
 RACE project, 159  
 RACs. *See* Recovery Audit Contractors  
 rapid diagnostic units, 57–58.  
     *See also* observation care  
 Recovery Audit Contractors (RACs), 58  
 regional emergency care networks, 4  
 regionalization of care  
     challenges to, 155–61  
     lack of data, 159  
     optimal transport modes, 158  
     for population-level acute care outcomes, 159  
     time-sensitive critical care interventions, 155–57  
 dispatch and regional network  
     communications systems in, 158–59  
 IOM guidelines, 154  
 quality improvement  
     programs for, 159–61  
 statewide population-level datasets for, 159–61  
 telemedicine consultation in, 157–58  
 teleradiology consultation in, 157–58  
 relative-value units (RVUs), 28  
 Resource-Based Relative Value Scale (RVRBS), 28–31  
 retail clinics, 7  
 risk communication, 48  
 risk pooling, in acute care systems, 115  
 Rosen, Peter, 1, 5  
 rural hospitals, 143  
 rural populations. *See* access to medicine, in rural populations  
 RVRBS. *See* Resource-Based Relative Value Scale  
 RVUs. *See* relative-value units  
 SAEM. *See* Society for Academic Emergency Medicine  
 Save Hearts in Arizona Registry and Education, 160  
 SDM. *See* shared decision-making  
 second opinions, 136  
 shared decision-making (SDM), 46–47  
     clinical vignettes for, 50–53  
     in emergency care settings, 49–50  
     informed consent compared to, 47  
     limitations of, 53–54  
 shared savings programs, 34–35  
 short stay units, 57–58. *See also* observation care  
 Six Sigma, 215  
 Society for Academic Emergency Medicine (SAEM), 83  
 split-flow models, 42  
 SPRC. *See* Suicide Prevention Resource Center  
 staffing  
     for GEDI WISE, 83–84  
     for TelEmergency program, 141  
     for UCCs, 118  
 stakeholders  
     in acute care systems, 22–23  
     in Mobile Health Paramedic Program, 190–92  
     local issues for, 190  
     structure and processes with, 191–92  
 ST-elevation myocardial infarction (STEMI) criteria, 158  
 substance abuse  
     COWS and, 74–75  
     interventions for, 70  
     opioid detox starter packs, 78  
     WAS, for ethanol and benzodiazepine dependence, 75–77  
 Suicide Prevention Resource Center (SPRC), 80  
 system engineering methods, 201. *See also* discrete event simulation  
 TAT. *See* turnaround times  
 TCNs. *See* transition care nurses  
 telehealth  
     case studies, 132–33  
     defined, 131  
     expansion of, 131  
     JeffConnect Program, 133–36  
     ED care and, 135  
     in hospital-based care, 135–36  
     intake processes with, 136  
     for mildly sick patients, 135  
     for non-patients, 136



- second opinions and, 136  
in transitions to home, 135–36  
Jefferson Health Urgent Care and, 133–36  
National Academic Center for, 136–37  
CME programs, 137  
researchers in, 136  
training certificate programs, 137  
program design, 146  
telemedicine, 8  
case studies, 132–33  
defined, 131  
emergency care through, in rural areas, 139–43. *See also* TelEmergency program  
expansion of, 131  
innovations in, 133–36  
prioritization of initiatives, 133  
through vision development, 133  
Jefferson Health Urgent Care and, 133–36  
TelEmergency program, 139–46  
access to medicine in rural populations, 140–43  
nurse practitioner clinical residency training program, 141  
nurse practitioner/physician model, 140–41  
revised strategies for, 140–41  
unsuccessful efforts in, 140  
consultation process in, 143–46  
coordination of care as part of, 145  
critical interventions in, 145  
initiation of, 143–44  
management of, 144–45  
quality assessment in, 145–46  
financial reimbursement for, 142  
implementation of, 141–43  
preparation for, 141–42  
PACs in, 142  
readiness assessment in, 141  
rural hospitals and, 143  
staffing for, 141  
tertiary palliative care, 198  
Theory of Constraints, 123, 127  
throughput management, in EDs, 42–43  
TJC. *See* The Joint Commission  
Toyota Production System (TPS), 184  
transition care nurses (TCNs), 85  
transitions of care in ACPs, 106  
GEDI WISE guidelines, 84–85  
triage-based care protocols, 43  
turnaround times (TAT), 148  
two midnight rule, 57  
UCAOA. *See* Urgent Care Association of America  
UCCs. *See* urgent care centers  
UCH ED. *See* University of Colorado Health ED  
UK. *See* United Kingdom  
UMMC. *See* TelEmergency program  
undertriage, 155–57  
United Kingdom (UK) A+E in, 1–5  
EDs in, 91–95. *See also* 4-hour rule  
emergency medicine in, 1–5  
population-based capitation in, 36  
United States. *See* health care, in US  
University of Colorado Health (UCH) ED  
CDS systems for, 165–66  
POCT and, 148–52  
challenges with, 149–50  
expansion of, 149–52  
innovation in, 148  
management programs for, 150–51  
quality control for, 151  
results with, 148–49  
University of Colorado (UC) Health Intake Model, 124–25  
University of Mississippi Medical Center (UMMC). *See* TelEmergency program  
urgent care, defined, 118  
Urgent Care Association of America (UCAOA), 121  
urgent care centers (UCCs), 6–8  
best practices for, 119–20  
disadvantages of, 121  
under EMTALA, 121  
expansion of, 121–22  
historical development of, 118  
Jefferson Health Urgent Care, 119  
NYULMC implementation of, 58–62  
payment systems for, 121  
PhysicianOne Urgent Care, 119  
retail clinics and, 7  
staffing for, 118  
VA. *See* Veteran's Administration  
value-based payment systems, 28–36  
accountability in, 30  
APMs and, 31–36  
ACO, 34–35  
bundled payments in, 33–34  
episodic payments in, 33–34  
future applications for, 36  
population-based capitation, 35–36  
in shared savings programs, 34–35  
call-back programs, 14, 31  
coordination of post-ED services, 29  
facility-level levers in, 31  
preventative strategies, 29–30  
through proactive care, 29–30  
provider-level levers in, 31  
RVUs in, 28  
system-level levers in, 30–31  
Veteran's Administration (VA), EHRs, 15  
Vietnam War, emergency medicine influenced by, 4–5  
volume-based reimbursement systems, 27–29  
disadvantages of, 28–29

Cambridge University Press  
978-1-316-62563-7 — Value and Quality Innovations in Acute and Emergency Care  
Edited by Jennifer L. Wiler , Jesse M. Pines , Michael J. Ward  
Index  
[More Information](#)

232	Index
volume-based reimbursement systems (cont.) FFS model, 11–13, 27–29 add-ons and modifiers in, 32–33 RVRBS, 28–31  wait times strategies, for EDs, 96–97	4-hour rule, in UK, 91–95 ED reforms as result of, 92–93 influence on patients, 93–94 monitoring of, 91–92 organisational impact as result of, 94–95  under target and terror regimes, 94 in Ontario, Canada, 95–96 Withdrawal Assessment Scale (WAS), 75–77  Zink, Brian, 1