

Index

- abortion 419
 - induced 419–20
 - spontaneous 419
- Acceptance and Commitment Therapy (ACT) 240–1
 - aim of 253
 - chronic pain treatment 433–4
 - effectiveness debate 251
 - linked to psychological flexibility model 248–9
 - treatment for MUS 82
- acceptance-focused CBT interventions 253
- access to health care
 - and help-seeking behaviour 76
 - immigrants in the US 37–8
 - patients from lower SES 42
 - people with disability 12
 - people with OA 563
 - to talking therapies 263
- accommodative coping 115
- action research (AR) 355
- active engagement, dyadic coping 119
- acute stress exposure 150–1
 - burns patients 438
 - effect on immune processes 49
 - and hypertension 518–19
 - laboratory assessment 230
 - physiological processes 151
- addiction
 - definition of 46
 - interventions to combat 49
 - prevalence, patterns and harms of 17
 - theories of 17
 - see also* drug dependence
- ADHD (attention-deficit/hyperactivity disorder)
 - clinical characterization 515–16
 - course and progression from childhood to adult 516
 - gene-environment interaction 516
 - models explaining 516
 - neural basis, brain imaging studies 516
 - prevalence 516
 - treatment approaches 516–17
- adherence to treatment 101
 - chronic kidney disease (CKD) patients 577
 - CVD patients 453
 - and HCP-patient communication 380
 - intervention effectiveness 104
 - nonadherence explanations 101–4
 - skin disorder patients 588
 - young people with allergies 425
- adolescence/adolescents
 - communicating with about terminal illness 371
 - coping with medical procedures 133–4
 - sexual health case study 67–8
 - with sickle cell disease 586
- smoking onset, health promotion to prevent 275
- stress sensitive period 6
- teenage pregnancies 70
- volatile substance abuse 614–15
- adrenal system disorders 492–3
- affective disorders 421–3
 - see also* anxiety; depression
- Affordable Care Act (ACA) 38
- age and physical activity 62
- age-related macular degeneration (AMD) 609
- ageing population 475
 - and increase in chronic illness 109
- agricultural era, disease patterns 17
- AIDS *see* HIV/AIDS
- alarm training, nocturnal enuresis 496
- alcohol addiction 653–4
 - and exposure to traumatic events 156
 - interventions 49
 - prevalence, patterns and harms 30
 - relapse 54
- allergies
 - features, prevalence and diagnosis 424
 - impact of 424–5
 - management of 425
- allostasis and allostatic load 151–2, 232
- alternative medicine *see* complementary and alternative medicine (CAM)
- altruism and blood donation 649–50
- Alzheimer type dementia (DAT) 475–6
 - risk factors for 476
- amblyopia 608–9
- amnesia 426
 - adult-onset 426–7
 - developmental 427
 - infantile or childhood 427
- amyotrophic lateral sclerosis (ALS) 547
 - neuropsychological and behavioural aspects 547–8
 - psychological and psychosocial factors 548
- anaesthesia
 - evidence for safety gains 620–1
 - multifactorial approaches 620–1
 - safety approaches 619–20
 - safety statistics 619
- anger and heart disease risk 201
- anorexia nervosa (AN) 489
 - consequences of 489–90
- antenatal care 622–3
- antenatal screening 407
 - mental health assessment 408
 - barriers to 408
 - for physical problems 407–8
- anti-retroviral therapy (ART) 513
- antibodies 219
 - antibody titres to EBV 500
 - and immunization 402–3
 - vaccine response 220
 - to latent viruses 220
- antidepressants 654
- antipsychotics 654
- anxiety
 - antenatal, impact on fetus 622
 - burns patients 438
 - in chronic pelvic pain (CPP) 461
 - and decreased vaccine responses 403
 - dental anxiety 646
 - disorders 422–3
 - dizziness and vertigo 606–7
 - health risks linked to 201
 - hypnosis treatment 280
- aphasia
 - psychosocial adjustment 429
 - recovery research 428
 - therapy for 428–9
- approach-avoidance distinction, coping 116
- arthritis *see* osteoarthritis; rheumatoid arthritis
- assertiveness training 506
- assisted reproductive technologies (ART) 624
 - psychological challenges 624–5
 - psychological support 625
- associative learning 52
- asthma 430–1
 - causation theories 431
 - self-management 431–2
 - work-related 30
- asylum seekers 165
 - management of health needs 166–7
 - mental health status 166
 - public health needs 165–6
- atopic diseases *see* allergies
- attachment theory 301–2
- attention-deficit/hyperactivity disorder *see* ADHD
- attention-focused CBT strategies 252
- autonomic nervous system (ANS) 137
- aversion therapy 239
- avoidant coping strategy 111
 - breast cancer patients 112
 - individual differences 639
 - and self-stigma 147
- back pain 432
 - biofeedback approach for 242
 - definitions and classifications 433
 - disease burden 433
 - management of 433–4

bacterial meningitis 541–3	birth <i>see</i> pregnancy and childbirth	burnout in healthcare professionals 353
bad news 371	birth complications 435	consequences of 354
communication skills for 373	postpartum haemorrhage 435–6	future directions 355
context of 371–2	preeclampsia 436	and the healthcare culture 353
guidelines and protocols 372–3	preterm birth 436	interventions 354–5
healthcare provider's perspective 372	shiftwork as possible risk factor 359	prevalence 354
patient's perspective 372	stillbirth and neonatal death 436	burns
balance system dysfunction 606–7	summary 436	adjustment tasks 438
bedwetting (enuresis) 494–6	bladder problems	incidence of 437
behaviour change interventions 270	bladder pain syndrome 460	interventions 438–9
COM-B (capability, opportunity and motivation)	enuresis 494–6	long-term stresses 438
470, 572	lower urinary tract symptoms (LUTS)	psychosocial impact 438
designing 270–2	530–5	treatment and rehabilitation 437–8
evaluating 272–3	blood donation	
mindfulness 285	issues and concerns 649	Calgary-Cambridge Guides, medical interviewing
prevention and treatment of CVD	motivations for, MOA approach 649–50	390–3
primary prevention 453	blood pressure <i>see</i> hypertension	cancer 439–40
secondary prevention 453–4	body dissatisfaction/body image 490	breast cancer 441–2
for promoting physical activity 298–9	and cosmetic surgery 658	endometrial cancer 635
recommendations for 273	postoperative outcomes 660	genetic testing 399–400
and STI prevention 584	following a burn injury 438	impact on quality of life 440–1
<i>see also</i> motivational interviewing (MI)	following chemotherapy 627	lung cancer 444–5
Behaviour Change Wheel 62–3	short stature, CBT intervention 505–6	lymphoedema 538
behaviour modification/behaviour therapy 239	<i>see also</i> eating disorders; disfigurement	prostate cancer 446–7
applications of 241	Body Mass Index (BMI) 559	psychoneuroimmunology 139
conceptual issues 240	bone mass density (BMD)	radiotherapy treatment 656–7
historical overview 239–40	osteoporosis 564–5	risk factors 440
links with recent cognitive behaviour therapies	braille reading 611	shiftwork as a risk factor 358–9
240–1	Brain-Computer Interfaces (BCI) 178	skin cancer 448–50
physical activity interventions 298	brain imaging <i>see</i> neuroimaging	war on 440
weight loss 561	brain injury <i>see</i> traumatic brain injury (TBI)	<i>see also</i> screening, cancer
<i>see also</i> cognitive behaviour therapy (CBT)	breast cancer 441	cannabis (marijuana) 655
behavioural activation, depression treatment	and BRCA1/2 gene mutation 399	cardiac screening
240	coping strategies 112	approaches to 414
behavioural models 85–6	diagnosis, psychological impact of 442	avenues for future work 414
headache and migraine 509	distress, recognizing and treating 442	cardiac risk factors 412–13
health inequality 18	early detection 441–2	increased risk feedback, response to 413
beliefs	and HRT 634–5	interventions to reduce adverse effect of 414
about osteoporosis 565	lymphoedema related to 538	minimal risk feedback, response to 413–14
and coronary heart disease 469–70	mammography screening 405, 410	psychological reaction to 413
influencing adherence to treatment 102–3	night work as a risk factor for 358	risk perception 414
<i>see also</i> Health Belief Model; illness perceptions	survival and long-term psychological	cardiovascular disease (CVD) 451
benzodiazepines 654	consequences 442	and HRT 634
withdrawal symptoms 487	breast reconstruction surgery 658	and occupational stress 31
biofeedback 242–3	deciding factors 660	psychological interventions
growth in the utilization of 243	psychosocial outcomes following 660	behaviour change 453–4
for headache 510	Buddhist psychology <i>see</i> mindfulness	for emotional disorders 454
neurobiofeedback 178	buffering hypothesis, social support 125, 225,	psychosocial consequences of diagnosis
and pain management 243–4	439	452–3
relaxation and 510	bulimia nervosa (BN) 489	psychosocial risk and protective factors 451–2
technique 243	consequences of 490	role of inflammation 139
in voice therapy 614	bullying 30–1	shiftwork as a risk factor 358
biomarkers	buprenorphine substitution 49	caregivers
cytokine levels and immune function	versus methadone 487	and antibody response 402
220–1	burnout in doctors 362	gender differences in dyadic coping 120–1
and dementia diagnosis 476	management of 365–6	of multiple sclerosis sufferers 550
stress assessment 231–2	Maslach Burnout Inventory 362–3	stress of caregiving 310
biomedical model 85	relationship between stress and burnout	stress management interventions for 311
biopsychosocial model	364	cathinones 654
and chronic pain 86–7	relationship to other measures 363–4	CBT <i>see</i> cognitive behaviour therapy (CBT)
disability 13	relationship to stress, depression and personality	change implementation <i>see</i> implementation
stress 149–50	364	research
bipolar spectrum disorders 421–2	<i>see also</i> stress	change talk, motivational interviewing 289–90

chemotherapy 626 <ul style="list-style-type: none">psychological adaptation to 626–7psychological consequences of 627	chronic psychological states 519	Parkinson’s disease 566–7
chest pain, non-cardiac 555–8	chronic stress 138 <ul style="list-style-type: none">effect on blood pressure 518–19	traumatic brain injury (TBI) 601
childbirth <i>see</i> birth complications; pregnancy and childbirth	CIDI (Composite International Diagnostic Interview) 182–3	whole brain radiotherapy 656–7 <ul style="list-style-type: none"><i>see also</i> executive dysfunction
children	circadian disruption <i>see</i> shiftwork	collaboration between professionals 332–3
amblyopia 608–9	classical conditioning 85, 239 <ul style="list-style-type: none">and the nocebo effect 98and the placebo effect 94evidence supporting 94	collective efficacy, link to inequality 42–3
childhood stress 5–6	cleft lip and palate 463	colorectal cancer <ul style="list-style-type: none">genetic predisposition 399screening for 410
coping with medical procedures 133–4	children’s psychosocial functioning 464	commitment devices, health decisions 339
early stress, effects on adults 7	clinical implications 464–5	common cold 466 <ul style="list-style-type: none">protective effects of positive affect 467and social integration 467stress increasing susceptibility to 466–7
hospitalization of 639–40	cognitive abilities and academic outcomes 464	Common Sense Model (CSM) 106–7, 188–9, 310
impact of domestic abuse on 161	parent-child relationships 464	assessment of 189
infantile amnesia 427	parental adjustment 464	asthma research 431
multiple sclerosis (MS) 550–1	research recommendations 465	cardiac disease 469
with neuromuscular conditions, support for 553	cognition(s)	and health outcome prediction 38 <ul style="list-style-type: none">evidence for 191
poisonings among 604	about health and illness 188–91	summary of 189
choice(s)	cognitive shift and over-eating in dieters 53	communication in health care practice <ul style="list-style-type: none">breaking bad news 371–3communication of risk 375–7HCP-patient communication 379–81health information quality (HIQ) 383–6medical interviewing 387–94
decision environment for dietary choice 339	distorted cognitions, adjustment failure 505–6	communication skills training 373
informed choices, facilitating 377	faulty thinking, eating disorders 490	community access problems, neuromuscular disorders 553–4
and the nocebo response 98	involved in noticing symptoms 90	community-based interventions 259 <ul style="list-style-type: none">building trust 259–60changing social norms 260citizen participation and ownership 259impediments to 261multiple intervention points 260
Chronic Disease Self-Management Programme (CDSMP) 112, 306–7	mindfulness practice 284–5	comorbidity, psychological/psychiatric and stress 587
chronic fatigue syndrome (CFS)	thought suppression and over-eating 53–4	Competing Neurobehavioural Decision Systems model 43–64
aetiology 456	<i>see also</i> cognitive impairment	complementary and alternative medicine (CAM) 629 <ul style="list-style-type: none">efficacy and safety issues 629–30users of 629
definitions 455–6	cognitive appraisal 150 <ul style="list-style-type: none">menopause transition 545	compliance <i>see</i> adherence to treatment
diagnosis 456	cognitive behaviour therapy (CBT) 250–1 <ul style="list-style-type: none">basic principles of 251chronic fatigue syndrome (CFS) 456–7for eating disorders 491future directions and challenges 253–4growth retardation 505–6for headaches 510insomnia treatment 526intervention strategies 251–2<ul style="list-style-type: none">behavioural 252cognitive 252–3for menopausal symptoms 545for multiple sclerosis (MS) 550	Computer-Adaptive Testing (CAT) 215
infectious mononucleosis as risk factor for 500–1	pain treatments 30 <ul style="list-style-type: none">chronic pain 247, 433–4for chronic pelvic pain (CPP) 462non-cardiac chest pain 558for physical health problems 253for premenstrual syndrome 574tinnitus patients 512	conditioning theory <i>see</i> classical conditioning; operant conditioning
prognosis 457	for multiple sclerosis (MS) 550	conflict-affected populations 154–5 <ul style="list-style-type: none">health outcomes and topics 155health sector responses 155mental health and psychosocial support (MHPSS) 155–6
self-management interventions for rheumatoid arthritis 579	tinnitus patients 512	conflict settings <ul style="list-style-type: none">forced migration and displacement 163–5mental health issues 166rape and sexual violence 171
treatments for 456–7	cognitive behavioural couple therapy (CBCT) 254–5 <ul style="list-style-type: none">key intervention strategies 256–8nature of couple distress 255–6origins of 255	congenital disorders <ul style="list-style-type: none">cleft lip and palate 463–5sickle cell disease 585–6spina bifida 589–90
chronic illness	cognitive behavioural models <ul style="list-style-type: none">adjustment to multiple sclerosis (MS) 550of chronic pain 247of fatigue and pain in MS 550of infectious mononucleosis (IM) 501	connectome 177–8
coping interventions 112	cognitive impairment <ul style="list-style-type: none">benzodiazepine use 654CKD patients 577COPD patients 458Cushing’s syndrome 492and epilepsy 498–9	conscientiousness 129–30, 365
coping process 111		
determinants of coping 111–12		
increase in 109		
internet help/support 112–13		
psychological adjustment to 109–11		
<i>see also</i> dyadic coping		
chronic insomnia disorder 526		
chronic kidney disease (CKD) 576–7		
chronic low back pain (CLBP) 433 <ul style="list-style-type: none">management of 433–4		
chronic obstructive pulmonary disease (COPD) 458–9		
chronic pain 84–5, 246 <ul style="list-style-type: none">challenges and opportunities 249low back pain 432–4psychological approaches to 247<ul style="list-style-type: none">cognitive behavioural theory 247functional contextual approach 247–9operant behavioural theory 246–7		
chronic pelvic pain (CPP) 460 <ul style="list-style-type: none">cognitive and emotional factors 461–2common causes of 460–1depression and anxiety in 461epidemiology and impact 460and post-traumatic stress (PTSD) 461psychological aspects 461and sexual abuse 461social impact of 462treatment 462		

- consciousness disorders, diagnosis using brain imaging 177
- constraint continuum, safety in anaesthesia 619–20
- contingency management 486
- continuous quality improvement (CQI) 333
- contraception 631
 - contraceptive behaviours 631–2
 - and depressive symptoms 632
 - sterilization 661–2
 - use of 631
- control
 - as a coping resource 42
 - over eating behaviour 52
 - perceived, theory of planned behaviour 58–9
- coping 114
 - assessment/measures of 233–4
 - and behaviour models 115–16
 - categories of coping responses 114–15
 - chemotherapy field 627
 - determinants of 111–12
 - dyadic coping 118–21
 - and health 116
 - behavioural pathways 116–17
 - psychophysiological pathways 117
 - internet support 112–13
 - interventions for chronic illness 112
 - multifactorial, multilevel process 229
 - responses, health care staff 331
 - with societal stigma 146–7
 - with spinal cord injury 593
 - with stress, open green space 34
 - with stressful medical procedures 131–4
 - styles and profiles 111, 233
- Coping Effectiveness Training (CET) 112
- coronary heart disease (CHD) 468
 - illness beliefs 469
 - misconceptions 469–70
 - psychological interventions 470
 - risk factors 468–9
 - anger/hostility 201
 - anxiety 422–3
 - see also* cardiac screening; cardiovascular disease (CVD)
- cortisol
 - common cold studies 466–7
 - and coping responses 117
 - measurement of, stress assessment 231–2
 - prenatal stress 6–7
 - and the stress response 151
- cosmetic surgery 658
 - body image as a key factor 658–60
- counselling 263
 - counselling skills 265
 - definition of 263
 - emerging issues 266
 - evaluation of 265–6
 - impact on medical practice 264
 - initial stage of engaging the client 264
 - in medical settings 264–5
 - of parents of children with growth retardation 505–6
 - premature discontinuation 264
 - processes involved in 263
 - rapport building 264
 - training issues 266
- couple distress 254–5
 - cognitive and behavioural approaches to 255
 - primary and secondary 255
 - same-sex and ethnic minority couples 255–6
- couple therapy (CBCT) 94
 - addressing individual psychopathology 257–8
 - assessment phase 256
 - behavioural interventions 256–7
 - cognitive interventions 257
 - for long-term distressing health problems 258
 - targeting emotions 257
 - working with the environment 257
- crisis management and stress 309–12
- critical illness and ICU admission 641–2
- critical periods, stress 5
 - during adolescence 6
 - prenatal environment 6
 - up to age 3–4 years 5
- Krohn's disease (CD) *see* inflammatory bowel disease (IBD)
- crowding 33
- crowdsourcing 385
- cultural differences
 - menopause symptoms 544
 - rates of caesareans 571–2
 - in social support 143
- Cushing's syndrome (hypercortisolism) 492
- cystic fibrosis (CF) 471–3
 - effect of family functioning on health 473
 - psychological interventions 474
 - psychosocial impact 473
 - treatment challenges and adherence 473–4
- cytokine production, measurement of 221
- DALYs (disability-adjusted life years), lost through addiction 17
- deafness *see* hearing disorders
- decision making
 - about cancer screening 411
 - about STI prevention 583
 - adherence to treatment 103
 - everyday health choices 339
 - health policymakers 341
 - by patients 339–40
 - by physicians 340–1
- delay aversion hypothesis, ADHD 516
- delayed-type hypersensitivity (DTH) 220
- dementias 475
 - defining and characterizing 475–6
 - diagnosing 476
 - Parkinson's disease (PD) 567
 - recognising 477
 - risk factors for Alzheimer type dementia 476
 - treatment 476
- denial, and eating behaviour 53–4
- dental caries 645–6
- dependence 46
 - nicotine dependence 653
 - on psychotropic drugs/medication 653 *see also* addiction; drug dependence
- depression 201, 422
 - and allergic disorders 424
 - aphasic people 429
 - burns patients 438
 - in chronic pelvic pain (CPP) 461
 - and contraception use 632
 - and decreased vaccine responses 403
 - during perimenopause and HRT 634
 - and HIV disease progression 513–14
 - hypnosis treatment 280
 - intimate partner violence (IPV) 161
 - link to coronary heart disease (CHD) 468–9
 - misdiagnosis of 179–80
 - in Parkinson's disease 567
 - in type 2 diabetes 481–2
 - victims of sexual violence 171
- detoxification 487
- developmental influences on health 5
 - biological influences 5
 - children's understanding of health 7
 - early childhood adversity 5–6
 - prenatal psychobiological influences 6–7
 - social influences 7
 - stress and the psychosocial environment 5–6
- diabetes mellitus (DM) 493
 - Type 1 diabetes mellitus (T1DM) 477–9
 - Type 2 diabetes mellitus (T2DM) 481–2
- diagnostic interviews for assessment of mental disorders 179
- diagnostic models 181
 - augmented clinical practice 181
 - comprehensive diagnostic model 181–3
- interviews for personality disorders 183
- structured interviews 180–1
- traditional methods, problems with 179–80
- dialectical behaviour therapy (DBT) 240–1
- dieting
 - possible cause of eating disorders 490
 - weight concern model 53–4
- disability 12
 - assessment 184–5
 - important concepts in 185
 - settings of 186–7
 - costs of 12
 - legal concept 15
 - models 12–13
 - biopsychosocial perspectives 13
 - medical model 13
 - minority model 13
 - social models 13
 - WHO model 14–15, 185–6
 - prevalence of 12
 - service provision 13–14
 - disability measures 7
 - medical model underpinning 14
- disclosure
 - of domestic abuse 162
 - and dyadic coping 120–1
 - selective, coping with stigma 146
 - writing about emotions 123–4
- disease
 - social construction of 16
 - sociohistorical patterns of 17–18
- disengagement coping 115
- disfigurement

- adjustment to a visible difference 484
- incidence and definition 483
- psychosocial impact 483–4
- support for 484–5
- displaced populations
 - adverse physical health outcomes 166
 - due to conflict 154–5
 - external displacement 163–5
 - internally displaced persons (IDPs) 163–5
 - managing health needs of 166–7
 - mental health issues 166
 - public health issues 165–6
- dizziness *see* vertigo and dizziness
- DNA testing *see* genetic testing
- domestic violence *see* intimate partner violence (IPV)
- drawings of illness 190
- drug dependence 485–6
 - assessment and treatment goal setting 486
 - effectiveness of treatments 488
 - needle and syringe exchange schemes 487–8
 - pharmacotherapies 487
 - psychological treatments 486
 - and risky sexual behaviour 488
 - Twelve-Step programmes and therapeutic communities 486–7
 - volatile substance abuse (VSA) 614–15
- dual process models of behaviour 336
- dyadic coping 118–19
 - approaches to 42
 - chronic illness 43
 - chronic illness as a dyadic stressor 119
- dysphonia (hoarseness) 612
- eating behaviour 50
 - cognitive model 52–3
 - developmental model
 - associative learning 52
 - exposure 50
 - social learning 50–2
 - effect of stress on 123
 - and obesity 560
 - weight concern model 53–4
- eating disorders 489
 - causes of 490–1
 - consequences of 489–90
 - treatments for 491
 - hypnosis treatment 280
 - mindfulness, MB-EAT program 285
 - see also* obesity
- electroencephalography (EEG) 176
 - alternative to fMRI 177
- electromyography (EMG) *see* biofeedback
- electromyography (SEMG) biofeedback 242
- emotion-focused coping 111
 - assessments 233
 - longer-term physiological benefit 117
 - versus problem-focused coping 114–15
- emotion-focused treatments 82, 252–3, 257
- emotional support, peer support programmes 294
- emotional triggering, cardiovascular events 452
- emotions 122–3
 - eating in response to 560
 - and fertility treatment 624–5
 - influence on symptom perception 91
 - mindfulness therapies 285
 - negative emotions 200–1
 - and coping responses 116
 - and decreased vaccine responses 403
 - link with CHD 129, 468–9
 - and symptom reporting 91, 98
 - neuropsychological assessment of 209–10
 - pain assessment 212–13
 - positive emotions 124
 - and disease progression 125
 - effect on health 124, 129, 201
 - interventions to promote 125
 - pathways linking to health 125
 - protective effect on CVD 452
 - and resistance to the common cold 467
 - writing about 123–4
- empathy 264
 - illness crises 311–12
 - reflective listening 287–9
- employment
 - changes in work practices 28
 - determinant of health 29
 - early retirement, CVD patients 453
 - people with neuromuscular disorders 553
 - physical risks 30
 - precarious 29–30
 - psychosocial hazards 30–1
 - unemployment 30
 - visually impaired youth 611
- endocrine disorders 492–3
 - see also* diabetes mellitus; growth retardation; hyperthyroidism
- endometrial cancer and HRT 635
- endometriosis 460
- engagement coping 115
- enuresis 494–5
 - assessment of 495
 - causes of 494–5
 - effects on child and family 495
 - management strategies 495–6
 - medications 496
- environment factors and health
 - decision environment 339
 - environmental stress 32–3
 - open green space as protective factor 33–4
 - intelligence/IQ 199–200
 - obesogenic environment 560
 - physical activity 62
 - worksite interventions 318
- epilepsy 497–8
 - cognitive deficits 498–9
 - and personality 499
- Epstein-Barr virus (EBV) 500
 - elevated EBV antibody titres 500
 - and infectious mononucleosis 500
 - risk factor for chronic fatigue 500
- erectile dysfunction (ED) 580–1
 - assessment and treatment 581
 - risk factors for 581
- ethics and the internet 386
- evolutionary approach to stress 152
- executive dysfunction
 - children with spina bifida 590
 - motor neurone disease 547
- exercise *see* physical activity
- expectancies/expectations
 - about childbirth 572–3
 - about experiencing symptoms 90
 - expectancy-value models 411
 - and the placebo effect 94
- Expert Patient Programme 112
- exposure strategies, CBT 252
- falls
 - and prevention of osteoporitic fractures 565
 - unintentional injury deaths in older adults 604–5
- families
 - and children with eating disorders 490
 - family therapy 491
 - and cystic fibrosis (CF) 473
 - of ICU survivors, psychological problems 642
 - stroke patients 596
- fatigue
 - in multiple sclerosis (MS) 550
 - self-management interventions for rheumatoid arthritis 579
 - and shiftwork 357–8 *see also* chronic fatigue syndrome (CFS)
- fear appeals, Protection Motivation Theory (PMT) 56–7
- fear-avoidance model of chronic pain 247
- fear of childbirth 572–3
- femininity-masculinity discourse 21–2
- fertility treatment 624–5
- filter bubble effect of the internet 386
- flu vaccination 340
 - antibody response mediated by stress 402
- fMRI (functional MRI) 176–7
 - real-time fMRI (rtfMRI) 243
- foetal health
 - antenatal care 622–3
 - and maternal physical and mental health 569–70
 - and maternal stress 6–7, 572
 - screening for 407–8
- forced migration *see* displaced populations
- functional capacity, disability assessment 185
- functional-contextual approach to chronic pain 247–9
- Functional Independence Measure (FIM), disability assessment 14, 187
- functional near infrared spectroscopy (fNIRS) 243
- fundamental causes thesis of health inequality 19
- g factor, intelligence 198–9
- gambling, gender differences 47
- Games for Health 315
- Gate Control Theory (GCT) of pain 86
- gender differences
 - in addictive behaviours 46–7
 - in coping with a stressor 112
 - coronary heart disease (CHD) 468
 - dyadic coping with chronic illness 120–1
 - osteoarthritis (OA) 563
 - social construction of 21–2

gender and health 20	Health Belief Model (HBM) 55–6	<i>Helicobacter pylori</i> (H. pylori) infection 502
implications for research and policy 22–3	assessment of 189	HELLP syndrome 436
intersectionality 22	predicting health outcomes, evidence for 191	help-seeking behaviour 74
sex differences in health 20–1	summary of 188–9	factors influencing 75
within-sex differences 22	health beliefs <i>see</i> beliefs	decision to seek help 76
General Health Questionnaire (GHQ) 362	health care environment and behaviour	self-stigma 148
generic drugs, nocebo effect 97–8	behaviour of practitioners 119	symptom appraisal 75–6
genetic testing 399	change implementation 334–7	interventions to promote timely presentation
genetic counselling 400	medical decision making 339–41	76–7
for hereditary cancer 399	multidisciplinary team working 343–6	LUTS (lower urinary tract systems) patients 534
populations tested 399–400	service user and lay involvement 347–50	measuring 74–5
psychological issues 400	work environments 329–33	and symptoms, the iceberg of morbidity 74
psychological support 401	health care professional (HCP) behaviours 325	time to presentation 74
screening and risk-reducing surgery 400	as a specialized form of behaviour 325–6	herd immunity 340
genetics	describing nature of 326–7	historical eras, disease patterns 17
allergy-depression link 424	importance of clear specification 326	history-taking, medical interview
Alzheimer type dementia 476	measurement of 327–8	new approach 388–90
cystic fibrosis (CF) 471	multiple demands of health care context 327–8	traditional method of 387–8
of cytokine production 221–2	summary 328	HIV/AIDS 513
and eating disorders 490	health care professionals’ wellbeing	activism and public involvement 348
gene therapy treatment for haemophilia 507	burnout 353–5	antenatal screening 407
neuromuscular conditions 554	doctors, stress and burnout in 361–6	behavioural interventions 514
and obesity 560	shiftwork 357–9	haemophilia patients 507
telomere length as stress biomarker 232	support for HCPs 366–9	Intervention Mapping 277
glandular fever <i>see</i> infectious mononucleosis (IM)	health, definitions of 16–17	motivational interviewing 290
global era, disease patterns 17	health education 274–5	optimizing treatment as prevention (TasP)
goal realization and coping 116	about osteoporosis 565	513
gonadal dysfunction 493	information from peer supporters 294	pre-exposure prophylaxis (PrEP) 71–2
graded exercise therapy (GET) 456–7	people with skin disorders 588	psychosocial adjustment to 513–14
Graves’ disease <i>see</i> hyperthyroidism	sexual health 584	transmission risk in drug users 487–8
green space, health benefits 33–4	health and illness cognitions	in victims of sexual violence 170
group therapy 267	assessment of models 189–90	holistic approaches, worksite interventions 319
applications of 269	evidence for prediction of health outcomes 191	homophobia, internalized 25
efficacy of 268	theoretical models 188–9	hormone replacement therapy (HRT) 633
models of 267–8	health information quality (HIQ) 383	clinical indications for 633–4
therapeutic factors 268	emotional and informational support 383	contraindications 635
growth disorders 493	quality assurance and measures of 384–5	duration of treatment 635
growth retardation	search engines 385	for menopausal symptoms 545
clinical assessment 505	ethical issues 386	to reduce risk of osteoporotic fractures 565
definition and classification 504	social impact of 385	safety guidelines for selected diseases 634–5
psychological adaptation and outcome 504–5	social media (Twitter) 385	hospitalization 636–7
psychological intervention 505–6	types of website 383–4	of children 639–40
gynaecological health problems	user-generated content 385	family members and friends, anxieties of
as a result of sexual violence 169–70	health promotion 274–5	637–8
women exposed to IPV 160	Intervention Mapping 277	individual differences in coping strategies 639
H.I.Q. <i>see</i> health information quality	planning 275, 277	information provision 638–9
habitual behaviour 271	quality of planning 275–6	patient concerns and stressors 637
eating behaviour 271	theories	patient distress 637
explaining non-adherence 103	applied to interventions 276	psychological preparation 639
haemophilia 507	determinants of behaviour 276	hostility-heart disease link 201
harassment at work 30–1	implementation phase 277	Human Connectome Project (HCP) 178
head and neck cancer, radiotherapy 657	in the workplace 319–20	humanitarian crises <i>see</i> conflict-affected
headache	health-related quality of life (HRQOL) <i>see</i> quality of	populations
behavioural interventions 509	life (QOL)	hyperactivity <i>see</i> ADHD
cognitive behavioural interventions 510	health status	hypercortisolism 492
definitions 508–9	measurement of 192–4	Hyperkinetic Disorder <i>see</i> ADHD
patient education 509	patient-reported outcomes 215–17	hyperparathyroidism 492
relaxation and biofeedback 510	hearing disorders 511	hyperprolactinaemia 493
risk factors 509	future directions in internet and IT 512	hypertension 518
health behaviour change interventions <i>see</i>	psychological treatments 511–12	chronic psychological states 519
behaviour change interventions	role of psychological factors 511	interventions to reduce stress 519–20
health behaviour models 55–9, 71, 191	heart disease <i>see</i> cardiovascular disease (CVD);	role of sympathetic nervous system 518
	coronary heart disease (CHD)	subacute and chronic stress 518–19

hyperthyroidism 492, 521 <ul style="list-style-type: none">clinical implications 522psychological disturbances 521–2psychological symptoms following treatment 522quality of life 522stressful life events preceding 521<ul style="list-style-type: none"><i>see also</i> endocrine disorders	enumerative assays 219	history of IQ testing 198
hypnoanalysis 280	genetic profiling 221–2	theories of intelligence underlying 198–9
hypnosis <ul style="list-style-type: none">for irritable bowel syndrome 529medical problems 280–1medical and surgical procedures 281nature of 278–9obstetrics 281precautions and contraindications 281for psychological disorders 280smoking and obesity 103specific procedures 279–80stages of 279theoretical assumptions 279	interventions 139	intensive care units (ICUs) 641 <ul style="list-style-type: none">psychological sequelae for family members 642psychological sequelae for survivors 642stressors experienced by critically ill patients 641–2
hypocortisolism 493 <ul style="list-style-type: none">physiological processes 80	irritable bowel syndrome (IBS) 528	intentions <ul style="list-style-type: none">and adherence to treatment 103–4sun protection and tanning models 449Theory of Planned Behaviour 58–9
hypoglycaemia, reducing fear of 478–9	measurement confounds 222	internally displaced persons (IDPs) 163–5
hypogonadism 493	mood disorders and PTSD 138	internet interventions 314 <ul style="list-style-type: none">coping with chronic illness 112–13internet-based CBT (ICBT) 253support groups 314<ul style="list-style-type: none"><i>see also</i> social media; websites
hypoparathyroidism 492	sleep deprivation and smoking 138–9	interoception 210
hypothalamic-pituitary-adrenal (HPA) axis <ul style="list-style-type: none">activated in response to stress 5, 123, 151and cortisol awakening response (CAR) 501and immune system regulation 137	and stress exposure 137–8	intersectionality 22
hypothyroidism 492	viral challenge studies 139	Intervention Mapping 277
illness <ul style="list-style-type: none">models of stress in 309–10social construction of 7stress in crisis phase of 310–11<i>see also</i> chronic illness	immunization 402–3	intimate examinations 643 <ul style="list-style-type: none">factors affecting comfort during 644–5psychological impact of 643–4
illness perceptions 106–7 <ul style="list-style-type: none">and asthma 431combinations of dimensions 189–90effect on behaviour 107of family members 190prototypes of illness, formation of 107relation to health outcomes 107–8theoretical models 188–9<ul style="list-style-type: none">assessment of 189predictions of health outcomes 191unrealistic 651using drawings 190<i>see also</i> symptom perception	implementation research 334 <ul style="list-style-type: none">methods and models applied in 335–7recommendations and challenges 337relevance of health psychology to 335versus implementation practice 334–5	intimate partner violence (IPV) 158 <ul style="list-style-type: none">consequences of 159–61definitions of 158practice and policy implications 162prevalence and risk 158–9
immigration 37 <ul style="list-style-type: none">anti-immigrant policies 38experience of migration process 38–9health care access, impact of policy on 37–8Latino population in US 37undocumented immigrants, deportation fears 38<ul style="list-style-type: none"><i>see also</i> migration	impulsive system, eating behaviour 271	intrinsic motivation 298
immune system 135–7, 218–19 <ul style="list-style-type: none">assessment of immune function<ul style="list-style-type: none"><i>in vitro</i> assessments 221<i>in vivo</i> assessments 219–21biological pathways regulating 137and cancer progression 139cardiovascular disease (CVD) risk 139	incident pyramid, accidents in healthcare 620–1	<i>in vitro</i> assessments of immune function 221
	incontinence <i>see</i> enuresis; lower urinary tract symptoms (LUTS)	<i>in vivo</i> assessments of immune function 219–21
	induced abortion 419–20 <ul style="list-style-type: none">psychological impact of 420	IQ (information quality) <i>see</i> health information quality (HIQ)
	inequalities in health 18 <ul style="list-style-type: none">between rich and poor 41–2causal explanations 42–4explanatory models 18–19and sexual orientation 24–5potential explanations for 25–6	IQ (intelligence quotient) 197
	infectious mononucleosis (IM) <ul style="list-style-type: none">cognitive behavioural model of 501Epstein-Barr virus causing 500risk factor for CFS (chronic fatigue syndrome) 500–1	IQ testing <i>see</i> intelligence tests
	infertility <ul style="list-style-type: none">assisted reproductive technologies 624–5chemotherapy-induced 627	irritable bowel syndrome (IBS) 528 <ul style="list-style-type: none">aetiological models 528–9and chronic pelvic pain 460–1stress preceding 528treatment of 529
	inflammatory bowel disease (IBD) 523 <ul style="list-style-type: none">linkages to stress 523–4psychological interventions 524stress mechanisms 524	kidney disease <i>see</i> renal failure
	information overload, patients 340	language impairment <ul style="list-style-type: none">amyotrophic lateral sclerosis (ALS) 547aphasia 428–9
	information transmission, HCP-patient consultations 380	latent viruses, antibodies to 220
	informed choices/decisions <ul style="list-style-type: none">prostate cancer 446risk information 377and screening 405, 411antenatal screening 407cardiac screening 414	Latino population, US 37
	injuries <ul style="list-style-type: none">intimate partner violence (IPV) 159–60nursing staff 331–2spinal cord injuries 591–4traumatic brain injury (TBI) 601–2unintentional 603–5	lay involvement <i>see</i> service user and lay involvement
	insomnia disorder 525–6	learning theories <ul style="list-style-type: none">associative learning 52operant conditioning 85–6, 239–40<ul style="list-style-type: none">theory of chronic pain 246–7physical activity interventions 298social learning 50–2
	Integrated Motivational Volitional (IMV) model, suicidal behaviour 598–9	Li-Fraumeni syndrome (LFS) 399
	Integrative Cognitive Model (ICM), MUS 81	life events <ul style="list-style-type: none">assessment of stressors 229–30and hyperthyroidism 521
	intelligence 197 <ul style="list-style-type: none">hierarchical models 199proxy measures of crystallized and premorbid 209	life expectancy <ul style="list-style-type: none">people with haemophilia 507sex differences in 20–1and socioeconomic status 18
	intelligence quotient (IQ) 197	lifecourse model of health inequality 19
	intelligence tests 197–8 <ul style="list-style-type: none">group differences 199–200	

lifecourse perspective 9	aetiology 79–80	misdiagnosis, traditional assessments 179–80
PTSD in UNC alumni heart study (UNCAHS) 9–11	attention bias 80	mobile health (m-Health) 315–16
low back pain (LBP) 432–4	cognitive and behavioural responses 80	use of in CHD patients 470
lower urinary tract symptoms (LUTS)	definitions 78–9	modelling 240
aetiology 530	epidemiology 79	eating behaviours 50–2
definition 530–1	models of 81–2	self-management skills 305–6
help-seeking 534	non-cardiac chest pain (NCCP) 555–8	social modelling of placebo response 33–4
impact on partner 533–4	physiological processes 80	modern industrial era, disease patterns 17
natural history 531–2	social influences 81	mood assessment
prevalence 530–5	symptom overlap 79	negative emotions 200–1
quality of life 532–3	treatment of 82	and pain 212–13
and sexual dysfunction 533	medication	positive emotions 201
treatment and self-management 534–5	anti-obesity 561	procedures 201–2
lung cancer 166–7	antidepressants 654	psychophysiological measures 202–3
research evidence 444	antipsychotics 654	recommendations for measurement 203
screening 410	benzodiazepines 654	time frame of 202
treatments and psychosocial interventions 444	for dementia 476	mood disorders
lymphoedema 536	for drug dependence 487	bipolar spectrum disorders 421–2
causes of 538–9	mood stabilisers 654	and inflammatory processes 138
development of 536–9	and the placebo effect 97–9	<i>see also</i> anxiety; depression
diagnosis 539	perceived sensitivity to 95, 98	mood stabilisers 654
lymphatic system 538–9	and the placebo effect 93–5	mortality rates and socioeconomic status 18
management of 540	<i>see also</i> adherence to treatment	motivation
psychosocial effects of 539–40	meditation <i>see</i> mindfulness	and adherence to treatment 102
recognition 539	melanoma <i>see</i> skin cancer	for blood donation 649–50
magnetic resonance imaging (MRI) 175–6	memory failure <i>see</i> amnesia; dementias	information motivation behavioural skills (IMB)
fMRI (functional MRI) 176–7	meningitis 541–2	model 271
psychiatric genetics field 177	diagnosis and treatment 542–3	Protection Motivation Theory 56–7
main/direct effect model of social support 225	mortality and morbidity 542	Self-Determination Theory 298
malingerer 185	outcomes of 543	motivational interviewing (MI) 287
mammography screening 405, 410, 441–2	support after recovery from 543	addiction treatment 486
masculinity-femininity discourse 21–2	symptoms 542	in clinical settings 291
Maslach Burnout Inventory (MBI) 362–3	menopause 544–5	effectiveness of 290
mass psychogenic illness 90	metabolic syndrome 358, 422	origins of 287
materialist model of health inequality 18	methadone treatments 487	procedures used in 289–90
meaning-focused coping 115	migraine <i>see</i> headache	spirit of 287–9
mechanisms of altruism (MOA) approach, blood	migration 163	ten things that MI is not 290
donation 649	forced migration/external displacement 163	training and retention of skills in 290–1
media	refugees and asylum seekers 165	motivational model of pain 30
campaigns to encourage early detection 76–7	government and international resources	motor neuron disease (MND) 547
coverage of health scares, placebo effect 99	167	neuropsychological and behavioural aspects
TV food advertising, effect on children 52	internally displaced persons (IDPs) 163–5	547–8
web news and press releases 383	mental health issues 166	psychological and psychosocial factors
<i>see also</i> social media	health service integration 166–7	548
Medical Crisis Counselling model 311	physical health outcomes 166	motor vehicle safety 604
medical decision making 339	public health issues 165–6	multidisciplinary team working 343
everyday health decisions 339	mindfulness 283	characteristics of a good team 344
health policy decisions 341	basic elements of 284	importance of 345–6
patient decision making 339–40	clinical value of 284–6	interventions promoting 345
physician decision making 340–1	measures of 284	in modern healthcare 343
medical errors, support for HCPs 368	theory and practice 283–4	teamwork definition and models
medical interviewing 387	mindfulness-based stress reduction (MBSR) 367,	343–4
content 388	462	multiple sclerosis (MS) 549–50
alternative template for 389–90	Mini-Mental State Examination (MMSE) 209	cognitive behaviour therapy for 550
patient’s perspective 388–9	MINI (Mini International Neuropsychiatric	cognitive behavioural models of adjustment to
traditional history omissions 389	Interview) 181	550
historical perspective 387–8	minority stress framework, Meyer 25	family and caregivers 550
process 390	evidence for 26	paediatric 550–1
Calgary-Cambridge Guides 390–3	resilience perspective 12–13	myalgic encephalomyelitis (ME) <i>see</i> chronic fatigue
medical model of disability 13, 185	misattribution of common symptoms, placebo effect	syndrome (CFS)
medical procedures, preparing patients for 131–4	98	myasthenia gravis (MG) 551–2
medically unexplained symptoms (MUS)	miscarriage 419	myocardial infarction (MI)
	psychological impact of 419	psychological consequences 453

naltrexone, opiate withdrawal 487	physicians' lack of skills in 340–1	risk factors for 563
natural killer cytotoxicity (NKCC) 221	probabilities and risk communication 375–6	osteoporosis 564–5
nausea and vomiting, chemotherapy induced 627	risk perception by patients 339–40	HRT for prevention of 565, 634
Necessity-Concerns Framework, adherence to treatment 103	nursing services, organizational structure 331	prevention and treatment 565
neck and head cancer, radiotherapy 657	obesity	overeating by dieters
negative emotions/negativity 200–1	behavioural causes 560	as a relapse 54
and coping responses 116	consequences of 560	and cognitive shifts 53
and decreased vaccine responses 403	definition and prevalence 559	
link with coronary heart disease (CHD) 129, 468–9	environmental causes 560	pain 84
risk factor for CVD 451–2	and genetics 560	assessment of 210–11
social negativity 141–2	hypnosis for weight reduction 280	cognitive content and process 213
and symptom reporting 91, 98	and osteoarthritis (OA) 563	mood and emotional state 212–13
worry-stress relationship 123	treatment of 560–1	pain scales 211–12
see also anxiety; depression	observational learning see social learning	physical function and disability 213
negative stereotypes see stigma	observational scales, pain assessment 212	qualities of an assessment instrument 211
neighbourhood green space 33–4	obstructive sleep apnoea (OSA) 526–7	associated with sexual violence 169–70
neonatal death 436	occupation	biofeedback treatment 243–4
neophobia, eating behaviour 50	as a determinant of health 29	multidimensional models
neurofeedback 178, 242–3	effect of changing work environment 28	biopsychosocial model 86–7
neuroimaging 175–7	impact of employment and working conditions 29–31	cognitive-behavioural perspective 30
adults with congenital VI 611	see also employment	Gate Control Theory (GCT) 86
dementia diagnosis 476	older adults	people with haemophilia 507
diagnostic value of 177	in conflict-affected populations 154–5	single factor models
future directions 177–8	fall injuries 604–5	behavioural models 85–6
neural basis of ADHD 516	osteoporosis risk 564	biomedical model 85
pain reduction using rtfMRI feedback 243	physical activity 62	incompleteness of 86
neuromuscular disorders 553	interventions targeting 63	motivational model 30
genetic causes of 554	positive influence on bone mass 565	psychogenic model 85
psychological impact 554	posttraumatic stress symptoms (PTSS) 10	see also back pain; chronic pain; chronic pelvic pain
psychological support 554	sedentariness in 62	palliative care 651
quality and life community participation 553–4	visual impairment 608	care planning 652
neuropathic pelvic pain 461	age-related macular degeneration (AMD) 609	interpersonal factors 651–2
neuropsychological assessment 204	online communities see social media	psychological symptoms 651
clinical services 209	operant conditioning 85–6, 239–40	panic disorder 422
in developing areas of clinical neuroscience 209–10	theory of chronic pain 246–7	parallel process models 411
domains and tools for 204–8	opiates 655	parathyroid disorders 492
of intellectual functioning 209	opioid prescribing guidelines 604	parenting/parents
neuropsychologist's role 207	optimism	children with cystic fibrosis 473
screening tools 209	and coping 111–12, 129	children with neuromuscular conditions 554
neuroticism	see also positive emotion/positivity	impact of intimate partner violence on 161
and decreased vaccine responses 403	oral care and hygiene	parents' attitudes to food 50–2
link to burnout and stress 365	future health promotion issues 647	Parkinson's disease 566
Newborn Screening (NBS), cystic fibrosis 471–3	oral diseases and prevention 645–6	carer support 568
news and press releases, online information 383	psychological approaches 646–7	cognitive impairment and dementia 566–7
nicotine replacement therapy (NRT) 49, 653	organ donation 648	management of 567–8
nocebo effect 97	barriers to registration 648	psychiatric problems and psychosocial functioning 567
mechanisms causing 97–8	living donation 649	participatory action research (AR), burnout 355
other factors related to 98	opt in versus out system 648–9	patient centeredness/patient-centred care approach 217
reducing 99	promotion campaigns 649	clinical interviewing 388–9
social transmission of 33–4	organizational culture and worksite interventions	component of PROMs feedback model 217
noise, chronic exposure to leading to stress 33	enabling factors and barriers 320	in consultations with HCPs 380–1
non-adherence to medication see adherence to treatment	holistic approaches to health 319	patient education 275, 305
non-cardiac chest pain (NCCP) 555	social ecological analyses 319	therapeutic patient education (TPE) 509
assessment of 557	support for health promotion 319–20	patient-health care professional communication 379
causes of 555–6	orofacial cleft see cleft lip and palate	benefits of good communication 381
treatment 557–8	osteoarthritis (OA) 562	consultation process 379–80
non-events, frustrated goal pursuits 25–6	defining 562	different patient groups 381
Norwegian Mother and Child Study (MoBa) 170	diagnosing 562	improving 380–1
numeracy	guidance for managing 562–3	input factors in 379
estimating the size of risks 66	impact of 563	outcomes of the consultation 380
	outcome measures for 563	

- patient outcomes monitoring 214–15
 - applications of patient reported outcomes 215–16
 - measuring patient reported outcomes (PROs) 215
 - using PROMs in clinical practice 216
 - using PROMs in routine outcome measurement 216–17
- patient satisfaction
 - communication with health care professionals 380
 - and the health care work environment 332
- Pavlovian conditioning *see* classical conditioning
- peer influence, eating behaviour 50
- peer support 292–3
 - forms of support 294–5
 - for healthcare professionals 367–8
 - methods of programme delivery 293–4
 - outcomes of 295
 - peer supporters 293
 - reasons for needing 293
- pelvic inflammatory disease 460
- pelvic pain *see* chronic pelvic pain (CPP)
- peptic ulcer *see* ulcers, gastric and duodenal
- perceived behavioural control (PBC), Theory of Planned Behaviour 58–9, 298
- perceived necessity and concerns 103
- perceived versus received support 225
- perception of risk 375–6
- periodontal disease 645–6
- perinatal health, effects of sexual violence 170–1
- perinatal mental health 569
 - impact of 569–70
 - risk and resilience 569
 - summary 570
- perseverative cognition hypothesis 123
- personality 127–8
 - and addictive behaviours 47
 - and adherence to medication 101–2
 - and coping styles 111–12
 - effects on perceived well-being 194
 - and epilepsy 499
 - pathways between personality and health 46
 - and postsurgical outcomes 664
 - and posttraumatic outcomes 6
 - and the search for a placebo responder 94–5
 - stress and the work environment 364–5
 - studying causal links 128
 - traits 129–30
- personality disorders, structured interviews 183
- pessimism and coping style 111–12, 651
- pharmacotherapy *see* medication
- physical activity 61, 297
 - and bone density in older people 565
 - factors associated with 62
 - health outcomes of 61
 - international guidelines 61
 - interventions 297
 - acceptability to target population 63
 - behaviour change techniques 298–9
 - design and development of 62–3
 - future research directions 299
 - prescriptions in primary care settings 63
 - psychological theories 297–8
 - self-regulation approaches 63
 - social ecological model 319
 - wearable technology 63
 - and mental health 297
 - and obesity 560
 - see also* sedentary behaviour
- physiotherapy 433
- placebo effect 93
 - and biofeedback 244
 - clinical implications 95
 - research evidence 93–5
 - and studies of IBD symptoms 523
- placebo psychotherapy 95
- placebo responding, individual differences in 94–5
- poisoning prevention 604
- positive elements of healthcare, recognizing 354
- positive emotion/positivity 124
 - and disease progression 125
 - effect on health 124, 129, 201
 - interventions to promote 125
 - pathways linking to health 125
 - protective effect on CVD 452
 - and resistance to the common cold 467
- post-traumatic stress disorder (PTSD)
 - in burns patients 438
 - and chronic pelvic pain 461
 - and domestic/intimate partner violence 161
 - inflammatory processes contributing to 138
 - in the perinatal period 569
 - populations displaced by conflict 166
 - and sexual violence 171
 - UNC Alumni Heart Study (UNCAHS) 9–11
- post-viral fatigue syndrome *see* chronic fatigue syndrome
- postnatal depression
 - assessment of 408
 - effect on child 7
 - parents of preterm babies 436
 - see also* perinatal mental health
- postpartum haemorrhage 435–6
- poverty
 - and IQ 199–200
 - and poor health 18
 - see also* socioeconomic status (SES) and health
- Pre-Exposure Prophylaxis (PrEP) 71–2
- precarious employment 29–30
- preeclampsia 436
- pregnancy and childbirth 571
 - antenatal care 622–3
 - antenatal screening 407–9
 - birth 572–3
 - caesarean sections, increase in 571–2
 - use of hypnosis for pain relief 281
 - perinatal mental health 569–70
 - prenatal stress 6–7
 - rape/sexual assault 170–1
 - unplanned/unintended pregnancy 70
- prejudice events 25
- premenstrual syndrome (PMS) 574
 - cultural context 574–5
 - material-discursive-intrapsychic (MDI) model 575
 - relational issues 575
 - treatments for PMDs 574
- preterm birth 436
- PRIME theory of addiction 17
- proactive coping 115
- probabilities
 - and patient decision making 339–40
 - risk communication 375–6
- problem-focused coping 111
 - measuring 233
 - proactive coping 115
 - versus emotion-focused coping 114–15
- ‘process evaluations’ of complex interventions 336–7
- professionalisation debate, lay involvement 350
- prostate cancer 446–7
 - screening 410
- protection motivation theory (PMT) 56–7
- protective buffering, dyadic coping 119
- prototypes of illness 106
 - formation of 107
- psychodynamic psychotherapy 300–1
 - clinical implications 303–4
 - early experience and the internal world 301–2
 - fantasies, defences and dreams 302–3
 - key elements of 303
 - research evidence 301
 - social and cultural relevance 303
 - therapy context 302
- psychogenic model of pain 85
- psychological flexibility model 248
- psychoneuroimmunology (PNI) 135–7
 - applications and clinical significance 139
 - assessment
 - confounding variables 222
 - enumerative measures 219
 - genetic mechanisms 221–2
 - immune function 219–21
 - summary 222
 - biological pathways 137
 - and elevated Epstein-Barr virus titres 500
 - future directions 139
 - health behaviours 138–9
 - immune system overview 218–19
 - psychopathology 138
 - stress and the immune system 137–8
- psychosocial model of health inequality 19
- psychotropic drugs 653–5
- PTSD *see* post-traumatic stress disorder
- quality assurance of online health information 384
- quality of life (QOL) 194–5
 - children with spina bifida 590
 - in COPD, QoL measures 458
 - haemophilia sufferers 507
 - headache and migraine sufferers 509
 - hyperthyroidism 522
 - impact of allergies on 424–5
 - impact of cancer on 440–1
 - individuals with clefts 464
 - lower urinary tract symptoms 532–3
 - lymphoedema 540
 - for myasthenia gravis (MG) patients 552
 - neuromuscular disorders 553
 - outcome measure in Parkinson’s Disease 567
 - Parkinson’s disease (PD) 567
 - and planned health promotion 275
 - prostate cancer sufferers 446–7

skin diseases 587	other risk behaviours predictive of 71	correlate of physical activity 62
and spinal cord injury 593	risk communication 375	and protection motivation theory 57
transplantation 666	facilitating risk-reducing behaviour 376	and social cognitive theory 59
Type 1 diabetes 478	informing choices 377	techniques to enhance 271
	probabilistic information 375–6	self-harm 598
racial/ethnic groups	providing appropriate reassurance 376–7	self-healing personality 130
differences in intelligence 199	risk factors	self-management interventions 305
prejudice events 25	Alzheimer type dementia 476	asthma patients 431–2
radiotherapy treatment 656–7	cancer 440	content of 305–7
rape 168–9	cardiovascular disease 412	delivery of 307
definition of sexual violence 169	for chronic fatigue post IM 500–1	efficacy of 307–8
health consequences 169	for chronic headache 509	lower urinary tract symptoms (LUTS) 534
gynecological health 169–70	coronary heart disease 468–9	lymphoedema 540
mental health 171	eating disorders 581	rheumatoid arthritis (RA) 579
perinatal health 170–1	erectile dysfunction 581	role of peer support 294
prevalence of 169	for ICU survivors 642	theories applied to 305
real-time fMRI (rtfMRI) 243	osteoarthritis 563	type 1 diabetes 478
reconstructive and cosmetic surgery 658	osteoporosis 564–5	type 2 diabetes 482
psychosocial postoperative outcomes 660	sexual dysfunction in women 581	uptake and attrition 307
reflective listening, motivational interviewing 287–9	risk perception 64	self-regulation
reflex epilepsies 498	and decision making about health risks 64–6	physical activity 63
refugees 165	defining risk 66	worksite interventions 318–19 <i>see also</i>
rehabilitation	definitions of risk events 67	biofeedback; Common Sense Model (CSM)
cardiac rehabilitation 453–4	estimating the size of risks 66	self-regulation theory 579
people with disabilities 14, 187	improving 67–8	self-report scales, pain assessment 211–12
pulmonary rehabilitation programmes 459	mental models of risk processes 67	self-stigma 147
spinal cord injury 592, 594	and patient decision making 339–40	effect on coping ability 147–8
vestibular 607	and perception of probability 375–6	septicaemia 542
reinforcement 239–40		Serious Games 315
and eating disorders 490	SADS (Schedule of Affective Disorders and	service user and lay involvement 347
and pain behaviour 246–7	Schizophrenia) 181–2	diverse and inclusive involvement 348–9
relapse prevention (RP) model 486	SADS-C 181	from global to national 347–8
relational coping, couples 119	SCID (Structured Clinical Interview for DSM	impact of involvement 350
relationships <i>see</i> social relationships	Disorders) 182	methods of involvement 349–50
relaxation training 252, 510	screening 404	reasons for involving the public 348
reliability	antenatal 407–9	in research 348
assessment instruments 211	cancer 410	social movements 348
structured interviews 180	breast cancer 441–2	sex differences 20–1
renal failure 576	explaining screening 411	in intelligence 199
outcomes 577	informed choice 411	versus gender differences 21–2
treatments 576–7	for melanoma 449–50	sexual assault/violence 168–9
renal replacement therapy (RRT) 576–7	prostate cancer, decision-making 446–7	and chronic pelvic pain (CPP) 461
reproductive disorders 493	research needed 411–12	definition 169
shiftwork as risk factor 359	screening levels 410–11	health consequences 169–71
research, service-user involvement 348	screening technologies 410	prevalence in EU and US 169
evidence of impact 350	cardiac 412–14	prevalence in other countries 169
resilience	cognitive function 209	sexual behaviour 69
positive emotions enhancing 125	cystic fibrosis 471–3	dynamic and cultural aspects 72
psychological health during pregnancy 569	effectiveness issues 404–5	and health behaviour models 71
of sexual minorities 12–13	genetic, for mutation carriers 400	impact of sexual health interventions on 25–6
respiratory disorders <i>see</i> asthma; chronic	ICU survivors 642	sexual risk behaviours 69–70
obstructive pulmonary disease	informed participation 405	determinants of 70–1
respondent conditioning <i>see</i> classical conditioning	psychological and behavioural consequences 405	and high-risk populations 70
restrained eating <i>see</i> dieting	test results, providing appropriate reassurance	social perspectives 71
rewards	376–7	sexual dysfunction 580
enuresis treatment 496	uptake of 405	and cardiovascular disease 453
food-reward pairing 52	search engines 385	in men 580–1
rheumatoid arthritis (RA) 578	sedentary behaviour	in women 581–2
psychological impact of 578–9	factors influencing 62	sexual health literacy 584
psychological interventions 579	negative health consequences 61–2, 297	sexual orientation 24
risk behaviours, sexual 69–70	seizures in epilepsy 497–8	and health inequalities 24–5
determinants of 70–1	self-determination theory 298	explanations for 25–6
and high-risk populations 70	self-efficacy 579	and improved social climate 26

- sexual orientation (cont.)
 - and minority stress
 - coping strategies 12–13
 - impact on health 26
 - sexually transmitted infections (STIs) 583
 - decision making about prevention 583
 - partner notification 584
 - preventative interventions 584
 - psychological responses to diagnosis of 583
 - sexual health literacy 584
 - in victims of sexual violence 170
 - see also* HIV/AIDS
 - shift and persist strategy, stress 6
 - shiftwork
 - and chronic diseases 358–9
 - current trends 357
 - and health impairment, underlying mechanisms 357
 - interventions to aid adaptation to 359
 - methodological issues in research 359
 - sleep, fatigue and mental health 357–8
 - short stature *see* growth retardation
 - sickle cell disease (SCD) 585–6
 - side effects of medication *see* nocebo effect
 - skills training
 - by cognitive behaviour therapists 252
 - for healthcare professionals (HCPs) 367
 - motivational interviewing 290–1
 - and patient-HCP communication 380–1
 - skin cancer
 - behavioural determinants 449
 - early detection 449–50
 - epidemiology 448
 - evaluation and measurement 449
 - interventions for preventing 449
 - preventative behaviours 448–9
 - skin disorders
 - adherence to treatment 588
 - disease burden 587
 - educational and psychological interventions 588
 - psychological co-morbidities and stress 587
 - quality of life impact 587
 - sleep disorders 525
 - insomnia disorder 525–6
 - obstructive sleep apnoea (OSA) 526–7
 - overview of 526
 - sleep disruption
 - and immune response 49
 - night shifts/shiftwork 357–8
 - precipitating chronic headache 509
 - smartphone use 315–16
 - in CHD patients 470
 - smoking 653
 - and COPD 458–9
 - effect on the immune system 138–9
 - health promotion to prevent 275
 - hypnosis treatment 280
 - nicotine dependence 653
 - nicotine replacement therapy (NRT) 49, 653
 - relapse 54
 - sociodemographic differences 47
 - strongest risk factor for lung cancer 444
 - social anxiety 43
 - social capital 224
 - and residential green space 34
 - social cognitive theory (SCT) 59
 - social cohesion and green space 34
 - social ecological approach, workplace health
 - promotion programs 319
 - social embeddedness 224
 - social factors and health 16
 - health, illness and disease as socially constructed 7
 - health inequalities 18–19
 - patterns of health and disease 17–18
 - social integration 224
 - and resistance to the common cold 467
 - social learning
 - acquisition of pain behaviours 86
 - of eating behaviour 50–2
 - of nocebo response 33–4
 - provided by groups 267
 - social media
 - and health information quality (HIQ) 385
 - negative outcomes of 113
 - source of health information 112
 - support groups 314–15
 - social models of disability 13
 - social movements 348
 - social network analyses 223–4
 - social norms, changing 260
 - social relationships 141
 - and antibody response 403
 - beneficial effects on health 452
 - influence on health 141–2
 - intervention opportunities and future directions 142–3
 - mediating premenstrual syndromes 575
 - moderating role of 30
 - at work 30
 - see also* peer support; social integration
 - Social Security Administration (SSA) 186
 - social stress testing 230
 - social support
 - assessment of 223
 - functional aspects 224–6
 - structural aspects 223–4
 - and coping strategies 111
 - and dyadic coping 120
 - and vaccine response 402–3
 - versus social negativity 141–2
 - social ties 224
 - socioeconomic status (SES) and health 41
 - causal explanations
 - behavioural factors 42
 - biological factors 43–4
 - material factors 42
 - psychosocial factors 42–3
 - social selection and social causation 42
 - developmental influence of low SES 7
 - evidence for health-SES link 41–2
 - future research directions 44
 - somatic symptoms disorders (SDD) *see* medically unexplained symptoms (MUS)
 - speech therapy 428–9
 - spina bifida 589
 - associated problems 590
 - impact on family 590
 - long-term outcome 590
 - types and incidence of 589–90
- spinal cord injury (SCI)
 - aetiology, incidence and prevalence 591–2
 - coping strategies 593
 - physical impact 592
 - psychological adjustment and quality of life 593
 - psychological impact/reaction 592–3
 - psychological interventions 593–4
 - rehabilitation 592
- spiritual well-being, mindfulness 286
- spontaneous abortion 419
 - psychological impact of 419
- staff morale and performance, effect of work
 - stressors on 331–2
- staffing levels, impact on nurses and patients 331
- Stanford-Binet Scale, intelligence testing 197
- sterilization 661
 - effect on marital and sexual relationship 662
 - factors influencing choice of method 661–2
 - post-sterilization regret 662
 - psychological/psychiatric problems 662
- stigma 145–6
 - internalized 25
 - self-stigma 147
 - effect on ability to cope 147–8
 - societal stigma 146
 - behavioral coping strategies 146
 - cognitive coping strategies 146–7
- stillbirth 436
- stimulants 654
- stress 149
 - accelerated ageing associated with 7
 - and allergic disease 424–5
 - allostasis and allostatic load 151–2
 - biological mechanisms 123, 151
 - biopsychosocial approach 149–50
 - cardiovascular disease (CVD) 452
 - causing hypertension 518–19
 - and CHD development 469
 - classification of stressors 150–1
 - cognitive appraisal 150
 - and the common cold 466–7
 - crisis management 309–12
 - early childhood 7
 - and eating behaviour 123
 - environmental 32–3
 - eustress (positive stress) 151
 - evolutionary perspectives 152
 - in health care professionals 366–7
 - immune system effect 137–8
 - and inflammatory bowel disease (IBD) 523–4
 - interventions to reduce 519–20
 - low SES individuals 43
 - maternal 7
 - peptic ulcer development 502–3
 - prenatal 6–7
 - psychosocial dimension 150
 - research applications 152
 - and skin disease 587
- stress-buffering theory of social support 125, 225, 439

stress and burnout in doctors 361	surgery 663	Theory of Planned Behaviour (TPB) 58–9
burnout-stress link 364	changes in surgical procedures 665	eating behaviour 52–3
defining and measuring burnout 362–4	cosmetic and reconstructive 658–60	physical activity 298
defining and measuring stress 361–2	effect of pre-operative stress on post-operative recovery 664	therapeutic communities, addiction 486–7
management of 365–6	obesity treatment 561	thoracic breathing, NCCP 555–6
personality 364–5	psychological preparation for 664–5	thought records and related strategies, CBT 252
working conditions 365	stress responses of patients 664	thought suppression and over-eating 53–4
stress and coping assessment 229	stressful features of 663–4	thyroid disorders 492
measuring coping 233	survival rates	hyperthyroidism 521–2
coping styles and profiles 233	and cancer screening 340–1	thyrotoxicosis 492, 521
in different populations 233–4	organ transplantation 666	<i>see also</i> hyperthyroidism
measuring psychosocial stress 229–30	sickle cell disease 585	tinnitus 511
biological stress 231–2	spina bifida 590	cognitive behavioral therapy (CBT) 512
laboratory acute stress 230	sympathetic nervous system (SNS) 137, 518	tobacco <i>see</i> smoking
stress and crisis management 309	symptom perception 89	token economy, operant conditioning 240
illness and stress 309–11	accuracy of 89–90	tooth decay <i>see</i> oral care and hygiene
interventions 311	and asthma 431	trait negative affect <i>see</i> negative emotions/negativity
for caregivers 311	commonality of symptoms 89	transactional model of stress 150
for patients 311	influence of emotions 91	transdiagnostic treatment, MUS 82
stress hormone <i>see</i> cortisol	interpreting symptoms 90–1	transplantation 666–7
stress response 5, 151	meaning of, eating disorders 490	transtheoretical (stages of change) model 287, 298
stressful medical procedures 131–2	measuring symptoms 89	sun protection behaviour 449
children and adolescents 133–4	noticing symptoms 90	traumatic brain injury (TBI)
coping strategies 47	summary 91	clinical implications and intervention 602
identifying patients' concerns 132	symptoms	definition and severity 601
planning interventions 132–3	appraisal of, and help-seeking 75–6	effect on others 601–2
role of hypnosis 281	breast cancer 442	epidemiology 601
social and cultural context 134	exaggerated 185	factors influencing recovery 602
stroke 595	and help-seeking behaviour 74	impact on cognition, emotion and behaviour 601
HRT increasing risk of 634	interventions to raise awareness of 76–7	traumatic events <i>see</i> post-traumatic stress disorder (PTSD)
impact on psychological health 595	meningitis 542	treatment adherence <i>see</i> adherence to treatment
involving patients and families 596	symptom checklists 194 <i>see also</i> medically unexplained symptoms	treatment recommendations, medical decision making 341
neuropsychological impact 452–3	systematic desensitization, Wolpe 239	Trier Social Stress Test (TSST) 230
psychological care 595–6	Systematic-Transactional model (STM), dyadic coping 42	trust, building 259–60
psychological and physical health following 595	tanning behaviour 448–9	Twelve-Step programmes 486–7
structured interviews 180–1	team building 332–3	Twitter, dissemination of health information 385
diagnostic models using 181–3	team working <i>see</i> multidisciplinary team working	type 1 diabetes mellitus (T1DM) 477–8
for personality disorders 183	technology	emotional well-being and QOL 478
substance abuse	and self-management of T1DM 478	fear of hypoglycaemia, reducing 478–9
volatile substance abuse (VSA) 614–15	<i>see also</i> internet interventions; virtual reality (VR); websites	managing with technology and training 478
<i>see also</i> addiction; alcohol addiction; drug dependence; smoking	technology-assisted interventions 313, 316	role of family 478
suggestibility <i>see</i> hypnosis	computer and internet 314	role of health professionals 479
suicidal behaviour 597–8	dissemination and implementation of 316	type 2 diabetes mellitus (T2DM) 481
and anorexia nervosa 489–90	internet support groups and social media 314–15	management of, dual process model 336
extent of the problem 598	mobile health (mHealth) 315–16	psychological impact of 481–2
future research directions 599	use of in CHD patients 470	psychological interventions for depression 482
integrated motivational volitional (IMV) model 598–9	peer support 294	self-management 482
and intimate partner violence 161	telephone-based 313–14	Type A behaviour pattern (TABP) 129
puerperal psychosis 569	video conferencing 314	ulcerative colitis (UC) <i>see</i> inflammatory bowel disease (IBD)
and spinal cord injury 592–3	video games 315	ulcers, gastric and duodenal 502
support groups	virtual reality (VR) 315	psychological treatment 503
in healthcare environments 332–3	teenage pregnancy 70	stress as a maintaining factor 502–3
internet and social media 314–15	telephone-based counselling 313–14	stress as a precipitating factor 502
<i>see also</i> group therapy; peer support	temporal discounting, health decisions 339	stress mechanisms 503
support for healthcare professionals 366	terminology	ultraviolet radiation (UVR) exposure 448
after adverse events 368	disability 185	measurement 449
factors contributing to stress in HCPs 366–7	implementation research 337	preventive behaviours 448
individual training and support 367	seizures and epilepsy 498	risks of 448–9
multidimensional programs 368		and skin cancer prevention 449
organisational training and support 367–8		
summary discussion 368–9		

UNC alumni heart study (UNCAHS) 9–11	vasectomy 661–2	impact of low-quality/mis-information 385
unconscious processes	vasomotor symptoms (VMS) 544, 633–4	search engines 385
hypnotic state 279	vegetative patients, brain imaging 177	ethical issues 386
psychodynamic theory 300–1	venous thromboembolic disease (VTE) 634	types of website 383–4
unemployment	vertigo and dizziness 606	user-generated content 385
adverse health impact 30	influence of affect, cognitions and arousal 606–7	Wechsler scales, intelligence testing 197–8
people with visual impairment 611	perceptual motor and behavioural causes 606	weight concern model 53–4
unexplained symptoms 78–82	therapy for 607	Wilkinson and Pickett thesis of health inequality 19
unintentional injuries 603	vestibular rehabilitation 607	work engagement versus burnout 354
causes of 603	Veterans Affairs (VA) Department 186–7	work environments, health care system model 329–30
fall injuries 604–5	video conferencing 314	future directions 333
motor vehicle safety 604	video games 315	improving work settings 332–3
number of deaths due to 604	violence <i>see</i> intimate partner violence (IPV); sexual assault/violence	relationship-task-management interplay 332
poisoning prevention 604	viral challenge studies 219–20	work climate and stressors 330
urban areas	virtual reality (VR) 315	determinants of 330–1
conflict-affected populations living in 154	visible difference (disfigurement)	impact on staff and patients 331–2
environmental stressors in 32–3	adjustment to 484	working conditions
health benefits of green spaces/parks 33–4	psychosocial impact 483–4	impact on health 29–31
noise and crowding 33	vision disorders 608	and stress in doctors 365
parks helping build social capital and cohesion 34	age-related macular degeneration 609	worksite interventions 318
urinary disorders	in childhood, amblyopia 608–9	continuous quality improvement (CQI) 333
bedwetting (enuresis) 494–6	psychosocial impacts 608	enabling factors and barriers 320
lower urinary tract symptoms (LUTS) 530–5	visual disability/impairment (VI) 610	health promotion, social ecological model 319
vaccination	acquired VI, adjustment issues 612	holistic approaches 319
interdependent nature of 340	congenital VI, cortical reorganization 611	incentives and self regulation issues 318–19
misinformation 385	educational issues 611	individual and environmental strategies 318
social media spreading of 385	habilitation training 612	role of organizational culture 319–20
vaccine response 220	impact on early development 610–11	World Health Organization (WHO)
effects of depression on 403	language and social communication 611	Alma Ata declaration (1978) 347
stress lowering 402–3	psychosocial outcomes 611	definition of health 16, 192
validity	vocational rehabilitation 187	definition of sexual health 71
assessment instruments 211	voice disorders 612–14	model of disability 13–15, 185–6
tests, types of 185	volatile substance abuse (VSA) 614–15	Surgical Safety Checklist 619
value-expectancy models 411	wearable fitness devices 63	worry and stress-disease link 123
Protection Motivation Theory (PMT) 56–7	websites 383	wound healing, stress prolonging 220, 664
Theory of Planned Behaviour (TPB) 58–9	assessment of health information quality (HIQ) 384–5	
<i>see also</i> Health Belief Model (HBM)		
varicella zoster virus (VZV) 403		