

Index



- 3G 1X EVDO 18
- 3G 1 X EVDV 18
- 3GPP 257, 350–351, 375
- 3GPP2 350–351
- A**
- A interface 289, 297
- Abis 289, 296–297
- Absolute Radio Frequency Channel
Number 299
- Access Point 3, 20, 258, 394, 396, 399
- Active scanning 392
- Adaptive Modulation and Coding 369, 371,
373, 402
- Adhoc 2–3, 19–20, 58, 396
- Admission control 361, 379
- Analog Modulation
 - Amplitude modulation 61, 81
 - Frequency modulation 67–68, 257
 - Phase modulation 64, 66, 81
- Antenna
 - Aperture 203–204, 207
 - Beam area 202
 - Beamwidth 199–200, 202
 - Directivity 202–204
 - Efficiency 42, 87, 100, 140, 156, 162, 207,
212, 404
 - Field regions 197–198
 - Gain 106, 151, 203, 210
 - Impedance 196, 212
 - Polarization 204–205, 430
 - Radiation pattern 197–198, 205
- Aperture antenna 207
- Apogee 423, 427
- Array antenna 209
- Atmosphere
 - Exosphere 224
 - Homosphere 224
 - Heterosphere 224
 - Ionosphere 231, 233, 235
 - Mesosphere 224
 - Stratosphere 224
 - Troposphere 236, 430
 - Atmospheric loss 431
- Authentication
 - Authentication Centre 294, 306

538 Index

- Average C/I 374
- Average call holding time 454
- Average call request rate 454
- B**
- Back off algorithm 399
- Base Station 2–3, 13, 122, 143, 259, 263, 265
- Base Station Controller 291
- Base Station Sub-system 289
- Base Transceiver Station 270, 290
- Basic Service Set 396
- Blocked call 273
- Bluetooth
 - Piconet 20
 - Scatternet 20
- Border Gateway 325
- Busy hour 106
- C**
- Call blocking probability 278
- Call flow 307, 336
- Call management 310
- Carrier Sense Multiple Access
 - Non-persistent CSMA
 - Persistent CSMA 156
- Cell
 - Femto 263, 282
 - Macro 263–265
 - Micro 263–265
 - Pico 263, 265
 - Selective 264
 - Umbrella 264
- Cell splitting 265
- Channel assignment
 - Dynamic Channel Assignment 266
 - Fixed Channel Assignment 266
 - Fixed Channel Assignment with
 - Borrowing 266
 - Hybrid Channel Assignment 268
- Channel coding
 - Block code 42–43, 47
 - Concatenated code 57
 - Convolutional code 51, 83
 - Turbo code 57–58
- Cell breathing 362
- Central angle 417
- Channel Codec Unit 326
- Channel combination 306, 333
- Channel reuse 268
- Charging Gateway 324–325
- Chirp signal 186
- Ciphering 306–307, 334
- Circuit Switched Data 16, 319
- Cluster 269, 271–272, 278
- Code allocation
 - Channelization code 357
 - Scrambling code 357, 368
 - Synchronization code 357, 368
- Code efficiency 42
- Code tree 53
- Code-Excited LPC 104
- Cognitive Radio 10
- Compandor 90
- Cordless telephone
 - CT-1 12
 - CT-2 12
 - CT2+ 13
 - CT3 13
 - DECT 12–13
 - PHS 12–13
- Core network 353
- CSMA/CD 157
- D**
- Data confidentiality 306
- Decision feedback equalization 110, 117
- Diffraction
 - Diffraction loss 237
- Digital Modulation
 - Binary Amplitude Shift Keying [BASK] 69
 - Binary Frequency Shift Keying [BFSK] 69
 - Binary Phase Shift Keying [BPSK] 72
 - Differential Phase Shift Keying [DPSK] 73
 - Gaussian MSK 79

M-ary Phase Shift Keying 77
Minimum Shift Keying [MSK] 79, 288
OQPSK 79
QAM 81
QPSK 71, 81
Direction Of Arrival or DOA 214, 276–277
Directional antenna 150, 199, 262
Distributed co-ordination function 398
Diversity
 Frequency diversity 120
 Polarization diversity 120
 Scanning diversity 124
 Space diversity 122
 Time diversity 121
Diversity Combining
 Equal gain combining 125
 Maximal ratio combining 124
 Selection combining 123–124
 Threshold combining 124
Domain Name Server 325
Doppler shift 239
Duct propagation 236–237
Duplexing
 Frequency Division Duplexing 377
 Time Division Duplexing 385

E

Earth Station 25, 410–411, 413, 416
Eccentricity 426
EDGE 257, 319, 342
Electromagnetic spectrum 412
Elevation angle 417
eNode-B 379
Equalization
 Linear Equalizer 109–110, 114
 Non-linear equalizer 116
Equipment Identity Register 294
Erlang 454–457
Exposed Node 158
Extended Service Set 398
E-UTRAN 379

F

Fading
 Small-scale fading 119, 239, 244
Fair throughput 374
Fast Associated Control Channel 305
Fast fair throughput 374
Fast Scheduling 369, 374, 377
Firewall 325
First generation standards
 AMPS 5, 15, 147, 279
 NMT 15, 147, 279
 NTT 15, 147
 TACS 5, 15, 147
Forced termination probability 278
Four way handshake 159
Fractionally spaced equalizer 114
Frame format 394–395
Frequency Correction Channel 304
Frequency domain waveform coder
 Adaptive Transform Coding 99
 Sub-band coding 97
 Friis transmission 201, 226, 229
Full duplex 94, 142–143, 305
Full Function Device 23

G

Gain 106, 122, 125, 186, 203
Gateway GPRS Support Node [GGSN] 324
General Packet Radio Service or GPRS
 Attach 336
 Channels 145, 151, 224, 258, 264, 272, 274, 331, 364
 Coding scheme 57, 326
 Interfaces 327
 Mobility management 328, 336
 Routing Area Update 338
 Security management 334–335
 Services 320
 Session management 338
 System architecture 321, 413
 Transmission plane protocol 328

540 Index

Global Positioning System 431
Gold sequences 172
Grade Of Service
Ground wave 194
GSM
 Architecture 16, 288, 306
 Interfaces 295, 327
 Logical channel
 Traffic channel 304, 366
 Signalling channel 304–305
 Processes 306, 336
 Service area 302–303
 Signalling protocol 297
GSM-900 299
GSM-1800 15, 299
GSM-1900 15, 19
GTP 331

H
Half duplex 142, 402
Hamming distance 42, 83
Handoff or Handover
 Handoff classification 359, 280
 Handoff initiation 278
 Handoff prioritization 280
Handoff protocol 279
Handover management 310
Hidden Node or hidden terminal 158–159, 387
High Altitude Platform 419
Home Location Register 29, 289, 294
Home Subscriber Server 380
HSDPA 257, 369
HSUPA 375–376
Hybrid ARQ 369, 375, 402
Hybrid technique
 DS/FHMA 151
 FCDMA 151
 TCDMA 151
 TDFH 151
Hyperframe 301

I
IEEE 802.11
 IEEE 802.11a 21–22, 137
 IEEE 802.11b 21–22, 137
 IEEE 802.11g 21–22
IMEI 260, 294
IMSI 293, 328, 334
IMT-2000 349–350
Independent Basic Service Set 396
Infrared technology 1, 20
Infrastructure-based 3, 20
Inter Symbol Interference 107
Interference
 Adjacent channel interference 273–274
 Co-channel interference 274, 277
 In-band interference 273
 Multiple access interference 274
 Near-end and far-end interference 276
 Self interference 273
Interference mitigation 276
Interleaving 59
Inter-MSC handover 311
Inter-system handover 359
Intra-BSC handover 311
Intra-BTS handover 311
Intra-system handover
 Hard handover 360
 Soft handover 360
 Softer handover 360–361
Ionosphere
 Ionospheric effects 430
IP allocation 324, 338
IS-54 15, 106, 257
IS-95 16, 149, 257
Isotropic antenna 198, 201

J
Jammer 25, 168
JCIT Project 447
JTRS program 447

K

Kasami sequences 176
Kepler’s law 426

L

Launch System 415
Lawful Interception Gateway 325
LEACH 453
Least Mean Square (LMS) algorithm 115
Linear block codes
 BCH code 50
 Cyclic code 48
 Golay code 50
 Hadamard code 48
 Reed-Solomon Code 50
Link Quality Control 343
Location update 298, 302, 309
Logical link control 330
Logical channel 296, 304, 331, 364, 366
Lossless coding 37
Lossy coding 37, 41
LTE 377, 379–380
Luhn algorithm 260

M

Major axis 426
Maximum C/I 374
Maximum likelihood symbol estimation 117
Maximum-Length PN sequence 172
MCS scheme 342
Media-gateway 371
Medium Access Control or MAC 329
MIMO 380–381, 400, 402
Minimum Mean Square Error (MMSE) 109, 113
Minor axis 204, 426
Mobile assisted handoff 280
Mobile controlled handoff 280
Mobile Station 3, 289–290, 306, 323, 336
Mobile Switching Centre 289, 291
Mobile Telephone Switching Office [MTSO] 259, 262

Mobility Management Entity 379
MSC-server 371
MSISDN 293
Multi-carrier technology 380
Multipath 222, 239
Multi-pulse-excited LPC 104
Multiframe 301, 331
Multiple Access
 Code Division Multiple Access 149
 Frequency Division Multiple Access 147
 Space Division Multiple Access 150
 Time Division Multiple Access 145, 262
Multiplexing
 Frequency Division Multiplexing 138, 390
 Time Division Multiplexing 140
 Wave Division Multiplexing 141

N

Narrowband FM 67
National regulatory authorities 8
Network controlled handoff 279
Network Switching Sub-system 291
Newton’s law of gravitation 424
Newton’s law of motion 424
Node B 353, 355, 361
Nyquist rate 90

O

OFDMA 380, 400
Operational Sub-system 289
Orbit 415, 419, 421
 Asynchronous orbit 423
 Equatorial orbit 423
 Geostationary Earth Orbit 419
 Inclined orbit 423
 Low Earth Orbit 419
 Medium Earth Orbit 419
 Molniya orbit 419
 Near-synchronous orbit 423
 Polar orbit 423
 Synchronous orbit 423

542 Index

P

Packet Broadcast Control Channel 332
 Packet Common Control Channel 332
 Packet Control Unit 323
 Packet Data Traffic Channel 332
 Packet Dedicated Control Channel 332
 Pager 12, 17
 Paging Channel 305, 332, 366
 Paging System 17–18
 Perigee 419, 427
 Physical channel 367–369, 372, 376
 PLCP or Physical Layer Convergence
 Procedure 389
 PMD or Physical Medium Dependent 389
 Point co-ordination function 399
 Power control
 Closed loop power control 355–356
 Inner loop power control 356
 Open loop power control 355
 Printed Antenna 209
 Processing gain 186
 Propagation model 222, 242
 Proportional fair 374
 Pseudo noise 170, 177

Q

Quantization
 Adaptive quantization 91
 Feedback adaptive quantization 92
 Non-uniform quantization 90
 Vector quantization 92

R

R99 373
 Radio link control 330
 Radio Network Controller 353
 RAKE receiver 362, 364
 Random Access
 Pure ALOHA 152–154
 Slotted ALOHA 154, 156
 Random Access Channel 305, 366
 Ray tracing model 243

Recursive least squares (RLS) algorithm 116
 Refraction 222, 233, 236
 Repeater 94, 236, 413
 Reservation Protocol
 Packet Reservation Multiple Access 162
 Reservation ALOHA 161
 Residual Excited LPC 105
 Return Loss 213
 Round robin 374

S

Satellite
 Body stabilized 421
 Communication Sub-system 413
 Electrical power distribution sub-system 414
 Positional Parameters 417
 Spin stabilized 420
 Telemetry, Tracking and Command
 Sub-system 415
 Satellite communication
 Frequency allocation 411
 Link impairments 430
 System architecture 413
 Second generation standards 17, 257
 IS-95 16, 257
 IS-54 15, 106, 257
 PDC 15, 257
 Sectorization 277, 361
 Security 306, 334–335
 Sensor 23, 58
 Serving Gateway 379
 Serving GPRS Support Node [SGSN] 323–324
 Shannon's channel 260, 323
 SIM 260, 533
 Simplex 142
 Skip distance 235
 Sky wave 195, 231
 Slant range 418
 Slow Associated Control Channel 305
 Smart antenna
 Adaptive array smart antenna 214
 Switched beam smart antenna 214

Software Defined Radio 446
Source coding
 Huffman code 38
 Tunstall Code 39
Space wave 194, 228
SPEAKeasy 447
Spectrum allocation method 7
Speech codecs 105
Speech coding 85, 107
Spreading
 Direct Sequence Spread Spectrum 177, 389
 Frequency Hopping Spread Spectrum 182
 Time Hopping Spread Spectrum 184
Stand-alone dedicated control channel 305
State diagram 53
Statistical TDM 140
Substrate 209
Superframe 301, 367
Symbol spaced linear equalizer 114
Synchronization channel 304, 368
Synchronous TDM 140

T
Throughput 222, 321, 343
Time domain waveform coder
 Adaptive differential pulse code
 modulation or ADPCM 94–96
 Pulse code modulation 94–95
Traffic intensity 454–455
Traffic load 455
Transmission time interval or TTI 376–377
Transport channel 364, 366, 376
Trellis Coded Modulation 82

Trellis diagram 52, 54
Trunking 454
Two-ray reflection model 229

U
Ultra-Wide Band system 24
User equipment 352, 355
UTRAN 352–353

V
Vocoder
 Cepstrum vocoders 102
 Channel vocoders 100, 102
 Formant vocoders 102
 Linear predictive coder 102, 106
 Voice-excited vocoders 102
Voltage Standing Wave Ratio or VSWR 212
Visitor Location Register 289, 293

W
Walsh sequence 176
Waveform Coder 93–94, 97
WCDMA 352, 354, 359
Wideband FM 67
WiMAX 22, 400–404
 Protocol stack 328, 402
Wire Antenna 206
Wireless Local Loop 26
WLAN 3, 20, 388, 396

Z
Zero-forcing equalizers 112–113
ZigBee 23, 25