

Index

- absorption band model, 164–166
- adjoint operator, 199
- Airy phase, 219
- Aki, Keiiti, 13
- ambient noise, 16, 333–338
- analytic time series, 391
- Andersonian faulting theory, 291
- anisotropy, 31, 341–363
 - aligned crack, 359
 - azimuthal, 348
 - crustal, 361
 - eigenvalue equation, 342–344
 - hexagonal, 347–360
 - inner core, 363
 - lower mantle, 362
 - mechanisms for, 358–360
 - mineral aligned, 359
 - observations in Earth, 361–363
 - periodic-thin layer, 359
 - phase vs. group velocity, 341
 - P_n , 347
 - shear-wave splitting, 349–358
 - slowness surfaces, 344
 - upper mantle, 347, 361–362
 - wavefronts, 341
 - weak, 346–347
- antipodal phase advance, 234
- antipode, 220
- apparent stress, 272
- Armenian earthquake, 314
- arrival time, 86
- attenuation, 160–172
 - absorption band model, 164–166
 - global politics, 172
 - in Earth, 168–170
 - non-linear, 171–172
 - nuclear test sites, 172
 - observing, 170–171
 - velocity dispersion, 162
- autocorrelation, 185, 205
- auxiliary fault plane, 243, 385–386
- b -value, 282–285
- back-projection, 197–200
- Backus equations, weak anisotropy, 346
- banana-doughnut kernels, 121
- baseline correction, 170
- beach balls, 246–255
- Bessonova method, 107
- block-slider model, 301, 313, 315–317
- body forces, 21
- broadband seismographs, 327
- Brune fault model, 265
- Brune, James, 262, 265, 292, 313–314
- Brune-type stress drop, 267
- bubble pulse, 182
- bulk modulus, 32
- Bullen, K.E., 3, 4, 86
- Byerlee's law, 290, 291
- catalog completeness, 284
- Cauchy tetrahedron, 20
- caustics, 69, 141
- Cecchi, Filippo, 2
- centroid moment tensor (CMT), 241, 294
- chaotic behavior, 302, 304
- characteristic earthquake hypothesis, 300, 304
- checkerboard test, tomography, 118
- chi-squared statistics, 125–126
- Chilean earthquake, 8
- Coalinga earthquake, 301
- coda Q , 171
- common-midpoint stacking, 5, 178–182
- compensated linear vector dipole (CLVD), 245, 246
- complex numbers, review, 373–375
- complex plane, 373
- compressional quadrant, 248
- computers, importance in seismology, 9
- constitutive relationships, 30–33
- continental drift, 6
- convolution, 182, 185, 387–389, 400
- core, 3
 - seismic phases, 83
- core-mantle boundary, 3
- corner frequencies, 261
- coseismic strain field, 299
- Coulomb failure function, 37, 307
- covariance matrix
 - polarization analysis, 350
 - tomography, 117
- critical angle, 150
- critical damping, seismometer, 321
- critical slip, 274
- cross-correlation, 184–185
 - of noise, 332–338
- cross-product, vector, 369
- crossover point, 83
- crust, 3
 - seismic phases, 82
- curl, vector field, 28, 372
- damped least squares, 114
- damping, seismometer, 319–320
- deaths from earthquakes, 13
- Debye peak, 167
- deconvolution, 177, 182–185, 201
- deep earthquakes, 7, 293
- delay time, 70–73, 210, 212, 247
- delta functions, 50, 151, 182, 235, 328, 388, 390
- density structure, Earth's, 4
- depth phases, 83
- Did You Feel It website, 287
- diffraction, 186

- diffraction hyperbolas, 186–187
- digital seismographs, 10, 326–328
- dilatancy, as earthquake predictor, 311
- dilatation, 28
- dilatational quadrant, 248
- dinner party, Los Angeles, 297
- dip, fault plane, 241
- dip-slip faults, 242
- dipping reflector, 189
- directivity, 257–260
 - Gorkha (Nepal) earthquake, 295
 - Sumatra earthquake, 259
- discrete modeling methods, 53–56
- dispersion, 162, 210, 213, 218–219, 232–233
- displacement field, 26
- divergence, 372
- Dix formula, 195
- dot product, vector, 369
- double-couple source, 7, 239–255
 - major and minor decomposition, 246
- double-difference location method, 129
- dynamic friction, 300
- dynamic range, seismograph, 326
- dynamic rupture models, 289
- Earth
 - internal structure, 3, 168–170, 365
 - pressure of interior, 25
 - seismic velocities, 3, 365
- Earth-flattening transformation, 77–80
- earthquake early warning (EEW), 16, 134
- earthquakes
 - deep, 293
 - distribution of, 5–8
 - energy partitioning, 273–276
 - how to locate, 122–131, 135
 - magnitude, 276–282
 - precursors, 311–313
 - prediction of, 299–314
 - table of large, 282
 - triggering, 306–310
 - unpredictability of, 313–314
- East Pacific Rise, 12
- eikonal equation, 63, 377–380
- elastic moduli, 31–33
 - units, 33
- elastic rebound theory, 12, 299
- elastic tensor, 30, 342
 - density normalized, 343
 - symmetries, 342, 348
- Empirical Green's functions (EGF), 263–264
- energy
 - in seismic waves, 137–139
 - partitioning in earthquakes, 273–276
 - radiated from source, 270–273
- envelope time function, 391
- epicenter, 122
- equation of motion, 41
- equivalent body forces, 238
- error ellipse, earthquake location, 125–126
- Eshelby circular fault stress drop, 264
- ETAS model, 308, 309
- Eulerian description of motion, 26
- evanescent waves, 151, 216, 345
- Ewing, James, 2
- exploding reflector model, 186
- far-field term, 247
- faults
 - as seismic sources, 241–255
 - fractal distribution of, 303
 - stress level on, 311
 - weak, 292–293
- Fermat's principle, 65, 112
- finite-difference methods, 42, 52, 54–61
- finite-difference ray tracing, 82, 112
- finite-element methods, 52, 55
- finite-frequency tomography, 121–122
- finite-slip modeling, 287–290
- focal mechanisms, 242–255, 294
 - plotting, 253–255, 259
- focal sphere, 250–252
- fold, reflection seismology, 181
- foot wall, fault, 241
- force couple, 239
- force-feedback seismometers, 326, 327
- foreshocks, 309, 310, 312–313
- Fourier transforms, 152, 161, 183, 232, 260, 388–389
- fractal scaling, 303
- fracture energy, 273
- Fréchet derivatives, 121
- free oscillations, 8, 226–232
 - Sun, 9
- frequency response function, 328, 329
- frequency response, seismograph, 321–328
- frictional energy, 273
- Full Waveform Inversion (FWI), 122
- gain, instrument, 328
- Galitzen, B.B., 3
- Garmany method, 104
- gather, reflection seismology, 181
- Gauss's theorem, 373
- geometrical spreading, 139–141, 380
- GETAUX function, 385–386
- Global CMT catalog, 241, 252–254, 282, 294
- Global Digital Seismograph Network (GDSN), 328
- Global Positioning System (GPS), 306
- Gorkha earthquake directivity, 295
- gradient operator, 371
- graph theory, 82, 112
- gravimeters, 324
- Green's functions, 51, 238–241, 332, 387
 - empirical, 263–264
- Green's theorem, 393
- ground roll, 181

- group velocity, 210, 211, 341, 344
- Gutenberg, B., 3
- Gutenberg, Beno, 13
- Gutenberg-Richter energy relation, 282
- magnitude-frequency relation, 283
- Haicheng earthquake, 312
- hanging wall, fault, 241
- harmonic waves, 46, 374–375
- table of parameters, 46
- Haskell fault model, 260
- Haskell source, 257
- Haskell stress-displacement vector, 156
- heat-flow paradox, 290–293
- Hector Mine earthquake, 305
- helioseismology, 9
- Helmholtz decomposition theorem, 45
- Herglotz-Wiechert formula, 101
- hexagonal anisotropy, 347–360
- Hilbert transform, 151, 153–155, 389–391
- history of seismology, 2–16
- Holy Grail, 85
- homogeneous equation of motion, 41
- horizontal slowness, 64
- Huygens's principle, 186
- hydrostatic strain, 28
- hydrostatic stress, 23–25, 30
- hyperbolic equation, 39
- hypocenter, 122
- hypocentroidal decomposition, 129
- identity matrix, 370, 373
- impedance, 139, 147
- Imperial Valley earthquake locations, 130
- impulse response function, 328
- impulse response test, tomography, 118
- incremental stress, 30
- index notation, 29, 370
- induced seismicity, 16
- inertial seismometers, 320
- infinitesimal strain theory, 27
- inhomogeneous waves, 151
- inner-core anisotropy, 363
- inner-core boundary, 4
- intensity scale, 285–287
- International Deployment of Accelerometers (IDA), 327
- International Seismological Centre (ISC) picks, 86–88
- inverse theory, 8, 105, 115
- isotropy, 31
- iterative inversions, 118
- iterative location methods, 128
- Japan mantle cross section, 204
- JB tables, 3, 86
- Jeffreys, Harold, 3, 86
- joint hypocenter velocity (JHV) inversions, 119
- kinematic rupture models, 289
- Kirchhoff applications, 398
- Kirchhoff migration, 400
- Kirchhoff theory, 393–401
- Kronecker delta, 31
- $L1$ norm, 124
- $L2$ norm, 124
- LaCoste, Lucien, 326
- Lagrangian description of motion, 26
- Lamé parameters, 31–33
- Landers earthquake, 36, 305
- Laplacian operator, 115, 372
- lattice-preferred orientation (LPO), 358
- layer cake model, 102, 106
- layer matrix, 156
- LAYERXT function, 96, 381–382
- left-lateral motion, 242
- Lehmann, Inge, 3
- Leighton, Robert, 9
- Lg , 83
- linear programming, 109
- linear superposition, 257
- linear velocity gradients, 68, 95
- linearly elastic material, 30
- lithostatic stress, 290
- locating earthquakes, 122–131, 135
- Loma Prieta earthquake, 33, 305
- Love waves, 83, 209–213
- low-velocity zones, 73–74, 100
- lunar seismology, 8
- Madariaga fault model, 265, 271
- magnitude, 13, 276–282
- body wave (m_b), 278
- local (M_L), 276
- moment (M_W), 279
- saturation of, 279, 280
- surface wave (M_S), 278
- Mallet, Robert, 2
- mantle, 3
- seismic phases, 83
- MARMOD model, 96
- Martian seismology, 8
- master event location methods, 129
- math review, 369–375
- MATLAB examples, 62, 234
- matrix identities, 371
- matrix methods, layered models, 155–159
- Mercalli scale, 285
- microseism peak, 331
- microseisms, 324, 331
- mid-ocean ridges, 6
- migration, 185–192
- poststack, 190
- prestack, 190
- synthetic examples, 191
- Mode III cracks, 275
- Moho, 3, 82–83
- reflections off, 147, 149
- Mohorovičić, Andrija, 3
- moment magnitude, 279
- moment tensor, 239–255
- decomposition of, 244–245, 293–294
- isotropic and deviatoric, 244
- moment, scalar (M_0), 242
- from spectra, 256
- momentum equation, 40–41
- Moon
- pressure of interior, 25

- quakes, 8
- seismometers, 8
- moveout, 179
- Nakano, H., 7
- Naples earthquake, 2
- near-field term, 247
- Nepal earthquake directivity, 295
- New Madrid earthquakes, 287
- Newton's law, 40
- nodal lines, 248
- nodal points, 249
- noise
 - ambient, 333–338
 - cross-correlation of, 332–338
 - Earth, 226, 331–338
- non-double-couple sources, 244–246
- non-linear material behavior, 30
- non-volcanic tremor, 15
- normal faults, 242
- normal modes, 8, 52, 226–232, 235
 - Sun, 9
- normal moveout, 179
- Northridge earthquake, 85, 305, 307, 314
- nuclear explosion seismology, 8
- oceanic crust, 102
- Oldham, Richard, 3
- olivine
 - crystal alignment, 360
 - elastic constants, 344
- Omori's law, 306
- operational earthquake forecasting, 310
- origin time, earthquake, 122
- Orowan fault model, 273
- Orowan stress drop, 274
- outliers, in data, 124
- overthrust faults, 242
- P*-waves
 - polarization, 47
 - radiation pattern, 248
 - velocity, 32, 44
- paleoseismology, 304
- Parkfield earthquake, 288, 312
- Parkfield earthquake sequence, 301
- particle motion, 48
- pascals, 33
- PcP*, 93
- PcS*, 83
- Pdiff*, 84, 93
- periodic-thin layer (PTL) anisotropy, 359
- Pg*, 82
- phase advance, 152
- phase velocity, 210, 341
- Piñon Flat Observatory, 35
- PKIKP*, 83
- PKJKP*, 85
- PKKP*, 93
- PKP*, 83
- plane waves, 45–49, 60, 63, 138, 142, 148, 153–160, 186, 209, 214, 345
 - anisotropic media, 343
- plate tectonics, 5
- PmP*, 82
- Pn*, 83
- point sources, 238
- Poisson's ratio, 32
- polarization analysis, 350–351
- polarizations, seismic waves, 47–49
- potentials, 45, 214–215
- PP*, 83
- pP*, 83
- PPP*, 83
- precritical reflections, 150
- precursors, earthquake, 311–313
- Preliminary Determination of Epicenters (PDE), 123
- PREM model, 4, 348, 361, 365
- pressure, 23–25
- pressure axis, 244, 252
- primary fault plane, 243
- principal axes
 - computing, 23–24
 - strain, 28
 - stress, 22
- prograde branch, 69
- propagator matrix, 158
- propagator matrix methods, 155–159
- Ps*, 200
- pseudotachylytes, 292
- pulse shapes, far-field, 255–260
- Python examples, 61, 234, 316, 381–386
- Q*, 160–172
- quality factor, 160
- quasi-*P*-waves, 344
- quasi-*S*-waves, 344
- radial component, 85
- radiated seismic energy, 270–273
 - ratio to moment, 272
- radiation efficiency, 275
- radiation patterns, 246–255
- Radon transform, 107
- rake, fault plane, 241
- rate-and-state friction, 309
- ray names, 82–85
- ray parameter
 - definition, 64
 - spherical, 78
- ray tracing
 - finite difference, 82
 - flat Earth, 65–69
 - spherical Earth, 77–80
 - summary of equations, 75
 - three-dimensional, 80–82
 - two-point, 112
- ray-theoretical methods, 52
- Rayleigh function, 217, 232
- Rayleigh waves, 213–218
 - image of, 223
- receiver functions, 200–205
- recurrence intervals, earthquake, 300, 303
- reduction velocity, 70
- reflection and transmission
 - coefficients, 142–152, 157
 - energy normalized, 147–149
 - inhomogeneous waves, 150–152
 - P-SV*, 146, 382–384
 - SH*, 143–146, 384–385
 - vertical incidence, 146–147
- reflection seismology, 5, 175–207

- language of, 205
- table of terms, 205
- reflectivity method, 158
- regularization, 109
- Reid, H.F., 12, 299
- relative event location
 - methods, 128–131
- relaxed modulus, 167
- repeating earthquakes, 130
- representation theorem, 237
- residuals, travel time, 111
- resonant frequency, 322
- retrograde branch, 69
- reverse faults, 242
- R_g*, 83
- Richter, Charles, 13, 276
- right-lateral motion, 242
- rise time, 257
- rotation tensor, 27
- row action methods, 118
- RSON shear-wave splitting
 - example, 353, 356
- RTCOEF function, 173, 382–384
- RTCOEF_{SH} function, 384–385
- S* discrepancy, 170
- S-P* time, 127
- S*-waves
 - polarization, 48
 - radiation pattern, 248
 - velocity, 32, 44
- sagittal plane, 345
- San Andreas Fault, 6, 35, 242, 253, 291, 303
- San Francisco earthquake, 12, 299
- San Simeon earthquake, 287, 305
- scalar seismic moment, 242
 - from spectra, 256
- scaled energy, 272
- ScS*, 93
- S_{diff}*, 84, 93
- secular strain rate, 299
- seismic efficiency, 275, 291
- seismic gap hypothesis, 305–306
- seismic moment
 - from spectra, 256, 296
 - scalar, 242
- seismographs, 319–328
 - broadband, 327
 - electromagnetic, 2
 - history, 2–3
 - modern, 326–328
 - response functions, 320–328
 - strong-motion, 327
- seismometers, 319
- self-organized criticality, 313
- self-similar faults, 303
- self-similarity of earthquakes, 268–269, 272
- SH* and *SV* polarizations, 142
- SH* reflection and transmission coefficients, 145
- shadow zones, 74
- shape-preferred orientation (SPO), 358
- shear modulus, 31
- shear-wave splitting, 349–358
 - computer exercise, 364
 - null observation, 353
 - observations, 356–358
 - RSON example, 353, 356
 - SKS, 354–356, 363
 - USArray observations, 358
 - western United States, 358
- sinc function, 261
- singular value decomposition, 114
- SKKS, 84, 94
- SKS, 83, 94
 - splitting from anisotropy, 354–356, 361
- slant stack, 107
- Slichter, L.B., 102
- slip predictable model, 300
- slip vector, 241
- slip-weakening model, 274
- slow-slip events, 15
- slowness
 - definition, 64
 - surface, 344
 - vector, 66
- SmS*, 83
- Snell's law, 63–65, 94, 345–346
- solar seismology, 8
- solution matrix, 156
- sound channel, 74
- source spectra, 260–269, 296
- source-specific station terms, 129
- SP*, 83
- sP*, 83
- spectral-element method, 55
- spherical harmonics, 228–229
- spherical waves, 50
- spheroidal modes, 227
- splitting, normal modes, 231
- SS*, 83
- sS*, 83
- stacks, global seismograms, 88–89
- staggered-grid finite differences, 59
- standard linear solid, 166–168
- standing waves, 227
- static equilibrium equation, 42
- static friction, 300
- statics corrections, 196–197
- station corrections, 120
- station terms, 129
- stick-slip behavior, 300
- straight-line fitting, 101–103
- strain, 26–29
 - computing, 29–30
 - energy, 137
 - extensional, 26
 - hydrostatic, 28
 - tensor, 26–29
 - units, 29
- stress, 19–25
 - deviatoric, 24
 - hydrostatic, 23–25, 30
 - incremental, 30
 - orientation from focal mechanisms, 252
 - tensor, 19–23
 - units, 25
- stress drop, 264–267, 296
 - total, 276
- stress shadow hypothesis, 306
- stress-displacement vector, 156
- strike, fault plane, 241
- strike-slip faults, 242
- strong-motion instruments, 327
- subduction zones, 6
- Sumatra earthquake, 13, 231
 - directivity, 259
- summary rays, 116

424 Index

- summation convention, 30, 370
- superposition principle, 238, 257
- supershear rupture, 259
- surface waves, 209–226
 - global, 219–221
 - observing, 222–226
- swarms, earthquake, 310
- synthetic aperture radar (SAR), 306
- synthetic seismograms, 41, 50–53, 158

- t^* , 161
- takeoff angle, 65
- Tangshan earthquake, 313
- tau- p transform, 107
- teleseism, 2
- Temblovia, Republic of, 297
- tension axis, 244, 248, 252
- tensor, second-order, 370
- Thomson-Haskell method, 158
- thrust faults, 242
- tides, solid Earth, 333
- time predictable model, 300
- time series analysis, 387–391
- tomography, 10, 111–122
 - ambient noise, 337
 - computer exercise, 132
 - example problem, 116
- Tonga subduction zone, 7

- toroidal modes, 227
- toy tomography problem, 116–117
- traction, 19
 - continuity across interface, 143, 144
- traction vector, computing, 21
- transformation tensor, 370
- transition zone, 3
- transverse component, 85
- transverse isotropy, 347–348, 361, 365
- travel time curves, 66, 69–70
 - crustal, 82
 - global, 89
- travel time tables, 3
- tremor, non-volcanic, 15
- triplications, 69
- Turner, H.H., 7
- turning point, 65

- uniqueness theorem, 237
- unrelaxed modulus, 167
- USArray shear-wave splitting, 358

- variance reduction, 124
- vector calculus, review, 369–373
- vector dipole, 239
- vector identities, 372
- vector spherical harmonics, 228

- velocity analysis, 192–195
- velocity inversion, 99–122
 - one-dimensional, 99–111, 131
 - three-dimensional, 111–122
- vertical slowness, 66
- vibroseis, 5, 183–184, 205

- Wadati, Kiyoo, 7
- Wadati–Benioff zones, 7
- Wallace Creek, 304
- wave equation
 - one-dimensional, 39
 - seismic, 39–60
- wave guides, 74
- waveform cross-correlation, 130–131
- wavenumber, 46, 142
- weak faults, 292–293
- Wegener, Alfred, 6
- Wiechert, E., 2
- Wood-Anderson seismograph, 276
- Worldwide Standardized Seismograph Network (WWSSN), 8, 253

- Young’s modulus, 32

- zero-length spring, 326
- zero-offset sections, 176–177