

INDEX

21-centimeter line, 285

A

absorption, 348–351, 365
 addition of angular momenta, 184–189
 adiabatic approximation, 368–393
 adiabatic process, 368–371
 adiabatic series, 393
 adiabatic theorem, 368–376
 adjoint, 98, 444
 agnostic, 4, 420
 Aharonov-Bohm effect, 384–391
 Airy function, 327–330
 Airy's equation, 327
 allowed energy, 27–28, 227–228
 bands, 227–228
 bouncing ball, 333
 delta-function well, 73
 finite square well, 80–81
 harmonic oscillator, 46, 54, 190, 334
 helium atom, 212–214
 hydrogen atom, 145–146, 149, 274–275, 336
 infinite cubical well, 135, 218–220, 262–263
 infinite spherical well, 141–144
 infinite square well, 32
 potential well, 319, 330–332
 power-law potential, 335
 allowed transition, 362, 366–367
 alpha
 decay, 322–324
 particle, 322–325
 amplitude, scattering, 399
 angular equation, 135–140, 169
 angular momentum, 160–171

addition, 184–189
 commutation relation, 161, 166–167, 171
 conservation, 167
 eigenfunctions, 167–171
 eigenvalues, 160–167
 intrinsic, 171
 orbital, 171
 spin, 171–190
 anomalous magnetic moment, 273
 antibonding, 210
 anti-hermitian matrix, 444
 anti-hermitian operator, 124
 antisymmetric matrix, 443
 Aspect, A., 426
 associated Laguerre polynomial, 152–153
 associated Legendre function, 136, 138, 196, 367
 atoms, 210–218
 average
 over directions, 353–354
 over polarizations, 353–354
 value, 7–8
 azimuthal angle, 134, 136, 150
 azimuthal quantum number, 139

B

Balmer series, 158
 band structure, 224–229
 baryon, 189
 basis, 437, 446–449
 bead on a ring, 87, 99, 260–261, 386–387
 Bell, John, 4, 423
 Bell's inequality, 425–426
 Bell's theorem, 423–428
 Berry, Michael, 380

460 *Index*

Berry's phase, 376–391
 Bessel function, spherical, 142–144, 401
 binding energy, 151, 203
 binomial coefficient, 234
 Biot-Savart law, 271
 blackbody spectrum, 243–245, 355
 Bloch, Felix, 2
 Bloch's theorem, 224–227
 Bohm, David, 4, 421, 423–424
 Bohr, Niels, 4, 112
 Bohr energies, 149, 267, 269
 Bohr formula, 150
 Bohr magneton, 278–279
 Bohr radius, 150, 269
 Boltzmann constant, 23, 240
 Boltzmann factor, 355–356
 bonding, 210
 Born approximation, 399, 408–418
 Born-Oppenheimer approximation, 369
 Born series, 416–418
 Born statistical interpretation, 2–5
 Bose condensation, 243
 Bose-Einstein distribution, 241
 boson, 203–210, 232
 bouncing ball, 333
 boundary conditions, 31, 48, 71–72
 delta-function well, 71–73
 finite square well, 79–81
 bound states, 68–69, 71–73
 degenerate, 87
 finite square well, 79–81
 variational principle for, 299–304
 bra, 122
 Buffon's needle, 21
 bulk modulus, 223–224

C

canonical commutation relation, 43, 133
 canonical momentum, 200
 cat paradox, 430–431
 Cauchy's integral formula, 410
 causal influence, 427–428
 centrifugal term, 141
 Chambers, R. G., 389
 Chandrasekhar, S., 312–313
 Chandrasekhar limit, 247
 characteristic equation, 450, 454
 chemical potential, 241
 classical electron radius, 172
 classical region, 316–320, 325–326
 classical scattering theory, 394–397, 416–417
 classical velocity, 60, 64–66
 Clebsch-Gordan coefficients, 187–189, 194
 coefficients
 Clebsch-Gordan, 187–189, 194
 reflection, 75
 transmission, 75

cofactor, 445
 coherent states, 127–128
 coincident spectral lines, 193
 “cold” solid, 221, 223
 collapse, 5, 106, 176–177, 420–422, 428–429, 431, 433
 column matrix, 443
 commutator, 43, 112
 angular momentum, 161–162, 197–198, 276, 360–362
 canonical, 43, 133
 matrix, 444
 uncertainty principle and, 111–112
 commuting operators, 42–43, 133
 compatible observables, 111–112
 complementarity, 420–421
 complete inner product space, 94
 completeness
 of eigenfunctions, 33, 102–103
 of functions, 33–36, 95–96
 of Hilbert space, 94
 of quantum mechanics, 3
 complete set of vectors, 437
 component, 437
 conductor, 229
 configuration, 216–217, 231
 conjugate, 443–444
 connection formulas, 325–335
 conservation
 of angular momentum, 167
 of energy, 37, 118
 of probability, 22, 191
 conservative system, 1
 continuity equation, 191
 continuous spectra, 100–101, 103–106
 continuous variables, 9–12
 contour integral, 410–412
 Copenhagen interpretation, 4
 Coulomb barrier, 322–323
 Coulomb potential, 145, 152–153, 211, 214, 400, 415
 Coulomb repulsion, 322–323
 covalent bond, 209–210
 critical temperature, 243
 cross product, 438–440
 cross-section, 396–398
 crystal, 225, 290
 cubic symmetry, 290
 cyclotron motion, 198

D

Darwin term, 274
 de Broglie formula, 19, 60, 104
 de Broglie wavelength, 19, 23
 decay modes, 357–359
 decoherence, 431
 degeneracy
 electron, 205–206
 higher-order, 261–266

pressure, 223, 247
 two-fold, 257–261
 degenerate perturbation theory, 254, 257–266
 degenerate spectra, 99, 102, 450
 degenerate states, 87
 degrees of freedom, 248
 delta-function potential, 68–78, 224
 barrier, 76
 bound state, 71–73
 bump, 254, 256, 265
 moving, 89
 scattering states, 73–76
 shell, 404, 408
 source, 408
 well, 70–76
 density plots, 153, 156
 derivative operator, 93
 d’Espagnat, Bernard, 3
 destructive measurement, 428–430
 determinant, 445
 determinate state, 98–100
 deuterium, 290
 deuteron, 290
 diagonal form, 452–453
 diagonalization, 261–262, 452–453, 455
 Dieks, D., 429
 differential scattering cross-section, 395–396
 diffuse (*d*), 215
 dimension, 437
 dipole moment
 electric, 349
 magnetic, 178–179, 273–275
 Dirac, P. A. M., 273
 Dirac comb, 224–229
 Dirac delta function, 68–78, 83, 89, 103–105, 254–256, 404, 408
 Dirac equation, 276
 Dirac notation, 118–124
 Dirac orthonormality, 103, 105
 direct integral, 307
 Dirichlet’s theorem, 34, 66
 discrete spectra, 100–103
 discrete variable, 5–9
 dispersion relation, 65
 displacement operator, 129–130, 225
 distinguishable particles, 207
 distribution, 70
 doping, 229
 dot product, 438–440
 double well, 87–88, 336–338
 dual space, 122, 136–137
 dynamic phase, 379

E

effective nuclear charge, 301–302
 effective potential, 140–141

Ehrenfest’s theorem, 18, 51, 89, 133, 167, 180, 371
 eigenfunctions, 99
 angular momentum, 167–171
 continuous spectra, 100–101, 103–106
 determinate states, 99
 Dirac notation, 118–124
 discrete spectra, 100–103
 hermitian operators, 100–106
 incompatible observables, 111–112
 position, 104–105
 momentum, 103–104
 eigenspinors, 174–175
 eigenvalues, 99, 261, 449–455
 angular momentum, 160–167
 determinate states, 99
 generalized statistical interpretation, 106–109
 hermitian transformations, 456
 eigenvectors, 449–455, 456–458
 Einstein, Albert, 3, 351, 421–423, 427
 A and B coefficients, 355–356
 Bohr and, 112
 EPR paradox, 421–423
 mass-energy formula, 325
 electric dipole moment, 291–292, 349
 electric dipole radiation, 349
 electric dipole transitions, 366–367
 electric quadrupole transition, 366–367
 electromagnetic field, 198–200, 349
 electromagnetic wave, 348–350
 electron
 configuration, 216–217
 gas, 218–224
 g-factor, 273, 283
 magnetic dipole moment, 272–273
 elements, 442
 emission, 348–352, 356
 energy
 binding, 151
 conservation of, 37, 118
 ionization, 151, 299, 303
 photon, 157–158, 243–244
 potential, 384–391
 relativistic, 268
 second-order, 255–257
 energy-time uncertainty principle, 114–118
 ensemble, 15
 entangled state, 203, 422–423
 EPR paradox, 421–423, 426
 equilibrium, 230, 232
 equipartition theorem, 248
 ethereal influence, 428
 Euler’s formula, 29
 Euler’s gamma function, 243
 even functions, 30, 32, 79–80
 exchange force, 207–210
 exchange integral, 307
 exchange operator, 205

462 *Index*

excited states, 32
 helium, 212–214
 infinite square well, 32
 lifetime of, 357–359
 exclusion principle, 204, 214, 218, 221, 228
 exotic atom, 285
 expectation value, 7, 15–16
 Ehrenfest's theorem, 18
 generalized statistical interpretation, 107–108
 Hamiltonian, 37
 harmonic oscillator, 50
 stationary states, 26
 time derivative, 115–116
 extended uncertainty principle, 128

F

Fermi-Dirac distribution, 241–242
 Fermi energy, 221, 246
 fermion, 203–206, 221, 232, 234–235
 Fermi's Golden Rule, 354
 Fermi surface, 221
 Fermi temperature, 223
 Feynman diagram, 418
 Feynman-Hellmann theorem, 288
 fine structure, 266–276
 constant, 267
 hydrogen, 266–276
 relativistic correction, 267–271
 spin-orbit coupling, 267, 271–276
 finite square well, 78–84
 shallow, narrow, 80–81
 wide, deep, 80
 first-order correction, 250, 299
 flux quantization, 387
 forbidden energies, 227–228
 forbidden transitions, 362, 366–367
 Foucault pendulum, 377–378
 Fourier series, 34
 Fourier's trick, 34, 104
 Fourier transform, 61, 77, 108
 inverse, 61
 free electron density, 221, 228
 free electron gas, 218–224
 free particle, 59–67, 116–118
 Frobenius method, 52
 fundamental (f), 215
 fundamental assumption of statistical mechanics, 230
 fundamental theorem of algebra, 450
 fusion, 313

G

gamma function, 243
 Gamow, George, 322

Gamow's theory of alpha decay, 322–324
 gap, 227–228
 gauge invariance, 200
 gauge transformation, 200, 385
 gaussian, 12, 68, 77, 113, 294–298, 310
 gaussian wave packet, 67, 86, 113, 130
 generalized function, 70
 generalized statistical interpretation, 106–109
 generalized uncertainty principle, 110–113
 generating function, 59
 generator of rotations, 196–197
 generator of translations in space, 129–130
 generator of translations in time, 129–130
 geometric phase, 379–384, 390
 geometric series, 247–248
 g-factor, 273, 285
 deuteron, 290
 electron, 273, 283
 Landé, 278
 muon, 285
 positron, 285
 proton, 283
 Golden Rule, 354
 “good” quantum number, 270, 277–279
 “good” state, 257–261, 265
 Gram-Schmidt orthogonalization, 102, 440
 graphical solution, 80–81, 144
 Green's function, 408–412, 417–418
 ground state, 32, 150–151
 elements, 217
 helium, 299–304
 hydrogen atom, 151, 192, 284, 412
 hydrogen ion, 303–304, 312–313
 hydrogen molecule ion, 304–309
 infinite spherical well, 142
 infinite square well, 32, 296–297
 lithium ion, 303–304
 upper bound, 293, 299
 variational principle, 293–298
 group theory, 188–189
 group velocity, 64
 gyromagnetic ratio, 178–179

H

half-harmonic oscillator, 86, 331
 half-integer angular momentum, 165, 169, 197–198, 203
 half-life, 359
 Hamiltonian, 26–27, 42
 discrete and continuous spectra, 105–106
 helium, 212–214
 hydrogen, 145
 relativistic correction, 267–271
 Hankel function, 401
 Hannay's angle, 378
 hard-sphere scattering, 395–397, 403–404

harmonic oscillator, 40–59
 algebraic method, 42–51
 allowed energies, 46, 334
 analytic method, 51–59
 coherent states, 127–128
 eigenstates, 46
 perturbed, 254–255, 392–393
 three-dimensional, 190
 Heisenberg picture, 130
 Heisenberg uncertainty principle, 18–20, 110–118, 133
 helium, 212–214
 ground state, 299–304
 ion, 214
 “rubber-band,” 311–312
 Helmholtz equation, 408–409, 411
 Hermite polynomial, 56–57, 59
 hermitian conjugate, 47, 98, 444
 hermitian matrix, 444, 448
 hermitian operator, 96–98, 269–271
 continuous spectra, 100–101, 103–106
 discrete spectra, 100–103
 eigenfunctions, 100–106, 456
 eigenvalues, 100–106, 456
 hermitian transformation, 455–458
 hidden variable, 3–4, 423–424
 Hilbert space, 93–96, 104, 119
 hole, 229
 Hooke’s law, 40
 Hund’s rules, 216, 218
 hydrogen atom, 145–160
 allowed energies, 145–146
 binding energy, 151
 fine structure, 266–276
 ground state, 150–151
 hyperfine structure, 283–285
 muonic, 203, 285
 radial wave function, 146–157
 radius, 149–151
 spectrum, 157–160
 Stark effect, 289–292, 338–339
 wave functions, 152, 154
 Zeeman effect, 277–283
 hydrogenic atom, 158–159
 hydrogen ion (H^+), 303–304, 312–313
 hydrogen molecule, 209–210
 hydrogen molecule ion, 304–309
 hyperfine splitting, 267, 283–285

I

ideal gas, 239
 idempotent operator, 123
 identical particles, 201–248
 solids, 218–229
 statistical mechanics, 230–245
 two-particle systems, 201–210

identity operator, 123
 impact parameter, 394
 impulse approximation, 416–417
 incident wave, 74–75
 incoherent perturbation, 352–354
 incompatible observables, 111–112
 incompleteness, 3, 423, 426
 indeterminacy, 3, 176–177, 428
 indistinguishable particles, 204
 infinite cubical well, 135, 219–221
 infinite spherical well, 141–142
 infinite square well, 30–40
 moving wall, 85, 370–371, 391–392
 perturbation theory, 249–255
 variational principle, 296–297
 WKB approximation, 317–320
 inner product, 94–95, 438–440
 inner product space, 439
 intrinsic angular momentum, 171
 insulator, 229
 integration-by-parts, 16
 inverse beta decay, 247
 inverse Fourier transform, 61
 inverse matrix, 445

J

Jordan, Pascual, 3–4

K

ket, 122
 kinetic energy, 17, 267–271
 Kramers’ relation, 288–289
 Kronecker delta, 33–34
 Kronig-Penney model, 226–227

L

ladder operators, 42, 44–45, 162–164, 168–169
 Lagrange multiplier, 236–237
 Laguerre polynomial, 152–153
 Lamb shift, 267
 Landau levels, 198
 Landé g-factor, 278
 Laplacian, 132
 Larmor formula, 358–359
 Larmor frequency, 180
 Larmor precession, 179
 laser, 351
 LCAO technique, 305
 Legendre function, 138
 Legendre polynomial, 124, 136–137
 Levi-Civita symbol, 177

464 *Index*

lifetime, 22, 116–117, 324–325
 excited state, 357–359
 lifting degeneracy, 265
 linear algebra, 93–94, 435–458
 changing bases, 446–449
 eigenvectors and eigenvalues, 449–458
 inner products, 438–440
 matrices, 441–446
 vectors, 435–438
 linear combination, 27–28, 437
 linear combination of atomic orbitals, 305
 linear independence, 437
 linear operator, 96
 linear transformation, 93, 96–97, 441–444
 locality, 422, 424, 426–428
 Lorentz force law, 198–199, 385
 lowering operator, 44–45, 162, 168–169
 luminosity, 397
 Lyman series, 158

M

magnetic dipole
 anomalous moment, 273
 energy of, 179, 271
 force on, 181–183
 moment, 178–179, 272–275
 transition, 366–367
 magnetic field, 271–272, 349
 magnetic flux, 380–382, 385–391
 magnetic quantum number, 139
 magnetic resonance, 365–366
 Mandelstam-Tamm formulation, 116
 many worlds interpretation, 4, 433
 matrix, 94, 441–446
 characteristic equation, 450
 column, 443
 conjugate, 443–444
 determinant, 445
 diagonal form, 452–453
 eigenvectors and eigenvalues, 449–455
 element, 120, 126, 442
 function of, 458
 hermitian conjugate (adjoint), 444
 hermitian transformation, 455–458
 imaginary, 444
 orthogonal, 445
 real, 444
 row, 443
 similar, 447–448
 simultaneously diagonalized, 453
 singular, 445
 skew hermitian, 444
 spectrum, 450
 spin, 173–174, 195
 transpose, 443

 unit, 444–445
 unitary, 445, 448
 zero, 449
 Maxwell-Boltzmann distribution, 241
 Maxwell's equations, 385
 mean value, 7–9
 measurement, 2–5, 36–37
 cat paradox, 430–431
 destructive, 428–430
 generalized statistical interpretation, 106–109
 indeterminacy, 98
 sequential, 125
 uncertainty principle, 112
 median, 7–8
 Mermin, N. David, 4, 428
 meson, 172, 189, 421
 metastable state, 362
 minimum-uncertainty wave packet, 113
 Misra, B., 432
 molecule, 87, 209–210
 momentum, 15–18
 angular, 160–171
 canonical, 200
 de Broglie formula, 19, 23
 eigenfunctions/eigenvalues, 103–104
 operator, 17–18, 42, 97–98, 103, 132
 transfer, 414
 momentum space wave function, 108–109, 191–192
 most probable configuration, 7, 236–239
 muon, 313
 muon catalysis, 313
 muonic hydrogen, 203, 285
 muonium, 285

N

Neumann function, 142–144, 401
 neutrino oscillation, 122
 neutron star, 247
 no-clone theorem, 428–430
 node, 33
 nomenclature, atomic, 215–216
 nondegenerate perturbation theory, 249–257
 nonholonomic process, 376–378
 nonlocality, 426–428
 non-normalizable function, 13, 60, 68
 normal matrix, 453
 normalization, 12–15, 37, 95
 free particle, 60
 harmonic oscillator, 46–49
 hydrogen, 152
 spherical coordinates, 138–139
 two-particle systems, 201, 206
 variational principle, 293–299
 vector, 439
 wave function, 12–15
 norm of a vector, 439

nuclear lifetime, 324–325
 nuclear magnetic resonance, 366
 nuclear motion, 202–203, 211
 null vector, 99, 436

O

observables, 96–100, 102
 determinate states, 98–100
 hermitian operators, 96–98
 incompatible, 111–112
 observer, 5, 431
 occupation number, 231
 odd function, 32
 operator, 17
 anti-hermitian, 124
 commuting, 42
 Dirac notation, 120
 exchange, 205
 Hamiltonian, 27
 hermitian, 96–98
 identity, 123
 ladder, 42, 44–45, 162–164, 168–169
 linear, 96
 lowering, 44–46, 162, 168–169
 momentum, 17–18, 42
 position, 17, 104–105
 projection, 123
 raising, 44–46, 162
 optical theorem, 419
 orbital, 214
 orbital angular momentum, 171
 orthodox position, 3–4, 420–422
 orthogonality, 33
 eigenfunctions, 101–102
 functions, 95
 Gram-Schmidt procedure, 102, 440
 hydrogen wave functions, 153
 spherical harmonics, 153
 vectors, 439
 orthogonal matrix, 445
 orthohelium, 213
 orthonormality, 33, 49
 Dirac, 105, 123
 eigenfunctions, 103
 functions, 95
 vectors, 439
 orthonormal set, 439
 orthorhombic symmetry, 290
 overlap integral, 306

partial wave analysis, 399–408
 Paschen-Back effect, 279
 Paschen series, 158
 Pasternack relation, 288
 Pauli, Wolfgang, 4
 Pauli exclusion principle, 204, 214, 218–221, 228
 Pauli spin matrices, 174, 177
 Periodic Table, 214–218
 perturbation theory
 first order, 250–251
 time-dependent, 340–367
 time-independent, 249–292
 phase
 Berry's, 380
 dynamic, 379
 geometric, 379
 wave function, 18, 26, 32, 39, 200, 380
 phase shift, 405–408
 phase velocity, 64
 photon, 158, 243–244, 350, 356
 Plancherel's theorem, 61, 66–67, 77, 104
 Planck formula, 158, 243–244, 285
 Planck's blackbody formula, 244–245, 355–356
 Planck's constant, 2
 polar angle, 150–151
 polarization, 348, 353
 population inversion, 351
 position
 eigenfunctions/eigenvalues, 104–105
 generalized statistical interpretation, 108–109
 operator, 17
 position-momentum uncertainty principle, 111–113
 position space wave function, 108
 positronium, 203, 285
 potential, 24
 chemical, 241
 Coulomb, 152–153
 delta-function, 68–78
 effective, 140–141
 finite square well, 78–84
 infinite square well, 30–31
 Kronig-Penney, 227
 reflectionless, 90
 scalar, 384
 spherically symmetrical, 415
 step, 83–84
 vector, 198–200
 Yukawa, 310, 415
 potential well
 no vertical walls, 332–333
 one vertical wall, 330–331
 two vertical walls, 318–319
 power law potential, 335
 power series method, 42, 52, 147–149
 principal (p), 215
 principal quantum number, 149

P

parahelium, 213
 partial wave amplitude, 402

466 *Index*

probability, 5–12
 Born's statistical interpretation, 2–5
 conservation, 22, 191
 continuous variables, 9–12
 current, 21, 66, 191
 density, 10–11
 discrete variables, 5–9
 generalized statistical interpretation, 106–109
 reflection, 75
 transition, 346–348
 transmission, 75
 projection operator, 122–123
 propagator, 418
 proton
 g-factor, 283
 magnetic field, 271

Q

quantum dots, 313–314
 quantum dynamics, 340–341
 quantum electrodynamics, 273, 350–352
 quantum jump, 158, 340–341
 quantum number, 139, 142
 angular momentum, 160
 azimuthal, 139
 “good,” 270, 277–279
 magnetic, 139
 principal, 149
 quantum statics, 340–341
 quantum statistical mechanics, 230–245
 quantum Xerox machine, 429
 quantum Zeno effect, 431–434
 quark, 189

R

Rabi flopping frequency, 347–348, 353
 radial equation, 140–145
 radial wave function, 133–134, 140–141, 146–157
 radiation, 348–354
 radiation zone, 400
 radius
 Bohr, 150, 269
 classical electron, 172
 raising operator, 44–45, 162, 168–169
 Ramsauer-Townsend effect, 82
 Rayleigh's formula, 403
 realist position, 3–4, 176, 420–422
 recursion formula, 53–55, 148, 150, 196, 367
 reduced mass, 202
 reflected wave, 74–75
 reflection coefficient, 75
 reflectionless potential, 90
 relativistic correction, 247, 267–271

resonance curve, 366
 revival time, 85
 Riemann zeta function, 38, 243
 rigged Hilbert space, 104
 rigid rotor, 170
 Rodrigues formula, 57, 136–137
 rotating wave approximation, 348
 row matrix, 443
 Rutherford scattering, 397, 415–416
 Rydberg constant, 158
 Rydberg formula, 158

S

scalar multiplication, 436–437
 scalar potential, 384
 scalars, 435–436
 scattering, 394–419
 amplitude, 399
 angle, 394–396
 Born approximation, 408–418
 classical theory, 394–397
 hard-sphere, 394–395
 low energy, 414
 matrix, 90–91
 partial wave analysis, 399–405
 phase shifts, 405–408
 Rutherford, 397, 415–416
 soft-sphere, 414
 Yukawa, 415
 scattering states, 68–69, 73–76, 90–91
 delta function, 73–74
 finite square well, 81–84
 tunneling, 320–325
 Schrödinger equation, 1–2, 131–132
 for helium, 311–312
 for hydrogen, 145
 integral form, 408–412
 momentum space, 130
 normalization and, 12–15
 spherical coordinates, 131–145
 time-dependent, 1–3, 13, 24–26, 28, 147–149, 201–248
 time-independent, 25–26, 132, 147, 202, 330
 WKB approximation, 315–339
 Schrödinger picture, 130
 Schrödinger's cat, 430–431
 Schwarz inequality, 95, 113, 440
 screening, 215
 sech-squared potential, 89–90, 335
 second-order correction, 250–251, 255–257, 299, 344–345
 selection rules, 359–363
 self-adjoint matrices, 444
 semiconductor, 229
 separable solution, 24–29, 60–65
 separation of variables, 24–25, 133–135
 sharp (s), 214–215

shells, 214–215
 similar matrices, 447–448
 simple harmonic oscillator equation, 31
 simultaneous diagonalization, 453
 singlet state, 185–186, 194, 210, 284–285, 422
 singular matrix, 445
 sinusoidal perturbation, 346–348
 sinusoidal wave, 61
 skew-hermitian matrix, 444
 skew-hermitian operator, 124
 Slater determinant, 210
 S-matrix, 90–91
 soft-sphere scattering, 414
 solenoid, 385–391
 solids, 23, 218–229
 band structure, 224–229
 free electron gas, 219–224
 Sommerfeld, A., 218
 span, 437
 spectral decomposition, 124
 spectrum, 99, 450
 blackbody, 243–245
 coincident spectral lines, 193
 degenerate, 99, 450
 hydrogen, 157–160
 of a matrix, 450
 spherical Bessel function, 142–144, 401
 spherical coordinates, 133–145
 angular equation, 135–140
 radial equation, 140–145
 separation of variables, 133–135
 spherical Hankel function, 401
 spherical harmonic, 139, 169
 spherical Neumann function, 142–144
 spherically symmetrical potential, 133, 415
 spin, 171–190
 down, 173
 entangled states, 422–423
 exchange forces, 210
 matrix, 173–174, 179, 195
 one, 178, 187
 one-half, 173–178
 singlet, 185
 statistics and, 204
 triplet, 185
 up, 173
 zero, 187
 spin-orbit coupling, 267, 271–276
 spin-orbit interaction, 273
 spinors, 173, 196–197
 spin-spin coupling, 284–285
 splitting, hyperfine, 283–285
 spontaneous emission, 350–352, 355–363, 367
 lifetime of excited states, 357–359
 selection rules, 359–363
 square-integrable function, 13, 94–95
 square well
 double, 87–88

 finite, 78–84
 infinite, 30–40
 standard deviation, 8–9
 Stark effect, 289–292, 338–339
 stationary states, 24–30
 delta-function well, 76
 free particle, 60
 harmonic oscillator, 49
 infinite square well, 30–32
 virial theorem, 126
 statistical interpretation, 2–5, 106–109
 statistical mechanics, 230–245
 statistics, spin and, 204
 Stefan-Boltzmann formula, 245
 step function, 77, 297
 Stern-Gerlach experiment, 181–183
 stimulated emission, 350–352
 Stirling's approximation, 237–238
 Stirling series, 237
 Sudarshan, E. C. G., 432
 superconductor, 387
 superluminal influence, 427–428
 supersymmetric quantum mechanics, 42
 symmetric matrix, 443
 symmetrization, 205, 233
 symmetry
 cubic, 290
 orthorhombic, 290
 tetragonal, 290

T

Taylor series, 41, 458
 Taylor's theorem, 52
 temperature, 230, 240
 tetragonal symmetry, 290
 thermal energy, 222
 thermal equilibrium, 230, 232, 236–239
 Thomas precession, 273
 time-dependent perturbation theory, 340–367
 Golden Rule, 354
 in two-level systems, 341–348
 time-dependent Schrödinger equation, 1–3, 13, 24–26, 28, 147–149, 201–248
 time-independent perturbation theory, 249–292, 299
 degenerate, 257–266
 nondegenerate, 249–257
 time-independent Schrödinger equation, 25–26, 132, 147, 202, 330
 stationary states, 18–30
 total cross-section, 396–397, 402, 404
 trace, 447
 transfer matrix, 91–92
 transformation
 hermitian, 455–458
 linear, 93, 455
 unitary, 457–458

468 *Index*

transition, 157–158, 340–341
 allowed, 366–367
 forbidden, 362, 366–367
 transition probability, 346–348
 transition rate, 353–354, 356
 transmission coefficient, 75, 82
 transmitted wave, 74–75
 transpose, 443
 triangle inequality, 440
 triplet state, 185, 284–285
 tunneling, 68, 76, 320–325
 in the Stark effect, 338–339
 turning points, 68, 316–317, 325–326, 332–333
 two-fold degeneracy, 257–261
 two-level systems, 341–348

U

uncertainty principle, 18–20, 110–118, 133
 energy-time, 114–118
 extended, 128
 generalized, 110–113
 minimum-uncertainty wave packet, 113
 unitary matrix, 445, 448
 unit matrix, 444–445
 unit vector, 439
 unstable particle, 22

V

valence electron, 218
 van der Waals interaction, 286–287
 variables
 continuous, 9–12
 discrete, 5–9
 hidden, 3–4, 423–428
 separation of, 24–25, 133–135
 variance, 9
 variational principle, 293–314
 helium ground state, 299–304
 hydrogen molecule ion, 304–309
 vector, 93, 435–438
 changing bases, 446–449
 Dirac notation, 118–119
 unit, 439
 zero, 436
 vector potential, 198–200
 vector space, 435
 velocity, 16
 classical, 60, 64–66

group, 64
 phase, 64
 vertex factor, 418
 virial theorem, 126, 190–191

W

wag the dog method, 54–55, 92
 watched pot phenomenon, 432
 wave function, 1–5, 12–14
 collapse, 5, 106, 176–177, 420–421, 428–429, 433
 free particle, 60–65
 hydrogen, 152–156
 infinite square well, 32
 momentum space, 108–109, 191–192
 normalization, 12–15
 position space, 108
 radial, 133–134, 140–141, 146–157
 statistical interpretation, 2–5, 106–109
 trial, 312–313
 of unstable particle, 22
 wavelength, 18–19, 158
 wave number, 398
 wave packet, 61–66
 gaussian, 67, 86, 113, 130
 minimum-uncertainty, 113
 wave-particle duality, 420
 wave vector, 220, 414
 white dwarf, 246
 Wien displacement law, 244
 Wigner, Eugene, 5, 431
 WKB approximation, 315–339
 “classical” region, 316–320
 connection formulas, 325–335
 tunneling, 320–325
 Wootters, William, 429

Y

Yukawa potential, 310, 415–416
 Yukawa scattering, 415–416

Z

Zeeman effect, 277–283
 intermediate-field, 281–283
 strong-field, 279–280
 weak-field, 277–279
 Zeno effect, 431–434
 zero matrix, 449
 Zurek, W. H., 429