

Index

- 5-HT. *See* serotonin
- abulia, 88, 108, 204
- acetylcholine, 18, 19, 104, 109,
 115, 160, 174
- addiction, 21, 24, 130, 133, 160, 223
- adenosine, 18, 25, 117, 159
- adhesion molecules, 17, 27
- adrenergic, 23
- aging, 11, 20, 43, 127, 180
- agnosia, 42
- anosognosia, 62
 - asomatognosia, 62
 - body form and body action agnosia,
 36
 - color agnosia, 218
 - finger agnosia, 49
 - prosopagnosia, 38, 61, 65
 - simultanagnosia, 6, 49
 - tactile and asteroagnosia, 42
 - visual agnosia, 37
- akinesia, 110, 112
- Parkinson disease, 116
- akinetetic mutism, 78, 88, 204
- alcohol, 6, 20, 22, 24, 40, 92, 128, 130,
 180, 224
- alien hand, 78, 223
- Alzheimer
- amyloid hypothesis, 26
 - basal forebrain, 20
 - basal ganglia, 113
 - cingulate cortex, 204
 - corpus callosum, 224
 - excitotoxicity, 25
 - locus coeruleus, 154
 - medial temporal lobe, 180
 - microglia, 27
 - pedunculopontine tegmental
 nucleus, 110
 - raphe nuclei, 160
 - sleep, 127
 - thalamus, 146
- amnesia, 50
- benzodiazapine, 175
 - retrosplenial amnesia, 203
 - topographical amnesia, 174
- amygdala, 175
- anatomy
 - asymmetry, 219
 - basal ganglia, 103
 - cingulate cortex, 83, 180, 200
 - extended amygdala. *See* extended
 amygdala
 - globus pallidus, 107
 - habenula, 134
 - habenular commissure, 225
 - hippocampus, 167
 - hypothalamus, 125, 126, 179
 - insular cortex, 129
 - nucleus accumbens, 107, 109
 - orbitofrontal cortex, 86
 - prefrontal cortex, 81, 82, 178, 226
 - social brain, 61, 181
 - thalamus, 142
 - uncinate fasciculus, 226 - basolateral cell group, 176
 - behavior
 - alcohol use disorder, 180
 - amygdala theory of autism, 181
 - anxiety, 153, 178, 181, 226
 - autism, 64, 181
 - bipolar disorder, 181
 - blindsight, 143
 - borderline personality disorder,
 89
 - depression, 89, 178, 181, 206
 - Down syndrome, 182
 - emotional bias, 39
 - epilepsy, 182
 - panic disorder, 183
 - posttraumatic stress disorder,
 183, 207
 - sleep deprivation, 178
 - startle reponse, 177
 - stress response, 153, 180 - centromedial cell group, 177
 - disinhibition, 178
 - dopamine, 23, 24
 - extended amygdala. *See* extended
 amygdala
 - GABA, 22
 - glucocorticoids, 179
 - intercalated cell groups, 177
 - norepinephrine, 153, 180
 - nuclei of the amygdala, 176
 - paralimbic, 80
 - serotonin, 156
 - somatic marker hypothesis, 64
- amyloid hypothesis, 26
- angular gyrus, 46, 47, 49, 59
- anorexia, 128
- anterior cingulate cortex. *See* cingulate
 cortex
- anti-Mullerian hormone, 129
- antisaccade task, 91
- anxiety, 39, 64, 181
- acetylcholine, 110
 - alcohol, 180
 - amygdala, 63, 83, 153, 175, 176, 178,
 226
 - bed nucleus of the stria terminalis,
 177, 179
 - carotid blood flow, 216
 - cingulate cortex, 207
 - cingulotomy, 197
 - dopamine, 115, 218
 - GABA, 22
 - glutamate, 20
 - hippocampus, 181
 - hypothalamus, 128
 - insular cortex, 64
 - norepinephrine, 23
 - occipital lobe, 39
 - Parkinson disease, 115
 - positive feedback, 179
 - sleep, 127
 - temporal lobe seizure, 67
- anxiety disorder, 21
- apathy, 3, 82, 88, 89, 90, 91, 108, 113,
 117, 130, 144, 204, 205, 208
- aphasia, 65, 67, 83, 89, 117, 141, 216,
 219, 220
- apraxia, 48, 49, 78, 216, 218, 223
- ideational, 48
 - ideomotor, 48
- aprosodia
- expressive, 83, 220
 - receptive, 49, 62, 218, 219
- ARAS. *See* ascending reticular
 activating system
- arcuate fasciculus, 34
- arcuate nucleus, 127, 129, 155
- Area MST, 37
- Area MT, 35, 38, 46, 59
- arousal, 23, 25, 109, 141, 143, 152, 153,
 159, 179, 202, 220
- arousal network, 151
 - hyperarousal, 91, 154
- ascending reticular activating system,
 108, 109, 152, 177

Index

- astrocyte, 153, *See* neuroglia
 ataxia, 3, 5, 48, 142, 145
 attention deficit/hyperactivity disorder, 7, 21, 23, 146, 153, 206, 224
 auditory area, 58, 59, 67, 219
 autism
 adhesion molecules, 17
 anterior cingulate cortex, 206
 cerebellum, 7, 206
 corpus callosum, 224
 deep brain stimulation, 181
 fusiform face area, 64
 hippocampus, 181
 inferior parietal lobule, 47
 orbitofrontal cortex, 88
 prefrontal lobe, 88
 serotonin, 24
 social brain, 181
 synaptic pruning, 206
 temporal lobe, 64
 theory-of-mind, 88, 181
 von Economo neurons, 200
 autoreceptor, 23, 156
 autoscopic phenomena, 64
 axon, 15
 terminal, 16
 transport, 15
 axon transport, 15, 19

 Balint syndrome, 49
 basal ganglia, 103–123
 basal nucleus, 104, 107, 109, 110, 115, 130, 164, 173
 acetylcholine, 115, 159
 bed nucleus of the stria terminalis
 anxiety, 177, 179
 cocaine, 179
 extended amygdala, 107, 177
 hypothalamus, 129
 nucleus accumbens, 177
 sexual dimorphism, 129
 stress, 179
 bipolar disorder
 amygdala, 89, 181
 anterior commissure, 225
 cerebellum, 6
 cingulate cortex, 206
 corpus callosum, 223, 224
 glycine, 21, 22
 hypothalamus, 127
 sleep, 133
 blindsight, 38, 143, 177
 blood-brain barrier, 10, 25, 134
 BOLD signal, 87
 borderline personality disorder, 24, 47, 50, 88, 183
 boundary cells, 165

 brainstem, 4
 Broca's area, 59, 64, 66, 74, 81, 82, 87, 217

 cadherins, 27
 capsulotomy, 114, 207
 caudate nucleus, 9, *See* striatum
 cavum pellucidum, 173
 cerebellar cognitive affective syndrome, 5, 145
 cerebellum, 5–7, 103, 141, 145, 151, 206, 224
 cerebrum, 7–9
 Charles Bonnet syndrome, 39
 cingulate cortex, 21, 64, 104, 174, 197–208, 224
 anatomy
 anterior cingulate cortex, 200
 cingulum, 197
 midcingulate cortex, 201
 posterior cingulate cortex, 202
 pregenual cortex, 200
 retrosplenial cingulate cortex, 203
 subgenual cortex, 200
 behavior
 akinetetic mutism, 204
 Alzheimer disease, 204
 apathy, 204
 attention deficit/hyperactivity disorder, 206
 autism, 206
 bipolar disorder, 206
 dementia, 204
 depression, 206
 obsessive-compulsive disorder, 207
 posttraumatic stress disorder, 207
 psychopathy, 208
 schizophrenia, 208
 Tourette syndrome, 206
 frontal lobe, 83
 social brain, 61
 cingulotomy, 197, 207
 cingulum, 74, 87, 197
 cingulumotomy, 197
 cirrhosis, 117
 cocaine
 appetite, 127
 bed nucleus of the stria terminalis, 179
 caudate nucleus, 108
 corpus callosum, 224
 dopamine, 23, 113
 frontal lobe, 92
 habenula, 134
 locus coeruleus, 175
 neurotransmitter, 19
 cognitive/attention network, 206
 commissure
 anterior, 225

 fornical, 225
 habenula, 225
 hippocampal, 225
 posterior, 225
 supraoptic, 225
 consciousness, 7, 43, 145, 158, 223
 corpus callosum, 12, 48, 92, 200, 221–225
 corticotropin releasing hormone, 128, 177, 180
 cortisol, 127, 128, 157, 175, 216, 220
 Cotard delusion, 66
 cytokines, 27, 133, 159
 mood disorders, 133

 deafness, 58
 decision making, 64, 86, 115, 116, 206, 208, 216, 224, 226
 deep brain stimulation, 25, 110, 114, 116, 134
 déjà-vu phenomenon, 183
 delusions, 49, 56, 66, 91, 116, 182
 dementia, 3, 20, 43, 113, 154
 basal ganglia, 117
 Down syndrome, 182
 frontotemporal, 61, 88, 89, 200, 226
 pugilistica, 115
 dendrite, 14, 15, 18, 66, 92, 159, 169, 180, 208
 dentate gyrus, 169
 depersonalization, 50
 depression
 amygdala, 178
 anterior cingulate cortex, 116
 beta amyloid, 160
 brain-derived neurotrophic factor, 21
 carotid blood flow, 216
 caudate nucleus, 117
 cerebellum, 6
 cingulate cortex, 206
 cingulumotomy, 197
 Cotard delusion, 66
 deep brain stimulation, 116
 dopamine, 113
 GABA, 22
 globus pallidus, 117
 glycine, 21
 habenula, 134
 hippocampus, 181
 Huntington disease, 113
 hypothalamus, 126
 insular cortex, 65
 locus coeruleus, 154, 175
 monomine hypothesis, 156
 neurogenesis, 157
 norepinephrine, 23
 orbitofrontal cortex, 182
 oxytocin, 128
 Parkinson disease, 114, 115, 156
 perinatal, 129

- pineal gland, 133
 pituitary gland, 128
 prefrontal cortex, 89, 182
 serotonin, 24, 157
 dexamethasone, 128
 diencephalon, 1, 2, 4, 7, 124, 140
 diffusion tensor imaging, 86, 220
 dopamine, 23–24
 dopamine theory of schizophrenia, 24
 basal ganglia, 108, 111, 115, 143, 157
 brainstem, 153, 175, 177
 cingulate cortex, 204
 depression, 113, 115, 156
 frontal lobe, 92, 180
 habenula, 133, 134
 marijuana, 113
 nucleus accumbens, 128, 157
 Parkinson disease, 115
 schizophrenia, 115
 substantia nigra
 schizophrenia, 24
 thalamus, 144, 148
 Tourette syndrome, 116
 ventral tegmental area, 23
 dyscalculia, 45
 dyslexia, 41, 60, 65

 electroencephalogram, 10
 electrotonic coupling, 16
 emotional bias, 39
 emotional brain. *See* limbic system
 empathy, 44, 61, 77, 85, 90, 200, 220
 entorhinal cortex, 166, 168–169, 170, 172
 Alzheimer disease, 180
 paralimbic system, 197
 schizophrenia, 185
 environmental dependency syndrome, 73, 81
 epilepsy, 182, 220, 223, 226
 epileptogenic foci, 183, 219
 epiphysis. *See* pineal
 epithalamus, 132–134
 error detection, 200, 201
 excitotoxicity, 20, 25
 executive function, 5, 81, 89, 115, 143, 157, 200
 Alzheimer disease, 204
 head trauma, 226
 schizophrenia, 147
 extended amygdala, 23, 63, 64. *See* bed nucleus of the stria terminalis
 amygdala, centromedial cell group, 177
 bed nucleus of the stria terminalis, 177
 extrastriate body, 36, 47
 extrastriate visual cortex, 34

 fasciculus retroflexus, 133, 134
 fear, 130, 155, 175, 177, 182, 200, 224
 feeling-of-a-presence. *See* autoscopic phenomena
 flocculonodular lobe, 5
 fornix, 130, 170, 172
 schizophrenia, 185
 septum, 171
 fractional anisotropy, 220
 frontal eye field, 43, 46, 47, 65, 73, 79, 200
 frontal lobe, 9, 73
 anatomy
 anterior cingulate cortex, 83, 200
 asymmetry, 216
 basal ganglia, 104, 117
 dorsolateral prefrontal cortex, 81
 dorsomedial prefrontal cortex
 theory-of-mind, 61
 prefrontal cortex, 80
 social brain, 61
 prefrontal networks, 86
 social brain, 85
 subdivisions, 73
 ventrolateral prefrontal cortex, 82
 ventromedial prefrontal cortex, 85
 behavior
 aging, 40
 Alzheimer disease, 204
 autism, 88
 borderline personality disorder, 88
 delusions, 56
 depression and mania, 89
 frontal lobe syndrome, 88
 frontotemporal dementia, 89
 motor control, 41, 42, 77
 obsessive-compulsive disorder, 90
 orbitofrontal lobe, 86
 posttraumatic stress disorder, 90
 prefrontal cortex
 psychosis, 22
 self-awareness, 43
 schizophrenia, 39, 91
 spatial attention, 41, 43, 48
 speech, 66
 traumatic brain injury, 92
 ventromedial prefrontal cortex
 somatic marker hypothesis, 64
 dopamine, 24
 theory-of-mind, 85
 frontotemporal dementia, 204
 fusiform face area, 36, 60, 61
 autism, 64
 prosopagnosia, 65
 reduplicative paramnesia, 66
 social brain, 61
 fusiform gyrus, 33, 36, 47, 60

 hallucinations, 174
 visual agnosia, 38

 GABA, 22, 24, 128
 amygdala, 177
 appetite, 155
 attention deficit/hyperactivity disorder, 147
 basal ganglia, 105, 111
 depression, 21
 GABA-guard, 18
 interpeduncular nucleus, 133
 muscle atonia during sleep, 160
 reuptake, 19
 seizures, 181, 182
 sleep, 159
 thalamus, 143
 Tourette syndrome, 116
 Gastaut-Geschwind syndrome, 182
 geniculate body
 lateral, 34
 blindsight, 38
 pineal gland, 132
 medial, 58, 176
 Gerstmann syndrome, 49
 Gilles de la Tourette syndrome. *See* Tourette syndrome
 globus pallidus
 anatomy, 103, 105, 107, 112
 asymmetry, 220
 habenula, 133
 behavior
 catatonia, 115
 cirrhotic patients, 117
 depression, 117
 obsessive-compulsive disorder, 114
 Parkinson disease, 157
 glucose metabolism, 50, 183, 220
 glutamate, 18, 20–21
 addictive behavior, 21
 basal ganglia, 105
 excitotoxicity, 20, 25
 glutamate theory of schizophrenia, 21
 midbrain locomotor region, 158
 mood disorders, 20
 motor neuron activity, 156
 neural networks, 22
 reuptake, 19
 schizophrenia, 20, 92
 subthalamic nucleus, 111
 glycine, 22–23
 mood disorders, 21
 reuptake, 19
 Golgi apparatus, 14

 habenula, 133–134
 addiction, 133
 anti-reward, 133

Index

- habenula (cont.)
 schizophrenia, 134
 habenular commissure, 225
 hallucinations, 4, 38, 56, 66, 67, 83, 91,
 110, 117, 132, 157, 182, 208, 217,
 225
 handedness, 216
 schizophrenia, 217
 head-direction cells, 165
 heautoscopy. *See* autoscopic
 phenomena
 hemiakinesia, 220
 hemispheric specialization, 216
 Heschl's gyrus, 57, 58, 217, 219
 stuttering, 67
 hippocampal commissure, 225
 hippocampal formation, 169
 hippocampus, 170–172
 acetylcholine, 174
 anatomy, 164
cornu ammonis, 170
 cerebellum, 5
 field CA1, 171
 field CA2, 169
 field CA3, 170
 field CA4, 169
 habenular commissure, 225
 hypothalamus, 125
 locus coeruleus, 23
 mammillary body, 130
 precuneus, 44
 retrosplenial cortex, 43
 retrosplenial cortex, 203
 septohippocampal system, 174
 uncinate fasciculus, 87
 asymmetry, 219
 behavior
 aging, 11, 25, 180, 219
 Alzheimer disease, 180
 autism, 181
 depression, 181
 Down syndrome, 182
 frontotemporal dementia, 204
 mesial temporal lobe epilepsy, 182
 pattern completion, 168, 170, 185
 pattern separation, 169, 171
 posttraumatic stress disorder, 65,
 183
 schizophrenia, 20, 185
 traumatic brain injury, 185
 dopamine, 23
 function
 allocentric map, 40
 field CA1, 171
 field CA3, 170
 long-term potentiation, 153
 neurogenesis, 157
 serotonin, 134
 theta rhythm, 166
 histamine, 24
 Huntington disease, 92
 basal ganglia, 113
 choreiform movements, 112
 depression, 113
 excitotoxicity, 20, 25
 hypothalamus, 131
 hyperkinetic movement disorders, 112
 hypodopaminergia, 24
 hypohalamic-pituitary-adrenal axis,
 179
 hypokenetic movement disorders, 112
 hypothalamic-pituitary-adrenal axis,
 160
 hypothalamus, 124–132
 anatomy, 7, 179
 amygdala, 125, 177
 anterior cingulate cortex, 83
 anterior nucleus of the thalamus,
 142
 arcuate nucleus, 127
 basal ganglia, 107
 brainstem, 125
 cingulate cortex, 125
 dorsomedial nucleus, 129
 histamine neurons, 24
 hypothalamic nuclei, 126
 hypothalamic-pituitary-adrenal
 axis, 128
 interstitial nucleus, 129
 lateral zone, 130
 locus coeruleus, 153
 mammillary body, 130
 medial forebrain bundle, 125
 nucleus accumbens, 109
 orbitofrontal cortex, 86
 organum vasculosum, 126
 paraventricular nucleus, 128
 periventricular zone, 126
 preoptic area, 126
 sexual dimorphism, 129
 suprachiasmatic nucleus, 127
 supraoptic nucleus, 128
 ventromedial nucleus, 130
 behavior
 aggression, 131
 aggressive behavior, 126
 aging, 127
 anorexia, 128
 appetite, 127
 day-night cycles, 127
 depression, 127, 128
 fear, 130
 hunger, 127, 131
 hyperphagia, 130
 maternal behavior, 126
 milk-let-down, 126, 131
 schizophrenia, 128
 sexual behavior, 126, 127
 sham rage, 129
 sleep and wakefulness, 159
 social behavior, 128
 transsexual, 129
 Wernicke-Korsakoff syndrome,
 130
 corticotropin releasing hormone,
 128
 leptin, 127
 orexin/hypocretin, 130
 oxytocin, 128
 illusions/distortions, 38, 65
 insular cortex, 63–64
 anatomy
 amygdala, 183
 cingulate cortex, 200
 limbic sensory cortex, 200
 orbitofrontal cortex, 197
 subdivisions of the insular cortex,
 63
 uncinate fasciculus, 87
 behavior
 anxiety, 64
 autoscopic phenomena, 64
 depression, 65
 drug craving, 64
 frontotemporal dementia, 90
 Tourette syndrome, 67
 intermittent explosive disorder, 132
 intraparietal sulcus, 40, 44
 introspection, 63, 84
 ischemia, 4, 25
 isthmus, 203, 222, 223
 ketamine, 21
 Klüver-Bucy syndrome, 61, 183
 language, 5, 41, 46, 48, 49, 56, 62, 65,
 77, 83, 115, 216
 laterodorsal tegmental nucleus, 108,
 156, 158
 lentiform nucleus, 105
 leptin, 127
 limbic
 striatum, 106
 thalamus, 130, 141, 142
 limbic sensory cortex, 200
 limbic system, 9, 103, 108, 164–185
 locus coeruleus, 16, 133, 153, 160, 179
 long-term potentiation, 166
 magical thinking, 217
 mammillary body, 125, 130
 amnesia, 130
 memory, 130
 schizophrenia, 128
 mania, 89, 117, 133, 181
 medial forebrain bundle, 108, 125, 130,
 133
 medulla, 2, 4, 126, 151, 160
 medullary lamina

- external, 143
- internal, 140, 143, 144
- melatonin, 127, 132
- memory, 23, 47, 130, 141, 143, 164–166
 - declarative, 113, 164
 - decline, 20, 92, 115, 145
 - drug craving, 64
 - episodic, 43, 44, 143
 - familiarity and recollection, 164
 - formation, 109, 153
 - long-term, 81, 87
 - memory formation, 21
 - pattern completion, 171
 - procedural, 78, 108, 113
 - recall, 59
 - semantic, 61, 82
 - short-term, 46
 - spatial, 134
 - working, 5, 23, 42, 47, 80, 81, 87, 88, 91, 130, 157, 159
- meninges, 11
- mentalize, 77, 85
- microglia, 66, 153, *See* neuroglia
 - Parkinson disease, 27
- microtubules, 15
- midbrain, 2, 4, 23, 151
 - locomotor region, 158
 - neurogenesis, 115
 - reward area, 128
 - Tourette syndrome, 116
- migrain, 39
- mirror neuron, 77
- motor cortex, 75–79
- motor neglect, 78
- motor plans, 41
- muscarinic receptors, 20
- myelin, 26, 114, 222
- navigation, 46, 164, 168, 175, 203, 219
- neglect syndrome, 36, 42, 46, 78, 142, 218, 223
- network, 19
 - anti-reward network, 133
 - attention networks, 47, 87, 143
 - central executive network, 87
 - circadian rhythm network, 127
 - cognitive/attention network, 206
 - default mode network, 43, 47, 63, 87, 199, 202, 204
 - diffuse arousal network, 151
 - medial prefrontal network, 200
 - mentalizing, 85
 - salience network, 63, 67, 205, 208, 224
 - social brain network, 181
 - theory-of-mind, 61
- neurocretin. *See* orexin/hypocretin
- neurofilaments, 15
- neurogenesis, 165–166
 - dentate gyrus, 157, 169
- depression, 157, 181
 - memory, 164
- posttraumatic stress disorder, 183
- psychosis, 185
- substantia nigra, 115
- traumatic brain injury, 185
- neuroglia, 26
 - astrocyte, 19, 20, 22, 26, 117, 182
 - microglia, 26
 - oligodendroglia, 26
- neuroleptics, 147
- neuroligins, 17
- neuron, 14
- neuropeptides, 17, 25
- neurotransmitter, 19
 - neurotransmitter removal, 19
- nicotinic receptor, 20
- Nissl substance, 14
- norepinephrine, 16, 23, 218, *See also*
 - locus coeruleus
- amygdala, 177
- anxiety, 133
- depression, 156
- locus coeruleus, 153
- nucleus accumbens, 126, 134, 155, 176
- abusive drugs, 112, 153
- core, 107, 109
- depression, 113, 115
- dopamine, 21, 23, 109, 157
- limbic loop, 110, 112, 204
- obsessive-compulsive disorder, 114
- prefrontal lobe, 85
- shell, 107, 109, 177
- Tourette syndrome, 207
- ventral striatum, 106, 109
- obesity, 127, 130
- obsessive-compulsive disorder, 220
 - basal ganglia, 113
 - cingulate cortex, 207
 - cingulotomy, 197
 - limbic circuit, 204
 - occipital cortex, 39
 - prefrontal cortex, 90
 - serotonin, 24
- occipital lobe, 33–40, 59, 143, 216
- olfactory tubercle, 23, 104, 107
- oligodendroglia. *See* neuroglia
- opiates, 154
- optic flow, 37, 46
- orbitofrontal cortex, 86, *See also* frontal lobe
 - anatomy
 - amygdala, 177
 - cingulate cortex, 83
 - insular cortex, 63
 - social brain, 61, 181
 - temporal pole, 61
 - thalamus, 142
- uncinate fasciculus, 226
- behavior
 - aging, 11
 - attention, 153
 - autism, 88
 - bipolar disorder, 181, 208
 - borderline personality disorder, 89
 - depression, 89
 - frontotemporal dementia, 90
 - intermittent explosive disorder, 132
 - mania, 89
 - obsessive-compulsive disorder, 90, 113, 207
 - traumatic brain injury, 92
- orexin/hypocretin, 129, 130, 153, 160
- narcolepsy, 160
- pineal, 132
- organum vasculosum, 126
- out-of-body experience. *See* autoscopic phenomena
- oxytocin, 25, 126, 128, 130
- pain, 148
 - chronic, 158
 - lateral pain system, 145, 148, 158
 - medial pain system, 144, 148, 154, 156, 201
 - periaqueductal gray, 158
 - raphe nuclei, 158
 - raphe spinal tract, 156
 - social pain, 201
 - vicarious pain, 200, 201
- panic disorder, 178, 183, 184, 224
- parabrachial nucleus, 126, 154, 160
- parahippocampal cortex, 167
- parahippocampal gyrus, 9, 166, 182
 - psychopathy, 208
- paralimbic, 61, 80, 183, 197, 208
- parallel auditory streams, 58
- parallel circuits, 110–112
- parallel visual streams, 35, 167
- paramnesia. *See* fusiform face area
- parietal 3D analysis, 46
- parietal grasp region, 46
- parietal lobe, 40–55, 58, 62, 64, 65, 68, 199, 201, 218
 - anatomy
 - attention networks, 47
 - inferior parietal lobule, 46–47
 - intraparietal sulcus, 44–46
 - precuneus, 43
 - superior parietal lobule, 42
 - behavior
 - apraxia, 48
 - aprosodia, 49
 - Balint syndrome, 49
 - body movements in space, 43

Index

- parietal lobe (cont.)
 borderline personality disorder, 50
 consciousness, 43
 episodic memory retrieval, 44
 Gerstmann syndrome, 49
 optic ataxia, 48
 parietal lobe seizures, 50
 posterior parietal lobe, 49
 schizophrenia, 49
 self-awareness, 44
 spatial neglect, 48
 Williams syndrome, 49
 parietal navigation region, 46
 parietal operculum, 41
 parietal reach region, 45
 parietal saccade region, 45
 Parkinson disease, 103, 110, 114, 131, 158
 acetylcholine, 20, 109, 158
 dopamine, 111
 excitotoxicity, 25
 frontal lobe, 92
 microglia, 27
 midbrain locomotor region, 158
 pedunculopontine tegmental nucleus, 110
 rapid eye movement disorder, 154
 serotonin, 156
 pedunculopontine nuclei, 20, 108, 109, 152, 158
 pedunculopontine tegmental nucleus, 110, 111, 158, 177
 Alzheimer disease, 110
 Parkinson disease, 110
 progressive supranuclear palsy, 110
 perforant path, 169, 170, 171, 172
 periaqueductal gray, 126, 130, 148, 154, 158, 177, 182
 perirhinal cortex, 167
 persistent vegetative state, 199
 petalia, 216
 pineal gland, 7, 127, 132–133
 depression, 133
 schizophrenia, 133
 pituitary gland, 7, 124, 128
 place cells, 165
 planum polare, 61
 planum temporale, 58, 59, 67, 217, 219, 225
 pleasure, 64, 67
 pons, 4
 postcentral gyrus, 40, 41, 50, 141
 posteromedial cortex, 199
 posttraumatic stress disorder, 7, 47, 65, 183, 207, 224
 amnesia, 90
 amygdala, 178, 183
 cerebellum, 7
 cingulate cortex, 207
 corpus callosum, 224
 frontal lobe, 90
 hippocampus, 65
 neurogenesis, 183
 precentral gyrus, 75
 precuneus, 42, 43, 202, *See also* parietal lobe
 Alzheimer disease, 204
 borderline personality disorder, 50
 consciousness, 199
 dyslexia, 65
 memory, 59, 142
 self-awareness, 43
 somatic marker hypothesis, 64
 prefrontal lobe
 behavior
 dorsolateral prefrontal cortex, 23
 prelimbic cortex, 201
 prestriate cortex, 34
 primary limbic cortex, 200
 prosopagnosia, 38, 61, 65, 218
 psychopathy, 202, 208, 226
 puerilism, 86
 putamen. *See also* striatum
 anatomy, 105, 106
 nucleus accumbens, 107
 behavior
 obsessive-compulsive disorder, 113
 Tourette syndrome, 117
 raphe nuclei, 24, 125, 128, 132, 156, 159, 160, 164, 182
 receptor
 autoreceptor, 17
 receptor mechanisms, 17–19
 reduplicative paramnesia, 66
 reticular formation, 43, 108, 151
 retina, 22, 24, 34, 127
 reward deficiency syndrome, 134
 right ear advantage, 217
 room-tilt illusion. *See* autoscopic phenomena
 room-tilt-illusion. *See* autoscopic phenomena
 saccadic eye movements, 42, 43, 45, 79
 schizophrenia
 NMDA receptor hypothesis, 21
 schizophrenia
 basal ganglia, 115
 cerebellum, 6
 cingulate cortex, 208
 disconnection hypothesis, 224, 225
 dopamine theory of schizophrenia, 24
 eye tracking, 39
 frontal lobe, 83, 88
 habenula, 134
 handedness, 217
 hippocampus, 185
 hypothalamus, 128
 microglial hypothesis, 27
 misidentification syndrome, 66
 parietal lobe, 49
 positive feedback, 148
 temporal lobe, 56, 66
 thalamus, 147
 uncinate fasciculus, 226
 ventricles, 3
 visual cortex, 39
 Schmahmann syndrome, 5
 seasonal affective disorder, 127
 second messenger system, 18
 seizures
 autism, 181
 hypothalamus, 132
 insular cortex, 67
 parahippocampal gyrus, 182
 parietal lobe, 50
 temporal lobe, 67
 thalamus, 143
 selective serotonin reuptake inhibitor, 24, 156
 self-awareness
 cingulate gyrus, 202
 frontotemporal dementia, 90
 precuneus, 43, 44
 sensory neglect, 48
 septal nuclei, 125, 133, 164, 173–174
 septal rage syndrome, 175
 septum pellucidum, 107, 173
 septum verum, 173
 serotonin, 24
 aggression, 131
 autism, 24
 borderline personality disorder, 89
 depression, 24, 156
 habenula, 134
 hippocampus, 134
 obsessive-compulsive disorder, 24, 114
 raphe nuclei, 156
 serotonin syndrome, 157
 violent behavior and suicide, 182
 sexual arousal, 63
 sexual behavior, 126, 182
 sexual dimorphism, 129
 sexual experience, 165
 sleep, 10, 20, 25, 109, 127, 131, 146, 153, 156, 158, 159, 199
 sleep disturbance, 114, 133, 147, 154, 158
 small molecule neurotransmitters, 17
 social brain
 autism, 181
 frontal lobe, 85
 theory-of-mind, 85

- solitary nucleus, 125, 126, 143, 155
 appetite, 155
 somatic marker hypothesis, 63, 64
 somatoparaphrenia, 62
 Sommer sector. *See* hippocampus field
 CA1
 spatial cells, 165
 split brain syndrome, 223
 startle disease, 23
 startle reflex, 179
 stria terminalis, 125
 striatum
 dorsal striatum, 105, 108
 limbic striatum, 106
 neostriatum, 9, 103, 104
 paleostriatum, 9, 103
 ventral striatum, 106, 109
 stuttering, 6, 67
 subcaudate tractotomy, 114
 substantia nigra, 109, 151, 159
 Alzheimer disease, 113
 dopamine, 23
 habenula, 133
 MPTP, 106
 neurogenesis, 115
 Parkinson disease, 27, 114
 pars compacta & pars reticulata, 108
 synapse, 16–17
 synaptic pruning, 19, 66
 autism, 206
 schizophrenia, 91
 temporal lobe, 56–62, 164–185
 anatomy
 association areas, 59
 auditory cortex, 58
 auditory streams, 58
 fusiform face area, 60
 Heschl's gyrus, 58
 planum temporale, 59
 social brain, 61
 superior temporal gyrus and sulcus, 57
 temporal pole, 61
 temporoparietal junction, 61,
 See also temporoparietal
 junction
 behavior
 auditory processing, 58
 frontotemporal dementia, 61
 Klüver-Bucy syndrome, 61
 theory-of-mind, 61
 temporal pole, 61, 168, 197
 psychopathy, 226
 schizophrenia, 208
 theory-of-mind, 61
 temporoparietal junction
 anosognosia, 62
 asomatognosia, 62
 sensory neglect, 48
 social brain, 61
 somatoparaphrenia, 62
 theory-of-mind, 61
 ventral attention network, 47
 thalamus, 140–148
 anatomy
 anterior nucleus, 142, 144
 association nuclei, 142
 central lateral intralaminar
 nucleus, 144
 centromedian nucleus, 143
 lateral dorsal nucleus, 142
 lateral geniculate body, 34,
 38, 132
 limbic thalamus, 141
 mammillary body, 130, 142
 mammillothalamic tract, 142,
 144
 medial geniculate body, 141
 mediodorsal nucleus, 112, 142
 midline nuclei, 144
 nonspecific nuclei, 143
 parafascicular nucleus, 143
 pulvinar, 143
 relay nuclei, 141
 ventral intermediate nucleus,
 141
 ventral posterolateral nucleus,
 141
 ventral posteromedial nucleus,
 141
 behavior
 Alzheimer disease, 146
 amnesia, 144, 145
 anterior behavioral syndrome,
 144
 aphasia, 141
 attention deficit/hyperactivity
 disorder, 146
 cognition, 143, 145
 consciousness, 145
 memory, 143
 neglect syndrome, 142
 post-stroke pain, 145, 148
 schizophrenia, 147
 seizures, 143
 thalamic syndrome, 148
 tremor, 141
 theory-of-mind, 61, 85
 autism, 88
 cingulate cortex, 206
 mirror neurons, 77
 precuneus, 44
 temporal pole, 61
 temporoparietal junction, 62
 theta rhythm, 159, 166, 174
 Tourette syndrome, 67, 116, 207,
 220, 225
 traumatic brain injury, 25, 92,
 185, 226
 trichotillomania, 117
 Turner syndrome, 45
 uncinate fasciculus, 226
 uncus, 9, 166
 ventricles
 schizophrenia, 3
 ventral amygdalofugal pathway, 125
 ventral tegmental area, 108, 159
 dopamine, 23
 habenula, 133
 reward system, 133, 134, 175
 schizophrenia, 116
 ventricles, 2–3
 vermis, 5
 vestibular
 nausea, 25
 primary vestibular area, 41
 vestibular dysfunction
 cognitive impairment, 180
 vestibular signals
 autoscopy phenomena, 64
 head-direction cells, 165
 intraparietal area, 45
 medial superior temporal area, 37
 optic flow, 37
 temporal lobe seizures, 67
 vestibular stimulation
 neglect syndrome, 36
 neurogenesis, 166
 visual stream, 46
 amygdala, 176
 apraxia, 48
 cingulate cortex, 201
 distortions and hallucinations, 38
 dorsal visual stream, 36, 42, 43, 167
 optic ataxia, 48
 schizophrenia, 49
 ventral visual stream, 36, 168
 von Economo neurons, 89, 199
 Wada test, 220
 Wernicke's receptive aphasia,
 65, 219
 Wernicke's receptive speech area, 66,
 82, 217
 Wernicke-Korsakoff syndrome, 130
 Williams syndrome, 7, 49
 Wisconsin card sorting test, 82
 Yakovlevian counterclockwise torque,
 216