

Cambridge University Press

978-1-558-99364-8 - High-Temperature Ordered Intermetallic Alloys VII

C.C. Koch, C.T. Liu, N.S. Stoloff and A. Wanner

Index

[More information](#)

AUTHOR INDEX

- Abe, E., 135, 201
 Aidang, Shan, 461
 Aindow, M., 671
 Albers, R.C., 623
 Allen, Samuel M., 695
 Amador, Carlos, 443
 Ambrow, C.E., 115
 Anderson, I.M., 617
 Aoki, K., 153
 Appel, F., 77, 195, 207, 257
 Arunachalam, V.S., 493
 Arzt, Eduard, 487
 Augustin, S., 727

 Baker, Ian, 331, 367, 373
 Balk, T. John, 641
 Banerjee, S., 653
 Barrera, E.V., 103
 Bartels, A., 141
 Beddoes, J., 293
 Behr, Robert, 487
 Benci, J.E., 115
 Bentley, J., 617
 Bewlay, B.P., 715
 Bieler, Thomas R., 281, 473
 Bonneville, J., 263, 419, 529
 Bowen, P., 287
 Bozzolo, Guillermo, 443
 Bruhn, J., 761

 Caillard, D., 237, 455
 Chen, Quoliang, 575
 Chen, Jinmin, 103
 Chen, Katherine C., 695
 Chen, S.P., 623
 Chiba, A., 45, 707
 Christoph, U., 77, 207
 Chu, F., 617, 623, 689
 Clark, W.A.T., 231
 Claussen, N., 761
 Clavaguera, N., 355
 Clavaguera-Mora, M.T., 355
 Clemens, H., 29, 141, 195
 Crimp, M.A., 387, 467

 Das, G., 243
 Daw, M.S., 505
 Demura, M., 549
 Devincze, B., 535
 Douin, J., 455
 Dunand, D.C., 737

 Eberhardt, N., 29
 Ebrahimi, F., 97, 393
 Ennis, P.J., 257

 Farber, L., 561
 Farkas, Diana, 399

 Feng, C.R., 665
 Ferrante, John, 443
 Fort, D., 567
 Fraser, H.L., 213, 231, 653
 Frazier, W.E., 103

 García, D.E., 761
 Garg, Anita, 413, 443, 473, 479
 Garmestani, H., 243
 George, E.P., 373
 Ghosh, B., 467
 Gialanella, S., 225
 Ghibala, R., 361, 449, 743
 Glatz, W., 29, 195
 Godfrey, A., 127
 Gotman, I., 561
 Grahle, Peter, 487
 Gray, III, George T., 189
 Grylls, R.J., 653
 Gunther, S., 301
 Güth, A., 407
 Gutmanas, E.Y., 561

 Hanada, S., 313, 587
 Hanamura, Toshihiro, 71
 Hanes, D.B., 361
 Harada, H., 701
 Hartig, C., 141
 Hasegawa, Tadashi, 91
 Hashimoto, Keizo, 71
 Hebsur, Mohan, 487
 Heinrich, H., 147
 Hemker, Kevin J., 171, 269, 641
 Herman, H., 593
 Herrouin, F., 287
 Hirano, T., 549
 Hoelzer, D.T., 97
 Holmes, J.W., 449
 Horspool, D.N., 671
 Hosoda, Hideki, 635
 Hou, D.H., 653
 Hu, D., 127

 Inkson, B.J., 767
 Inoue, A., 153
 Inoue, M., 755
 Inui, H., 53, 599, 605
 Ito, K., 599, 605
 Itoh, Y., 153
 Iwami, Kenji, 91

 Jackson, M.R., 715
 Janssen, R., 761
 Jewett, T., 593
 Jin, Zhe, 189
 Johnson, D.R., 53
 Jones, I.P., 287, 567

Cambridge University Press

978-1-558-99364-8 - High-Temperature Ordered Intermetallic Alloys VII

C.C. Koch, C.T. Liu, N.S. Stoloff and A. Wanner

Index

[More information](#)

- Kai, T., 45
 Kajiwara, S., 201
 Kaufman, M.J., 213, 499
 Kawamura, Y., 153
 Kim, H., 159
 Kim, S., 159
 Kim, Young-Won, 65
 Kishida, K., 53
 Kitabjian, P.H., 479
 Knabl, W., 29
 Koizumi, Y., 701
 Kong, C.H., 325
 Kostorz, Gernot, 147, 337
 Köthe, A., 407
 Kotula, P.G., 617
 Král, Filip, 337
 Kruml, T., 529
 Krupp, A., 761
 Kubin, L., 535
 Kumagai, T., 135, 201
 Kumar, K.S., 677
 Kumar, Mukul, 641
 Kush, M.T., 449
- LaVan, David, 171
 Larsen, D.E., 281
 Leboeuf, M., 177
 Lee, H.N., 165
 Legros, M., 237
 Li, Dingqiang, 349
 Li, X.G., 707
 Lin, Dongliang, 65, 349, 461, 511, 517
 Lin, Yun, 65
 Lipe, T., 275
 Lipetzky, P., 727
 Lipsitt, H.A., 715
 Liu, C.T., 83, 219
 Liu, J.N., 343
 Livingston, James D., 695
 Loretto, M.H., 127, 213
 Löser, W., 407
 Lu, Lei, 249
 Lu, Min, 269
 Lukitsch, M.J., 115
 Lunt, M.J., 629
 Luton, Michael J., 413
- Ma, J.C., 115
 Ma, J.L., 343
 Mahajan, S., 493
 Martin, J.-L., 263, 419, 529
 Martinz, H.-P., 29
 Maruko, T., 701
 Masuda, Y., 53
 Masumoto, T., 153
 Matterstock, B., 419
 Maziasz, P.J., 83, 219
 Mecking, H., 141
 Mendoza-Zelis, L., 355
 Mercer, C., 183
 Meyer, M., 355
 Mills, M.J., 505
- Minonishi, Y., 237
 Mishima, Yoshinao, 431, 635
 Misra, A., 743
 Mitchell, T.E., 617, 623, 689
 Miura, Seiji, 431
 Moriwaki, M., 605
 Morizono, Y., 45
 Morris, D.G., 301
 Morris, M.A., 177, 275
 Mortensen, A., 737
 Muller, David A., 647
 Munroe, P.R., 325, 379
 Murakami, H., 701
- Nakamoto, T., 599
 Nakamura, M., 135, 201
 Nazmy, M., 225, 727
 Newman, A., 593
 Ng, B.-C., 387
 Ni, Y., 183
 Niihara, K., 755
 Nishida, M., 45
 Nix, W.D., 437, 479
 Noebe, Ronald D., 443, 479, 499, 505
 Nosedo, C., 225, 727
 Nuñez, C.A., 3
- Oehring, M., 257
 Oh, M.H., 165
 Ono, T., 707
 Ormeci, Alim, 623
- Park, J.Y., 165
 Park, K., 159
 Park, S.W., 165
 Parrini, L., 147
 Peng, Jihua, 575
 Peng, Zhi-Lun, 431
 Perepezko, J.H., 3
 Perungulam, S., 653
 Pierron, Xavier, 331
 Pike, L.M., 379
 Pollock, T.M., 493
 Pope, David P., 249
- Raj, S.V., 473
 Ro, Y., 701
- Saada, G., 535
 Sabariz, A.L.R., 611
 Sadananda, K., 665
 Sampath, S., 593
 Sanchez, F.H., 355
 Sanmarchi, C.W., 737
 Sass, Stephen L., 647
 Savage, M.F., 505
 Schicker, S., 761
 Schneibel, J.H., 379
 Schulson, E.M., 425, 555
 Schwander, Peter, 337
 Seo, Dong Yi, 281
 Shi, X., 493

Cambridge University Press

978-1-558-99364-8 - High-Temperature Ordered Intermetallic Alloys VII

C.C. Koch, C.T. Liu, N.S. Stoloff and A. Wanner

Index

[More information](#)

- Shimada, Y., 53
 Shrivastava, S., 393
 Shulson, E.M., 425
 Sikka, V.K., 15
 Silcox, John, 647
 Simkin, B., 387
 Smallman, R.E., 567
 Smith, L.S., 671
 Soboyejo, A.B.O., 183
 Soboyejo, W.O., 183
 Spätig, P., 263, 419, 529
 Srinivasan, R., 505
 Stoloff, N.S., 727
 Subramanian, Shanthi, 647
 Suganuma, K., 755
 Sugimoto, J., 45
 Sun, Y.Q., 109, 523, 629
 Suzuki, Tomoo, 635

 Takahashi, S., 707
 Takahashi, Tohru, 91
 Takasugi, T., 587, 659
 Tappin, D.K., 671
 Taylor, G., 611
 Thoma, D.J., 3, 617, 623, 689
 Threadgill, P.L., 767
 Tomasi, A., 225
 Triantafyllou, J., 293

 Uchic, M.D., 437

 Vaerst, G., 407
 Vailhe, C., 455
 Varin, R.A., 121
 Venkatesh, T.A., 737
 Veyssi re, Patrick, 535, 541
 Vigulier, B., 263, 419, 529

 Wagner, R., 77, 195, 207, 257
 Wang, Xitao, 575
 Wang, Yinmin, 511, 517
 Wang, Yu, 65
 Weaver, M.L., 243, 499
 Wee, D.M., 165
 Wheeler, R., 653
 Whittenberger, J. Daniel, 413, 487
 Wiezorek, J.M.K., 213, 231
 Wills, John M., 623, 689
 Wright, J.L., 83
 Wu, K.H., 343
 Wu, Z.L., 743

 Xu, Y., 425, 555

 Yamabe-Mitarai, Y., 701
 Yamaguchi, Masaharu, 53, 189, 599, 605
 Yan, W., 343
 Yang, Y., 367
 Yeufeng, Gu, 461
 Yi, S-H., 3
 Yoo, M.H., 313
 Yoon, Y., 159
 Yoshida, M., 659
 Yoshimi, K., 313
 Yuefeng, Gu, 461

 Zbroniec, L., 121
 Zhang, X.D., 213, 231
 Zhang, Yun, 511, 517
 Zhao, L., 293
 Zhenyun, Liu, 461
 Zhu, J., 355
 Zhu, W., 567
 Z ltzer, Klaus, 487
 Zupan, Marc, 171

Cambridge University Press

978-1-558-99364-8 - High-Temperature Ordered Intermetallic Alloys VII

C.C. Koch, C.T. Liu, N.S. Stoloff and A. Wanner

Index

[More information](#)

Cambridge University Press

978-1-558-99364-8 - High-Temperature Ordered Intermetallic Alloys VII

C.C. Koch, C.T. Liu, N.S. Stoloff and A. Wanner

Index

[More information](#)

SUBJECT INDEX

- δ -phase titanium trialuminide, 91
- γ - α_2 TiAl bulk alloys, 225
- γ -based TiAl alloy, 165
- γ -TiAl, 71, 141, 201
- γ -TiAl alloy, 287
- γ -titanium aluminide(s), 29, 77, 207, 243, alloys, 257
- AB₂ stoichiometry, 677
- activation
 - energy, 665
 - volumes, 263
- AFM, 249
- ALCHEMI, 617
- alloying, 115, 183, 695
 - behavior, 689
 - effect of vanadium, 91
- Al₂Ti, 115
- Al-21Ti-23Cr film, 165
- Al₃Ti, 91, 103
- aluminides, 3, 761
- annihilation, 541
- anomalous yield stress, 523
- antiphase boundary energies, 337, 529
- APB, 313
 - tubes, 541
- atomistic simulations, 399, 443
- atomized, 177
- average grain size, 183
- B2
 - compound, 611
 - FeAl, 313
 - phase, 671
 - structured Fe-Al, 331
 - type IrAl, 707
- B2-AlFe, 355
- bi-PST crystals, 53
- boronized γ -TiAl(Mn), 159
- Bridgman method, 407
- brittle-to-ductile transition, 393
- C11_b structure, 599
- C15, 617
- C40 structure, 605
- cast materials, 473
- cavitation, 195
- chemical analysis, 407
- cold(-)
 - crucible, 715
 - rolled, 367
- commercialization, 15
- complex antiphase domain boundaries, 213
- composite(s), 665, 761
 - additions, 593
- compression
 - creep tests, 737
 - test(s), 153, 419, 529, 701
- compressive strains, 511
- condensation faults, 599
- crack(-), 399
 - bridging, 743
 - deflection, 743
 - growth energy, 343
 - initiation, 393
 - tapping, 743
 - tips, 387
- creep, 257, 275, 287, 293, 413, 431, 473, 479, 567, 665
 - experiments, 263
 - strength, 707
- cross-slip, 455, 541, 567
- Cr₃Si/Cr₅Si₃, 727
- cryomilling, 413, 487
- cubic, 121
- decomposition, 505
- defects, 387
- deformation, 53, 407, 493, 605
 - mechanisms, 189, 671
 - microstructures, 189
 - twinning, 231
- design, 517
- differential scanning calorimeter, 367
- diffusion bonding, 53
- direct-cast γ -TiAl sheets, 71
- directional solidification, 53, 743
- directionally solidified, 449
- discontinuous yielding, 207
- dislocation(s), 147, 189, 269, 387, 467, 523, 767
 - and twins, 177
 - climb, 195
 - density, 263
 - dynamics, 535
 - generation from interface
 - sources, 743
 - glide, 293
 - locking, 207
 - microstructures, 529
 - multiplication, 541
 - [100] dislocations, 455
 - structures, 337
- DO₂₂ tetragonal structure, 91
- dynamic
 - reprecipitation, 653
 - strain aging, 499
- effects of processing, 115
- elastic properties, 623, 689
- electron
 - channeling-contrast imaging (EECI), 387

Cambridge University Press

978-1-558-99364-8 - High-Temperature Ordered Intermetallic Alloys VII

C.C. Koch, C.T. Liu, N.S. Stoloff and A. Wanner

Index

[More information](#)

- energy loss spectroscopy (EELS), 647
- electronic structure, 647
- elevated temperature strength, 487
- embrittlement, 361
- environmental embrittlement, 575, 755
- eutectic, 449
 - composites, 743
- EXAFS, 103
- Exo-Melt™, 15
- fan-shaped sectors, 555
- fatigue, 361
- fcc and $L1_2$ phase structure, 701
- FeAl, 325, 361, 373, 767
- Fe_3Al , 337, 343
- Fe_3Al -20Mn alloys, 343
- Fe-40Al, 367
- Fe-43Al-0.12B, 331
- Fe-48Al-0.12B, 331
- feathery, 287
- fiber
 - particles reinforced composites, 755
 - reinforced NiAl, 737
- first-principles calculations, 623
- flexural strength, 727
- flow strength of γ -TiAl, 171
- foil rolling, 29
- forging dies, 15
- four-point bend, 387
- fracture, 393, 407
 - toughness, 115, 121, 177, 183, 393, 593, 715, 727, 743, 755
- fully lamellar, 293
- grain
 - boundaries, 647
 - in NiAl, 399
 - sliding, 45
 - size, 83, 109
- Hall-Petch relationship, 81, 183
- hardness, 325, 727
- hard-oriented $Ni_{44}Al$ single crystal, 505
- heat
 - treating fixtures, 15
 - treatment, 281, 325
- heats of formation, 15
- HfV₂(Nb), 617, 689
- high(-)
 - resolution electron microscopy, 201
 - temperature, 511
 - directionally solidified composites, 715
 - materials, 443
 - mechanical behavior, 707
 - oxidation resistance, 159
 - strength, 71
 - structural material, 707
 - tensile and creep properties, 301
- hot
 - pressing, 45, 153
 - rolling, 517
 - workability, 517
- HREM, 767
- hydrogen, 587
- hydrogenation-disproportion-dehydrogenation-recombination (HDDR), 153
- image simulation, 529
- impact fracture behavior, 343
- in situ*
 - experiments, 455
 - reaction synthesis, 761
 - straining experiments, 237
 - transmission electron microscope, 467
- indentation, 695
- interactions, 213
- interface(s), 767
 - debonding, 743
- interlamellar spacing, 83, 219
- intermetallic(s), 517, 561, 575
 - compound(s), 407, 647
 - dislocation substructures, 493
- internal stress, 431
- interstitial impurities, 499
- intrinsic brittleness, 425
- inverse creep, 629
- IR and Rh-base refractory superalloys, 701
- iron aluminides, 379, 755
 - based on FeAl and Fe_3Al , 301
- joining, 29
- Kear-Wilsdorf locks, 535
- $L1_2$, 629
 - alloys, 541, 587
- lamellae thickness, 287
- lamellar
 - and duplex microstructure, 275
 - interfaces, 147, 257
 - spacing, 109, 281
 - structure, 219
- Laves phases, 3, 617, 623, 659, 677, 689, 695
- load relaxation, 263
- massive transformation, 213
- mechanical
 - alloying, 301
 - anisotropy, 141
 - behavior, 361, 623, 727
 - grinding, 355
 - properties, 29, 83, 159, 183, 219, 301, 419, 611, 635
 - twinning, 275, 281
- melt spinning, 103
- microcrack formation, 177
- microduplex structure, 45
- microsample, 171
- microscopic activation volume, 419

Cambridge University Press

978-1-558-99364-8 - High-Temperature Ordered Intermetallic Alloys VII

C.C. Koch, C.T. Liu, N.S. Stoloff and A. Wanner

Index

[More information](#)

- microstructural stability, 449
- microstructure, 3, 83, 127, 159, 201, 269, 331, 413, 593, 659, 671
 - and temperature, 183
- milled powders, 177
- milling, 355
- mobile dislocations, 467
- modeling, 443
- moisture-induced embrittlement, 587
- molybdenum-modified, 727
- monotonic creep, 269
- MoSi₂, 593, 599, 665
- Mo(Si,Al)₂, 605
- multilayer structure, 109
- multiphase, 3
- multiple linear regression equations, 183
- nanocrystalline, 153
- Nb silicides, 715
- Nb-Al-V alloys, 671
- NbCr₂, 623, 659, 689
- Nb-Cr-Mo, 659
- NbCr₂(Ti), 617
- Nb-Cr-V, 659
- NbCr₂(V), 617
- Nb₃Si, 715
- Nb₅Si₃, 715
- Ni₃
 - (Al,Ta), 437
 - Ga, 629
 - (Si,Ti), 587
- Ni-Al, 449
- NiAl, 387, 413, 455, 467, 473, 479, 487, 493, 499, 561, 737, 743
- Ni₃Al(-), 431, 511, 517, 523, 535, 549, 555, 567, 587
 - based alloys, 15
 - single crystals, 393, 407
- NiAl and Ni₃Al duplex alloy, 461
- NiAl single crystals, 393, 407
- NiAl-Mo(Re) alloys, 743
- NiAl-9Mo, 449
 - alloy, 743
- NiAl-W composites, 737
- nickel
 - additions, 379
 - aluminides, 755
- NiGe-Fe₃Ge, 641
- Ni-Ti alloys, 635
- 9R structure, 201
- 90°-domain, 213
- nonstoichiometry, 695
- normal yield stress dependence, 641
- notch-tip deformation, 555
- offset strength, 183
- ordered intermetallic compounds, 443
- ordinary dislocations, 231
- orientation, 431
- orthorhombic phase, 97
- oxidation
 - behavior, 165
 - kinetics, 349
 - protective coating, 29
 - resistance, 225
- oxide dispersion strengthened (ODS), 487, 767
- parabolic rate constants, 349
- perovskite precipitates, 77
- phase
 - equilibrium, 3
 - relation, 659
 - stability, 3, 689
 - transformation, 97, 201
- phenomenological model, 373
- physical and mechanical properties, 677
- planar defects, 213
- plasma
 - melt overflow process, 243
 - rotating electrode process (PREP), 45
- plastic elongation, 183
- plasticity, 147, 337
- PM-extruded alloy, 473
- polysynthetically twinned (PST crystals), 53
- polytypic transformations, 677
- Portevin-LeChatelier (PLC), 207
- powder processing, 487
- precipitation hardening, 77
- preparation, 611
- prestraining, 393, 629
- primary creep, 257, 281, 437
- processing, 3, 127
- protective Al₂O₃ layer, 165
- PST, 249
 - crystals, 53
 - TiAl, 189
- reactive
 - infiltration, 737
 - synthesis, 561
- re-alloying, 743
- recovery, 293, 461
- recrystallization, 461
 - and recovery, 301
- reordering, 355
- resolved proof stress, 419
- rolling, 141
- room temperature, 437
 - ductility, 71
- RuAl, 611
 - (Ru,Ni)Al, 611
- secondary phase, 593
- serrated yielding, 653
- sheet
 - metal, 195
 - rolling, 29
- short- and long-range disorder, 355
- SHS, 561
- silicide(s), 3, 575, 605
- simulation, 535

Cambridge University Press
 978-1-558-99364-8 - High-Temperature Ordered Intermetallic Alloys VII
 C.C. Koch, C.T. Liu, N.S. Stoloff and A. Wanner

Index

[More information](#)

- Si₃N₄, 665
- single crystal(s), 313, 367, 431, 479, 549, 555, 567
 - of γ -Ti-55.5Al, 171
- single phase γ , 269
- site occupancy(ies), 97, 617
- slip
 - of 2c+a dislocation in pyramidal planes, 237
 - trajectory, 541
 - transition, 313, 505
 - transmission, 231
- soft orientation, 455
- solid(-)
 - solution, 479
 - strengthening, 379
- solute strengthening, 325
- solution, 77
 - hardening, 635
- stability test, 29
- stacking faults, 599
- stoichiometry, 549
- strain
 - aging, 207, 499
 - rate, 425, 511
 - dependence, 549
 - sensitivity, 65, 523
- strength, 91, 177, 707, 755
- stress(-), 293
 - anomaly, 535
 - induced martensitic transformation, 635
 - response, 549
- structure, 91, 611
 - ledges, 257
- substitutional
 - alloying, 593
 - impurities, 499
 - solid solution strengthening, 91
- superdislocations, 147, 231, 313
- superplastic, 45
 - behavior, 461
- superplasticity, 195
- surface
 - coating, 165
 - reaction, 575
- synchroshear, 605, 677
- Taylor theory, 141
- TEM, 437, 461, 479, 567, 671
 - in situ*, 467
- temperature, 121, 505
 - change, 269
- tensile specimens, 171
- ternary
 - elements, 635
 - NiAl-Ti alloys, 443
- texture, 141, 243
- thermal
 - fatigue, 449
 - microtwins, 213
 - vacancies, 373
- thermite reactions, 761
- Ti, 479
- TiAl(-), 53, 65, 83, 147, 153, 219, 231, 243, 249, 263, 293
 - alloys, 177, 275
 - based alloys, 127
- Ti-Al alloys, 275
- Ti₃Al, 231
 - single crystal, 237
- Ti₄₇Al₅₁Mn₂, 269
- TiCr₂, 695
- titanium, 121
 - aluminide, 195
- total-impact energy, 343
- transient experiments, 269
- transmission electron
 - microscope, 147
 - microscopy, 219
- trialuminides, 121
- twin interfaces, 275
- twinning, 189, 249
 - and slip, 677
- (111) type slip, 505
- ultimate tensile strength, 183
- ultra-high temperature materials, 701
- vacancies, 325
- vacancy
 - concentration, 379
 - hardening model, 373
 - removal, 379
- vanadium, 91
- W and Si addition, 225
- W₂Si, 599
- weak beam, 529
- work hardening
 - coefficient, 635
 - rate, 419
- XRD, 103
- yield
 - peak, 373
 - strength, 505
 - stress, 109, 313, 635
 - anomaly, 629, 641
 - surface, 141
- Y₂O₃, 767