

Index

- Abrikosoff's tumours, 14–15
 Acanthosis nigricans, 8
 Acquired idiopathic hypogammaglobulinaemia (AIH), 60, 88
 Acquired immune deficiency syndrome (AIDS) *see* HIV/AIDS, 47
 Adenocarcinomas (papillary adenocarcinomas)
 Barrett's oesophagus, 17
 duodenum, 61–62
 endocervical, 134
 gastro-oesophageal junction, 17
 ileum, 77–78
 jejunum, 77–78
 large intestine, 110–112
 Adenoma–carcinoma sequence
 duodenum, 61, 62
 familial adenomatous polyposis, 61, 62, 123
 large intestine, 105
 small intestinal adenomas, 77
 Adenoma malignum, 134
 Adenomas
 see also Familial adenomatous polyposis
 Brunner's gland *see* Brunner's gland hyperplasia, 36
 duodenal (adenomatous polyps; papillary adenomas; villous adenomas; tubular adenomas; tubulovillous adenomas), 60–61, 125
 flat (depressed), 106, 125
 foveolar gland, 48
 gallbladder, 127
 ileum (polypoid benign glandular tumours), 76–77, 125
 jejunum (polypoid benign glandular tumours), 76–77
 large intestine, 105–109
 pancreatic duct, 127
 pelvic ileal reservoir, 125
 pituitary, 63–64, 128
 pyloric gland, 48
 serrated, 109–110
 stomach (papillary adenomas; villous adenomas; adenomatous dysplasia), 40–41, 125
 Adenomatous dysplasia, 40–41
 Adenomatous polyposis coli *see* Familial adenomatous polyposis, 123–128
 Adenomatous polyps *see* Adenomas
 Adrenal cortical tumours, 128
 Adrenocorticotrophin hormone (ACTH), 44
 Allergy, 38
 Alopecia, 136, 137
 Amoebiasis, 99
 Angiolipomas, 86–87
 Angiosarcomas, 116
 Anorectal ring, 149
 Antral gland hyperplasia (Brunner's gland adenoma; heterotopic adenomatous polyp), 36
 Anus/anal canal
 anal margin cancer, 157
 anatomy, 149
 barium granulomas, 150–151
 Buschke–Lowenstein tumours, 152
 crypts of Morgnani, 149
 ectopic tissue, 157
 fibrous polyps, 153–154
 glands/ducts, 150
 haemorrhoids, 154
 histology, 149–150
 inflammatory cloacogenic polyps, 152, 153–154
 malignant melanoma, 156
 normal structure, 149–150
 oleogranulomas, 150
 perianal skin tags, 153
 perianal skin tumours, 156–157
 polyps, 149–157
 squamous cell carcinomas, 154–155
 verrucous carcinoma, 155
 warts (condylomata acuminata), 151–152
 APC (adenomatous polyposis coli) gene
 familial adenomatous polyposis, 123–124, 127–128
 juvenile polyposis, 129
 Appendix, 95
 Arteriovenous malformations, 81
 Astrocytomas, 124
 Autoimmune reaction, 38
 Bannayan–Zonana syndrome, 129
 Barium granulomas, 116, 150–151
 Barrett's oesophagus
 adenocarcinomas, 17
 polypoid dysplasias, 9–10
 Benign adipose tissue tumours *see* Lipomas
 Benign lymphoid polyposis (terminal ileum nodular lymphoid hyperplasia), 139–140
 Benign lymphoid polyps *see* Nodular lymphoid hyperplasia
 Benign non-chromaffin paragangliomas, 64–65
 Bile duct adenomas, 127
 Bone osteomas, 128
 Bormann's type I polyp, 41–42
 Breast carcinoma
 Brunner's gland adenoma, 36
 Cowden's syndrome, 138
 Peutz–Jeghers syndrome, 134
 Brunner's gland hamartomas, 56–57
 Brunner's gland hyperplasia (Brunner's gland adenoma), 36
 duodenum, 58–59
 stomach, 36
 Brunner's glands, 53
 Buschke–Lowenstein tumours, 152
 Caecal valve lipomatosis, 87
 Caecum, 95
 malignant lymphomatous polyposis, 141
 Cap (mucosal prolapse) polyposis, 138–139
 Carcinoid tumours (neuroendocrine tumours; endocrine tumours)
 duodenum, 63–65
 goblet cell, 114
 large intestine, 112–114
 small bowel, 79–80
 stomach, 43–45
 Carcinomatous polyps (malignant polyps)
 large intestine, 110–112
 stomach, 41–42
 Cardiovascular disease, 38
 Carney syndrome, 47
 Cataracts, 137
 Catecholamine, 63
 Cervical carcinoma, 154
 Cervical warts, 151
 Chromogranin, 44, 45
 Chylangiomas, 82
 Chylous cysts, 82
 Coeliac disease
 duodenal adenocarcinoma, 62
 lymphomas, 88
 small bowel adenocarcinoma, 77–78
 small bowel carcinoids, 80
 Colitis cystica profunda, 104–105
 Colon *see* Large intestine
 Colorectal cancer
 Cronkhite–Canada syndrome, 137
 familial adenomatous polyposis, 123, 128
 metaplastic polyposis, 135
 Peutz–Jeghers syndrome, 132, 134
 Colorectal zone, 149
 Condylomas *see* Warts
 Congenital heart disease, 129, 131

INDEX

- Congenital hypertrophy of retinal pigment epithelium (CHRPE), 124, 126, 127
- Cowden's syndrome (multiple hamartoma syndrome; gastrointestinal polyposis with orcutaneous hamartomatosis), 58, 137–138
- hamartomatous polyps, 73–74, 97
- versus* juvenile polyposis, 129
- Crohn's disease
- adenomas, 76
- granulation tissue polyps, 75
- inflammatory fibroid polyps, 74
- inflammatory polyps, 99–101
- perianal skin tags, 153
- small bowel adenocarcinoma, 77
- Cronkhite–Canada polyps (hamartomas)
- duodenum, 58
- ileum, 73–74, 136
- jejunum, 73–74
- stomach, 31–32
- Cronkhite–Canada syndrome, 136–137
- versus* juvenile polyposis, 129, 136
- Cystic hamartomatous gastric polyps, 35–36
- Cystic lymphangiomas, 82–83
- Cystic hygromas, 82–83
- Cytomegalovirus infection, 38
- Denonvillier's fascia, 96
- Dentate (pectinate) line, 149
- Devon polyposis syndrome, 142–143
- Diffuse centrocytic lymphomas *see*
- Lymphomatous polyposis, 140–142
- Diffuse follicular lymphoid hyperplasia *see*
- Nodular lymphoid hyperplasia, 59–60
- Diffuse nodular lymphoid hyperplasia *see*
- Nodular lymphoid hyperplasia, 59–60
- Diversion proctocolitis
- benign lymphoid polyps, 114
- benign lymphoid polyposis, 139
- Diverticulosis
- inflammatory polyps, 99–101
- mucosal prolapse polyposis, 138, 139
- polypoid mucosal prolapse, 104–105
- Duodenal-jejunal flexure, 71
- Duodenum, 53–65
- adenocarcinomas, 61–62
- adenomas, 60–61, 125
- benign lymphoid polyposis, 139
- Brunner's gland hamartomas, 56–57
- Brunner's gland hyperplasia, 36
- carcinoid tumours, 63–65
- Cronkhite–Canada polyps, 58
- familial adenomatous polyposis, 53, 60–61, 62, 125
- gangliocytic paragangliomas, 64–65
- gastric stromal tumours, 65
- hamartomas, 56–57
- hamartomatous polyps, 57
- heterotopic gastric mucosa, 54–55
- heterotopic pancreatic tissue, 55–56
- histology, 53
- juvenile polyps, 58
- nodular lymphoid hyperplasia, 59–60
- normal structure, 53
- Peutz–Jeghers polyps, 57
- Peutz–Jeghers syndrome, 132, 134
- strictures, 55
- Dysphagia, 12, 20
- ECLOMAs (enterochromaffin cell-like tumours), 43–45
- Elster's cysts, 35–36
- Endocervical adenocarcinoma, 134
- Endocrine tumours *see* Carcinoid tumours
- Endometrial hyperplasia, 134
- Endometriosis, 116
- Enteritis cystica profunda, 57, 132–133
- Enterochromaffin cell-like tumours, 43–45
- Eosinophilic granulomas *see* Inflammatory fibroid polyps
- Eosinophilic pseudotumours *see* Inflammatory fibroid polyps
- Eosinophilic xanthofibromas *see* Inflammatory fibroid polyps
- Epidermal cysts, 124, 128
- Familial adenomatous polyposis (FAP), 123–128
- adenoma–carcinoma sequence, 61, 62, 123
- adrenal cortical tumours, 128
- APC (adenomatous polyposis coli) gene, 123–124, 127–128
- bile duct adenomas, 127
- bone osteomas, 128
- colorectal cancer, 123, 128
- congenital hypertrophy of retinal pigment epithelium (CHRPE), 124, 126, 127
- definition, 123
- desmoid disease, 128
- diagnosis, 125–127
- duodenal adenocarcinoma, 62
- duodenal adenomas, 60–61, 125
- duodenal polyps, 53
- epidermal cysts, 124, 128
- extra-intestinal manifestations, 127–128
- fibromatoses, 128
- flat adenomas, 125
- fundic gland polyps, 35–36, 124–125
- gallbladder adenomas, 127
- gastric manifestations, 124–125
- genetics, 123
- hepatoblastomas, 128
- islet cell tumours, 128
- large intestinal manifestations, 125–126
- versus* lymphoid polyposis
- microadenomas, 125, 126–127
- microscopic features, 126–127
- molecular pathology, 124
- multiple endocrine adenomatosis (MEA) type IIb, 128
- odontomas, 124, 128
- pancreatic duct adenomas, 127
- pituitary adenomas, 128
- prevalence, 124
- small intestinal manifestations, 125
- soft tissue tumours, 128
- Spigelman system, 125
- surgery, 128
- thyroid tumours, 128
- Fibrolipomas *see* Fibrous polyps
- Fibromas *see* Fibrous polyps
- Fibromyxomas *see* Fibrous polyps
- Fibrous inflammatory polyps *see* Inflammatory fibroid polyps
- Fibrous polyps (fibrovascular polyps; fibromas; fibromyxomas; fibrolipomas; lipomas; pedunculated lipomas)
- anal canal, 153–154
- familial adenomatous polyposis, 128
- ileum, 74–75
- jejunum, 74–75
- oesophagus, 11–13
- small bowel, 86–87
- Focal foveolar hyperplasias (pit hyperplasias; polypoid foveolar hyperplasias; foveolar hyperplasias; focal foveolar glandular hyperplasias)
- small bowel, 87–88
- stomach, 34–35
- Folds of Kerckring (plicae circulares), 71
- Follicular lymphoid hyperplasia *see* Nodular lymphoid hyperplasia, 59–60
- Foveolar gland adenomas, 48
- Foveolar hyperplasias *see* Focal foveolar hyperplasias
- Fundic gland cyst polyps *see* Fundic gland polyps, 35–36
- Fundic gland hyperplasias *see* Fundic gland polyps, 35–36
- Fundic gland polyps (fundic gland cyst polyps; fundic gland hyperplasias; fundic gland polyposis; cystic hamartomatous gastric polyps; glandular body cysts; Elster's cysts; polyps with fundic glandular cyst), 35–36
- familial adenomatous polyposis, 124–125
- Gallbladder adenomas, 127
- Gangliocytic paragangliomas (benign non-chromaffin paragangliomas; stromal tumours of neural origin; neuroendocrine tumours), 64–65
- Ganglioneuromas *see* Neurogenic polyps, 19–20, 45–47, 84–85, 116
- Gardner's syndrome, 124, 127
- Gastric carcinoma
- hyperplastic polyps, 33
- juvenile polyps, 74
- Peutz–Jeghers syndrome, 132, 134
- Gastric cystica profunda, 28
- Gastric gland heterotopias (gastric heterotopias; gastric cystica profunda)
- anal canal, 157
- duodenum, 54–55
- ileum, 72–73
- jejunum, 72–73
- stomach, 28
- Gastric hypertrophy with protein loss and hypochlorhydria *see* Menetrier's disease, 37–38, 136
- Gastric metaplasia, 54
- Gastric stromal tumours (leiomyomas; leiomyosarcomas; leiomyoblastomas; smooth muscle tumours; neurilemmomas; schwannomas; neurofibromas; gastrointestinal stromal tumours (GISTs);

- gastrointestinal autonomic nerve tumours (GANTs); stromal tumours of unknown malignant potential (STUMP)
- duodenum, 65
- large intestine, 115, 116
- oesophagus, 13–14
- small bowel, 83–84
- stomach, 45–47
- Gastrin, 44, 63
- Gastrinomas, 63
- Gastritis cystica profunda, 37
- Gastro-duodenal junction, 53
- Gastrointestinal autonomic nerve tumours (GANTs) *see* Gastric stromal tumours
- Gastrointestinal polyposis with orocutaneous hamartomatosis *see* Cowden's syndrome
- Gastrointestinal stromal tumours (GISTs) *see* Gastric stromal tumours
- Gastro-oesophageal junction, 3
- adenocarcinomas, 17
- sentinel fold, 10
- Gastro-oesophageal reflux disease, 8
- Gastropathies, hypertrophied, 36–37
- Giardia* infection, 60
- Glandular body cysts, 35–36
- Glossitis, 137
- Glucagon, 63
- Glycogenic acanthosis, 4–5
- Goblet cell carcinoid, 114
- Goltz-Gorlin syndrome, 8
- Granular cell myoblastomas *see* Granular cell tumours, 14–15, 86
- Granular cell neurofibromas *see* Granular cell tumours, 14–15, 86
- Granular cell tumours (granular cell myoblastomas; granular cell neurofibromas; Abrikossoff's tumours) oesophagus, 14–15
- small bowel, 86
- Granulation tissue polyposis, 139
- Granulation tissue polyps *see* Inflammatory polyps
- Granuloblastomas *see* Inflammatory fibroid polyps
- Granulomas
- barium, 116, 150–151
- eosinophilic *see* Inflammatory fibroid polyps
- oleogranulomas, 116, 150
- Haemangioendotheliomas *see* Inflammatory fibroid polyps
- Haemangiomas (benign vascular tumours) small bowel, 80–81
- large intestine, 116
- Haemangiopericytomas *see* Inflammatory fibroid polyps
- Haematemeses, 13
- Haemorrhoids (piles), 154
- Hamartomas
- Brunner's gland, 56–57
- Cronkhite-Canada polyps *see* Cronkhite-Canada polyps
- duodenum, 56–57
- juvenile polyps *see* Juvenile polyps
- multiple *see* Cowden's syndrome
- Hamartomatous polyps (myoepithelial hamartomas; polypoid hamartomas) duodenum, 57
- ileum, 73–74
- jejunum, 73–74
- stomach, 30–31
- Helicobacter pylori* infection
- benign lymphoid polyposis, 139
- familial adenomatous polyposis, 124
- gastric metaplasia, 54
- hyperplastic polyps, 33
- Hepatoblastomas, 128
- Heterotopic adenomatous polyp, 36
- Heterotopic gastric mucosa *see* Gastric gland heterotopias
- Heterotopic pancreatic tissue (pancreatic duodenal heterotopia; myoglandular hamartoma; pancreatic adenomyoma) carcinoma, 134
- duodenum, 55–56
- ileum, 72–73
- jejunum, 55, 72–73
- stomach, 27–28
- Heterotopic sebaceous glands, 5–6
- Hiatus hernia, 11
- HIV/AIDS, 47
- anal warts, 151
- Kaposi's sarcoma, 81–82, 115, 116
- malignant melanoma, anal, 156
- Human immunodeficiency virus (HIV) infection *see* HIV/AIDS
- Human papilloma virus (HPV) anal warts, 151–152
- oesophageal warts, 8
- Hydrocephalus, 129, 131
- 5-Hydroxytryptophan, 44
- Hyperpigmentation, 136, 137
- Hyperplastic polyps (hyperplasiogenous polyps; regenerative polyps; hyperplastic adenomatous polyps; Nakamura types 1 and 2 polyps; inflammatory polyps), 32–34
- Hypertelorism, 129, 131
- Hypertrophied gastropathies, 36–37
- Hypochlorhydria, 38
- Hypogammaglobulinaemia, 60, 88
- Ileo-caecal valve, 71, 95
- lipohyperplasia, 116
- Ileum, 71–89
- anatomy, 71
- benign lymphoid polyposis, 139–140
- Cronkhite-Canada syndrome, 73–74, 136
- endocrine tumours, 79–80
- hamartomatous polyps, 73–74
- heterotopias, 72–73
- histology, 71–72
- inflammatory fibroid polyposis, 142–143
- malignant lymphomatous polyposis, 141
- mucosal prolapse polyposis, 139
- Inflammatory bowel disease *see also* Crohn's disease; Ulcerative colitis
- benign lymphoid polyps, 114
- small bowel carcinoids, 80
- Inflammatory cloacogenic polyps (proctitis cystica profunda; inflammatory myoglandular polyps) anal canal, 152–153, 154
- large intestine, 104–105
- Inflammatory fibroid polyposis (Devon polyposis syndrome), 142–143
- Inflammatory fibroid polyps (fibrous inflammatory polyps; eosinophilic xanthofibromas; eosinophilic pseudotumours; eosinophilic granulomas; granuloblastomas; granulomas; haemangioendotheliomas; haemangiopericytomas; Vanek polyps) ileum, 74–75
- jejunum, 74–75
- large intestine, 116
- stomach, 39–40
- Inflammatory myoglandular polyps, 104–105
- Inflammatory polyposis, 123
- Inflammatory polyps
- anal canal, 150
- granulation tissue polyposis, 139
- ileum, 75
- jejunum, 75
- large intestine (pseudopolyps; giant inflammatory polyps), 99–101
- multiple (inflammatory polyposis), 123
- oesophagus (oesophagogastric polyps; inflammatory reflux polyps; oesophagogastric polyp-fold complex), 10–11
- oleogranulomas, 116, 150
- stomach, 32–34
- Inflammatory reflux polyps, 10–11
- Interferon-alpha, 45
- Islet cell tumours
- duodenal carcinoids, 63–64
- familial adenomatous polyposis, 128
- Jejunum, 71–89
- anatomy, 71
- carcinoma, 134
- Cronkhite-Canada polyps, 73–74
- Cronkhite-Canada syndrome, 136
- hamartomatous polyps, 73–74
- heterotopias, 55, 72–73
- histology, 71–72
- Peutz-Jeghers syndrome, 134
- strictures, 55
- Juvenile polyposis, 128–132
- APC gene, 129
- atypical juvenile polyps, 130–131
- congenital defects, 129
- versus* Cowden's syndrome, 129
- versus* Cronkhite-Canada syndrome, 129, 136
- definitions, 128–129
- diagnosis, 129–131
- dysplasia, 130–131
- extra-intestinal manifestations, 131
- gastric, 129–130
- genetics, 129
- infantile, 129
- large intestine (juvenile polyposis coli), 129–130

INDEX

- Jejunum – *continued*
 malignancy risk, 130, 131
 management, 131–132
 molecular pathology, 129
 prevalence, 129
- Juvenile polyps (hamartomas)
 atypical, 130–131
 duodenum, 58
 gastrointestinal cancer, 74
 ileum, 73–74
 jejunum, 73–74
 large intestine, 97–98
 stomach, 28–30
- Kaposi's sarcoma
 large intestine, 115, 116
 small bowel, 81–82
- Koilocytes
 anal warts, 151
 oesophageal warts, 8
- Large intestine, 95–116
 adenomatous polyps, 105–109
 angiosarcomas, 116
 benign lymphoid polypoid, 139, 140
 benign lymphoid polyps (nodular lymphoid hyperplasia), 114–115
 carcinoid tumours, 112–114
 carcinomatous polyps, 110–112
 Cronkhite–Canada syndrome, 136
 familial adenomatous polyposis, 125–126
 ganglioneuromas, 116
 gastric stromal tumours, 115, 116
 goblet cell carcinoid, 114
 haemangiomas, 116
 histology, 96–97
 inflammatory polyps, 99–101
 juvenile polyposis, 129–130
 juvenile polyps, 97–98
 large pedunculated polyp composed of mucosa and submucosa, 116
 lipomas, 116
 malignant lymphomatous polyposis, 140, 141
 metaplastic polyposis, 135
 metaplastic polyps, 101–104
 metastatic tumours, 115, 116, 123
 neurofibromas, 116
 normal structure, 95–97
 Peutz–Jeghers polyps, 98
 Peutz–Jeghers syndrome, 133
 polypoidal mucosal prolapse, 104–105, 139
 serrated adenomas, 109–110
 surgical anatomy, 95–96
- Large pedunculated colonic polyp composed of mucosa and submucosa, 116
- Leiomyoblastomas, 45–47
- Leiomyomas *see* Gastric stromal tumours
- Leiomyosarcomas
 large intestine, 116
 oesophagus, 14
 small bowel, 83–84
 stomach, 45–47
- Leukaemias, 116, 142
- Ligament of Treitz, 53, 71
- Lipid island, 38–39
- Lipogranulomas, 87
- Lipohyperplasia of ileo-caecal valve, 116
- Lipomas (benign adipose tissue tumours)
 caecal valve, 87
 large intestine, 116
 oesophagus, 11–13
 pedunculated *see* Fibrous polyps
 small bowel, 86–87
 stomach, 47
- Liposarcomas, 116
- Lymphangiomas (cystic lymphangiomas; cystic hygromas), 82–83
 mesenteric, 129, 131
- Lymphatic cysts (chylangiomas; chylous cysts), 82
- Lymphoid polyposis
 benign, 139–140
versus familial adenomatous polyposis, 126
- Lymphoid polyps (focal lymphoid hyperplasia; lymphoid hyperplasia) *see* Nodular lymphoid hyperplasia
- Lymphomas (malignant lymphomas)
 B-cell, 89
 benign lymphoid polyposis, 140
 Burkitt's, 89
 diffuse centrocytic *see* Lymphomatous polyposis
 Kiel classification, 140
 large intestine, 116
 mantle cell type malignant *see* Lymphomatous polyposis
 mucosa-associated lymphoid tissue (MALT), 89
 nodular lymphoid hyperplasia, 60
 non-Hodgkin's, 88
 Revised European American Lymphoma (REAL) classification, 140
 small bowel, 88–89
 T-cell, 89
- Lymphomatous polyposis (mantle cell type malignant lymphomas; diffuse centrocytic lymphomas)
 malignant (multiple), 140–142
 small bowel, 88–89
 stomach, 47–48
- Malakoplakia, 116
- Malignant lymphoid polyposis (multiple lymphomatous polyposis; mantle zone lymphoma; diffuse centrocytic lymphoma) *see* Lymphomatous polyposis
- Malignant melanomas (melanosarcomas; melanocarcinomas)
 anal canal, 156
 large intestine, 115, 116, 123
 oesophagus, 18–19
- Malignant polyps *see* Carcinomatous polyps
- Malrotation of bowel, 129, 131
- Mantle cell leukaemia, 142
- Mantle cell type malignant lymphomas *see* Lymphomatous polyposis
- Meckel's diverticulum
 gastric hyperplasiogenic polyp, 73
 heterotopic pancreatic tissue, 55
 juvenile polyposis, 129, 131
- Medulloblastomas, 124
- Melanocarcinomas *see* Malignant melanomas
- Melanosarcomas *see* Malignant melanomas
- Menetrier's disease (gastric hypertrophy with protein loss and hypochlorhydria)
versus Cronkhite–Canada syndrome, 136
 stomach, 37–38
- Mesenteric lymphangioma, 129, 131
- Mesorectum, 95–96
- Metaplastic polyposis (hyperplastic polyposis; giant hyperplastic polyposis; inverted hyperplastic polyposis), 134–136
- Metaplastic polyps (hyperplastic polyps; hyperplasiogenic polyps; inverted hyperplastic polyps)
 large intestine, 101–104
 cancer risk, 135–136
- Metastatic tumours (secondary deposits)
 large intestine, 115, 116, 123
 small intestine, 78–79
- Mucosa-associated lymphoid tissue (MALT) lymphomas, 89
- Mucosal prolapse polyposis, 104–105, 123, 138–139
- Mucus secreting carcinomas, 17
- Multiple endocrine adenomatosis (MEA) type IIb, 128
- Multiple endocrine neoplasia type-I (MEN I) duodenal carcinoids, 63–64
 gastric carcinoids, 44
 small bowel carcinoids, 80
- Multiple endocrine neoplasia type IIb (MEN-IIb), 85
- Multiple hamartoma syndrome *see* Cowden's syndrome
- Myeloblastic sarcoma, 116
- Myoblastomas, granular cell *see* Granular cell tumours
- Myoepithelial hamartomas *see* Hamartomatous polyps
- Myoglandular hamartoma *see* Heterotopic pancreatic tissue
- Nakamura polyps
 types 1 and 2, 32–34
 type 3, 41–42
- Neurilemmomas *see* Neurogenic polyps, 19–20, 45–47, 84–85, 116
- Neuroendocrine tumours *see* Carcinoid tumours
- Neurofibromas *see* Neurogenic polyps, 19–20, 45–47, 84–85, 116
- Neurofibrosarcomas, 116
- Neurogenic polyps (schwannomas; neurilemmomas; neurofibromas; neurinomas; ganglioneuromas)
 large intestine, 116
 oesophagus, 19–20
 small bowel, 84–85
 stomach, 45–47
- Neuron-specific enolase, 44
- Nodular hidradenomas, 157
- Nodular lymphoid hyperplasia (follicular lymphoid hyperplasia; diffuse follicular lymphoid hyperplasia)
 duodenum, 59–60

- large intestine, 114–115
small bowel, 88
stomach, 34–35
terminal ileum, 139–140
Non-familial intestinal polyposis *see*
Cronkhite-Canada polyps
Non-Hodgkin's lymphoma, 88
- Octreotide, 45
Odontomas, 124, 128
Odynophagia, 20
Oesophagitis, 11
Oesophagogastric polyp-fold complex, 10–11
Oesophagogastric polyps, 10–11
Oesophagus, 3–20
Barrett's *see* Barrett's oesophagus
carcinoma, 16
Cronkhite-Canada syndrome, 136
early carcinomas, 16
fibrous polyps, 11–13
gastrointestinal stromal tumours (GISTs),
14
giant oesophageal polyps, 19
glands, 4
glycogenic acanthosis, 4–5
granular cell tumours, 14–15
heterotopic sebaceous glands, 5–6
inflammatory polyps, 10–11
leiomyomas, 13–14
leiomyosarcomas, 14
lipomas, 11–13
malignant melanomas, 18–19
neurogenic tumours, 19–20
normal structure, 3–4
papillomatosis, 6–8
Peutz-Jeghers syndrome, 132
polypoidal adenocarcinomas, 17
polypoidal dysplasias, 9–10
polypoidal squamous cell carcinomas,
15–17
polyps, 3
pseudosarcoma, 16
schwannomas, 19
squamous cell papillomas, 6–8
viral warts, 8
Oleogranulomas (paraffinomas; inflammatory
polyps), 116, 150
Omeprazole, 36
Onycholysis, 136, 137
Ornithine decarboxylase, 126
Oropharynx, 137, 138
Ovarian carcinoma, 134
- Pancreatic adenomyomas *see* Heterotopic
pancreatic tissue
Pancreatic heterotopias *see* Heterotopic
pancreatic tissue
Papillary adenocarcinomas *see*
Adenocarcinomas
Papillary adenomas *see* Adenomas
Papillomatosis
oesophageal, 6–8
oropharyngeal, 137, 138
Paraffinomas, 116, 150
Paragangliomas
benign non-chromaffin, 64–65
duodenum, 64–65
gangliocytic, 64–65
stomach, 47
Parathyroid hyperplasia, 63–64
Pectus excavatum, 138
Pelvic ileal reservoir, 125, 130
Penis, carcinoma, 154
Perianal skin tags (sentinel piles), 153
Perianal skin tumours, 156–157
Perineal mucosal herniation syndrome, 153
Perineal warts, 151
Peritoneum, 95
Peutz-Jeghers polyps (hamartomatous polyps)
duodenum, 57
ileum, 73–74
jejunum, 73–74
large intestine, 98
stomach, 30–31
Peutz-Jeghers syndrome (gastrointestinal
polyposis with mucocutaneous
pigmentation), 132–134
extra-gastrointestinal manifestations,
133–134
jejunum, 134
large intestine, 133
malignancy risk, 134
management, 134
microscopy, 133
mucocutaneous pigmentation, 132, 134
oesophagus, 132
sex cord tumour with annular lobules
(SCTAT), 134
stomach, 132
Peyer's patches, 72
malignant lymphomatous polyposis, 141
Pheochromocytomas, 63–64, 85
Pituitary adenomas, 63–64, 128
Plexosarcomas *see* Gastrointestinal autonomic
nerve tumour (GANT) polyps
Plicae circulares, 71
Pneumatosis cystoides intestinalis, 116,
123
Podophyllin, 152
Poikiloderma, 8
Polypoid foveolar hyperplasias *see* Focal
foveolar hyperplasias
Polypoid hamartomas *see* Hamartomatous
polyps
Polypoidal adenocarcinomas (mucus secreting
carcinomas), 17
Polypoidal carcinoma (Bormann's type I
polyp; Nakamura type 3 polyp;
carcinomatous polyp), 41–42
Polypoidal dysplasias (adenomatous
neoplasms; adenomas; adenomatous
changes; adenomatous hyperplasia;
nodular dysplasia; dysplasia associated
lesion or mass (DALM)), 9–10
Polypoidal mucosal prolapse, 104–105, 123,
138–139
Polypoidal variant of early gastric carcinoma
(type 1 early gastric cancer; early gastric
cancer protruded type), 42–43
Polyposis syndromes, 123–143
- Proctitis cystica profunda *see* Inflammatory
cloacogenic polyps
Proliferating cell nuclear antigen (PCNA),
152
Psoriasis, 36
Pulmonary chondroma, 47
Pulmonary oedema, 38
Pyloric gland adenomas, 48
- Rectosigmoid junction, 95
Rectum *see* Large intestine
Reflux oesophagitis, 11
Regenerative polyps, 32–34
Regurgitation fibrous polyps, 12
Respiratory symptoms
fibrous polyps, 13
Menetrier's disease, 38
Riley-Smith syndrome, 129
Ruvalcaba-Myhre-Smith (RMS) syndrome,
129
- Schindler's sign, 45
Schistosomiasis, 99, 101
Schwannomas *see* Neurogenic polyps
Sentinel fold, 10
Serotonin, 44, 79
Sertoli cell tumours, 134
Sex cord tumour with annular lobules
(SCTAT), 134
Small intestine
see also Ileum; Jejunum
benign lymphoid polyposis, 140
carcinoid tumours, 79–80
enteritis cystica profunda, 132–133
familial adenomatous polyposis, 125
fibrous polyps, 86–87
gastric stromal tumours, 83–84
haemangiomas, 80–81
juvenile polyposis, 130
lipomas, 86–87
lymphangiomas, 82–83
lymphomas, 88–89
malignant lymphomatous polyposis, 141
metastatic tumours, 78–79
Peutz-Jeghers syndrome, 132–133
Smooth muscle tumours *see* Gastric stromal
tumours
Soft tissue tumours, 128
Solitary ulcer syndrome, 104–105, 154
Somatostatin, 44, 63, 64
Specimen preparation, 161–163
Spigelman system, 125
Spindle cell carcinomas
duodenum, 65
oesophagus, 16
Squamocolumnar junction, 3
Squamous cell carcinomas anal canal
(epidermoid carcinomas; cloacogenic
carcinomas; basaloid carcinomas;
transitional carcinomas), 154–155
oesophagus, 15–17
Squamous cell papillomas, 6–8
Stomach, 25–48
adenomas, 40–41, 125
anatomy, 25

Cambridge University Press

978-1-900-15121-4 - Gastrointestinal Polyps

Edited by Najib Y. Haboubi, Karel Geobes, Neil A. Shepherd and Ian C. Talbot

Index

[More information](#)

INDEX

Stomach – *continued*

antral gland hyperplasias, 36
 carcinoids, 43–45
 carcinomas, 125
 carcinomatous polyps, 41–42
 chief (pepsin-secreting cells), 26
 Cronkhite–Canada polyps, 31–32
 Cronkhite–Canada syndrome, 136
 enterochromaffin-like (ECL) cells, 26, 45
 eosinophilic granulomas, 39–40
 familial adenomatous polyposis, 124–125
 focal foveolar hyperplasias, 34–35
 fundic gland polyps, 35–36
 gastric gland heterotopias, 28
 gastric stromal tumours, 45–47
 hamartomatous polyps, 30–31
 histology, 25
 hyperplastic polyps, 32–34
 hypertrophied gastropathies, 36–37
 inflammatory fibroid polyposis, 142
 inflammatory fibroid polyps, 39–40
 inflammatory polyps, 32–34
 juvenile polyposis, 129–130
 juvenile polyps (hamartomas), 28–30
 lipomas, 47
 lymphomatous polyposis, 47–48
 malignant lymphomatous polyposis, 141
 Menetrier’s disease, 37–38
 mucosal fold hypertrophy with
 Zollinger–Ellison syndrome, 38
 neurilemmomas, 45–47
 neurofibromas, 45–47
 normal structure, 25–27
 pancreatic heterotopias, 27–28
 Peutz–Jeghers polyps, 30–31
 Peutz–Jeghers syndrome, 132
 polypoidal carcinoma, 41–42
 polypoidal variant of early gastric
 carcinoma, 42–43

pyloric mucosa, 25
 rugae, 26–27
 xanthelasmas, 38–39
 Stromal polyps (smooth muscle tumours;
 spindle cell tumours) *see* Gastric stromal
 tumours
 Stromal tumours of neural origin 64–65
 Stromal tumours of unknown malignant
 potential (STUMP), 45–47
 Substance P, 79
 Suldinac
 duodenal adenomas, 61
 familial adenomatous polyposis, 125, 128
 Tent sign, 45
 Testicular tumours, 134
 Tetany, 137
 Thyroid cancer
 Cowden’s syndrome, 138
 familial adenomatous polyposis, 128
 neurogenic polyps, 85
 Trisomy syndromes, 55
 Tubular adenomas
 duodenum, 60–61
 large intestine, 105–109
 stomach, 41
 Tubulovillous (papillotubular) adenomas
 duodenum, 60–61
 large intestine, 105–109
 stomach, 41
 Turcot’s syndrome, 124
 Ulcerative colitis
 benign lymphoid polyposis, 139
 benign lymphoid polyps, 114
 inflammatory polyps, 99–101
 Vanek polyps, 39–40
 Vasoactive intestinal peptide (VIP), 44, 63

Verrucous carcinomas
 anal, 155
 oesophagus, 16
 Villous (papillary) adenomas
 duodenum, 60–61
 large intestine, 105–109
 stomach, 40–41
 Vimentin, 65
 Viral warts *see* Warts
 Von Recklinghausen’s disease
 duodenal gangliocytic paragangliomas, 64
 duodenal neuroendocrine tumours, 63
 gastric stromal tumours, 47
 jejunal neurofibromas, 85
 Vulval carcinoma, 154

Warts
 anal (condylomata acuminata), 151–152
 cervical, 151
 oesophagus, 8
 perineal, 151
 vaginal, 151

X cells, 45
 Xanthelasmas (xanthomas; lipid islands),
 38–39
 Xanthofibromas, 39–40
 Xanthomas, 38–39

Yersinia enterocolitica infection, 75

Z-line, 3
 Zollinger–Ellison syndrome
 duodenal carcinoids, 63
 gastric carcinoids, 44
 gastric fold hypertrophy, 38