

Index

accommodation	domains assessed 5
CAN-M domain 42	psychometric properties 5
and parenting 17	research based on 6
adoptive families 24	translations 6
alcohol misuse	variants 1, 6–7
during pregnancy 9	Camberwell Assessment of Need – Clinical (CAN-C)
parental 21	5, 6
antenatal care	Camberwell Assessment of Need for Developmental
CAN-M domain 30, 43	and Intellectual Disabilities (CANDID) 1,
in severe mental illness 8–10	6–7
sub-optimal 25	Camberwell Assessment of Need – Elderly (CANE)
antipsychotic medication	1, 7
atypical 14	Camberwell Assessment of Need – Forensic
and pregnancy 10	(CANFOR) 1, 7
antisocial behaviour, genetic factors 24–5	Camberwell Assessment of Need for Mothers
anxiety disorders	(CAN-M) 1
and child neglect 15	benefits of using 56–7
in children 20	coversheet 57–8
genetic factors 24	development of 28–40
and pregnancy 8	explanation of purpose and duration 41
attachment 15, 21	frequently asked questions 61–4
AUTONEED 4	help received and satisfaction with 49–50,
Avon mental health measure 4	52–3, 58–9
	met/unmet needs 42–6, 48–9, 51–2, 53,
	58, 62, 62–3
Bangor Assessment of Need Profile (BAN-P) 4	need domains 1, 30–2, 57
benefits 17	Accommodation 42
CAN-M domain 46	additional 63
bipolar disorder	Basic education 46
epidemiology 19	Benefits 46
postpartum 11	Budget 46
and pregnancy 9	Company 45
birth weight, influence of psychological stress on 8	Culture, language and religion 33–4, 46
breastfeeding 9, 10	Daytime activities 43
budget, CAN-M domain 46	Emotional demands of childcare 31, 45
	Food 42–3
Camberwell Assessment of Need (CAN) 1, 3	General physical health 43
criteria 5	identification 28–30
development 4–6	

- Information 44
- Intimate relationships 45
- Looking after the home 43
- Practical demands of childcare 31, 45
- Pregnancy care 30, 43, 63
- Psychological distress 44
- Psychotic symptoms 44
- rating issues 42–6
- Safety to child/children and others 31, 44
- Safety to self 44
- Self-care 43
- Sexual health 45
- Sleep 30, 43–4
- Substance misuse 44
- Telephone 46
- translations 64
- Transport 46
- validity assessment 32–4
- Violence and abuse 30–1, 45
- rating
 - algorithm 42
 - guidance on 41–6
 - need domains 42–6
- scoring 47–54, 60
- service provision 32
- stigma and discrimination 31
- training in use of 55–64
- underlying principles 28
- validity and reliability 32–40, 62
- Camberwell Assessment of Need for Mothers (Clinical) (CAN–M (C) 1, 55, 59, 61
 - scoring 47–50
- Camberwell Assessment of Need for Mothers (Research) (CAN–M (R) 1, 55, 59, 61
 - scoring 50–3
- Camberwell Assessment of Need for Mothers (Short) (CAN–M (S) 1, 55, 61
 - scoring 53–4
- Camberwell Assessment of Need–Research (CAN–R) 5, 6
- Camberwell Assessment of Need Short Appraisal Schedule (CANSAS) 5, 6
- carbamazepine during pregnancy 10
- Cardinal Needs Schedule (CNS) 4
- Care Programme Approach 1
- carers, young 26–7
- child abuse 23–4
- child neglect 15, 23–4
- childcare
 - arrangements 26
 - emotional demands of, CAN–M domain 31, 45
 - practical demands of, CAN–M domain 31, 45
- children
 - addressing needs of 27
 - behavioural effects of parental mental illness 20–1
 - as carers 26–7
 - cognitive development 21
 - coping strategies 25–6
 - educational development 21
 - emotional effects of parental mental illness 20–1
 - long-term effects of parental mental illness 21–2
 - mechanisms of effects of parental mental illness 24–6
 - protection and safeguarding 22–4, 63
 - protective factors 26–7
 - quality of life 22
 - resilience 19, 26–7
- citalopram and breastfeeding 10
- clozapine
 - and breastfeeding 10
 - during pregnancy 10
- CNS see Cardinal Needs Schedule
- community support for mothers 16–17
- company, CAN–M domain 45
- contraception, postpartum 12
- coping strategies of children 25–6
- culture, language and religion, CAN–M domain 33–4, 46
- custody of children 12, 14, 15, 15–16, 22–3, 59
- daytime activities, CAN–M domain 43
- death
 - perinatal 8, 10–11
 - postpartum 11
- demand and need 3
- depot medication during pregnancy 10
- depression
 - and child abuse 23
 - in children 20
 - epidemiology 20
 - genetic factors 24
 - parental illness
 - effect on child development 20–1
 - long-term effects on children 21–2
 - and parenting 12, 15, 21
 - postnatal 11, 21
 - and pregnancy 8, 9
- diabetes, gestational 9
- discipline 15, 23
- discrimination 14–15, 31
- divorce 15
- domestic violence and abuse 17–18, 60, 63
 - CAN–M domain 30–1, 45

and child development 21	lithium
during pregnancy 10, 18	and breastfeeding 10
	during pregnancy 9
education, basic, CAN–M domain 46	lone parents, incidence of mental illness 19, 20
emotional abuse 18	looked-after children 6
employment of mothers with severe mental illness 17	looking after the home, CAN–M domain 43
epidemiology of severe mental illness 19–20	Mainstreaming Gender and Women’s Mental Health 13
ethnicity	malnutrition and pregnancy 9
and custody loss 14	marital discord, persistent 20
domestic violence 18	Mind 4
family support 17	motherhood
and parenting 25	experience of 14–15
extended family 16	and severe mental illness 13–18
	MRC Needs for Care Assessment Schedule 3–4
fertility and severe mental illness 13–14	
fluoxetine and breastfeeding 10	National Health Service and Community Care Act 1990 2
food, CAN–M domain 42–3	National Service Framework for Mental Health 2
GAF see Global Assessment of Functioning	needs
gender	comparative 3
and response to parental mental illness 26	and demand 3
specificity and sensitivity of services 13	expressed 3
general physical health, CAN–M domain 43	felt 3
genetic factors 24–5	hierarchy 2
gestational diabetes 9	individual level 2–3
Global Assessment of Functioning (GAF) 35–6	met/unmet 42–6, 48–9, 51–2, 53, 58, 62–3
grandparents 16, 22	normative 3
	population level 2
homelessness 17	and quality of life 6
hospitalisation and contact with children 14, 15	and supply of services 3
housing see accommodation	taxonomy 3
husbands, relationships with 16	needs assessment 56
	approaches to 3–4
infanticide 11, 23	importance of 2
information, CAN–M domain 44	Needs for Care Assessment (NCA) 3–4
intimate relationships, CAN–M domain 45	neonaticide 11
	obesity and pregnancy 9
Keeping the Family in Mind 27	obstetric care
	CAN–M domain 30, 43
labour 10	in severe mental illness 8–10
lamotrigine	sub-optimal 25
and breastfeeding 10	
during pregnancy 10	parenting
language, CAN–M domain 34, 46	assessment 12
life events	and economic need 17
adverse 25	and ethnicity 25
and development of depression/anxiety disorders 24	intermittent 22
significant 20	involvement of extended family 16
	neurobiological effects 25

and personal relationships 16–17	severe mental illness (SMI) 1
and severe mental illness 11–12, 15–16, 21, 22	characteristics of mothers with 13–14
paroxetine during pregnancy 10	during pregnancy 8–10
partners, relationships with 16	epidemiology 19–20
perinatal death 8, 10–11	genetic factors 24–5
personality disorder, parental 21	impact of maternal illness on developing child 19–27
postpartum psychiatric complications 11	and labour 10
poverty 25	mechanisms of adverse effects on children 24–6
and parenting 17	and motherhood 13–18
pregnancy	and parenting 11–12, 15–16, 21, 22
CAN–M domain 30, 43	postpartum 11
domestic violence during 10, 18	sexual health, CAN–M domain 45
severe mental illness during 8–10	sexual violence 18
see also antenatal care	sleep, CAN–M domain 30, 43–4
preterm birth due to psychological stress 8	SMI see severe mental illness
psychological distress, CAN–M domain 44	smoking during pregnancy 9
psychosis, postpartum 11	social networks for mothers 16–17
psychotic disorders, mothers with 6	stigma 14–15, 31
psychotic symptoms, CAN–M domain 44	stress hormones in pregnancy 8
psychotropic drugs	substance misuse
and breastfeeding 9, 10	CAN–M domain 44
during pregnancy 8, 9–10	during pregnancy 9
side-effects 14	epidemiology 19
quality of life	parental 21
of children 22	treatment programmes 26
and need 6	suicidal thought/action by children of parents with mental illness 22
rating, CAN–M 41–6	suicide, postpartum 11
religion, CAN–M domain 34, 46	support networks for mothers 16–17
resilience 19, 26–7	Swedish Psychiatric Care Reform 2
safety to child/children and others, CAN–M domain 31, 44	TAG see Threshold Assessment Grid
safety to self, CAN–M domain 44	telephone, CAN–M domain 46
schizophrenia	Threshold Assessment Grid (TAG) 28–9
epidemiology 19	training in use of CAN–M 55–64
and loss of custody 22	transport, CAN–M domain 46
and parenting 12, 15, 21	valproate during pregnancy 10
and pregnancy 9, 10	violence and abuse, CAN–M domain 30–1, 45
scoring, CAN–M 47–54, 60	welfare benefits see benefits
self-care, CAN–M domain 43	Women’s Mental Health: Into the Mainstream 13
service provision 32	young carers 26–7
and needs assessment 3	
and needs of children and family 27	