

Index

Compiled by Linda English

- access to healthcare 86, 147, 183,
 371–376
- acculturation
 and clinical management 263
 in cross-cultural psychiatric assessment
 250–252
 and depression 121, 123–124
 and eating disorders 235–236
 patterns 16
 and sexuality 198, 200
 and substance misuse 186–187
- acupuncture 266
- acute in-patient care, equity of access
 373–375
- acute stress disorder 321–322
- acute stress reactions 320–321, 330
- addiction 182–195
 and acculturation 186–187
 behavioural 190–191
 detoxification 184, 185
 ethnic minorities in prisons 185
 genetic influences 187
 media for education and advertising
 services 192
 norms and attitudes 186
 overcoming barriers to uptake of
 services 191–192
 patterns among ethnic groups 187–191
 perception of existing drug treatment
 services 185–186
 and post-traumatic stress disorder 325,
 326
 and poverty 90–91, 187
 prevalence in ethnic minorities
 183–185
 problem of under-utilisation of services
 182, 183
- responding to challenges that lie ahead
 192–193
 and social class 91, 187
 and unemployment 90–91, 187
 White minority ethnic groups 185
- adjustment disorder 172, 173
- admission rates 73–75, 120, 151,
 223–224, 374, 390
- adolescence
 attempted suicide in Asian women 133
 and expressed emotion 61–62
see also child and adolescent psychiatry
- adult mental health services mapping
 exercise 385–386
- African Americans
 culture consciousness in 250–251
 elderly 144, 146, 147, 150
 psychopharmacology 276–277, 278,
 279
 sexuality 200
- African-Caribbeans 353
 and depot injection 280, 378–379
 drug misuse in 183–184, 187, 188,
 189, 190
 elderly 140, 145–146, 148, 149
 and electroconvulsive therapy 266
 and forensic psychiatry 75–76, 222–
 231, 378–379
 migration and mental illness 20, 21,
 23, 24, 120
 pathways to care 69, 71, 72, 73, 74,
 75–76, 77–78
 polypharmacy and high doses 378–379
 racial life events 45
 and schizophrenia 7, 17, 19, 22, 73, 74,
 76, 103–118
- Afro-centric culture 250

INDEX

- ageing immigrant population 140–155
 assessing dementia 142–144
 assessing depression 144
 current research evidence 144
 dementia 144–147
 depression 148–150
 problems of studies 141
 psychosis 150
 race and ethnicity defined 141–142
 screening instruments 142, 143, 144
 service utilisation 150–152
 suicide 149, 150
 ‘triple whammy’ 141
 aggression 253–254
 agranulocytosis 277
 alcohol misuse 90–91, 129–130, 185–188, 190
 aldehyde dehydrogenase gene (ALDH2) 187
 Allport’s contact hypothesis 408
 alternative healers 259, 266, 272
 Alzheimer’s disease 143, 146, 147
 angiotensin converting enzyme (ACE) gene polymorphism 146
 anomie 11, 13
 anorexia nervosa 214, 232–243
 antidepressants 265, 278, 330, 332
 antipsychotics 264–265, 277, 280, 378–379
 antisocial personality disorder 91–92, 224–225, 226
 anxiety 20, 48
 apolipoprotein E (ApoE) 4 allele 146
 Ashkenazi Jews 277
 Asians
 attempted suicide in women 21, 128–139, 175–176, 177–178, 382, 384
 care pathways 68–83
 compulsorily detained 46
 and drug misuse 184, 185, 187, 188–189, 190
 and eating disorders 21, 234, 235–236, 237, 239
 expressed emotion studies 61
 as GPs 72, 73
 and intellectual disability 157, 159–161, 163
 and pharmacotherapy 264–265, 276–277, 278, 279
 and schizophrenia 17, 19, 22, 257
 and sexuality 199, 200, 201, 203, 204
 asylum seekers 6–7, 27–38
 attachment theories 53, 93, 113, 341–342
 auditory hallucinations 254–255
 Australia, expressed emotion studies 58
 autonomy of patients 176, 404
 behavioural addiction 190–191
 behavioural therapies 268
 see also cognitive-behavioural therapy
 Bennett, David, death of 348, 353, 366, 378
 benzodiazepines 279
 bidis 190
 bilingualism 164, 308, 311, 312, 314, 343
 binge eating disorder 232, 238
 biological vulnerability 18
 biopsychosocial approach 11, 273, 274
 bipolar disorder 20, 255, 298
 birth complications, and schizophrenia 111–112
 birth and death registration, recording ethnicity 383
 Black Africans
 care pathways 71–73, 74, 76, 77
 elderly with depression 148
 immigrants 20, 24
 Black people 374
 care pathways and outcomes 68–83, 378–379
 and forensic psychiatry 75–76, 222–231
 and hallucinations 254, 255
 over-medication of 378–379
 and psychotherapy 343, 344
 and religious delusions 298
 see also African Americans; African-Caribbeans; Black Africans
 borderline personality disorder 21–22, 332, 334
 bulimia nervosa 232, 236, 238, 239, 240
 Camberwell Family Interview (CFI) 53–54
 cannabis 188, 225–226
 care pathways
 Black and Asian ethnic minorities 68–83
 assessment and admission in general adult services 73–75
 ‘circle of fear’ 77
 community-level distress and lay referral system 69–72

- effect of cultural variations on
 assessment 76–77
- Enhancing Pathways Into Care
 (EPIC) 79–80
- forensic services 75–76
- Goldberg and Huxley's model 69, 80
- model of engagement for African–
 Caribbean patients 77–78
- primary care partnership with other
 agencies 78–79
- collection of ethnicity data
 aversive pathways into specialist
 services 376–378
 treatments 378–380
- care programme approach 404
- carers 151–152, 162–163, 164, 404
- Carter and McGoldrick model 211
- chaplains 303
- chewing tobacco 190
- child and adolescent psychiatry 209–221,
 337
- authoritarian parenting 210, 211
- authoritative parenting 210, 211
- child-rearing practices 210
- children's fears 214–215
- clinical case example 217–218
- concept of childhood 210
- cultural sensibility 215–216
- culture and child development 210–211
- culture and mental health problems
 214–215
- deciding who is client 214
- developing attitudes in adolescence
 218–219
- family 211–214
- implications for practice 215–219
- integrated friendships across groups
 218
- interpreters and cultural brokers 219,
 314
- mixed racial heritage children 210
- patient-centred interviewing 216–217
- referrals and professional's bias 215
- respect 217
- rights of children 210, 218
- should offer child opportunity to meet
 alone with clinician 217
- unmet health need 215
- views of normal and deviant behaviour
 215
- children
 and culture conflict 123
- and expressed emotion 61–62
- and post-traumatic stress disorder 326,
 334
- and poverty 92–93, 96
- refugees 30–31
see also child and adolescent psychiatry
- China 9, 59–60, 125–126, 202
- chronic difficulties 39, 43
- clinical management of patients across
 cultures 261–271
- culture, therapy and personality 266–
 267
- goals of treatment 263
- management and service development
 269–270
- physical treatments 264–267
- planning treatment 263–264
- principles 262–264
- psychiatry across cultures 262
- psychotherapy 267–269
- 'club drugs' 190
- CNR1 gene 187
- cocaine 187, 190
- cognitive assessment 257
- cognitive-behavioural therapy 230, 337
- drop-out rate among Black people 24,
 77
- and explanatory models 287
- and interpreters 343
- in liaison psychiatry 178
- and patients with religious beliefs
 304
- and post-traumatic stress disorder
 331–332, 333
- 'colour-blindness' 42, 202, 274–275
- common mental disorders
 and care pathways 72, 73
 and life events 39, 43
 in medically ill patients 178
 and migration 20, 120, 121
 and poverty 88
see also anxiety; depression
- communication with patients from other
 cultures
 and emotion 289, 344–346
 and explanatory models 284–292
 and therapeutic relationships 288–290,
 344–346
- community development workers
 385–386, 389
- community services, ethnic monitoring
 375–376, 379–381

INDEX

- community treatment orders 228, 375–376, 377, 389
- complementary therapies 266, 280–281
- compulsory detention
 and care pathways 71, 73, 74, 376–378, 379
 demos and ethnoscapes 405
 ethnic monitoring 376–378, 379, 390
 in forensic psychiatry 223–224
 and racism 46
- conduct disorder 92, 225–226
- consanguineous marriages 161
- Convention on the Rights of the Child 1989: 218
- coroners, recording of ethnicity by 383–384, 391
- countertransference 268, 295–296
- Count Me In censuses 377, 388–389, 390, 391
- crack cocaine 185, 188
- crime 44, 91–92, 327, 328, 330
- cross-cultural psychiatric assessment 247–260
 communication and cultural distance 249
 cross-cultural competency 248
 culture and mental illness 248
 emotional orientation 249
 essential historical information 250–253
 acculturation 250–252
 adverse events 250
 microskills for clinician 252–253
 previous experiences 252
 psychological/somatic mindedness 252
 racism 252
 world view 250
- limitations of standard mental state examinations 253–257
 aggression 253–254
 behaviour 253
 cognitive assessment 257
 delusions 255–256
 first-rank symptoms 256–257
 hallucinations 254–255
- cuento therapy 268
- cultural competence
 in forensic psychiatry 229–230
 in liaison psychiatry 177, 179
 in services for intellectual disability 166–168
 training 348, 350, 353, 355, 356, 358
- cultural consultant model 180, 229–230
- cultural diversity
 and globalisation 3–4, 7
 and intellectual disability 168
 and training 7, 348–365
 cultural expertise 358
 cultural sensibility 358
 culture and diversity defined 348–350
 educational models for teaching 358
 and evaluation 355, 356, 362
 how patients are viewed 357–358
 how practitioners can make difference 361
 policies regarding 359–361
 political correctness 356–357
 relating to healthcare delivery 351–352
 results of studies 354–356
 service models 358–359
- cultural formulations 229–230, 286–288
- cultural identity 250–252, 344, 349
- culture
 defined 141–142, 209–210, 348–349
 influence on psychiatric disorders 172
 pathoelaborative effect 172
 pathofacilitative effect 172, 233, 235–237, 239, 240
 pathogenic effect 172
 pathoplastic effect 172, 233–235, 240, 241
 pathoreactive effect 172
 pathoselective effect 172
 ‘culture-bound syndromes’ 174, 202, 232–233, 240–241
 culture broker 219, 295
 culture conflict 123
 culture shock 123–124
 CYP2D6 enzyme 179, 277
 Cypriots 20, 149
 cytochrome P-450 (CYP) enzyme system 179, 276, 277
- data collection in mental healthcare, and race equality 366–396
 adult mental health services mapping exercise 385–386
 Count Me In censuses 377, 388–389
 data linkage 384–385
 DRE (Delivering Race Equality) Dashboard 389–390

- equity of access to care 371–376
 history of ethnic data collection in
 NHS 367
 Mental Health Minimum Data Set
 (MHMDS) 385, 386–388
 pathways into care 376–380
 patient's experience 380–382
 statutory/governmental race equality
 requirements 367–369
 suicide 382–385
 what was recommended 369
 workforce data 385–386
 Delivering Drug Services to Black and
 Ethnic-Minority Communities 182
 Delivering Race Equality in Mental
 Health Care 226, 227, 366–396
 delusions 254, 255–256, 298–300
 dementia 140, 144–147
 ACE gene polymorphism 146–147
 and ApoE4 allele 146
 assessment 142–144
 caregivers 151–152
 interleukin-6 (IL-6) 146
 pattern, presentation and course 147
 plasma homocysteine levels 146–147
 prevalence 144–146
 depression 119–127
 and acculturation 123–124
 and achievements and expectations
 125–126
 aetiological factors 122–126
 in ageing immigrant population 140,
 144, 148–150
 cognitive models 268
 cognitive schemas 124
 in ethnic minorities 119–127
 and expressed emotion 57, 61–62
 in immigrants 119–127
 and life events 39, 43
 with medical illness 173
 and personality factors 119–120
 and post-traumatic stress disorder 325,
 326
 and poverty 5, 89
 prevalence 120–122
 and racial events 47–48
 and selective migration 125
 and stress diathesis model 43
 symptoms vary between cultures 120
 and terrorism 10
 vascular hypothesis 149
 in women 5
 dhat syndrome 174–175, 203
 diabetes 190, 199
 Diagnostic and Statistical Manual of
 Mental Disorders
 DSM-IV 92, 214, 229, 286, 296,
 320–323
 DSM-V 233, 241
 'Diana Effect' 238
 dietary factors 265–266, 276, 277, 278–
 279, 281
 disease and illness 247
 DRE (Delivering Race Equality)
 Dashboard 389–390, 391
 drug misuse *see* addiction
 Drugs: Protecting Families and
 Communities 183
 eating disorders 232–243, 337
 and acculturation 235–236
 and expressed emotion 56
 family factors 237
 and gender 238–239
 and genetics 238
 idiom of distress 237
 and migration 6, 21
 and obesity 240
 are they increasing? 237–238
 pathofacilitative model 233, 235–237,
 239, 240
 pathoplastic model 233–235, 240, 241
 pressure to achieve 237
 service implications 239–240
 and Westernisation 214, 235–236
 Egypt, expressed emotion studies 59
 electroconvulsive therapy (ECT) 266,
 375, 378, 381–382, 390
 Enhancing Pathways Into Care (EPIC)
 79–80
 erectile dysfunction 199–200, 204
 ethanol metabolism 266
 ethnic density 21, 22–23, 113, 115
 ethnic groups 104, 141
 ethnic identities 16, 163–164
 ethnicity
 defined 39–40, 141–142, 273–274,
 350–351
 self-identified 390
 ethnic matching 267, 269, 343–344, 359
 ethnocentrism 40
 ethnography 229–230
 ethnopharmacology 178–179, 272–283

INDEX

- explanatory models of illness
 communication with patients from
 other cultures 284–292
 case histories 286–287, 289
 and co-constructed illness
 narratives 287
 cultural formulations 286–288
 empathy 289
 practising in multicultural context
 285
 problem with words 288–289
 process of exploring 285
 recognising emotions 289
 therapeutic relationships 288–290
 when compromise is difficult 290–
 291
 and delusions 255–256
 health professional's own 72
 of immigrants 23
 and psychotherapy 341
 of refugees 34–35
 exposure therapy 330, 331–332, 333
 expressed emotion (EE) 52–67
 and adolescence 61–62
 components 53–54
 critical comments 53, 54, 55, 56, 57,
 59, 60
 cultural variations 56
 emotional over-involvement 53, 54, 55,
 56, 57, 59, 60, 61
 findings from minority ethnic groups
 60–62
 findings from non-Western countries
 58–60
 findings from Western countries 56–58
 hostility 53, 54, 55, 56, 57
 implications for management 63–64
 measurement 53–55
 and patient outcome 55–56
 and psychopharmacology 276
 and schizophrenia 52, 54, 55–61, 337
 and self-harm 52–53, 62–63
 studies in care homes and residential
 settings 58
 extrapyramidal side-effects 277
 eye-contact rituals 252
 eye movement desensitisation and
 reprocessing (EMDR) therapy 333

 Falun Gong 9
 families
 and attachment theories 341–342

 and child and adolescent psychiatry
 211–214
 and eating disorders 237
 and expressed emotion 52–67
 extended 162–163, 341–342
 and intellectual disability 157, 158,
 162–163, 167
 and liaison psychiatry in palliative
 care 176–177
 of murder victims 327
 and planning treatment 263
 in treatment adherence 279
 family genograms 206
 family life-cycle model 211
 family therapy 63–64, 314, 337
 first-rank symptoms 76, 256–257
 Five-Minute Speech Sample (FMSS)
 54–55, 58
 foreign student syndrome 120–121
 forensic psychiatry, Black and minority
 ethnic issues in 222–231
 care pathways 75–76, 376
 challenges 226–228
 community treatment orders 228
 compulsory admissions 223–224
 cultural competency 229–230
 ethnic data on medication 378–379
 experiences of ethnic minorities 223–
 224
 institutional racism 222–223
 long in-patient stay 223, 230
 medium secure units 224
 policy 226
 problems and solutions 224–226
 repeated admissions 223, 224
 restriction orders 228
 Section 37/41 of Mental Health Act
 223–224, 228
 Framework for Action 2003: 371, 376,
 378, 382, 385, 387
 functional somatic syndromes 174

 gender
 and aggression 253
 and family therapy in expressed
 emotion 64
 and help-seeking 71
 and intellectual disability 160–161,
 164
 and post-traumatic stress disorder 322
 and psychopharmacology 280
 see also women

- general hospitals, culture and liaison psychiatry in 171–181
- general practitioners 45
 and care pathways 71–73, 77
 and common mental disorders 20
 directly enhanced services 372, 373, 391
 and intellectual disability 162
 and post-traumatic stress disorder 329, 330
 Quality and Outcomes Framework 371, 373, 391
- genetic factors
 and addiction 187
 and eating disorders 238
 and pharmacotherapy 272, 273, 276
 and schizophrenia in African–Caribbeans 110–111
- Geriatric Depression Scale 144
- globalisation 3–14
 and clinical practice 11
 and human rights in psychiatry 8–10
 large-scale social change 10–11
 management of cultural diversity 3–4
 and migration 6–8
 socioeconomic effects 4–6
- gutka 190
- hallucinations 254–255
- Healthcare Commission 350–351, 355, 374, 376, 379–381, 387, 388, 390
- health inequality 85–86, 93–94, 95–96
 artefact theory 93–94
 behavioural and cultural theories 94
 materialist and structuralist theories 94
 natural or social selection theories 94
- help-seeking 69, 71, 78, 174, 238, 341
- herbal remedies 266, 280–281
- heroin 184, 185, 188–189, 190
- Hispanics 10, 186, 188, 199, 238, 278
- homocysteine levels 146–147
- homosexuality 201–202, 239
- Hospital, Public Health Medicine and Community Health Services (HCHS) 386
- Hospital Episode Statistics 373–375, 376, 386, 388, 389, 390, 391
- human rights
 and medication for Black patients 378–379
 in psychiatry and globalisation 8–10
 and refugees and asylum seekers 7, 33
- humoural concepts 265–266
- 25-hydroxy vitamin D3 levels 112
- hyperdiversity 171
- hypertension 145–146, 147, 199, 276–277
- hypothalamic–pituitary–adrenal (HPA) axis 322, 324–325
- illness and disease 247
- immigrants *see* migration
- Improving Access to Psychological Therapies (IAPT) Data Set 380, 389, 391
- India
 attempted suicide in women 129–130, 177–178
 and child and adolescent psychiatry 211, 214
 and eating disorders 236
 expressed emotion studies 58–59
 and psychological/somatic mindedness 252
 and psychotherapy 268–269
- individual identity 250–252
- infant mortality 95, 96
- information disease 296
- Information Network Focus on Religious Movements (INFORM) 296
- Inside Outside 222, 353, 376, 385
- intellectual disability 156–170
 anthropological perspective 158
 carers 162–163
 cultural bias of IQ tests 158
 cultural and religious attitudes 159–160
 curability 159–160
 developing cultural competence 166–168
 ethnic and racial identity 163–164
 fatalism 159
 gender and social roles 160–161
 importance of language 164
 interpreters 164–166
 and marriage 159–161
 mild 158, 159
 in minority ethnic communities 161–162
 ‘minority experience’ 156–158
 society’s views 158–159
 special-needs initiatives 168
- intelligence, cultural definitions of 257

INDEX

- Inter-Agency Standing Committee 29
 interleukin-6 (IL-6) 146
 internally displaced persons 29
 International Committee of the Red
 Cross/Crescent 29
 international psychiatric organisations 12
 interpreters 192, 306–318
 addition error 309
 ad hoc 307, 314
 and child and adolescent psychiatry 219
 closed/open questioning error 309
 condensation error 309
 and cross-cultural psychiatric
 assessment 249
 errors 309–312, 314
 and explanatory models 285
 and intellectual disability 164–166
 interpretation and translation 308–311
 language and symptom recognition 308
 for mental state examination 312
 normalisation error 311, 314
 omission error 309
 and planning treatment 263
 problems peculiar to psychiatry 311
 and psychiatric interviews 306–318
 in psychiatric practice 312–313
 in psychotherapy 314–315, 342–343
 with refugees and survivors of torture
 34, 315–316
 role exchange error 309
 substitution error 309
 trained 307
 Irish immigrants
 and depression 120, 121
 and substance misuse 185–186,
 187–188, 189
 and suicide 6, 21, 148–149, 382
 Israel, expressed emotion studies 59
- Japan 60, 236
- karma concept 159
 khat 189
- liaison psychiatry 171–181
 cultural challenges 171–172
 cultural influences in psychiatric
 presentations 172–176
 cultural interface between medicine
 and psychiatry 172
- culturally aware treatments 178–179
 culturally capable services 179–180
 cultural sensitivity in assessments 177–
 178
 emotional disorders in medically ill
 173–174
 ethical problems 176–177
 medically unexplained symptoms 172,
 174–175, 178
 self-harm 175–176, 177–178
 vignettes 173–174, 175, 177–178
- life events
 negative and positive 39
 racial 43–45, 47–48, 114, 134
 and stress diathesis model 42–43
 life expectancy 85–86, 95
 lithium 265, 278–279
 locus of control 47, 124
- ‘machismo nervosa’ 239
 marriage
 and intellectual disability 159–161
 mixed-race couples 202–203
 and sex 197, 198, 202–203
 masturbation 205, 302
 medically unexplained symptoms 172,
 174–175, 178
 medical systems, non-Western 159
 medication *see* pharmacotherapy
 mental capacity 176
 Mental Health Act Commission 375, 376,
 377–378, 379
 mental health legislation 9
 Mental Health Minimum Data Set
 (MHMDS) 385, 386–388, 390–391
 mental health review tribunal appeals
 377–378
 Mexicans 60–61, 187
 migration 15–26
 ageing immigrant population 140–155
 and common mental disorders 20
 in cross-cultural psychiatric
 assessment 251–252
 and depression 119–127
 and eating disorders 6, 21
 ethnic density *v.* social isolation 22–23
 and ethnic identities 16
 and globalisation 6–8, 9, 11–12
 and healthcare 9
 implications for care 23–24
 migratory stages 16, 23, 121

- migratory stress 19, 112
 and mood disorders 19–20
 and personality disorder 21–22
 post-migration 16, 121
 and post-traumatic stress disorder 21
 pre-migration 16, 121
 and racial life events 44
 and schizophrenia 7, 11, 17–19, 22, 112
 selective 18, 112, 125, 132
 and suicidal thoughts and self-harm 21,
 130–134, 382
 voluntary *v.* forced resettlement 24,
 125–126
- Mini-Mental State Examination (MMSE)
 143
- minority experience 156–158
 minority groups 45
- Models of Care for the Treatment of Drug
 Misusers 191
- monoamine oxidase activity 278
- mood disorders
 and expressed emotion 56
 and migration 19–20, 121
 and poverty 89–90
 social causation hypothesis 89
 social selection hypothesis 89
- mortality rates 85–86, 147
- multiculturalism 350
- mystical states 297–298
- National Dementia Strategy 143–144
- National Social Inclusion Programme
 403, 405–406
- National Treatment Agency for Substance
 Misuse 182
- near-death experience 297–298
- NHS Care Records Service 391
- obsessive–compulsive disorder 301
- Oedipus myth 342
- out-group 42, 45
- Outreach and Support in South London
 (OASIS) 227
- Pakistanis, ‘holiday habit’ among 189
- palliative care psychiatry 176–177
- parenting styles 210
- pathoelaborative effect, of culture on
 psychiatric disorders 172
- pathofacilitative effect, of culture on
 psychiatric disorders 172, 233, 235–
 237, 239, 240
- pathogenic effect, of culture on
 psychiatric disorders 172
- pathological gambling 191
- pathoplastic effect, of culture on
 psychiatric disorders 172, 233–235,
 240, 241
- pathoreactive effect, of culture on
 psychiatric disorders 172
- pathoselective effect, of culture on
 psychiatric disorders 172
- pathways into care *see* care pathways
- personality, and pharmacotherapy
 266–267, 274–275
- personality disorder
 or criminality 92
 and forensic psychiatry 224–225, 226
 and migration 21–22
 and post-traumatic stress disorder 326,
 332, 334
 and poverty 91–92
- pharmacodynamics 267, 274, 276
- pharmacogenetics 272, 275
- pharmacokinetics 264
 antidepressants and 265, 278
 benzodiazepines and 279
 culture and dietary effects 266
 environmental factors 275, 276
 personality traits and 267, 274
- pharmacotherapy
 in clinical management 264–267
 ethnic and cultural factors in 178–179,
 272–283
 biological factors 276–279
 complementary medicine 280–281
 environmental factors 275–276
 established ethnic differences in
 therapeutic effects 277–279
 ethnicity 273–276
 non-biological factors 279–280
 personality factors 274–275
 prescription patterns 280
 stress 280
 treatment adherence 280
 ethnic monitoring 378–379
 in liaison psychiatry 178–179
 polypharmacy and high doses 378–379
 and post-traumatic stress disorder 332,
 333–334
- physical illness 45, 329

INDEX

- PLISSIT model 205
 police involvement 7, 69, 71, 73–74
 postnatal depression 48
 post-traumatic stress disorder 319–336
 and acute stress disorder 322
 among asylum seekers and refugees 7, 21, 30–31, 33, 36
 assessment 327–330
 behavioural and cognitive therapies 315, 331–332, 333
 chronic 331
 comorbid Axis I disorders 325–326, 328
 comorbid Axis II disorders 326
 compensation claims 327, 329, 334
 complex PTSD 326, 332, 333, 334
 effects on social systems and support 326–327
 efficacy of treatment 333–334
 fear-based or shame-based 325, 332
 and home 327
 and medication 332, 333–334
 and migration 21
 no evidence for single debriefing 331
 partial PTSD 325
 pathophysiology 324–325
 prevalence 319–320
 psychological therapies 332, 333
 psychopathology 324–325
 and racial events 48
 risk factors 322–323, 330
 and terrorism 10
 treatment 319–333
 and violent victimisation 328
 and workplace 326–327
 poverty 5, 84–99
 absolute and relative 84–85
 and children 92–93, 96
 ‘culture of poverty’ 94
 explanatory models for health inequalities 93–94
 poverty line 84, 92
 and psychiatric disorders 86–92, 187
 and risk of disease 85
 and social exclusion 401–402
 and social inequality 85–86
 pregnancy, and schizophrenia 111–112
 prejudice 40
 primary care 77, 78
 consultation rates 71–72
 equity of access 371–373, 390
 partnership with other pathway agencies 78–79
 presentation, detection and referral to specialist services 72–73
 see also general practitioners
 psychoanalytic therapy 267–268, 302, 314, 342
 psychological mindedness 252
 psychopharmacology *see* pharmacotherapy
 psychosexual therapies 202–206, 302–303
 psychosis
 ageing immigrants 150
 and bilingual patients 164, 308
 and cannabis 225–226
 care pathways 74–75
 and cross-cultural psychiatric assessment 253, 254, 255–256
 duration of untreated psychosis (DUP) 75
 and explanatory models 290–291
 and post-traumatic stress disorder 325–326
 and poverty 88–89
 and racism 43, 45, 48
 and religion 297, 298, 299–300
 social causation hypothesis 88
 social selection hypothesis 88
 stress-induced 255, 257
 see also bipolar disorder; schizophrenia
 psychotherapy 267–269, 337–347
 assessment 338–340
 communication and emotion 344–346
 and culturally capable practice 345
 cultural perspectives on meaning of ‘therapy’ 340–341
 ethnic matching 267, 269, 343–344
 ethnic monitoring 379–380
 group therapy 267, 332
 indigenous therapies 268–269, 341
 individual therapy not always acceptable 267
 intercultural therapies 341
 and interpreters 314–315, 342–343
 personal 285
 for post-traumatic stress disorder 332, 333
 and refugees 34
 and religion 302, 304, 344
 specific models 267–268
 theoretical, technical and philosophical adaptations 341–342

- race
 clinician's views 42
 defined 39–40, 141–142, 350–351
 'silence' of 345
 race equality 350–351, 355
 data collection in mental healthcare
 366–396
 statutory/governmental requirements
 367–369
 Race Equality Action Plan 151, 367, 368
 Race Relations (Amendment) Act 2000:
 191, 367–368, 375
 racial discrimination 41, 45, 367–368
 racial identity 163–164
 racialism 41
 racial life events 43–45, 47–48, 114, 134
 racial transference 345–346
 racism 40–42
 and Asian female adolescents' self-harm
 133
 aversive 42
 and cross-cultural psychiatric
 assessment 252
 dominative 42
 and homosexuality 202
 individual 40
 institutional 40–41, 46, 48, 114, 157,
 191, 222–223
 and intellectual disability 157, 163
 and mental disorders 45–47
 and mental distress 49
 and migration 19, 23
 political correctness 356–357
 and schizophrenia in African–
 Caribbeans 114
 rapid (premature) ejaculation 200
 refugees 15–16, 27–38
 camps 29
 case vignettes 32, 36
 community-based interventions
 33–34
 and cultures 34–35
 destination 29–32
 dispersal policy 8
 exile-related stressors 31–32
 host-countries seek out particular
 skills 30
 implications for practice 32–34
 and interpreters 34, 315–316
 into exile 30–31
 language issue 34–35
 legal reports for patients 32–33
 post-traumatic stress disorder 21, 30–
 31, 33, 36
 research into mental health needs 37
 resilience 35
 trauma and language of mental health
 35–36
 unaccompanied minors 30–31
 refusal of treatment 176
 religion
 antagonism towards by psychiatrists
 293–294
 and attitudes to substance misuse 186
 and delusions 255, 256, 298–300
 and eating disorders 233, 234
 and explanatory models 290–291
 and hallucinations 254
 and intellectual disability 159–160,
 163–164
 and pharmacotherapy 276
 protects against depression 149
 and sex and culture 196, 197–198, 199,
 205, 302–303
 and spirituality 294
 working with patients with beliefs
 293–305
 case studies 295, 296, 298, 299–
 300, 301, 302
 collaboration with religious
 professionals 303
 countertransference problems 295–
 296
 how problems should be assessed
 296
 loss or questioning of faith 296
 movement or cult 296
 mystical states 297–298
 problems of engagement 295
 psychosexual therapies 302–303
 psychotherapy 302, 304, 344
 religious behaviour or obsessional
 illness? 301
 religious delusions 298–300
 spirit possession 300
 restriction orders 228
 Saint Catherine of Sienna 233
 same-gender staff 164
 schizophrenia
 in African–Caribbeans 22
 American studies 105–106
 assessment 106

INDEX

- care pathways 73, 74, 76, 78
 contributing factors 103–118
 and ethnic density 113, 115
 and genetic factors 110–111
 hypotheses for high rates 110–115
 and migration 7, 17, 19
 and pregnancy and birth complications 111–112
 problems in studying rates 104
 and racism 114
 and social factors 112–114
 UK studies 107–110
 and cannabis and conduct disorder 225–226
 and delusions 255–256, 298
 in elderly 150
 and expressed emotion 52, 54, 55–61, 337
 and first-rank symptoms 76, 256–257
 and hallucinations 254, 255
 and migration 7, 11, 17–19, 22, 112
 factors in country of origin 18
 migratory stress 19, 112
 misdiagnosis 19
 predisposition to migrate 18
 symptom patterns 19
 misdiagnosis 19, 105–106, 114, 254, 255
 narrow- and broad-definition 19, 110–111
 and poverty 88
 and religion 298, 300
 seclusion 390
 second generation 16, 17, 18, 19, 112, 198
 second opinion appointed doctors 377, 379, 381
 selective migration 18, 112, 125, 132
 self-harm 128
 culture and pathogenic role 172
 and expressed emotion 52–53, 62–63
 and liaison psychiatry 172, 175–176, 177–178
 and migration 21
 in South Asian women 132, 134, 136, 137, 175–176, 177–178
 sex
 and culture 196–208, 302–303
 artificial penetration 205
 celibacy 198
 Christianity 197–198, 199
 clinical practice 205–206
 epidemiology of dysfunction 199–201
 feminism 197
 first sexual intercourse 199, 200
 Jewish culture 198, 205
 management of problems 202–203
 manuals 197
 masturbation 205, 302
 Muslim culture 198, 205
 and non-heterosexual behaviour 197, 201–202
 pleasuring framework possibly unsuitable 204
 relationship between couple and therapist 203
 sex-positive and sex-negative cultures 196, 197–198
 sexual dysfunction 198–201, 202–206
 sexual function across cultures 197
 sexual assaults 332
 and women with intellectual disability 160
 Sikh population 188
 smoking 95–96, 186, 189–190, 280
 social capital
 and globalisation 5, 10, 11, 12–13
 and migration 22, 113–114
 social class 87, 89, 91, 187
 social factors, and schizophrenia in African-Caribbeans 112–114
 social identity theory 407
 social inclusion 397–410
 cycle of disadvantage 400
 definition 398–400, 401
 demos 405
 direct payments 404, 405
 dynamic dimension 399–400
 ethnos 405
 implications for psychiatrists 405–407
 and mental health 403
 meta-discourse 403
 moral underclass discourse 402, 403
 multifactorial dimension 399
 multiple deprivation 399, 404–405
 redistributionist discourse 401–402, 404
 relativity of 399, 403–404
 social cohesion as policy objective 400
 social integrationist discourse 402
 and social psychology 407–408
 social transactions 405

- societal oppression discourse 402–403
 and state 401–403
 transactional dimension 400
- social inequality, and poverty 5, 85–86
- social isolation 22–23, 89
- social networks 24, 112
- social support 10, 24, 326
- social therapies 268
- sociocentric self 342
- sociocentric societies 59, 115, 124, 236
- socioeconomic effects, and globalisation 4–6
- Somali population 189
- somatisation 32, 90, 149, 162, 173, 252
- South Asian Group Recognition
 Algorithm (SANGRA) computer program 382–383
- South Asians
 ageing immigrants 145, 148, 149
 attempted suicide in women 21, 128–139, 382
 in adolescence 133
 assessment of risk 135–136
 immigrant populations 130–134
 and impulsivity 135
 Indian subcontinent 129–130
 and interracial relationship 134
 and liaison psychiatry 175–176, 177–178
 and marital problems 131–132
 and social and cultural factors 134
 UK 131–134
 and eating disorders 234, 235–236, 239
 ethnic monitoring of suicide 382–383, 391
 and intellectual disability 159, 161, 163
 and sexuality 199, 200, 201, 203
 substance misuse in 188–189, 190
- spirit possession 300
- stigma 11, 13, 32, 405, 407
- stress 15
 and depression 119–120, 125, 126
 HPA axis during acute stress 324–325
 migratory 19, 112
 and psychopharmacology 280
 and psychosis 255, 257
- stress diathesis model 42–43, 119
- substance misuse *see* addiction
- suicide and suicidal thoughts
 ageing immigrant population 149, 150
 attempted in South Asian women 21, 128–139, 382, 384
- ethnic monitoring 382–385, 390, 391
 and expressed emotion 62–63
 Irish immigrants 6, 21, 148–149, 382
 and migration 6, 21, 22
 and poverty 90
 and religious movements 296
see also self-harm
- symptoms
 differing attitudes to 23, 76
 first-rank 76, 256–257
 language and recognition 308
 patterns in schizophrenia 19
- Tackling Health Inequalities: 10 Years On 95
- terrorism 11
 11 September 2001: 4, 10, 12–13, 319
- traditional healers 69–70, 71
- training
 and cultural diversity 7, 348–365
 in ethnography 229–230
 for mental health team workers 8, 12
 in transcultural psychiatry 7, 12
- transcultural psychiatry 7, 12
- trauma
 normal responses to 320–321
 treatment of victims 319–336
- treatment adherence 280
- tricyclic antidepressants 265, 278, 332
- trisomy-21 (Down's syndrome) 161
- Unani medication 266, 280–281
- unemployment
 and poverty and mental health 87–88, 90–91, 92–93
 and schizophrenia in African–Caribbeans 19, 109, 112, 113–114
 and social inclusion 402
 and substance misuse 90–91, 187
- United Nations Convention on Refugees 27–28
- United Nations High Commission on Refugees (UNHCR) 28, 29, 30
- United Nations' Principles for the Protection of Persons with Mental Illness 9–10, 12
- United States
 ageing immigrant population studies 144, 145, 146, 147, 151–152
 cultural diversity training in 351, 356
 expressed emotion studies 57

INDEX

- and intellectual disability 158, 160
- pharmacotherapy studies 276–277, 278, 279
- post-traumatic stress disorder
 - prevalence 319
- schizophrenia studies 105–106
- sex and culture studies 198–199, 200, 201, 202
- substance misuse studies 186, 187
- voluntary sector 71, 192
- vulnerability–stress–coping model 405
- women
 - and addiction 91, 191
 - attempted suicide among Asians 21, 128–139, 175–176, 177–178, 382, 384
 - and depression 5
 - and eating disorders 232–243
 - and intellectual disability 160–161
 - and primary care 71–73
 - sexual dysfunction among Nigerians 200, 201
- workforce data 385–386
- World Psychiatric Association 9, 10, 12