

# Index

Compiled by Linda English

---

- abdominal pain, unexplained 26, 103–104  
 advocacy 22  
 AIDS *see* HIV infection  
 alternative treatments 5–6  
 anxiety 19–20  
   breathlessness and 95, 96, 97, 99–100  
   checking behaviour and 44–45, 88, 114  
   diary and 40  
   fear of disease rather than disease  
     attribution 55  
   fluctuation in 63  
   gastroenterology and 102, 106  
   generalised 51, 75  
   medically unexplained symptoms linked  
     to 52  
   pain and 128  
   palpitations and 83, 84, 85–86  
   *see also* Beck Anxiety Inventory; Beck's  
     equation  
 arousal 10, 65, 83  
 asthma 95  
 atrial fibrillation 83  
 automatic negative interpretations 13  
 avoidant behaviour 7, 53
- Beck Anxiety Inventory 52, 65, 87, 93, 106,  
 110  
 Beck's equation: on anxiety 9, 29–32, 93,  
 107, 110  
 behavioural experiments 12–13, 18, 52–55  
   breathlessness 99–100  
   cardiology patients 88–89, 94  
   checking and 52–53, 114, 124–125  
   endocrinology patients 110–111  
   gastroenterology patients 107  
   homework 64–65, 66  
   neurology patients 114–115
- bereavement 75  
 biases in information processing 10–11  
 bodily symptoms/sensations  
   interaction with sensations 11  
   misinterpretation of 8–9  
   'noisy bodies' 49–50  
 brain tumour 46, 72, 112, 113, 114, 115  
 breathlessness 95–101  
   behavioural experiments 99–100  
   clarification of past medical  
     communications 97–98  
   common problems in management 101  
   developing formulation 99  
   employing CBT techniques 99  
   evaluation and interpretation of  
     symptoms 98  
   respiratory diseases 95–96  
 bronchiectasis 95
- caffeine 83, 87  
 cancer 26, 27, 28  
   bowel 26, 102, 103, 106  
   brain tumour 46, 72, 112, 113, 114, 115  
   lung 35–36, 96  
   ovarian 120  
   prostate 120  
   skin 76  
   throat 39–40  
 cardiac rehabilitation nurses 94  
 cardiology 4, 7, 25, 31, 32, 83–94, 95  
 case examples  
   anxiety about many diseases 51  
   bowel cancer 103  
   chest pain with previous heart disease  
     92–93  
   chlamydia 121–122, 123–126  
   cough 39–40

- diabetes 108–111
- dizziness after meningitis 113–115
- fear of AIDS 122–123, 124, 126
- fear of heart attack 91–92
- fear of stroke 116–118
- fear of sudden death 54–55
- glaucoma 38
- irregular heartbeat 85
- non-cardiac chest pain 41–42
- palpitations 86–87, 88–89
- respiratory disease 97–98, 99–100
- unexplained vomiting 104–106
- work-related pressure 72–73
- catastrophic misinterpretations 10
- catastrophic thinking 3–4, 13
- checking behaviour
- behavioural experiments 52–53, 114, 124–125
  - common examples 43
  - family and friends and 76–77
  - gastroenterology patients 106
  - neurology patients 114, 117–118
  - pulse 43, 85, 88
  - sputum 43, 100
  - techniques addressing 42–47
- chemotherapy 9
- chest pain 89–94
- behavioural experiments 94
  - clarification of past medical communications 90–92
  - common problems in management 94
  - developing formulation 92–93
  - employing CBT techniques 93
  - evaluation and interpretation of symptoms 92
  - Health Anxiety Questionnaire (HAQ-CP) 17
  - non-cardiac 6, 41–42, 90, 128–129
- chlamydia 119, 121–122, 125, 126
- chronic fatigue syndrome 5
- chronic obstructive pulmonary disease 6, 95, 96
- cognitive-behavioural therapy (CBT)
- basic structure of session 21–22
  - helping patient choose to change 55–57
  - helping patient feel understood 23–28
  - helping patient to understand emotions 21
  - initial assessment 23–34
  - interview technique 18–21
  - introducing therapy 18–19, 23
  - specific techniques 35–61
  - stuck in therapy 77
  - style of therapy 15–22
  - technique choice and flow diagram 59
  - techniques addressing safety-seeking behaviours 42–49
  - techniques for distorted perceptions 35–40
  - techniques to develop new understanding 49–55
  - troubleshooting 75–79
- cognitive restructuring 57
- cognitive theory
- of emotion 8, 67, 75, 97, 125
  - of health anxiety 8–14
- colostomy bag 107
- comorbidity
- physical disease 6, 7, 81–131
  - psychiatric 75
- confidentiality: in genitourinary medicine 119–120
- confirmatory bias 10
- coping strategies 30–31
- costs: of health anxiety 6, 55–57, 106, 125
- cough 35–36, 39–40
- Crohn's disease 6, 102, 105
- cystic fibrosis 95
- depersonalisation 112
- depression 13, 66, 67, 75, 111, 129
- diabetes 108–111
- diary technique 40–42, 52, 124
- breathlessness 99
  - cardiology patients 31, 87, 88
  - endocrinology patients 109–110
  - gastroenterology patients 104, 106, 107
  - homework 33
  - pain 129
- dietary restrictions 104, 106, 107
- ectopic beats 84
- emotion
- cognitive theory of 8, 67, 75, 97, 125
  - distress 27, 29
  - helping patients understand their emotions 21
- emphysema 95
- endocrinology 108–111
- behavioural experiments 110–111
  - clarification of past medical communications 108
  - common problems in management 111
  - developing formulation 109
  - employing CBT techniques 109–110
  - evaluation and interpretation of symptoms 109

## INDEX

- engaging patient 19–20  
 epilepsy 112, 114  
 error box 57  
 extrasystoles 83, 85, 86, 88–89  
 family and friends 19, 67, 76–77, 101  
 fear of disease v. actually having disease 55, 106  
 fertility 126–127  
 fibromyalgia 5  
 flow diagram: choice of technique 59  
 formulation 28–32  
   breathlessness and 99  
   checking and 42–43, 44  
   chest pains and 92–93  
   flow chart 28  
   gastroenterology and 105–106  
   genitourinary medicine and 122–123  
   neurology and 114  
   palpitations and 86–87  
 functional somatic syndrome 5
- gastroenterology 102–107  
   behavioural experiments 107  
   clarification of past medical communications 102–104  
   common problems in management 107  
   developing formulation 105–106  
   employing CBT techniques 106  
   evaluation and interpretation of symptoms 104–105  
 generalised anxiety 51, 75  
 general practitioner 7, 22, 71  
   liaison with 76  
   pyramids and 38, 39  
   repeated visits to 39, 47–48, 103, 113, 116, 117, 121  
 genitourinary medicine 47, 119–127  
   clarification of past medical communications 120  
   common problems in management 126–127  
   developing formulation 122–123  
   employing CBT techniques 123–124  
   evaluation and interpretation of symptoms 121  
   prevalence 4–5  
 goal-setting 69–70  
   longer-term goals 69, 70  
   medium-term goals 69  
   problems encountered 70  
   resetting 70  
   short-term goals 69  
 gonorrhoea 119, 120  
 guided discovery 20–21
- guilt 77, 105, 119, 121  
 headaches 72, 73, 112, 115  
 health anxiety  
   development 8–10  
   factors maintaining 10–13  
   identification 15–18  
   importance 6  
 Health Anxiety Inventory (HAI) 4  
 Health Anxiety Questionnaire 17  
   chest pain (HAQ-CP) 17  
 heart attack 6, 43, 53, 89–90, 91–92, 94  
 heart block 84  
 heart failure, acute 96  
 history-taking 23–25, 26  
 HIV infection 47, 96, 119, 120, 121, 122–123, 124  
 home visits 22  
 homework 22, 62–68  
   5-minute rule 67  
   behavioural experiments 64–65, 66  
   evaluation 65–68  
   family members and 67  
   motivation 67  
   pie chart 37  
   rationale for 62  
   rumination and 75–76  
   setting 22, 33–34, 62–65  
   when it does not go to plan 66–68  
 hyperventilation 95, 96, 97, 98  
 hypocapnoea 97  
 hypochondriasis 3, 4  
 hypoglycaemia 108, 109, 110
- ileostomy bag 107  
 incontinence 104, 106, 107  
 infectious diseases 47, 95–96  
   *see also* sexually transmitted infections  
 inflammatory bowel disease 102, 104, 105, 107  
 internet 46–47, 69, 103, 113, 117, 121  
 interview technique 18–21  
 investigations and tests 17, 76  
   cardiac 84  
   costs 6  
   gastroenterology 102  
   genitourinary medicine 119, 120, 125  
   history-taking 24–25  
   neurology 112, 115–116  
   reassurance-seeking 12, 77–78  
 irritable bowel syndrome 5, 6, 102, 104, 106, 107, 120  
 ischaemic heart disease 83, 84

- liaison with medical services 76  
 lifts 101
- media 46–47, 52, 96, 103  
 medical history 24  
 medically unexplained symptoms (MUS)  
   endocrinology and 108  
   overlap with 5–6  
   prevalence 4, 15  
   scales 18, 52  
 medical setting: for psychological treatment 7  
 medical specialty 81–131  
 medical texts 46  
 meningitis 113  
 misconceptions, origins of 9–10  
 misinterpretations  
   of bodily symptoms/sensations 8–9  
   catastrophic 10  
 mood effects 13  
 multiple sclerosis 112–113, 116  
 myocardial infarction 6, 43, 53, 89–90, 91–92, 94
- negative thinking 57  
 neurology 112–118  
   behavioural experiments 114–115  
   clarification of past medical communications 112–113  
   common problems in management 115–118  
   developing formulation 114  
   employing CBT techniques 114  
   evaluation and interpretation of symptoms 113  
   prevalence 4–5
- obsessive–compulsive disorder 38, 48, 75  
 occupational diseases 96  
 out-patients: prevalence 4–5  
 overgeneralisation 13
- pain  
   analogy of bus journey 129–130  
   chronic 38, 128–130  
   management 128–130  
   pie charts 38, 129–130  
   *see also* chest pain  
 palpitations 31, 53, 83–89  
   behavioural experiments 88–89  
   clarification of past medical communications 85–86  
   common problems in management 89  
   developing formulation 86–87  
   employing CBT techniques 87–88  
   evaluation and interpretation of symptoms 84–85  
 panic attacks 10, 11, 75, 96  
 Parkinson's disease 112, 117  
 paroxysmal atrial tachycardia 83  
 phrenic nerve paralysis 96  
 physical disease, pre-existing 6, 7, 67, 81–131  
 pie charts 30, 35–38, 106, 115, 123, 129–130  
 pneumonia 95, 96  
 prevalence 4–5, 112  
 primary care: prevalence 4, 5  
 probe questions 16–17  
 psychiatric populations: prevalence 4  
 psychological assessment 7  
 pulmonary embolus 95  
 pulse checking 43, 85, 88  
 pyramid technique 30, 38–40, 106, 115
- reassurance-seeking 47–49, 76–77, 117  
 recording: of CBT 32, 62  
 rectal bleeding 102–103  
 referral to psychologist/psychiatrist 7, 17, 23  
 relapse prevention 71–74  
   early signs of relapse 72  
   identifying potential triggers 71–72  
   lessons to learn 73  
   utilising new skills from therapy 72–73  
   when to ask for help 73  
 relatives 19, 67, 76–77, 101  
 respiratory medicine 95–101  
 responsibility for health 12–13, 37–38  
 rituals 57–58  
 rumination 13, 75–76
- safety-seeking behaviours 12–13, 29, 42–49, 87, 101  
 scales 15–16, 17–18  
 Schedule for Evaluating Persistent Symptoms (SEPS) 18  
 secondary care: prevalence 4  
 selective attention 11  
 sexual abuse 127  
 sexually transmitted infections 47, 119–127  
 Short Health Anxiety Inventory 17  
 sinus tachycardia 83  
 sleep apnoea 96–97  
 smoking 96

---

 INDEX
 

---

- Socratic dialogue 20–21  
 somatisation 5  
 sputum checking 43, 100  
 stroke 116–118  
 surveys, conducting 50–52  
 swallowing, difficulty in 43  
 symptoms  
   anxiety and levels of 40–41  
   of arousal 10, 65  
   evaluation and interpretation 25–28,  
     84–85, 98, 104–105, 109, 113, 121–122  
   gastroenterology symptoms 102–103  
   listing 25–26, 49–50, 115, 125  
   misinterpretation of bodily 8–9  
   pain as symptom 128  
   pie charts and 36, 37  
   pyramid technique and 38–39  
   recurrent 49–50  
 syphilis 119, 120, 121
- techniques *see* under cognitive-behavioural  
 therapy  
 tests *see* investigations  
 thinking errors 13, 57–58  
 triggers 9, 71–72  
 troubleshooting 75–79
- ulcerative colitis 102, 105  
 unexplained vomiting syndrome 5, 102,  
 104–106
- ventricular tachycardia 83  
 visual images 27
- windows, opening 101  
 Wolff–Parkinson–White syndrome 83  
 work-related stress 72–73, 77