

Index

- Accommodation domain
 generally, 8–9
 unreasonable delay in providing
 alternative accommodation, 37
- Adams, J., 4
- Additional domains of need, 38
- Alcohol domain, 10
- Arson domain, 11
- Barnao, M., 5
- Basic education domain, 10
- Benefits domain, 11
- Bracton Centre, 1
- Butler Report, 3
- Camberwell Assessment of Need (CAN)
 generally, 1
 adult CAN, 6
 criteria for, 7
 development of, 6
 underlying principles of, 6
- Camberwell Assessment of Need – Developmental and Intellectual Disabilities (CANDID), 6, 35
- Camberwell Assessment of Need – Elderly (CANE), 6, 35
- Camberwell Assessment of Need Forensic Clinical Version (CANFOR-C)
 generally, 1, 2, 7
 assessment summary score sheet, 98
 current level of help, 19
 informal sources, level of help from, 18–19
 met need (M) rating, 17, 67–68
 no need (N) rating, 17, 67–68
 not applicable (NA) rating, 18, 67–68
 not known (?) rating, 18, 67–68
 overview of, 17, 35, 67
 problems and difficulties
 contributing to offence, 19–20, 68
 required level of help, 19
 satisfaction with level of help, 19
 scoring and interpretation, 67–68
 Section 1, 17–18
 Section 2, 18–19
 Section 3, 19, 37
- Section, 4, 19–20, 68
 suggested questions for interview, 67
 summarising presence or absence of need, 17–18
 time for completion, 38
 unmet need (U) rating, 17–18, 67–68
 use of information, 20
- Camberwell Assessment of Need Forensic Research Version (CANFOR-R)
 generally, 1, 2, 7
 assessment summary score sheet, 98
 current level of help, 15
 informal sources, level of help from, 14–15
 met need (M) rating, 13, 40–41
 no need (N) rating, 13, 40–41
 not applicable (NA) rating, 14, 40–41
 not known (?) rating, 14, 40–41
 overview of, 13, 35, 40
 problems and difficulties
 contributing to offence, 15–16
 required level of help, 15
 satisfaction with level of help, 15
 scoring and interpretation, 40–41
 Section 1, 13–14
 Section 2, 14–15
 Section 3, 15, 37
 Section 4, 15–16
 suggested questions for interview, 40
 summarising presence or absence of need, 13–14
 time for completion, 38
 unmet need (U) rating, 13–14, 40–41
 use of information, 16
- Camberwell Assessment of Need Forensic Short Version (CANFOR-S)
 generally, 1–2, 7
 assessment summary score sheet, 94
 met need (M) rating, 21, 94–95
 no need (N) rating, 21, 94–95
 not applicable (NA) rating, 22, 94–95
 not known (?) rating, 22, 94–95
 opening questions for interview, 21
 overview of, 21, 35, 94
- problems and difficulties
 contributing to offence, 22
 scoring and interpretation, 94–95
 suggested questions for interview, 21, 94
 summarising presence or absence of need, 21
 time for completion, 38
 unmet need (U) rating, 22, 94–95
 Vignette 1, training sessions, 27, 28–29
 Vignette 2, training sessions, 27, 29–31
 Vignette 3, training sessions, 27, 31–32
- Camberwell Assessment of Need Forensic Version (CANFOR)
 generally, 6
 citation of, 38
 client groups, 35
 clinical practice, application in, 4–5
 copyright in, 39
 development of, 6–7
 permission to use, 39
 psychometric evaluation of, 2, 7, 100
 reliability of, 6, 7, 35, 100
 research applications of, 4
 2nd edition versus 1st edition, 1, 38
 validity of, 6, 7, 35, 100
 which version to use, 36
- Camberwell Assessment of Need–Mothers (CAN-M), 6, 35
- Care coordinator interviews
 generally, 12
 CANFOR-C, 67
 CANFOR-R, 40
 CANFOR-S, 94
 scoring of, 33–34
 Vignette, 4, 32–34
- Child care domain. *See* Dependents domain
- Citation of CANFOR, 38
- Client groups, 35
- Company domain, 10
- Consultation, 39
- Current level of help (Section 3)
 CANFOR-C, 19, 37
 CANFOR-R, 15, 37
 scoring and interpretation, training in, 26–27
 service offered but refused, scoring when, 37

- Davoren, M., 5
 Daytime activities domain, 9
 Department of Health, 3
 Dependents domain
 generally, 10
 change of name, 1, 8
 Digital communication domain
 generally, 10
 change of name, 1, 8
 Domains of need. *See also specific CANFOR version; specific domain; specific rating*
 generally, 2
 additional domains, 38
 amendment of, 38
 deletion of, 38
 interviews (*See Interviews*)
 list of, 8
 scoring, 8
 Drugs domain, 10
 DUNDRUM-3, 5
 DUNDRUM-4, 5

 Expert training, 39

 Food domain, 9
 Forensic mental health
 services
 needs assessment in, 3–4
 psychopathology paradigm of, 5
 risk assessment and management paradigm of, 5
 use of CANFOR in all services, 35
 Frequently asked questions. *See specific topic*

 Glancy Report, 3
 Guidance for interviews, 11–12

 Hartwell, S., 5
 HCR-20, 5
 Health of the National Outcome Scale (HoNOS), 4, 5
 Home Office, 3
 Humanitarian Emergency Settings
 Perceived Needs (HESPER), 6, 35

 Informal sources, level of help from (Section 2)
 CANFOR-C, 18–19
 CANFOR-R, 14–15
 scoring and interpretation, training in, 26–27
 Information about condition and treatment domain, 9
 Institute of Psychiatry (London), 1, 6
 Interventions
 lack of suitable local interventions, 36
 need not existing due to previous intervention, 36–37

 Interviews. *See also specific CANFOR version*
 care coordinator interviews (*See Care coordinator interviews*)
 flow of questioning, training in, 26
 guidance for, 11–12
 interviewee not confident in answer, scoring when, 36
 introduction, 11–12
 length of, 12
 opening questions, 8, 12, 21
 refusal to answer question, scoring when, 36
 service user interviews (*See Service user interviews*)
 suggested questions (*See Suggested questions for interview*)
 Intimate relationships domain, 10
 Introduction to interview, 11–12
 Italian version of CANFOR, 23

 Length of interview, 12
 Livingston, J.D., 5
 Long, C., 4–5
 Looking after living environment domain, 9

 Mentally disordered offenders, 3–4
 Met need (M) rating
 CANFOR-C, 17, 67–68
 CANFOR-R, 13, 40–41
 CANFOR-S, 21, 94–95
 unmet need (U) rating versus, 37
 Money domain, 11

 Needs assessment
 generally, 2, 3
 clinical practice, application of CANFOR in, 4–5
 domains of need (*See Domains of need*)
 in forensic mental health services, 3–4
 level of security and, 4
 mental health services, need in relation to, 3–4
 normative approach, 3
 research applications of CANFOR, 4
 risk and recovery interconnection with, 5
 risk of stigmatization, 5
 subjective approach, 3
 NHS and Community Care Act, 1990, 3
 No need (N) rating
 CANFOR-C, 17, 67–68
 CANFOR-R, 13, 40–41
 CANFOR-S, 21, 94–95
 not applicable (NA) rating versus, 36
 Not applicable (NA) rating
 CANFOR-C, 18, 67–68
 CANFOR-R, 14, 40–41
 CANFOR-S, 22, 94–95
 no need (N) rating versus, 36
 Not known (?) rating
 CANFOR-C, 18, 67–68
 CANFOR-R, 14, 40–41
 CANFOR-S, 22, 94–95
 scoring of, 37

 Opening questions for interview, 8, 12, 21
 Oxleas NHS Foundation Trust, 1, 6

 Permission to use CANFOR, 39
 Phelan, M., 6
 Physical health domain, 9
 Portuguese version of CANFOR, 23
 Practice vignettes
 Vignette 1, training sessions, 27, 28–29
 Vignette 2, training sessions, 27, 29–31
 Vignette 3, training sessions, 27, 31–32
 Vignette 4, (*See Role play (Vignette 4)*)
 Problems and difficulties contributing to offence (Section 4)
 CANFOR-C, 19–20, 68
 CANFOR-R, 15–16
 CANFOR-S, 22
 scoring and interpretation, training in, 27
 Psychological distress domain, 9
 Psychotic symptoms domain, 9

 Reed Report, 3–4
 References, 111–113
 Required level of help (Section 3)
 CANFOR-C, 19
 CANFOR-R, 15
 scoring and interpretation, training in, 26–27
 Research into Recovery (website), 7, 39, 41, 68, 95
 Role play (Vignette 4)
 discrepancies between ratings, 34
 interview with care coordinator, 32–33
 interview with service user, 32
 preamble, 32
 scoring of interview with care coordinator, 33–34
 scoring of interview with service user, 33
 training sessions, 27–28, 32–34
 Rossiter, K.R., 5
 Royal College of Psychiatrists, 1, 3

Index

- Safety to others domain, 10
Safety to self domain, 9–10
Salvador-Carulla, L., 7
Satisfaction with level of help (Section 4)
 CANFOR-C, 19
 CANFOR-R, 15
 scoring and interpretation, training in, 27
Scoring and interpretation. *See also specific CANFOR version; specific rating*
 calculation of need ratings, 38
 CANFOR-C, 67–68
 CANFOR-R, 40–41
 CANFOR-S, 94–95
 changes in, 1, 36
 interviewee not confident in answer, 36
 met need (M) rating versus unmet need (U) rating, 37
 need not existing due to previous intervention, 36–37
 not applicable (NA) rating versus no need (N) rating, 36
 not known (?) rating, 37
 over-provision of help, 37
 refusal to answer question, 36
 Section 1, 26
 Section 2, 26–27
 Section 3, 26–27
 Section 4, 27
 serious problems remaining despite help, 37
 service offered but refused, 37
Self-care domain, 9
Service user interviews
 generally, 12
 CANFOR-C, 67
 CANFOR-R, 40
 scoring of, 33
 Vignette, 4, 32, 33
Sexual expression domain, 10
Sexual offences domain, 11
Shaw, J., 4
Spanish version of CANFOR, 23
Staff interviews. *See* Care coordinator interviews
Suggested questions for interview
 CANFOR-C, 67
 CANFOR-R, 40
 CANFOR-S, 21, 94
 enumeration of, 12, 21
Summarising presence or absence of need (Section 1)
 CANFOR-C, 17–18
 CANFOR-R, 13–14
 CANFOR-S, 21
 scoring and interpretation, training in, 26
Telephone domain. *See* Digital communication domain
Thomas, Stuart, 7, 38, 39
Training sessions for CANFOR
 generally, 2, 24
 aims of, 24
 concept of need in mental health, 25
 consultation, 39
 expert training, 39
 flow of questioning, 26
 formal training not required, 38–39
 initial considerations, 24
 introduction of full CANFOR sessions, 25
 pointers for completion, 25–26
Section 1 scoring and interpretation, 26
Section 2 scoring and interpretation, 26–27
Section 3 scoring and interpretation, 26–27
Section 4 scoring and interpretation, 27
Vignette 1, 27, 28–29
Vignette 2, 27, 29–31
Vignette 3, 27, 31–32
Vignette 4, 27–28, 32–34
 (*See also* Role play (Vignette 4))
Translations of CANFOR
 generally, 2, 23
 encouragement of, 38
 Italian version, 23
 Portuguese version, 23
 Spanish version, 23
Transport domain, 10–11
Treatment domain, 11
University of Nottingham, 39, 41, 68, 95
Unmet need (U) rating
 CANFOR-C, 17–18, 67–68
 CANFOR-R, 13–14, 40–41
 CANFOR-S, 22, 94–95
 met need (M) rating versus, 37
Verdun-Jones, S.N., 5
Ward, T., 5