

Index

- abuse and neglect, 96–103
 - adult abused as a young person, 98
 - bullying, 98
 - caring for young people who have been
 - abused, 101–102
 - child sexual exploitation, 98
 - child trafficking, 98
 - definition of, 96
 - domestic abuse, 98
 - effects of early support, 99
 - effects on brain and mental health, 97
 - effects on developing brains, 99
 - emotional (or psychological) abuse, 97
 - female genital mutilation, 98
 - forms of child abuse, 96
 - forms of neglect, 97
 - grooming, 98
 - Key Points, 102–103
 - longer-term effects, 99–100
 - modern slavery, 98
 - non-recent abuse, 98
 - online abuse, 98
 - physical abuse, 97
 - prevalence of, 96–97
 - sexual abuse, 97, 98
 - types of child abuse, 97–98
 - what to do if you suspect a young person
 - is being abused or neglected, 100, 101
 - witnessing domestic abuse, 98
- academic pressures, 60–63
 - factors that may make young people feel
 - overwhelmed, 61
 - Key Points, 63
 - numbers of young people affected by, 61
 - signs that a young person is struggling,
 - 61–62
 - what you can do to help, 62
 - when to step in, 61–62
- addiction (dependence syndrome), 341, 343
- adverse childhood experiences (ACEs),
 - 104–106
 - coping strategies for children, 105–106
 - definition of, 104
 - effects on brain and body, 105
 - helping to build resilience, 105–106
 - how to reduce the impact of, 105–106
 - impact on mental health outcomes, 105
 - Key Points, 106
 - relationship with negative life outcomes,
 - 104
 - research that discovered their life effects,
 - 104
 - types of, 104
- agoraphobia, 253
- Ainsworth, Mary, 11–12
- alcohol, 64–66
 - educating your child about safe and legal
 - use, 65–66
 - effects of drinking at a young age, 64
 - guidance on use by young people, 64
 - helping young people understand the
 - impact of, 68
 - Key Points, 68–69
 - mental health difficulties related to,
 - 338–350
 - providing young people with accurate
 - information about, 68
 - risks of drinking at a young age, 65
- Alter, Adam, 49
- anger and behaviour difficulties, 284–295
 - Case Example (Larry), 293–295
- anorexia nervosa, 360–363
- antisocial behaviour, 284–295
- antisocial personality disorder (ASPD),
 - 293

- anxiety, 246–258
 - Case Example (Noel), 256–257
- anxiety disorders, 251–258
- attachment
 - anxious (or ambivalent) attachment style, 11
 - attachment styles, 11–12
 - avoidant attachment style, 11
 - definition of, 9–10
 - disorganised attachment style, 12
 - how attachment behaviours change with age, 12–13
 - importance of, 10
 - influence on mental health, 9–14
 - insecure attachment styles, 11–12
 - Key Points, 14
 - nurturing healthy attachment with your child, 13–14
 - oxytocin bonding hormone in new parents, 11
 - parental responsiveness and, 12
 - role in emotional development, 10
 - secure attachment style, 11, 12
 - what happens if it is not secure, 12
- attachment difficulties, 298–304
- attachment disorders, 300–304
 - Case Example (Mini), 302–304
 - disinhibited attachment disorder, 300
 - reactive attachment disorder, 300
- attention deficit disorder (ADD), 326
- attention deficit hyperactivity disorder (ADHD), 323–336
 - Case Example (Charlie), 333–335
 - effects of foods with colours and additives, 39
 - neurodevelopmental services, 409
- autism, 151–152, 306–320
 - Case Example (Zac), 317–319
 - neurodevelopmental services, 409
- avoidant-restrictive food intake disorder (ARFID), 357–358
- behaviour disorders, 287–295
- bereavement, 112–117
 - children experience death differently from adults, 113–114
 - children's understanding of death at different ages, 114
 - factors affecting how a child or young person responds, 113
 - helping children through grief, 115
 - how it may be experienced by children and young people, 112
 - Key Points, 120
 - risk of becoming stuck in grief, 117
 - stages of grief, 114–115
 - strategies to help children cope with grief, 116
 - what to do if a child seems to be stuck in grief or loss, 117
- binge eating disorder, 202
- biological processes
 - attachment, 9–14
 - brain development, 17–21
 - genetic inheritance, 14–17
 - influence on mental health, 9–25
 - puberty, 22–25
- bio-psycho-social model
 - risk factors for mental disorders, 209
- bipolar disorder, 238–244
 - Case Example (Jade), 242–244
- body dysmorphic disorder (BDD), 374–380
 - Case Example (Jenna), 378–379
- body image concerns, 374–380
- bonding
 - role of oxytocin, 11
- borderline personality disorder, 232, 233–234
- Bowlby, John, 10, 11
- brain development, 17–21
 - ability of the brain to change in response to stimulation, 20
 - age when the brain is fully mature, 18
 - differences between the brains of children and adults, 18–19
 - factors after birth, 20
 - factors before birth, 19–20
 - growth mindset and learning, 20–21
 - influence of external factors, 19–20
 - Key Points, 21
 - plasticity of the brain, 20
 - process of, 19
 - stages of, 18
- breasts
 - changes in boys, 23
 - development in girls, 22

- bulimia nervosa, 363–364
- bullying, 56–60, 98
 - definition of, 56
 - effects of, 57
 - emotional support for someone who is being bullied, 59
 - experienced by LGBTQ+ young people, 138
 - Key Points, 60
 - practical support for someone who is being bullied, 59
 - reporting criminal behaviour to the police, 59
 - reporting bullying to the school, 59
 - responsibility of the school, 59
 - school failing to deal with the problem helpfully, 60
 - signs that a child or young person may be being bullied, 56–57
 - vulnerabilities for bullying, 57
 - what to do if you think a child or young person is being bullied, 58–59
 - what to do if your child is bullying others, 58
 - who will get bullied, 57
 - why some children bully others, 58
- burnout, 161
- caffeine, 38
 - capacity
- decision-making capacity of a young person, 213–214
- caregivers
 - attachment relationship with the child, 9–14
- carers
 - looking after yourself, 161–164
 - See also* young carers
- Case Examples
 - Ajay (childhood trauma/PTSD), 279–280
 - Cemi (drug problems), 348–349
 - Charlie (ADHD), 333–335
 - George (psychosis), 396–397
 - Jade (bipolar disorder), 242–244
 - Jane (OCD), 387–388
 - Jenna (body dysmorphic disorder), 378–379
 - Jenny (self-harm), 270–271
 - Larry (anger and behaviour difficulties), 293–295
 - Layla (depression), 225–226
 - Mini (attachment disorder), 302–304
 - Noel (panic attacks), 256–257
 - Safia (eating disorder), 368–370
 - Sara (emotion dysregulation), 235–236
 - Zac (autism), 317–319
- child abuse. *See* abuse and neglect
- Child and Adolescent Mental Health Services (CAMHS), 408
- child and adolescent psychiatrists, 406–407
- child trafficking, 98
- childhood trauma, 107–110, 274–281
 - Case Example (Ajay), 279–280
 - classification of trauma, 107–108
 - definition of trauma, 107
 - effects of severe trauma on the developing brain, 108
 - helping young people who have been exposed to trauma, 109
 - Key Points, 110
 - longer-term mental health impacts, 108–109
 - post-traumatic growth, 110
- clinical psychologists, 407
- cognitive behavioural therapy (CBT), 233, 254–255
 - trauma focused CBT, 278
- communication, 166–172
 - children who don't seem to want to communicate with you, 171
 - eye contact, 168
 - how to connect with children and young people, 166–167
 - improving your verbal communication, 170
 - Key Points, 172
 - non-verbal communication, 167–168
 - role of empathy, 167
 - through play and creative arts, 169–170
 - touch, 168–169
- computer games, 49–50
- conduct disorder, 287–295
- confidentiality issues
 - mental health professionals, 213

- connecting with children and young people, 166–172
 - children who don't seem to want to communicate with you, 171
 - eye contact, 168
 - how to connect, 166–167
 - improving your verbal communication, 170
 - Key Points, 172
 - non-verbal communication, 167–168
 - play and creative arts, 169–170
 - role of empathy, 167
 - touch, 168–169
- Cosmic Yoga, 44
- county lines, 348
- COVID-19 pandemic, 121–127
 - additional mental health support, 126
 - groups whose mental health was particularly affected, 124
 - helping children to understand without unduly worrying, 124–125
 - impact on the mental health of children and young people, 122–124, 388
 - Key Points, 127
 - longer-term impacts, 126–127
 - supporting mental health during lockdown, 125–126
 - unequal impacts across society, 122–124
 - use of technology to connect with people, 48–49
 - wide-ranging impacts of, 121–122
- creative arts
 - connecting with children and young people, 169–170
- crisis mental health teams, 268–269
- cyber-bullying, 50, 98
- cyclothymia, 234–235
- decision-making capacity
 - competence of a young person, 213–214
- delusions, 391–398
- depression, 217–227
 - Case Example (Layla), 225–226
- diagnosis
 - difference between having some symptoms and having a disorder, 211–212
 - pros and cons of having a diagnosis, 210–211
 - spectrum of mental health disorders, 211–212
- Diagnostic and Statistical Manual of Mental Disorders (DSM), 210
- dialectical behaviour therapy (DBT), 233, 268
- diet. *See* food and nutrition
- discrimination
 - vulnerability of those affected by, 151
- disruptive mood dysregulation disorder (DMDD), 224–225
- divorce. *See* parental separation
- dog walking, 44
- domestic abuse, 98
- Down's syndrome, 307
- drugs, 64, 66–69
 - Case Example (Cemi), 348–349
 - county lines, 348
 - dependence syndrome (addiction), 341, 343
 - drugs that are linked to mental health symptoms, 67
 - helping young people understand the impact of, 68
 - how they affect the brain, 340
 - how they affect the brain in young people, 66
 - Key Points, 68–69
 - legal classification, 339–340
 - link between cannabis and mental health problems, 67
 - links between recreational drug use and mental health, 67
 - mental health difficulties related to, 338–350
 - patterns of drug use in young people, 341
 - providing young people with accurate information about, 68
 - types of illegal drugs, 339
- Dweck, Carol, 20–21
- dysthymia, 224
- Early Intervention in Psychosis services, 409
- eating
 - difficulties related to, 353–371
- eating disorders, 353–371
 - anorexia nervosa, 360–363

- avoidant-restrictive food intake disorder (ARFID), 357–358
- binge eating disorder, 365
- bulimia nervosa, 363–364
- Case Example (Safia), 368–370
- definition of, 356
- impact of the COVID-19 pandemic, 124
- obesity, 359–360
- other specified feeding or eating disorder (OSFED), 366–367
- outcomes, 368
- pica, 358–359
- prevalence of, 356–357
- types of, 357
- eating disorders teams, 409
- Education, Health and Care Plan (EHCP), 197–198
- emotion dysregulation, 228–236
 - Case Example (Sara), 235–236
- emotional development
 - role of the early attachment relationship, 10
- emotionally unstable personality disorder, 232, 233–234
- empathy, 167
- environment
 - epigenetic changes caused by, 16
 - importance of a positive nurturing environment, 16
 - interaction with genes, 14–15
- epigenetics, 16
- erections, 23
- exercise and movement, 41–46
 - dangers of over-exercising, 45
 - dog walking, 44
 - encouraging exercise in children and young people, 43–44
 - finding which activity suits your child, 45
 - fitness apps and gadgets, 44
 - importance for mental health, 41–42
 - Key Points, 45–46
 - mental health benefits, 42–43
 - mental health support in sports clubs, 45
 - recommendations for different age groups, 42
 - tips for getting started, 44
- eye movement desensitisation and reprocessing (EMDR), 278
- family relationships, 72–75
 - adult models of positive relationships, 74
 - benefits of positive family relationships, 72–73
 - building in more positive family time, 73
 - forms of modern families, 72
 - importance to our mental health, 72
 - Key Points, 74–75
 - nurturing family connections, 73
 - role of parents and caregivers, 72
- family therapists, 407
- female genital mutilation, 98
- first aid for mental health. *See* mental health first aid
- fitness apps and gadgets, 44
- fixed mindset, 21
- food and nutrition, 34–40
 - effects of deficiencies, 37–38
 - effects of food colours and additives, 39
 - foods that can have a negative effect on mental health, 38–39
 - guidance on a balanced diet for adults, 35
 - guidance on a balanced diet for children, 35–36
 - gut health, 36–37
 - impact on mental health, 34
 - important components of food, 37–38
 - Key Points, 40
 - Mediterranean diet, 37
 - minerals in the diet, 37–38
 - nutritional needs of children, 35–36
 - omega 3 and omega 6 fats, 38
 - principles for mental health, 36–37
 - promoting healthy eating patterns, 39
 - vitamin deficiency effects, 37, 38
 - vitamin supplements, 36
- forensic mental health services, 292
- forensic mental health teams, 410
- Fragile X syndrome, 307
- gaming addiction, 49–50, 52
- gender identity difficulties, 135–140
 - defining sexual orientation, 136
 - distinction between sex and gender, 136–137
 - gender diversity, 136
 - gender dysphoria, 136–137
 - gender identity during development, 137
 - Key Points, 140

- gender identity difficulties (*cont.*)
 - meaning of LGBTQ+, 136
 - reasons for mental health challenges, 138
 - risk of mental health difficulties, 135
 - special mental health concerns of
 - LGBTQ+ young people, 137–138
 - specialist services and support, 139–140
 - terms associated with gender identity
 - and dysphoria, 136–137
 - what parents can do to help, 138–139
- gender identity services, 120
- generalised anxiety disorder, 254
- genetic inheritance
 - contribution of nature and nurture to
 - mental health, 15–16
 - description of genes, 15
 - epigenetic changes caused by the
 - environment, 16
 - genes and mental health disorders,
 - 15–16
 - influence on mental health, 14–17
 - interaction between genes and the
 - environment, 14–15
 - Key Points, 17
- Gillick Competence, 214
- global health issues. *See* COVID-19
 - pandemic
- grief
 - helping children through, 115
 - Key Points, 120
 - risk of becoming stuck in grief, 117
 - stages of, 114–115
 - strategies to help children cope with, 116
 - what to do if a child seems to be stuck in
 - grief or loss, 117
- grooming, 98
- growth mindset
 - learning and, 20–21
 - nurturing in children, 203
- gut health, 36–37
- gut microbiome, 36
- hallucinations, 391–398
- helicopter parenting, 189–190
- helplines for people in distress, 265
- household challenges. *See* adverse childhood experiences (ACEs)
- Human Genome Project, 15
- impulsiveness. *See* attention deficit hyperactivity disorder (ADHD)
- inheritance. *See* genetic inheritance
- inpatient mental health services, 409
- intellectual disability, 130–134
 - access to additional help or support,
 - 133–134
 - causes of, 131
 - classification systems, 131
 - definition of, 130
 - difference between disability and
 - impairment, 131
 - difficulty of recognising mental health
 - problems, 132
 - factors affecting presentation of mental
 - health problems, 132
 - how you can help with mental health, 133
 - Key Points, 134
 - risk of mental health and neurological
 - problems, 130
 - sources of support and information, 130
- intellectual (learning) disability teams, 409
- International Classification of Diseases (ICD), 210
- Internet. *See* technology
- Kubler-Ross, Elisabeth, 114
- languishing
 - definition of, 3
- learning
 - growth mindset and, 20–21
- learning disability, 130–134
 - access to additional help or support,
 - 133–134
 - causes of, 131
 - classification systems, 131
 - definition of, 130
 - difference between disability and
 - impairment, 131
 - difficulty of recognising mental health
 - problems, 132
 - factors affecting presentation of mental
 - health problems, 132
 - how you can help with mental health, 133
 - intellectual (learning) disability teams,
 - 409
 - Key Points, 134

- risk of mental health and neurological problems, 130
 - sources of support and information, 130
- LGBTQ+ young people, 135–140
 - defining sexual orientation, 136
 - defining sexuality, 136
 - gender identity during development, 137
 - Key Points, 140
 - meaning of LGBTQ+, 136
 - reasons for mental health challenges, 138
 - risk of mental health difficulties, 135
 - special mental health concerns, 137–138
 - specialist services and support, 139–140
 - what parents can do to help, 138–139
- lifestyle factors
 - academic pressures, 60–63
 - alcohol, 64–66
 - bullying, 56–60
 - drugs, 64, 66–69
 - exercise and movement, 41–46
 - food and nutrition, 34–40
 - sleep, 26–33
 - technology, 47–54
- loneliness
 - health impacts of, 71
 - impact on young people, 77
- looked-after children, 150–151
- looking after yourself, 161–164
 - avoiding burnout, 161
 - getting support for your own needs, 163–164
 - Key Points, 164
 - things you can do, 162–163
 - why looking after your own needs is important, 161–162
- Maslow's pyramid of needs, 7
- Mediterranean diet, 37
- melatonin, 32
- mental fitness
 - definition of, 3
- mental flourishing
 - definition of, 3
- mental health
 - assessment by mental health professionals, 6
 - definition of, 3
 - factors affecting, 4–5
 - link with mental wellbeing, 4
 - summary of factors affecting, 153–157
- Mental Health Act, 214
- mental health condition
 - definition of, 5
- mental health crisis, 401
 - crisis teams, 408
 - See also* mental health first aid
- mental health difficulties, 207
 - alcohol-related difficulties, 338–350
 - anger and behaviour difficulties, 284–295
 - anxiety, 246–258
 - assessing the decision-making capacity of a young person, 213–214
 - attachment difficulties, 298–304
 - attention and activity difficulties, 323–336
 - attention deficit disorder (ADD), 326
 - attention deficit hyperactivity disorder (ADHD), 323–336
 - autism, 306–320
 - behaviour disorders, 287–295
 - bio-psycho-social model of risk factors, 209
 - bipolar disorder, 238–244
 - body dysmorphic disorder (BDD), 374–380
 - body image concerns, 374–380
 - childhood trauma, 274–281
 - confidentiality issues for mental health professionals, 213
 - depression, 217–227
 - diagnosis of mental health disorders, 210
 - difference between having some symptoms and having a disorder, 211–212
 - drug-related difficulties, 338–350
 - eating difficulties/disorders, 353–371
 - emotion dysregulation, 228–236
 - Key Points, 215–216
 - losing touch with reality, 391–398
 - mood disorders, 217–227
 - mood swings, 228–236
 - neurodevelopmental conditions, 306–320
 - obsessions, 382–389
 - obsessive compulsive disorder (OCD), 382–389
 - panic attacks, 252–258

- mental health difficulties (*cont.*)
 - perfectionism, 382–389
 - post-traumatic stress disorder (PTSD), 274–281
 - pros and cons of having a diagnosis, 210–211
 - psychosis, 391–398
 - risk factors versus coping strategies, 208
 - see-saw model, 208
 - self-harm, 260–264, 270–272
 - spectrum of mental health disorders, 211–212
 - substance misuse and, 338–350
 - suicidal thoughts and acts, 264–269, 271–272
 - support for young people close to someone who engaged in self-harm or suicidal acts, 269
 - treatment refusal, 214–215
 - treatment without consent, 214–215
 - what causes difficulties to arise, 209
 - when difficulties become a disorder, 209
 - worry, 246–258
- mental health disorders
 - age of onset, 6
 - classification systems, 210
 - contribution of genetic and environmental influences, 15–16
 - definition of a mental health disorder, 5
 - proportion of young people with, 6
 - pros and cons of having a diagnosis, 210–211
- mental health emergency
 - definition of, 401
 - See also* mental health first aid
- mental health first aid, 400–404
 - assessment of the urgency of a mental health problem, 403
 - definition of, 400
 - definition of a mental health crisis, 401
 - definition of a mental health emergency, 401
 - Key Points, 404
 - managing a mental health emergency or crisis, 401–402
 - training for, 404
- mental health nurses, 407
- mental health problems
 - combination of inherited and environmental causes, 4–5
- mental health professionals
 - confidentiality issues, 213
 - mental health assessment, 6
- mental health promotion
 - summary of factors, 153–157
- mental health services
 - assessment of the urgency of a mental health problem, 403
 - inpatient mental health services, 409
 - management of mental health teams, 406
 - range of health professionals in mental health teams, 406–408
 - range of youth services in the UK, 408–410
 - support for those at risk of suicide, 268–269
 - teams working with a range of conditions, 408–409
 - teams working with specific mental health disorders, 409–410
- mental health teams
 - Child and Adolescent Mental Health Services (CAMHS), 408
 - child and adolescent psychiatrists, 406–407
 - clinical psychologists, 407
 - crisis teams, 408
 - Early Intervention in Psychosis services, 409
 - eating disorders teams, 409
 - family therapists, 407
 - forensic mental health teams, 410
 - gender identity services, 410
 - inpatient mental health services, 409
 - intellectual (learning) disability teams, 409
 - management of, 406
 - mental health nurses, 407
 - neurodevelopmental services, 409
 - nurse prescribers, 407
 - occupational therapists, 407
 - outreach teams, 408–409
 - psychotherapists, 408
 - range of health professionals in teams, 406–408
 - range of youth services in the UK, 408–410
 - social workers, 407
 - specialist mental health teams, 408

- teams working with a range of conditions, 408–409
- teams working with specific mental health disorders, 409–410
- mental illness
 - predictors of, 5
- mental wellbeing
 - definition of, 3
 - factors affecting, 4–5
 - link with mental health, 4
 - positive mental wellbeing, 4
 - predictors of mental illness, 5
 - supporting children's mental wellbeing, 6–7
- mentalisation, 79
- mentalisation-based treatments, 233
- mindset
 - fixed mindset, 21
 - growth mindset, 20–21
- minerals in the diet, 37–38
- misinformation online, 50
- modern slavery, 98
- mood disorders, 217–227
 - Case Example (Layla), 225–236
- mood swings, 228–236
 - Case Example (Sara), 235–236
- motor disorders, 307
- needs
 - Maslow's pyramid of needs, 7
 - meeting children's basic needs, 7
 - psychological needs of children, 7
- neglect. *See* abuse and neglect
- neurodevelopmental conditions, 151–152, 306–320
- neurodevelopmental services, 409
- neurodiversity, 306
- neurogenetic disorders, 307
- non-verbal communication, 167–168
- nurse prescribers, 407
- nutrition. *See* food and nutrition
- obesity, 359–360
- obsessions, 382–389
- obsessive compulsive disorder (OCD), 382–389
 - Case Example (Jane), 387–388
 - impact of the COVID-19 pandemic, 124
- occupational therapists, 407
- omega 3 and omega 6 fats, 38
- online abuse, 98
- online safety. *See* technology
- oppositional defiant disorder (ODD), 287–295
- OSFED (other specified feeding or eating disorder), 366–367
- oxytocin
 - role as a bonding hormone, 11
- panic attacks, 252–258
 - Case Example (Noel), 256–257
- panic disorder, 253
- PANS/PANDAS, 385
- parental separation, 117–120
 - impacts on children's mental health, 118–119
 - key points, 120
 - supporting children if you decide to separate, 119
 - worries of children of separated parents, 118
- parenting
 - agreeing common parental values and approaches, 175
 - coping with relationship difficulties, 176
 - positive parenting strategies, 184–191
 - supporting partners and co-parents, 173–177
 - why co-parenting is helpful, 174
- parents
 - attachment relationship with the child, 9–14
 - looking after yourself, 161–164
- partners
 - supporting partners and co-parents, 173–177
- peer relationships, 75–81
 - benefits for children and young people, 76
 - coping with peer pressure, 79–80
 - encourage children to think for themselves, 79–80
 - encouraging the development of positive relationships, 77–78
 - groups who tend to struggle more with, 78
 - helping young people develop positive social skills, 78
 - impact of loneliness on young people, 77
 - importance of social contact, 75–76
 - Key Points, 80–81
 - online friends, 77

- peer relationships (*cont.*)
 - use of mentalisation, 79
 - when young people fall out, 80
- perfectionism, 382–389
- periods, 23
- phobias, 253
- physical activity. *See* exercise and movement
- physical health difficulties, 142–146
 - financial help, 144
 - help from supportive adults and parents, 144
 - Key Points, 145–146
 - range of conditions that children can experience, 142
 - reasons for increased risk to mental health, 143
 - risk of mental health difficulties, 142
 - sources of support, 145
 - support that schools can provide, 144
- pica, 358–359
- play
 - connecting with children and young people, 169–170
- pornography, 86
- positive mental wellbeing, 4
- positive parenting strategies, 184–191
 - analogies for parenting, 189
 - apologising, 190–191
 - concept of the 'good enough mother', 185
 - disagreements and arguments, 190
 - helicopter parenting, 189–190
 - helping children to develop independence, 189–190
 - Key Points, 191
 - myth of the perfect parent, 185
 - praise and encouragement, 186–187
 - punishments and consequences for difficult behaviours, 187
 - routines, 188
 - rules and boundaries, 188
 - showing your children that you are there for them, 186
 - staying calm and in control, 185–186
- post-traumatic growth, 110
- post-traumatic stress disorder (PTSD), 274–281
 - Case Example (Ajay), 279–280
 - definition of, 276
 - levels of severity, 276–277
 - symptoms of, 276
- pre-biotics, 37
- premenstrual syndrome, 23
- psychiatrists
 - child and adolescent psychiatrists, 406–407
- psychologists, 407
- psychosis, 391–398
 - Case Example (George), 396–397
 - Early Intervention in Psychosis services, 409
- psychotherapists, 408
- puberty, 22–25
 - breast changes in boys, 23
 - breast development in girls, 22
 - common anxieties for boys, 23
 - common anxieties for girls, 22–23
 - definition of, 22
 - effects on children's mental health, 23–24
 - emotion regulation challenges, 24
 - erections, 23
 - Key Points, 25
 - periods, 23
 - premenstrual syndrome, 23
 - risk of developing mental health disorders during, 23–24
 - sleep disruptions, 24
 - supporting young people during, 24
 - voice changes in boys, 23
 - wet dreams, 23
- racism
 - vulnerability of those affected by, 151
- relationships
 - communication, 166–172
 - connecting with children and young people, 166–172
 - creating a network of support, 178–182
 - family relationships, 72–75
 - health impacts of loneliness, 71
 - helping to build resilience and strengths, 201–204
 - peer relationships, 75–81
 - positive parenting strategies, 184–191
 - romantic relationships and sex, 81–87
 - social relationships, 75–81
 - supporting partners and co-parents, 173–177

- resilience and strengths
 - benefits of building, 202
 - helping children to build, 201–204
 - Key Points, 204
 - strength-based approach in mental health, 202–204
 - ways to help children build, 202–204
- resources, 7
- romantic relationships and sex, 81–87
 - benefits of romantic relationships, 82–83
 - coercive relationships, 84–85
 - developmental patterns as young people mature, 82
 - difficulties of early romantic relationships, 83
 - effects of difficult sexual experiences on mental health, 86
 - effects of exposure to pornography, 86
 - helping a young person in a controlling or unhealthy relationship, 84–85
 - important features of healthy relationships, 83–84
 - Key Points, 87
 - potential issues between parents and young people, 81–82
 - signs that a relationship is harmful to a young person, 84
 - talking about safe sex with young people, 85
- school, 194–199
 - academic pressures, 60–63
 - bullying, 56–60
 - children with special needs, 196–199
 - Education, Health and Care Plan (EHCP), 197–198
 - helping your child to manage school, 195
 - how to sort out problems with the school, 196
 - Key Points, 199
 - specialist schools, 198–199
- selective mutism, 254
- self-care, 161–164
 - avoiding burnout, 161
 - getting support for your own needs, 163–164
 - helping children to develop, 203
 - Key Points, 164
 - things you can do, 162–163
 - why looking after your own needs is important, 161–162
- self-harm, 232, 260–264, 271–272
 - Case Example (Jenny), 270–271
 - Case Example (Sara), 235–236
- separation anxiety, 253
- sertraline, 388
- sex. *See* romantic relationships and sex
- sexual abuse. *See* abuse and neglect
- sexual orientation
 - definition of, 136
 - vulnerable groups, 135–140
- sexuality
 - definition of, 136
- sleep, 26–33
 - amount needed by children and young people, 29–30
 - body clocks of teenagers, 30
 - factors that can counter sleep, 30
 - health impacts of, 27
 - health impacts of lack of sleep, 28–29
 - helping young people to improve their sleep, 30–32
 - importance of, 27
 - individual differences in amount needed, 29
 - influence on mental health, 26
 - Key Points, 32–33
 - mental health issues related to sleep
 - duration, 28–29
 - natural preferences for when we sleep, 30
 - ‘night owls’ and ‘early morning larks’, 30
 - physical health issues related to sleep
 - duration, 29
 - sleep disorder assessment, 32
 - sleep hygiene tips, 30–32
 - sleeping tablets, 32
 - stages of the sleep cycle, 27–28
 - what happens when we sleep, 27–28
 - why teenagers struggle to wake for school, 30
- social anxiety disorder of childhood, 253
- social media. *See* technology
- social phobia, 253
- social relationships, 75–81
 - benefits for children and young people, 76
 - coping with peer pressure, 79–80
 - encourage children to think for themselves, 79–80

- social relationships (*cont.*)
 - encouraging the development of positive relationships, 77–78
 - groups who tend to struggle more with peer relationships, 78
 - helping young people develop positive social skills, 78–79
 - impact of loneliness on young people, 77
 - importance of social contact, 75–76
 - Key Points, 80–81
 - online friends, 77
 - use of mentalisation, 79
 - when young people fall out, 80
- social workers, 407
- special educational needs, children with managing school, 196–199
- specific learning disorders, 307
- sports. *See* exercise and movement
- Strava, 44
- strength-based approach in mental health, 202–204
- stress
 - chronic stress, 91
 - degrees of, 90–91
 - harmful effects on body systems, 92
 - if it is getting out of control, 95
 - if it is too much to manage at home, 95
 - Key Points, 95
 - lasting health impact of prolonged stress, 90
 - manageable stress, 90
 - signs that it is becoming a problem for a child, 92
 - ‘stress bucket’ coping strategy, 93
 - stress-management strategies, 94–95
 - stress response, 90
 - tolerable stress, 90
 - triggers for, 91
 - what happens to the body, 91
 - why too much stress is bad, 92
- stressors affecting mental health, 89
 - abuse and neglect, 96–103
 - adverse childhood experiences (ACEs), 104–106
 - bereavement, 112–117, 120
 - childhood trauma, 107–110
 - impact of COVID-19 and other global health issues, 121–127
 - parental separation, 117–120
 - substance misuse, 338–350
 - suicidal thoughts and acts, 264–269, 271–272
- support networks, 178–182
 - changing and evolving over time, 181–182
 - creating a visual model with your child, 179–180
 - Key Points, 182
 - overlapping networks of support, 180–181
 - reasons for building, 178–179
- technology, 47–54
 - advice from mental health professionals, 51–52
 - balanced approach towards, 47
 - computer games, 49–50
 - cyber-bullying, 50
 - digital natives, 47
 - exposing children to inappropriate content, 50
 - gaming addiction, 49–50, 52
 - internet predators, 50
 - keeping safe online, 52–54
 - Key Points, 54
 - mental health tools, 49
 - misinformation and harmful advice, 50
 - parental controls, 51
 - potential negatives for mental health, 49–50
 - potential positives for mental health, 48–49
 - professional help for mental health concerns, 52
 - research on mental health impacts, 48
 - social media comparisons and self-esteem, 50
 - what to do if a young person seems to have lost control over screen use, 52
- tics, 308–309
- touch
 - role in communication, 168–169
- Tourette’s syndrome, 308–309
- trauma. *See* childhood trauma; post-traumatic stress disorder (PTSD)
- traumatic brain injury, 307
- treatment
 - refusal by a young person, 214–215
 - without consent, 214–215

- vitamin D, 36
- vitamin deficiency effects, 37, 38
- vitamin supplements, 36
- voice changes in boys, 23
- vulnerable groups, 129
 - autism, 151–152
 - different sexual orientations, 135–140
 - gender identity difficulties, 135–140
 - intellectual disability, 130–134
 - learning disability, 130–134
 - LGBTQ+ young people, 135–140
 - looked- after children, 150–151
 - neurodevelopmental conditions, 151–152
 - physical health difficulties, 142–146
 - those who experience racism and discrimination, 151
 - young carers, 146–149
- Walker, Matthew, 27, 28
- wet dreams, 23
- Wicks, Joe, 44
- Winnicott, Donald, 185
- World Health Organization (WHO)
 - definition of mental health, 3
- worry, 246–258
- worry wave, 249
- young carers, 146–149
 - challenges faced by, 146–147
 - definition of, 146–147
 - effects of being a young carer, 148
 - Key Points, 149
 - mental and physical health risks, 146–147
 - numbers in the UK, 147
 - support available for, 148–149
 - types of problems supported by, 147
 - vulnerability to difficulties, 148
- youth offending teams, 292