

Index

- aberration, 78–9, 197
- adjusting column width of spreadsheet, xvii
- advance of Moon's perigee, 163
- age of Moon (phase), 171–2, 197, 202
- algebraic notation, xi
- altitude, 34, 197
 - effect of refraction on, 80
 - effect of refraction on, 81
- ambiguity on taking inverse sine, cosine or tangent, 47, 54
- angle between two objects, 66
- Anno Domini (AD), 8
- annual equation, 162, 197
- annular eclipse, 181, 199
- anomalistic month, 201
- anomalistic year, 204
- anomaly, 197
 - eccentric anomaly, 107, 108, 143, 197
 - mean anomaly, 103, 107, 121, 122, 143, 164, 197
 - true anomaly, 103, 107, 108, 121, 122, 144, 197
- apastron, 197
- aphelion, 102, 197
- apogee, 103, 104, 197
- apparent brightness of a planet, 140–1
- apparent orbit of
 - Moon, 162, 163
 - Sun, 103–4, 163
- apparent sidereal time, 203
- argument of perihelion, 120, 143
- Aries, first point of, 35, 36, 37, 199
- ascending node, 120, 201
- astronomical calendar, 194–7
- astronomical latitude, 83, 197
- astronomical twilight, 114–15, 203
- astronomical unit, 136, 197
- ATAN2, spreadsheet function, 48, 50
- atmospheric extinction, 99, 199
- atmospheric refraction, 80–2, 197
 - effect on altitude, 80, 81
 - effect on hour angle, 81
 - effect on right ascension and declination, 81
 - effect on rising and setting, 68, 81
- atomic time, 16, 30, 203
- autumnal equinox, 23, 199
- azimuth, 34, 36, 197
 - at rising and setting, 67–71
- BASIC, programming language, xix
- before the Common Era (BCE), 8
- before Christ (BC), 8
- Besselian year, 204
- binary star, 197
- binary-star orbits, 155–9
 - orbital elements of, 157
- bright limb, position-angle of
 - for Moon, 175
 - for planet, 138–9
- brightness of a planet, 140–1
- British summer time (BST), 17, 203
- built-in spreadsheet functions, 4
- Calc*, spreadsheet software, xiii, xix
- calculations, using spreadsheets for, xv
- calculator, choosing, xi
- calendar, 2, 197
 - astronomical, 194–7
 - Gregorian, 2, 197
 - Julian, 2, 197
- Carrington rotation number, 94
- celestial sphere, 34, 198
- cell label, of spreadsheet, xiv
- cell, of spreadsheet, xiv
- centre, equation of the, 104, 121, 199
 - error incurred by, 134
- choosing a calculator, xi
- Christian Era (CE), 8
- circumpolar stars, 68, 69, 198
- civil twilight, 203
- civil year, 2
- colongitude, Sun's selenographic, 97
- colouring of starlight by the atmosphere, 99
- column, of spreadsheet, xiv
- column width, adjusting in spreadsheet, xvii
- comet, 143–54, 198
 - calculating the position of, 143–54
 - orbital elements of, 145
 - parabolic orbit of, 151–4, 201
- Common Era (CE), 8
- companion (of binary star), 155, 198
- CONCATENATE, spreadsheet function, 180
- conjunction, 198
- coordinate systems, 33–99, 198

Index

211

- converting between one system and another, 42
- ecliptic, 37, 198
- ecliptic to equatorial conversion, 51–3
- equatorial, 35–6, 198
- equatorial to ecliptic conversion, 55
- equatorial to galactic conversion, 56–8
- equatorial to horizon conversion, 47–9
- galactic, 38, 198
- galactic to equatorial conversion, 58–9
- generalised coordinate conversions, 42, 60–5
- heliographic, 88–92, 198
- horizon, 34, 198
- horizon to equatorial conversion, 49–51
- selenographic, 95–8, 198
- coordinated universal time (UTC), 198
- coordinates, geocentric, 83, 199
- corrections to Moon's orbit, 162, 164, 165
- culmination, 36, 198
- date to days conversion, 6
 - routine for, 8
 - via Julian date, 10
- day, 198
 - length of, 23, 116
 - name of day of week from Julian date, 12–13
 - sidereal day, 23, 198
 - solar day, 22, 198
- daylight saving time, 17, 203
- days
 - in month, 2, 162, 163, 201
 - in year, 2, 204
 - to beginning of month, 7
 - to beginning of year, 7
- declination, 35, 36, 198
 - effect of aberration on, 78–9
 - effect of precession on, 71–6
 - effect of refraction on, 81
- degrees (decimal)
 - conversion to degrees, minutes and seconds, 39
 - conversion to hours, 41
 - conversion to radians, 109, 202
- DEGREES, spreadsheet function, 47
- descending node, 120, 201
- divisor, 3
- double precision, xii
- draconic month, 163, 201
- dynamical time, 16, 30, 198, 203
- Earth
 - as a cosmic clock, 30
 - as a gyroscope, 116
 - distance from the Sun, 110
 - figure of, 83–4, 199
 - orbital elements of, 123
 - radius of, 85
 - radius of shadow of, 184, 186
 - rotation axis of, 35, 71
- earthshine, 171, 198
- Easter, date of, 3–5
- eccentric anomaly, 107, 108, 143, 197
- eccentricity, 102, 198
- eclipse, 181–93, 198, 199
 - annular, 181, 199
 - diagram, 185, 187, 192
 - duration of, 183
 - lunar, 181, 198
 - calculation of, 184–9
 - magnitude of, 188
 - number in year, 183
 - partial, 181, 198, 202
 - penumbral, 181, 202
 - phase of, 202
 - prediction from astronomical calendar, 194
 - rules of, 183
 - solar, 181, 198
 - total, 181, 198
 - umbral, 181, 202
- ecliptic
 - latitude, 37, 200
 - longitude, 37, 200
 - obliquity of, 37, 51, 201
 - pole of, 37, 202
- ecliptic (plane of the), 37, 199
- ecliptic coordinates, 37, 198
 - to equatorial conversion, 42, 51–3
- elements, orbital, 201
 - of binary stars, 157
 - of comets, 145
 - of Moon, 165
 - of planets, 123
 - of Sun, 103, 104
 - parabolic, 151
- ellipse, 102, 199
- elongation (solar), 118, 202
- ephemeris time (ET), 16, 30, 203
- epoch, 6, 8, 9, 199
 - fundamental epoch for Julian date, 8
 - Julian date of epoch 2010 January 0.0, 9
 - starting point for calculations, 6, 8, 9
- equation of the
 - centre, 104, 121, 199
 - error incurred by, 134
 - equinoxes, 199, 203
 - time, 116–17, 199
- equator, 35, 199
 - pole of, 202
- equatorial coordinates, 35–6, 198
 - to ecliptic coordinates conversion, 55
 - to galactic coordinates conversion, 56–8
 - to horizon coordinates conversion, 47–9
- equatorial horizontal parallax, 84, 200
- equinox, 199
 - autumnal, 23, 199
 - precession of the, 71–6, 200
 - vernal, 36, 37, 199
- evection, 162, 199
- Excel, spreadsheet software, xiii, xix
- extinction, 99, 199
- figure of the Earth, 83–4, 199
- first point of Aries, 36, 37, 199
- first quarter of Moon, 171, 202
- FIX, spreadsheet function, 9
- FLOOR, spreadsheet function, 9

- focus of an ellipse, 102, 199
- formulas, in spreadsheets, xiv
- fractional part of a number, 3
- full Moon, 171, 202
- functions
 - ATAN2, 48, 50
 - built-in to spreadsheet, 4
 - CONCATENATE, 180
 - DEGREES, 47
 - FIX, 9
 - FLOOR, 9
 - IF, 4, 26
 - INT, 9, 13, 23
 - intrinsic to spreadsheet, 4
 - MOD, 4
 - nested, 20
 - RADIANS, 47
 - ROUND, 15
 - TEXT, 180
 - TRUNC, 4, 9
- galactic coordinates, 38, 198
 - to equatorial conversion, 58–9
- galactic latitude, 200
- galactic longitude, 200
- Galaxy
 - ascending node of plane on equator, 56
 - centre, 38
 - plane, 38
 - pole, 56
- generalised coordinate transformations, 42, 60–5
- geocentric coordinates, 83, 199
- geocentric latitude, 84, 199, 200
- geocentric longitude, 200
- geocentric parallax, 83–7, 199
- geographical latitude, 83, 200
- geographical longitude, 200
- geostationary satellite, 34, 199
- gibbous Moon, 171, 202
- global positioning system (GPS) time, 16, 200
- gravity, 102, 119, 162, 200
- great circle, 34, 200
- Greenwich mean time (GMT), 16, 200
- Greenwich meridian, 16, 27, 69, 200
- Greenwich sidereal time (GST), 23–7, 203
 - to local sidereal time (LST) conversion, 27
 - to UT conversion, 24–7
- Gregorian calendar, 2, 197
- Halley, comet, 148
 - orbital elements of, 145
- heliocentric latitude, 200
- heliocentric longitude, 200
- heliographic coordinates, 88–92, 198
 - of centre of the Sun's disc, 88–92
- horizon coordinates, 34, 198
 - to equatorial coordinate conversion, 49–51
- horizontal parallax, 84, 200
 - equatorial, 84, 200
 - of Moon, 176–7
- hour angle, 35, 36, 200
 - at rising or setting, 68
 - effect of refraction on, 81
 - to right ascension conversion, 45
- hourly motions
 - of Moon, 170
 - of Sun, 185, 191
- hours, conversion to
 - degrees, 41
 - or from minutes and seconds form, 14, 15–16
 - radians, 41
- IF, spreadsheet function, 4, 26
- inclination of
 - lunar equator, 95
 - lunar orbit, 163
 - orbit, 200
 - planetary orbit, 124
 - solar equator, 90
- inner planet, 124, 200
- INT, spreadsheet function, 9, 13, 23
- integer part of a number 3, 9
 - FIX, 9
 - FLOOR, 9
 - INT, 9, 13
 - TRUNC, 9
- international atomic time (TAI), 16, 30, 203
- intrinsic spreadsheet functions, 4
- iteration to solve
 - cubic equation, 151, 152
 - Kepler's equation, 107, 108, 143
- Julian calendar, 2, 197
- Julian date, 8–10, 200
- Julian day number, 200
 - modified Julian date or day number (MJD), 8, 201
 - to Greenwich calendar date conversion, 11
- Jupiter, orbital elements of, 123
- Kepler's equation, 107, 143, 158, 159, 200
 - iterative routine to solve, 108, 143
 - nomogram for first guess, 147
- Kepler's graphs, 143, 146
- label, of spreadsheet cell, xiv
- latitude, 200
 - astronomical, 83, 197
 - ecliptic, 37, 200
 - galactic, 38, 200
 - geocentric, 84, 199, 200
 - geographical, 83, 200
 - heliographic, 88
 - selenographic, 95
- leap year, 2
- length of day, 23, 116
- libration, 95, 200
- light flux from Sun
 - variation with distance, 140
- light time, 200
- light travel time from
 - planet, 136
 - Sun, 101, 110

Index

213

- linking spreadsheets, xviii
- local civil time, 16–20, 22
 - to UT conversion, 16–20
- local noon, 17, 116, 201
- local sidereal time (LST), 27, 43, 203
 - at rising or setting, 67–71
 - to GST conversion, 28–30
- longitude, 200
 - ecliptic, 37, 200
 - galactic, 38, 200
 - geocentric, 200
 - geographical, 200
 - heliocentric, 200
 - heliographic, 88
 - selenographic, 95
- lunar eclipse, 181, 198
 - calculation of, 184–9
 - duration of, 183
- lunation, 172, 200
- luni-solar precession, 71–6, 200
- magnitude, 140, 200
 - of eclipse, 188, 200
 - of Moon, 140
 - of planet, 140–1
 - of Sun, 140
- major axis of ellipse, 102, 199
- Mars, orbital elements of, 123
- matrices, 60–2
- mean anomaly, 103, 121, 122, 143, 197
- mean motion of
 - Moon, 164, 170
 - Sun, 112, 185, 191
- mean sidereal time, 203
- mean solar time, 203
- mean Sun, 103, 116, 201
- Mercury, orbital elements of, 123
- meridian, 36, 201
 - Greenwich meridian, 16, 27, 69, 200
 - observer's meridian, 201
- Microsoft *Excel*, xiii, xix
- minor axis of ellipse, 102
- MOD, spreadsheet function, 4
- modified Julian date or day number (MJD), 8, 201
- month, 2, 201
 - anomalous, 201
 - draconic, 163, 201
 - nodal, 163, 201
 - sidereal, 162, 201
 - synodic, 162, 201
- Moon, 161–80
 - age of (phase), 171–2, 197, 202
 - angular diameter of, 176–7
 - calculating the position of, 164–7
 - corrections to orbit of, 162, 164–5
 - distance of, 176–7
 - eclipse of, 181, 198
 - error in calculating position of, 166, 167
 - hourly motions of, 170
 - magnitude of, 140
 - orbit of, 162–3
 - orbital elements of, 165
 - parallax of, 176–7, 178
 - perigee, advance of, 163
 - phases of, 171–2, 202
 - position-angle of bright limb, 175
 - quarters of, 2, 171–2, 202
 - rising and setting of, 178–80
 - selenographic coordinates, 95–8, 198
- moon anomaly, 164
- moonrise, 178–80
- moonset, 178–80
- movement of stars about pole, 35, 36, 67–9
- nadir, 201
- nautical twilight, 203
- Neptune, orbital elements of, 123
- nested spreadsheet functions, 20
- new Moon, 171, 202
- nodal month, 163, 201
- node, 120, 201
- nomogram for first guess in iterative solution of Kepler's equation, 147
- noon, 17, 116, 201
- north celestial pole, 35, 201
- notation
 - algebraic, xi
 - reverse Polish (RPN), xi
- nutation, 76–7, 201, 203
- obliquity of the ecliptic, 37, 51, 201
- observer's meridian, 36, 201
- OpenOffice *Calc*, xiii, xix
- opposition, 201
- orbit, 102, 201
 - of binary stars, 155–9
 - of comets, 143–51
 - of Moon, 162–3
 - of planets, 120
 - parabolic, 151–4, 201
 - period, 201
 - perturbations to, 132–4, 202
 - Sun (apparent), 103
- orbital elements, 201
 - of binary stars, 157
 - of comets, 145
 - of Moon, 165
 - of planets, 123
 - of Sun, 103–4
 - parabolic, 151
- osculating elements, 201
- outer planet, 124, 201
- parabolic orbits, 151–4, 201
- parallax, 83–7, 201
 - effect on rising and setting, 68
 - equatorial horizontal parallax, 84, 200
 - geocentric parallax, 83–7
 - horizontal parallax, 84, 200
 - of Moon, 176–7, 178
- partial eclipse, 181, 198, 202
- penumbra, 201
 - size of Earth's, 184
- penumbral phase of eclipse, 181, 202

- periastron, 155, 201
- perigee, 103, 104, 201
 - advance of Moon's, 163
- perihelion, 102, 201
 - argument of, 120, 143
- period
 - of Moon's nodes, 163
 - of Moon's perigee, 163
 - of orbit, 201
 - synodic, 203
- perturbations, 202
 - to planet's orbit, 132–4, 202
- phase, 202
 - of Moon, 171–2, 202
 - of planets, 137–8, 202
- phase of eclipse, 181, 202
 - duration of, 183
 - partial, 181, 202
 - penumbral, 181, 202
 - total, 181, 202
 - umbral, 181, 202
- physical libration, 95, 200
- pi, value of, 206
- plane of the ecliptic, 37, 199
 - obliquity of, 37, 51, 201
- planet, 119–41, 202
 - angular diameter of, 136
 - brightness of, 140–1
 - calculating approximate position of, 131–2
 - calculating more exact position of, 121–8
 - distance of, 136
 - inner, 124, 200
 - light-travel time, 136
 - magnitude, 140–1
 - orbit of, 120
 - orbital elements of, 123
 - outer, 124, 201
 - perturbations to orbit of, 132–4, 202
 - phase of, 137–8, 202
 - position-angle of bright limb of, 138–9
 - reflectivity of, 202
- polar distance, 68, 202
- Polaris, 67
- pole, 35, 37, 56, 202
 - of the ecliptic, 37, 202
 - of the equator, 202
- position-angle, 202
- position-angle of bright limb of
 - Moon, 175
 - planet, 138–9
- precession (of the equinoxes), 71–6, 200
- precision, double, xii
- primary (of binary star), 155, 202
- prograde motion, 162, 202
 - of Moon's perigee, 163
- quadrants of a circle, 53, 54
- quadrature phase of Moon, 171, 202
- quarters of Moon, 2, 171–2, 202
- radians, 202
 - conversion to degrees, 109, 202
 - conversion to hours, 41
- RADIANS, spreadsheet function, 47
- radius vector, 102, 202
- reflectivity of planet, 202
- refraction, 80–2, 197
 - effect on altitude, 80, 81
 - effect on hour angle, 81
 - effect on right ascension and declination, 81
 - effect on rising and setting, 68, 81
- remainder, 3
- renaming a spreadsheet, xvii
- retrograde motion, 163, 202
 - of Moon's nodes, 163
- reverse Polish notation (RPN), xi
- right ascension, 36, 202
 - conversion to hour angle, 43–5
 - effect of aberration on, 78–9
 - effect of precession on, 71
 - effect of refraction on, 80–2
- rigorous precession, 72–6
- rising, 67–71, 202
 - effect of parallax on, 68
 - effect of refraction on, 68, 81
 - of Moon, 178–80
 - of Sun, 112–13
- rotation axis of
 - Earth, 35, 71
 - Sun, 88
- ROUND, spreadsheet function, 15
- routines
 - R1 (converting the date to the day number), 8
 - R2 (finding a solution to Kepler's equation), 108
 - R3 (to solve cubic equation), 152
- row, of spreadsheet, xiv
- rules of eclipse, 183
- Saros cycle, 183, 202
- satellite, geostationary, 34, 199
- Saturn, orbital elements of, 123
- second (SI), 202
- selenographic coordinates, 95–8, 198
- semi-major axis of ellipse, 102, 198, 199
- semi-minor axis of ellipse, 102
- setting, 67–71, 202
 - effect of parallax on, 68
 - effect of refraction on, 68, 81
 - of Moon, 178–80
 - of Sun, 112–13
- shadow of Earth or Moon, 181–2
 - angular radius of, 184, 186
- sidereal clock, 23
- sidereal day, 23, 198
- sidereal month, 162, 201
- sidereal time (ST), 22–3, 30, 203
 - Greenwich sidereal time (GST), 23–7, 203
 - local sidereal time, 27, 43, 203
- sidereal year, 204
- software, spreadsheet, xix
- solar day, 22, 198

Index

215

- solar eclipse, 181, 198
 - calculation of, 190–3
 - duration of, 183
- solar elongation, 118, 202
- Solar System, 119, 202
- solar time, 203
- solstice, 202
- spheroid of revolution, 83, 199
- spreadsheet, xiii–xx
 - adjusting column width of, xvii
 - calculations with multiple, xvii–xix
 - cell, xiv
 - cell label, xiv
 - column, xiv
 - column width, xvii
 - formulas, xiv
 - functions, xix–xx
 - instead of multiple sheets, xix
 - layout of in this book, xvi–xvii
 - linking, xviii
 - renaming, xvii
 - row, xiv
 - software (BASIC, *Calc*, *Excel*), xix
 - tabs, xvii
 - using for complex calculations, xv
 - using functions as formulas, xix
 - what they are, xiii–xvi
- spreadsheet functions
 - ATAN2, 48, 50
 - built-in, 4
 - CONCATENATE, 180
 - DEGREES, 47
 - FIX, 9
 - FLOOR, 9
 - IF, 4, 26
 - INT, 9, 13, 23
 - intrinsic, 4
 - MOD, 4
 - nested, 20
 - RADIANS, 47
 - ROUND, 15
 - TEXT, 180
 - TRUNC, 4, 9
- starting point for calculations, 6, 8, 9
- sub-Earth point, 202
 - on Moon, 95, 198
- sub-solar point (on Moon), 97
- Sun, 101–18
 - angular diameter of, 110–11
 - apparent orbit, 103
 - as a time-keeper, 116
 - calculating the position of, 103–5
 - Carrington rotation numbers, 94
 - distance of, 110–11
 - eclipse of, 181, 198
 - heliographic coordinates, 88–92, 198
 - hourly motion of, 185, 191
 - light-travel time, 101, 110
 - magnitude of, 140
 - mean, 103, 116, 201
 - mean rotation period of, 88
 - motion along the ecliptic, 37, 112
 - non-uniform apparent motion, 116
 - observation of, 88
 - orbital elements of, 103–4
 - position-angle of rotation axis, 91
 - rising and setting, 112–13
 - rotation axis of, 88
 - speed in apparent orbit, 116
- sundial, 116
- sunrise, 112–13
- sunset, 112–13
- synodic month, 162, 201
- synodic period, 203
- tabs, of spreadsheet, xvii
- terminator, 138, 203
 - selenographic longitude of, 97
- terrestrial dynamic time (TDT), 17, 30, 203
- terrestrial time (TT), 30, 203
- TEXT, spreadsheet function, 180
- third quarter of Moon, 171, 202
- time, 1–30, 203
 - apparent sidereal time, 203
 - atomic time, 16, 30, 203
 - British summer time (BST), 17, 203
 - daylight saving time, 17, 203
 - dynamical time, 16, 30, 203
 - ephemeris time (ET), 16, 30, 203
 - equation of, 116–17, 199
 - global positioning system (GPS) time, 16, 200
 - Greenwich mean time (GMT), 16, 200
 - Greenwich sidereal time (GST), 23–7, 203
 - to local sidereal time conversion, 27
 - to UT conversion, 24–7
 - international atomic time (TAI), 16, 30, 203
 - local civil time, 16–20, 22
 - to UT conversion, 16–20
 - local sidereal time (LST), 27, 43, 203
 - to GST conversion, 28–30
 - mean sidereal time, 203
 - mean solar time, 203
 - sidereal time (ST), 22–3, 30, 203
 - solar time, 203
 - terrestrial dynamic time (TDT), 17, 30, 203
 - terrestrial time (TT), 16, 30, 203
 - to decimal hours conversion, 14
 - to degrees conversion, 41
 - to hours, minutes and seconds conversion, 15
 - to radians conversion, 41
 - transmission services, 16
 - universal time (UT), 16–20, 23, 30, 203
 - to GST conversion, 23–4
 - to local civil time conversion, 20–2
 - zone time, 17–20
- time zones, 17–20, 203
- total eclipse, 181, 198
- transit, 36, 203
- tropical year, 2, 204
- true anomaly, 103, 107, 108, 121, 122, 144, 197

- TRUNC, spreadsheet function, 4, 9

twilight, 114–15, 203

umbra, 203

 size of Earth’s, 184

umbral phase of eclipse, 181, 202

universal time (UT), 16–20, 23, 30, 203

Uranus, orbital elements of, 123

variation, 162, 203

Venus, orbital elements of, 123

vernal equinox, 35–7, 199, 203

visible disc of planet, 137

website, xx, 209
- year, 204

 anomalous, 204

 Besselian, 204

 civil, 2

 leap, 2

 sidereal, 204

 starting point for calculations, 6, 8, 9

 tropical, 2, 204

zenith, 34, 204

zenith angle (or distance) 80, 204

 effect of refraction on, 80

zone correction, 17–19, 204

zone time, 17–20